



PUBLIC WORKS AGENCY

P.O. Box 1070 / 777 N. Colusa Street
Willows, CA 95988

Donald Rust, Director

Airports
Engineering
Flood Control
Roads & Bridges
Solid Waste
Surveyor

NOTICE OF INTENT TO ADOPT A PROPOSED MITIGATED NEGATIVE DECLARATION **GLENN COUNTY ROAD 200 BRIDGE REPLACEMENT PROJECT**

LEAD AGENCY: Glenn County Public Works Agency
777 N. Colusa Street, Willows, CA 95988
Attn: Talia Richardson

PROJECT TITLE: Glenn County Road 200 Bridge Replacement Project

PROJECT LOCATION: County Road (CR) 200 at its crossing over Branch of Salt Creek in Glenn County,
Latitude 39.79347, Longitude -122.5336.
Newville USGS Quadrangle, Township 22N, Range 6W, Sections 3 and 4.

PROJECT DESCRIPTION: The County proposes to replace the existing bridge with a slightly wider and longer bridge to improve roadway safety, improve hydraulics, and reduce scour potential. The purpose of the proposed project is to replace a structurally deficient bridge with a new structure that meets current standards and reconstruct the approaching roadway to transition between the new construction and the existing roadway. The new bridge would be a standard two-lane bridge approximately 30 feet wide and 105 feet long. The bridge would have two 12-foot-wide travel lanes with 2-foot-wide shoulders on each side. The bridge would be located along the same alignment as the existing bridge. The bridge structure would consist of a cast in place, post-tensioned single-span box girder. The bridge abutments would be located along the banks of Branch Salt Creek and would not be in the active channel. Rock slope protection may be placed around the new abutments to protect them from scouring and erosion as well as approximately 75 feet upstream and 50 feet downstream of the bridge to prevent erosion along the creek banks. It is anticipated that the excavation for the abutments would not exceed 27 feet (approximate) below the existing ground surface. Approximately 800 feet of County Road 200 would be reconstructed. A temporary detour road and low water crossing would be constructed to the south of the bridge to allow for continuous traffic flow during construction.

FINDINGS/DETERMINATION: The County has reviewed and considered the proposed project and has determined that, subject to mitigation measures identified in the Mitigated Negative Declaration, the project will not have a significant effect on the environment, with substantial supporting evidence provided in the Draft Initial Study/Proposed Mitigated Negative Declaration. The County hereby prepares, and proposes to approve this project and adopt, a Mitigated Negative Declaration for this project.

PUBLIC REVIEW PERIOD: A 30-day public review period for the proposed Mitigated Negative Declaration will commence no later than September 9, 2023 and end no earlier than October 10, 2023 for interested and concerned individuals and public agencies to submit written comments on the document. Any written comments on the proposed Mitigated Negative Declaration must be received at the above address or via email at gcboard@countyofglenn.net within the public review period. Copies of the proposed Mitigated Negative Declaration are available for review at the County Public Works Agency office (at the above address). The Initial Study/Proposed Mitigated Negative Declaration is also available on the Glenn County website at: https://www.countyofglenn.net/sites/default/files/Road_%26_Bridge_Maintenance/2023-CEQA-IS-MND-Glenn-County-CR-200-Bridge.pdf.

PUBLIC HEARINGS: The proposed project will require approval from the Glenn County Board of Supervisors. The Board of Supervisors' review of the proposed project is scheduled for October 10, 2023. The Board of Supervisors normally meets at the Glenn County Board of Supervisors Chambers, 525 West Sycamore Street, Suite B1, Willows, CA on scheduled Tuesdays at 9:05AM, as scheduled. The Board's review of the proposed project will appear on the October 10, 2023 meeting agenda. The Board of Supervisor's review of the proposed project will include an evaluation of the Draft Initial Study/Proposed Mitigated Negative Declaration. The meeting will be held in person and via teleconference.