

Notice of Determination

Appendix D

To:

Office of Planning and Research
U.S. Mail: P.O. Box 3044
Sacramento, CA 95812-3044
Street Address: 1400 Tenth St., Rm 113
Sacramento, CA 95814

County Clerk
County of: Sacramento
Address: P.O. Box 839
Sacramento, CA 95812

From:

Public Agency: Carmichael Water District
Address: 7837 Fair Oaks Boulevard
Carmichael, CA 95608
Contact: Greg Norris
Phone: 916-483-2452

Lead Agency (if different from above):
Address:
Contact:
Phone:

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2023090687

Project Title: Ladera Aquifer Storage and Recovery (ASR) Well Project

Project Applicant: Carmichael Water District

Project Location (include county): 4525 Ladera Avenue, Carmichael, Sacramento County, California.

Project Description:

The proposed project would construct a new water supply well with ASR capability. The Ladera ASR Well would produce approximately 1,500 gallon per minute (gpm) and have a recharge capacity of approximately 750 gpm. The project would include related above ground improvements including a fenced perimeter, site paving, installation of a pedestal to rest the motor on, installation of a pump, and constructing a small (8 by 12 feet) prefabricated building to house the chlorine and equipment, a pad to rest electrical equipment and instrumentation controls cabinet and a small shade structure to protect it.

This is to advise that the Carmichael Water District has approved the above (Lead Agency or Responsible Agency)

described project on 11/07/2023 and has made the following determinations regarding the above described project.

- 1. The project will not have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures were made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan was adopted for this project.
5. A statement of Overriding Considerations was adopted for this project.
6. Findings were made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at: https://carmichaelwd.org/

Signature (Public Agency): [Signature] Title: Engineering Manager

Date: 11/14/23 Date Received for filing at OPR: