

# Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: \_\_\_\_\_

Project Title: Garvey Reservoir Rehabilitation Project

Lead Agency: Metropolitan Water District of Southern California

Contact Name: Ms. Michelle Morrison

Email: mmorrison@mwdh2o.com

Phone Number: 213-217-7906

Project Location: Monterey Park

Los Angeles

*City*

*County*

Project Description (Proposed actions, location, and/or consequences).

The proposed Project involves various upgrades, replacements, and improvements to Metropolitan facilities located at Garvey Reservoir, including but not limited to, replacement of the reservoir floating cover and liner, rehabilitation of the inlet/outlet tower, replacement of five valves in the junction structure, upgrades and redesign of the facility electrical system, replacement of the existing standby generator, improvements to the telemetry equipment associated with the surge tank, re-configuration of and upgrades to the Administration Building and Water Quality Control Laboratory, construction of a new pump station facility, and various site upgrades such as upgrading the ammonia feed system, re-pavement or repair of existing internal roadways, replacement of fencing, installation of stormwater control improvements, landscaping removal and/or replacement, and upgrades to security features. Project construction activities would take approximately three years to complete. Operations and maintenance activities at the Garvey Reservoir, including the frequency of staff visits, monthly testing of the standby generator, electricity usage, and water usage in the Administration Building and Water Quality Laboratory, would remain similar to existing conditions once construction activities are completed. The Project site is an approximately 142-acre property located at 1061 South Orange Avenue in Monterey Park, California.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

The project may have potentially significant effects to air quality, greenhouse gas emissions, tribal cultural resources, transportation, and noise. These impact categories shall be analyzed in the draft environmental impact report, and mitigation measures may be proposed to reduce potentially significant impacts to less than significant levels.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

The City of Monterey Park has expressed concern regarding construction-related traffic on local roads as the facility is only accessible from one local road.

Provide a list of the responsible or trustee agencies for the project.

California Department of Water Resources Division of Safety of Dams.