



---

# **Murrieta Road Warehouse**

## **NOISE AND VIBRATION ANALYSIS**

### **CITY OF MENIFEE**

PREPARED BY:

Bill Lawson, PE, INCE  
blawson@urbanxroads.com  
(949) 584-3148

APRIL 23, 2024

---

15382-05 NA



## TABLE OF CONTENTS

<b>TABLE OF CONTENTS</b> .....	<b>III</b>
<b>APPENDICES</b> .....	<b>IV</b>
<b>LIST OF EXHIBITS</b> .....	<b>IV</b>
<b>LIST OF TABLES</b> .....	<b>V</b>
<b>LIST OF ABBREVIATED TERMS</b> .....	<b>VI</b>
<b>EXECUTIVE SUMMARY</b> .....	<b>1</b>
<b>1 INTRODUCTION</b> .....	<b>3</b>
1.1 Site Location.....	3
1.2 Project Description.....	3
<b>2 FUNDAMENTALS</b> .....	<b>7</b>
2.1 Range of Noise .....	7
2.2 Noise Descriptors .....	8
2.3 Sound Propagation.....	8
2.4 Noise Control .....	9
2.5 Noise Barrier Attenuation .....	9
2.6 Land Use Compatibility With Noise .....	10
2.7 Community Response to Noise .....	10
2.8 Vibration .....	11
<b>3 REGULATORY SETTING</b> .....	<b>13</b>
3.1 State of California Noise Requirements.....	13
3.2 City of Menifee General Plan Noise Element.....	13
3.3 Operational Noise Standards .....	15
3.4 Construction Noise Standards .....	15
3.5 Vibration Standards .....	16
3.6 Perris Valley Airport (PV) .....	16
<b>4 SIGNIFICANCE CRITERIA</b> .....	<b>19</b>
4.1 Noise Level Increases (Threshold A) .....	19
4.2 Vibration (Threshold B).....	20
4.3 CEQA Guidelines Not Further Analyzed (Threshold C) .....	20
4.4 Significance Criteria Summary .....	21
<b>5 EXISTING NOISE LEVEL MEASUREMENTS</b> .....	<b>23</b>
5.1 Measurement Procedure and Criteria .....	23
5.2 Noise Measurement Locations .....	23
5.3 Noise Measurement Results .....	24
<b>6 TRAFFIC NOISE METHODS AND PROCEDURES</b> .....	<b>27</b>
6.1 FHWA Traffic Noise Prediction Model .....	27
<b>7 OFF-SITE TRAFFIC NOISE ANALYSIS</b> .....	<b>33</b>
7.1 Traffic Noise Contours .....	33
7.2 Existing Project Scenario 1 – No Signal Traffic Noise Level Increases.....	36
7.3 Existing Project Scenario 2 – With Signal Traffic Noise Level Increases .....	37
7.4 OYC Project Scenario 1 – No Signal Traffic Noise Level Increases .....	37
7.5 OYC Project Scenario 2 – With Signal Traffic Noise Level Increases.....	38

7.6 Off-Site Traffic Noise Mitigation ..... 38

**8 RECEIVER LOCATIONS.....45**

**9 OPERATIONAL NOISE ANALYSIS .....47**

9.1 Operational Noise Sources..... 47

9.2 Reference Noise Levels ..... 47

9.3 CadnaA Noise Prediction Model ..... 50

9.4 Project Operational Noise Levels ..... 51

9.5 Project Operational Noise Level Increases ..... 52

**10 CONSTRUCTION ANALYSIS.....55**

10.1 Construction Noise Levels..... 55

10.2 Construction Reference Noise Levels ..... 55

10.3 Construction Noise Analysis..... 57

10.4 Construction Noise Level Compliance ..... 58

10.5 Off-Site Roadway and Utility Improvements Construction Noise Analysis ..... 59

10.6 Nighttime Concrete Pour Noise Analysis ..... 59

10.7 Construction Vibration Analysis..... 61

**11 REFERENCES.....63**

**12 CERTIFICATIONS .....65**

**APPENDICES**

- APPENDIX 3.1: CITY OF MENIFEE DEVELOPMENT CODE
- APPENDIX 5.1: STUDY AREA PHOTOS
- APPENDIX 5.2: NOISE LEVEL MEASUREMENT WORKSHEETS
- APPENDIX 9.1: CADNAA OPERATIONAL NOISE MODEL INPUTS
- APPENDIX 10.1: CADNAA CONSTRUCTION NOISE MODEL INPUTS
- APPENDIX 10.2 CADNAA CONCRETE POUR NOISE MODEL INPUTS

**LIST OF EXHIBITS**

EXHIBIT 1-A: LOCATION MAP .....4

EXHIBIT 1-B: SITE PLAN .....5

EXHIBIT 2-A: TYPICAL NOISE LEVELS .....7

EXHIBIT 2-B: NOISE LEVEL INCREASE PERCEPTION .....10

EXHIBIT 2-C: TYPICAL LEVELS OF GROUND-BORNE VIBRATION.....12

EXHIBIT 3-A: LAND USE NOISE COMPATIBILITY CRITERIA .....14

EXHIBIT 3-B: RC ALUCP SUPPORTING COMPATIBILITY CRITERIA: NOISE.....17

EXHIBIT 3-C: PERRIS VALLEY AIRPORT (PV) NOISE CONTOURS.....18

EXHIBIT 5-A: NOISE MEASUREMENT LOCATIONS.....25

EXHIBIT 8-A: RECEIVER LOCATIONS.....46

EXHIBIT 9-A: OPERATIONAL NOISE SOURCE LOCATIONS .....48

EXHIBIT 10-A: CONSTRUCTION NOISE SOURCE LOCATIONS.....56



**LIST OF TABLES**

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS .....1

TABLE 4-1: SIGNIFICANCE CRITERIA SUMMARY ..... 21

TABLE 5-1: 24-HOUR AMBIENT NOISE LEVEL MEASUREMENTS ..... 24

TABLE 6-1: OFF-SITE ROADWAY PARAMETERS ..... 28

TABLE 6-2: AVERAGE DAILY TRAFFIC VOLUMES ..... 29

TABLE 6-3: TIME OF DAY VEHICLE SPLITS..... 29

TABLE 6-4: WITHOUT PROJECT VEHICLE MIX ..... 29

TABLE 6-5: EXISTING WITH PROJECT SCENARIO 1 – NO SIGNAL VEHICLE MIX ..... 30

TABLE 6-6: EXISTING WITH PROJECT SCENARIO 2 – WITH SIGNAL ..... 30

TABLE 6-7: OYC WITH PROJECT SCENARIO 1 – NO SIGNAL VEHICLE MIX ..... 31

TABLE 6-8: OYC WITH PROJECT SCENARIO 2 – WITH SIGNAL ..... 31

TABLE 7-1: EXISTING WITHOUT PROJECT CONTOURS ..... 33

TABLE 7-2: EXISTING WITH PROJECT SCENARIO 1 – NO SIGNAL NOISE CONTOURS ..... 34

TABLE 7-3: EXISTING WITH PROJECT SCENARIO 2 – WITH SIGNAL NOISE CONTOURS..... 34

TABLE 7-4: OYC (2026) WITHOUT PROJECT CONTOURS..... 35

TABLE 7-5: OYC (2026) WITH PROJECT SCENARIO 1 – NO SIGNAL NOISE CONTOURS..... 35

TABLE 7-6: OYC (2026) WITH PROJECT SCENARIO 2 – WITH SIGNAL NOISE CONTOURS ..... 36

TABLE 7-7: EXISTING WITH PROJECT SCENARIO 1 – NO SIGNAL TRAFFIC NOISE INCREASES..... 41

TABLE 7-8: EXISTING WITH PROJECT SCENARIO 2 – WITH SIGNAL TRAFFIC NOISE INCREASES ..... 42

TABLE 7-9: OYC WITH PROJECT SCENARIO 1 – NO SIGNAL TRAFFIC NOISE INCREASES..... 43

TABLE 7-10: OYC WITH PROJECT SCENARIO 2 – WITH SIGNAL TRAFFIC NOISE INCREASES ..... 44

TABLE 9-1: REFERENCE NOISE LEVEL MEASUREMENTS..... 49

TABLE 9-2: DAYTIME PROJECT OPERATIONAL NOISE LEVELS..... 51

TABLE 9-3: NIGHTTIME PROJECT OPERATIONAL NOISE LEVELS ..... 52

TABLE 9-4: DAYTIME PROJECT OPERATIONAL NOISE LEVEL INCREASES ..... 53

TABLE 9-5: NIGHTTIME OPERATIONAL NOISE LEVEL INCREASES ..... 54

TABLE 10-1: CONSTRUCTION REFERENCE NOISE LEVELS..... 57

TABLE 10-2: CONSTRUCTION EQUIPMENT NOISE LEVEL SUMMARY ..... 58

TABLE 10-3: CONSTRUCTION NOISE LEVEL COMPLIANCE ..... 58

TABLE 10-4: NIGHTTIME CONCRETE POUR NOISE LEVEL COMPLIANCE ..... 60

TABLE 10-5: VIBRATION SOURCE LEVELS FOR CONSTRUCTION EQUIPMENT ..... 61

TABLE 10-6: PROJECT CONSTRUCTION VIBRATION LEVELS ..... 62

## **LIST OF ABBREVIATED TERMS**

(1)	Reference
ADT	Average Daily Traffic
ANSI	American National Standards Institute
CEQA	California Environmental Quality Act
CNEL	Community Noise Equivalent Level
dBA	A-weighted decibels
EPA	Environmental Protection Agency
FHWA	Federal Highway Administration
FTA	Federal Transit Administration
Hz	Hertz
INCE	Institute of Noise Control Engineering
$L_{eq}$	Equivalent continuous (average) sound level
$L_{max}$	Maximum level measured over the time interval
$L_{min}$	Minimum level measured over the time interval
OPR	Office of Planning and Research
PPV	Peak particle velocity
Project	Murrieta Road Warehouse
REMEL	Reference Energy Mean Emission Level
RMS	Root-mean-square
VdB	Vibration Decibels

## EXECUTIVE SUMMARY

Urban Crossroads, Inc. has prepared this noise study to determine the potential noise impacts and the necessary noise mitigation measures, if any, for the proposed Murrieta Road Warehouse development (“Project”). The proposed Project is to consist of an approximately 517,720 square foot industrial warehouse building. This study has been prepared to satisfy applicable City of Menifee standards and thresholds of significance based on guidance provided by Appendix G of the Guidelines for Implementation of the California Environmental Quality Act (State CEQA Guidelines). (1)

The results of this Murrieta Road Warehouse Noise and Vibration Analysis are summarized below based on the significance criteria in Section 4 of this report. Table ES-1 shows the findings of significance for each potential noise and/or vibration impact under CEQA before and after any required mitigation measures.

**TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS**

Analysis	Report Section	Significance Findings	
		Unmitigated	Mitigated
Off-Site Traffic Noise	7	<i>Potentially Significant</i>	<i>Significant and Unavoidable</i>
Operational Noise	9	<i>Less Than Significant</i>	-
Construction Noise	10	<i>Less Than Significant</i>	-
Nighttime Concrete Pour Noise		<i>Less Than Significant</i>	-
Construction Vibration		<i>Less Than Significant</i>	-

*This page intentionally left blank*

# **1 INTRODUCTION**

This Noise and Vibration analysis has been completed to determine the noise impacts associated with the development of the proposed Murrieta Road Warehouse project (“Project”). This study briefly describes the proposed Project, provides information regarding noise fundamentals, sets out the local regulatory setting, presents the study methods and procedures for transportation related CNEL traffic noise analysis, and evaluates the future exterior noise environment. In addition, this study includes an analysis of the potential Project-related long-term stationary-source operational noise and short-term construction noise and vibration impacts.


## **1.1 SITE LOCATION**

The proposed project is located east of Geary Street, south of Ethanac Road, and west of Murrieta Road in the City of Menifee as shown on Exhibit 1-A.

## **1.2 PROJECT DESCRIPTION**


The proposed Project is to consist of an approximately 517,720 square foot (SF) industrial warehouse building, as shown on Exhibit 1-B. To provide a conservative analysis, a three percent buffer in building square footage has been included to assess the off-site traffic noise levels, which would equal 533,252 SF of building area. The Project would also include 4.5 acres (approximately 1.5 linear miles) of construction activities for offsite roadway and utility improvements. The proposed Project is anticipated to have an opening year of 2026. The on-site Project-related noise sources are expected to include: loading dock activity, roof-top air conditioning units, parking lot vehicle movements, diesel fire pump, trash enclosure activity, and truck movements. This noise analysis is intended to describe noise level impacts associated with the expected typical operational activities at the Project site.

EXHIBIT 1-A: LOCATION MAP



- LEGEND:**
- Offsite Improvements
  - Site Boundary

EXHIBIT 1-B: SITE PLAN



*This page intentionally left blank*



## 2 FUNDAMENTALS

Noise is simply defined as *unwanted sound*. Sound becomes unwanted when it interferes with normal activities, when it causes actual physical harm or when it has adverse effects on health. Noise is measured on a logarithmic scale of sound pressure level known as a decibel (dB). A-weighted decibels (dBA) approximate the subjective response of the human ear to broad frequency noise source by discriminating against very low and very high frequencies of the audible spectrum. They are adjusted to reflect only those frequencies which are audible to the human ear. Exhibit 2-A presents a summary of the typical noise levels and their subjective loudness and effects that are described in more detail below.

**EXHIBIT 2-A: TYPICAL NOISE LEVELS**

<b>COMMON OUTDOOR ACTIVITIES</b>	<b>COMMON INDOOR ACTIVITIES</b>	<b>A - WEIGHTED SOUND LEVEL dBA</b>	<b>SUBJECTIVE LOUDNESS</b>	<b>EFFECTS OF NOISE</b>
THRESHOLD OF PAIN		140	<b>INTOLERABLE OR DEAFENING</b>	<b>HEARING LOSS</b>
NEAR JET ENGINE		130		
		120		
JET FLY-OVER AT 300m (1000 ft)	ROCK BAND	110		
LOUD AUTO HORN		100	<b>VERY NOISY</b>	<b>SPEECH INTERFERENCE</b>
GAS LAWN MOWER AT 1m (3 ft)		90		
DIESEL TRUCK AT 15m (50 ft), at 80 km/hr (50 mph)	FOOD BLENDER AT 1m (3 ft)	80	<b>LOUD</b>	
NOISY URBAN AREA, DAYTIME	VACUUM CLEANER AT 3m (10 ft)	70		
HEAVY TRAFFIC AT 90m (300 ft)	NORMAL SPEECH AT 1m (3 ft)	60	<b>MODERATE</b>	<b>SLEEP DISTURBANCE</b>
QUIET URBAN DAYTIME	LARGE BUSINESS OFFICE	50		
QUIET URBAN NIGHTTIME	THEATER, LARGE CONFERENCE ROOM (BACKGROUND)	40	<b>FAINT</b>	<b>NO EFFECT</b>
QUIET SUBURBAN NIGHTTIME	LIBRARY	30		
QUIET RURAL NIGHTTIME	BEDROOM AT NIGHT, CONCERT HALL (BACKGROUND)	20		
	BROADCAST/RECORDING STUDIO	10	<b>VERY FAINT</b>	
LOWEST THRESHOLD OF HUMAN HEARING	LOWEST THRESHOLD OF HUMAN HEARING	0		

Source: Environmental Protection Agency Office of Noise Abatement and Control, *Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety (EPA/ONAC 550/9-74-004) March 1974.*

### 2.1 RANGE OF NOISE

Since the range of intensities that the human ear can detect is so large, the scale frequently used to measure intensity is a scale based on multiples of 10, the logarithmic scale. The scale for measuring intensity is the decibel scale. Each interval of 10 decibels indicates a sound energy ten times greater than before, which is perceived by the human ear as being roughly twice as loud. (2) The most common sounds vary between 40 dBA (very quiet) to 100 dBA (very loud). Normal conversation at three feet is roughly at 60 dBA, while loud jet engine noises equate to 110 dBA

at approximately 1,000 feet, which can cause serious discomfort. (3) Another important aspect of noise is the duration of the sound and the way it is described and distributed in time.

## 2.2 NOISE DESCRIPTORS

Environmental noise descriptors are generally based on averages, rather than instantaneous, noise levels. The most used metric is the equivalent level ( $L_{eq}$ ). Equivalent sound levels are not measured directly but are calculated from sound pressure levels typically measured in A-weighted decibels (dBA). The equivalent sound level ( $L_{eq}$ ) represents a steady state sound level containing the same total energy as a time varying signal over a given sample period and is commonly used to describe the “average” noise levels within the environment.

Peak hour or average noise levels, while useful, do not completely describe a given noise environment. Noise levels lower than peak hour may be disturbing if they occur during times when quiet is most desirable, namely evening and nighttime (sleeping) hours. To account for this, the Community Noise Equivalent Level (CNEL), representing a composite 24-hour noise level is utilized. The CNEL is the weighted average of the intensity of a sound, with corrections for time of day, and averaged over 24 hours. The time-of-day corrections require the addition of 5 decibels to dBA  $L_{eq}$  sound levels in the evening from 7:00 p.m. to 10:00 p.m., and the addition of 10 decibels to dBA  $L_{eq}$  sound levels at night between 10:00 p.m. and 7:00 a.m. These additions are made to account for the noise sensitive time periods during the evening and night hours when noise can become more intrusive. CNEL does not represent the actual sound level heard at any time, but rather represents the total sound exposure. The City of Menifee relies on the 24-hour CNEL level to assess land use compatibility with transportation related noise sources.

## 2.3 SOUND PROPAGATION

When sound propagates over a distance, it changes in level and frequency content. The way noise reduces with distance depends on the following factors.

### 2.3.1 GEOMETRIC SPREADING

Sound from a localized source (i.e., a stationary point source) propagates uniformly outward in a spherical pattern. The sound level attenuates (or decreases) at a rate of 6 dB for each doubling of distance from a point source. Highways consist of several localized noise sources on a defined path and hence can be treated as a line source, which approximates the effect of several point sources. Noise from a line source propagates outward in a cylindrical pattern, often referred to as cylindrical spreading. Sound levels attenuate at a rate of 3 dB for each doubling of distance from a line source. (2)

### 2.3.2 GROUND ABSORPTION

The propagation path of noise from a highway to a receiver is usually very close to the ground. Noise attenuation from ground absorption and reflective wave canceling adds to the attenuation associated with geometric spreading. Traditionally, the excess attenuation has also been expressed in terms of attenuation per doubling of distance. This approximation is usually

sufficiently accurate for distances of less than 200 ft. For acoustically hard sites (i.e., sites with a reflective surface between the source and the receiver, such as a parking lot or body of water), no excess ground attenuation is assumed. For acoustically absorptive or soft sites (i.e., those sites with an absorptive ground surface between the source and the receiver such as soft dirt, grass, or scattered bushes and trees), an excess ground attenuation value of 1.5 dB per doubling of distance is normally assumed. When added to the cylindrical spreading, the excess ground attenuation results in an overall drop-off rate of 4.5 dB per doubling of distance from a line source. (4)

### **2.3.3 ATMOSPHERIC EFFECTS**

Receivers located downwind from a source can be exposed to increased noise levels relative to calm conditions, whereas locations upwind can have lowered noise levels. Sound levels can be increased at large distances (e.g., more than 500 feet) due to atmospheric temperature inversion (i.e., increasing temperature with elevation). Other factors such as air temperature, humidity, and turbulence can also have significant effects. (2)

### **2.3.4 SHIELDING**

A large object or barrier in the path between a noise source and a receiver can substantially attenuate noise levels at the receiver. The amount of attenuation provided by shielding depends on the size of the object and the frequency content of the noise source. Shielding by trees and other such vegetation typically only has an “out of sight, out of mind” effect. That is, the perception of noise impact tends to decrease when vegetation blocks the line-of-sight to nearby residents. However, for vegetation to provide a substantial, or even noticeable, noise reduction, the vegetation area must be at least 15 feet in height, 100 feet wide and dense enough to completely obstruct the line-of-sight between the source and the receiver. This size of vegetation may provide up to 5 dBA of noise reduction. The Federal Highway Administration (FHWA) does not consider the planting of vegetation to be a noise abatement measure. (5)

## **2.4 NOISE CONTROL**

Noise control is the process of obtaining an acceptable noise environment for an observation point or receiver by controlling the noise source, transmission path, receiver, or all three. This concept is known as the source-path-receiver concept. In general, noise control measures can be applied to these three elements.

## **2.5 NOISE BARRIER ATTENUATION**

Effective noise barriers can reduce noise levels by 10 to 15 dBA, cutting the loudness of traffic noise in half. A noise barrier is most effective when placed close to the noise source or receiver. Noise barriers, however, do have limitations. For a noise barrier to work, it must block the line-of-sight path of sound from the noise source.

## 2.6 LAND USE COMPATIBILITY WITH NOISE


Some land uses are more tolerant of noise than others. For example, schools, hospitals, churches, and residences are more sensitive to noise intrusion than are commercial or industrial developments and related activities. As ambient noise levels affect the perceived amenity or livability of a development, so too can the mismanagement of noise impacts impair the economic health and growth potential of a community by reducing the area’s desirability as a place to live, shop and work. For this reason, land use compatibility with the noise environment is an important consideration in the planning and design process. The FHWA encourages State and Local government to regulate land development in such a way that noise-sensitive land uses are either prohibited from being located adjacent to a highway, or that the developments are planned, designed, and constructed in such a way that noise impacts are minimized. (6)

## 2.7 COMMUNITY RESPONSE TO NOISE

Approximately sixteen percent of the population has a very low tolerance for noise and will object to any noise not of their making. Consequently, even in the quietest environment, some complaints may occur. Twenty to thirty percent of the population will not complain even in very severe noise environments. (7 pp. 8-6) Thus, a variety of reactions can be expected from people exposed to any given noise environment.

Surveys have shown that community response to noise varies from no reaction to vigorous action for newly introduced noises averaging from 10 dB below existing to 25 dB above existing. (8) According to research originally published in the Noise Effects Handbook (7), the percentage of high annoyance ranges from approximately 0 percent at 45 dB or less, 10 percent are highly annoyed around 60 dB, and increases rapidly to approximately 70 percent being highly annoyed at approximately 85 dB or greater. Despite this variability in behavior on an individual level, the population can be expected to exhibit the following responses to changes in noise levels as shown on Exhibit 2-B. A change of 3 dBA is considered barely perceptible, and changes of 5 dBA are considered readily perceptible. (4)

**EXHIBIT 2-B: NOISE LEVEL INCREASE PERCEPTION**




## 2.8 VIBRATION

Per the Federal Transit Administration (FTA) *Transit Noise and Vibration Impact Assessment Manual*, vibration is the periodic oscillation of a medium or object. The rumbling sound caused by the vibration of room surfaces is called structure-borne noise. Sources of ground-borne vibrations include natural phenomena (e.g., earthquakes, volcanic eruptions, sea waves, landslides) or human-made causes (e.g., explosions, machinery, traffic, trains, construction equipment). Vibration sources may be continuous, such as factory machinery, or transient, such as explosions. As is the case with airborne sound, ground-borne vibrations may be described by amplitude and frequency.

Additionally, in contrast to airborne noise, ground-borne vibration outdoors is not a common environmental problem and annoyance from ground-borne vibration is almost exclusively an indoor phenomenon (8). Therefore, the effects of vibrations should only be evaluated at a structure and the effects of the building structure on the vibration should be considered. Wood-frame buildings, such as typical residential structures, are more easily excited by ground vibration than heavier buildings. In contrast, large masonry buildings with spread footings have a low response to ground vibration (8). In general, the heavier a building is, the lower the response will be to the incident vibration energy. However, all structures reduce vibration levels due to the coupling of the building to the soil. There are several different methods that are used to quantify vibration. The peak particle velocity (PPV) is defined as the maximum instantaneous peak of the vibration signal (8). The PPV is most frequently used to describe vibration impacts to buildings but is not always suitable for evaluating human response (annoyance) because it takes some time for the human body to respond to vibration signals. Instead, the human body responds to average vibration amplitude often described as the root mean square (RMS). The RMS amplitude is defined as the average of the squared amplitude of the signal and is most frequently used to describe the effect of vibration on the human body (8). However, the RMS amplitude and PPV are related mathematically, and the RMS amplitude of equipment is typically calculated from the PPV reference level. The RMS amplitude is approximately 70% of the PPV (9). Thus, either can be used in the description of vibration impacts.

While not universally accepted, vibration decibel notation (VdB) is another vibration notation developed and used by the FTA in their guidance manual to describe vibration levels and provide a background of common vibration levels and set vibration limits. (8) Decibel notation (VdB) serves to reduce the range of numbers used to describe vibration levels and is used in this report to describe vibration levels. As stated in the FTA guidance manual, the background vibration-velocity level in residential areas is generally 50 VdB. Ground-borne vibration is normally perceptible to humans at approximately 65 VdB. For most people, a vibration-velocity level of 75 VdB is the approximate dividing line between barely perceptible and distinctly perceptible levels. Typical outdoor sources of perceptible ground-borne vibration are construction equipment, steel-wheeled trains, and traffic on rough roads. If a roadway is smooth, the ground-borne vibration is rarely perceptible. The range of interest is from approximately 50 VdB, which is the typical background vibration-velocity level, to 100 VdB, which is the general threshold where minor damage can occur in fragile buildings. Exhibit 2-C illustrates common vibration sources and the human and structural response to ground-borne vibration.

**EXHIBIT 2-C: TYPICAL LEVELS OF GROUND-BORNE VIBRATION**



\* RMS Vibration Velocity Level in VdB relative to  $10^{-6}$  inches/second

Source: Federal Transit Administration (FTA) Transit Noise and Vibration Impact Assessment Manual.

### 3 REGULATORY SETTING

To limit population exposure to physically and/or psychologically damaging as well as intrusive noise levels, the federal government, the State of California, various county governments, and most municipalities in the state have established standards and ordinances to control noise. In most areas, automobile and truck traffic is the major source of environmental noise. Traffic activity generally produces an average sound level that remains constant with time. Air and rail traffic, and commercial and industrial activities are also major sources of noise in some areas. Federal, state, and local agencies regulate different aspects of environmental noise. Federal and state agencies generally set noise standards for mobile sources such as aircraft and motor vehicles, while regulation of stationary sources is left to local agencies.

#### 3.1 STATE OF CALIFORNIA NOISE REQUIREMENTS

The State of California regulates freeway noise, sets standards for sound transmission, provides occupational noise control criteria, identifies noise standards, and provides guidance for local land use compatibility. State law requires that each county and city adopt a General Plan that includes a Noise Element which is to be prepared per guidelines adopted by the Governor's Office of Planning and Research (OPR) (10). OPR identifies suggested land use noise compatibility levels as part of its General Plan Guidelines as shown on Exhibit 3-A. These suggested guidelines provide planners with a tool to gauge the compatibility of land uses relative to existing and future noise levels. The guidelines identify normally acceptable, conditionally acceptable, normally unacceptable, and clearly unacceptable noise levels for various land uses.


The land use compatibility guidelines are intended to be an advisory resource when considering changes in land use and policies, such as zoning modifications. The Project industrial land use is considered *normally acceptable* unmitigated exterior noise levels of less than 75 dBA CNEL. In addition, the State through the California Environmental Quality Act (CEQA) requires that all known environmental effects of a project be analyzed, including environmental noise impacts.

#### 3.2 CITY OF MENIFEE GENERAL PLAN NOISE ELEMENT

The City of Menifee has adopted a Noise Element of the General Plan to control and abate environmental noise, and to protect the citizens of City of Menifee from excessive exposure to noise (11). The Noise Element specifies the maximum allowable unmitigated exterior noise levels for new developments impacted by transportation noise sources such as arterial roads, freeways, airports and railroads. In addition, the Noise Element identifies several polices to minimize the impacts of excessive noise levels throughout the community and establishes noise level requirements for all land uses. To protect City of Menifee residents from excessive noise, the Noise Element contains the following goal related to the Project:

*N-1 Noise-sensitive land uses are protected from excessive noise and vibration exposure.*

**EXHIBIT 3-A: LAND USE NOISE COMPATIBILITY CRITERIA**



The noise policies specified in the City of Menifee Noise Element provide the guidelines necessary to satisfy this goal. Policy N-1.2 states that new developments are required to *comply with the noise standards of local, regional, and state building code regulations, including but not limited to the city's Municipal Code, Title 24 of the California Code of Regulations, the California Green Building Code, and subdivision and development codes.* In addition, the Noise Element provides Policy N-1.11 to *discourage the siting of noise-sensitive uses in areas in excess of 65 dBA CNEL without appropriate mitigation* (11).



### 3.3 OPERATIONAL NOISE STANDARDS

To analyze noise impacts originating from a designated fixed location or private property such as Murrieta Road Warehouse Project, stationary-source (operational) noise such as the expected loading dock activity, roof-top air conditioning units, parking lot vehicle movements, diesel fire pump, trash enclosure activity, and truck movements are typically evaluated against standards established under a jurisdiction's Development Code or General Plan.

However, City of Menifee Development Code, Section 9.210.060[A] Noise Control Regulations indicates that this chapter is not intended to establish thresholds of significance for the purpose of any analysis required by the California Environmental Quality Act (CEQA), and no such thresholds are hereby established. Therefore, potential Project related stationary-source (operational) noise impacts are limited to the generation of a substantial temporary or permanent relative increase in the ambient noise levels consistent with State CEQA Guidelines Appendix G Significance Criteria A. The City of Menifee Development Code is Noise Control Regulations are included in Appendix 3.1.

### 3.4 CONSTRUCTION NOISE STANDARDS

To control noise impacts associated with the construction of the proposed Project, the City of Menifee has established limits to the hours of operation. Section 9.210.060[C] of the City's Development Code indicates that private construction projects, located within one-quarter of a mile from an occupied residence, are considered exempt from the Development Code noise standards if they occur within the permitted hours of 6:30 a.m. and 7:00 p.m., with no activity allowed on Sundays and nationally recognized holidays (12). However, neither the City of Menifee General Plan Noise Element or Development Code establish numeric maximum acceptable construction source noise levels at potentially affected receivers, which would allow for a quantified determination of what CEQA constitutes a *substantial temporary or permanent increase in ambient noise levels*. Therefore, a numerical construction threshold based on Federal Transit Administration (FTA) *Transit Noise and Vibration Impact Assessment Manual* is used for analysis of daytime construction impacts, as discussed below.

According to the FTA, local noise ordinances are typically not very useful in evaluating construction noise. They usually relate to nuisance and hours of allowed activity, and sometimes specify limits in terms of maximum levels, but are generally not practical for assessing the impact of a construction project. Project construction noise criteria should account for the existing noise environment, the absolute noise levels during construction activities, the duration of the construction, and the adjacent land use. Due to the lack of standardized construction noise thresholds, the FTA provides guidelines that can be considered reasonable criteria for construction noise assessment. The FTA considers a daytime exterior construction noise level of 80 dBA  $L_{eq}$  as a reasonable threshold to assess construction noise level impacts based on the FTA detailed analysis construction noise criteria with a nighttime exterior construction noise level of 70 dBA  $L_{eq}$ . (8 p. 179)

### 3.5 VIBRATION STANDARDS

Construction activity can result in varying degrees of ground-borne vibration, depending on the equipment and methods used, distance to the affected structures and soil type. Construction vibration is generally associated with pile driving and rock blasting. Other construction equipment such as air compressors, light trucks, hydraulic loaders, etc., generates little or no ground vibration. (8) To analyze vibration impacts originating from the operation and construction of the Murrieta Road Warehouse, vibration-generating activities are appropriately evaluated against standards established under a City's Municipal Code, if such standards exist. However, the City of Menifee does not identify specific vibration level limits. Therefore, for analysis purposes, the Caltrans *Transportation and Construction Vibration Guidance Manual*, (9 p. 38) Table 19, vibration damage are used in this noise study to assess potential temporary construction-related impacts at adjacent building locations. The nearest noise sensitive buildings adjacent to the Project site can best be described as "older residential structures" with a maximum acceptable continuous vibration threshold of 0.3 PPV (in/sec).

### 3.6 PERRIS VALLEY AIRPORT (PV)

The Perris Valley Airport (PV) is located approximately 1.3 miles north of the Project Site. This places the Project site within the Perris Valley Airport Influence Area and is subject to the *Riverside County Airport Land Use Compatibility Plan Policy Document* (RC ALUCP). The RC ALUCP outlines policies for determining the land use compatibility planning in the vicinity of airports throughout Riverside County. According to Table 2B of the RC ALUCP *Supporting Compatibility Criteria: Noise* shown on Exhibit 3-B, the planned Project *warehousing* land use is considered *clearly acceptable* with exterior noise levels of less than 60 dBA CNEL, *normally acceptable* with exterior noise levels ranging from 60-65 dBA CNEL, and *marginally acceptable* with exterior noise levels above 65 dBA CNEL. (13)

The noise contour boundaries used to determine the potential aircraft-related noise impacts at the Project site are found on Map PV-3 of the RC ALUCP. As shown on Exhibit 3-C, the Project site is located outside the 55 dBA CNEL noise level contour boundaries and is considered *clearly acceptable*. Therefore, based on the RC ALUCP compatibility criteria, *the activities associated with the specified land use can be carried out with essentially no interference from the noise exposure*.

**EXHIBIT 3-B: RC ALUCP SUPPORTING COMPATIBILITY CRITERIA: NOISE**

Land Use Category	CNEL (dB)				
	50-55	55-60	60-65	65-70	70-75
<i>Residential *</i>					
single-family, nursing homes, mobile homes	++	o	-	--	--
multi-family, apartments, condominiums	++	+	o	--	--
<i>Public</i>					
schools, libraries, hospitals	+	o	-	--	--
churches, auditoriums, concert halls	+	o	o	-	--
transportation, parking, cemeteries	++	++	++	+	o
<i>Commercial and Industrial</i>					
offices, retail trade	++	+	o	o	-
service commercial, wholesale trade, warehousing, light industrial	++	++	+	o	o
general manufacturing, utilities, extractive industry	++	++	++	+	+
<i>Agricultural and Recreational</i>					
cropland	++	++	++	++	+
livestock breeding	++	+	o	o	-
parks, playgrounds, zoos	++	+	+	o	-
golf courses, riding stables, water recreation	++	++	+	o	o
outdoor spectator sports	++	+	+	o	-
amphitheaters	+	o	-	--	--

Land Use Acceptability	Interpretation/Comments
++ <i>Clearly Acceptable</i>	The activities associated with the specified land use can be carried out with essentially no interference from the noise exposure.
+ <i>Normally Acceptable</i>	Noise is a factor to be considered in that slight interference with outdoor activities may occur. Conventional construction methods will eliminate most noise intrusions upon indoor activities.
o <i>Marginally Acceptable</i>	The indicated noise exposure will cause moderate interference with outdoor activities and with indoor activities when windows are open. The land use is acceptable on the conditions that outdoor activities are minimal and construction features which provide sufficient noise attenuation are used (e.g., installation of air conditioning so that windows can be kept closed). Under other circumstances, the land use should be discouraged.
- <i>Normally Unacceptable</i>	Noise will create substantial interference with both outdoor and indoor activities. Noise intrusion upon indoor activities can be mitigated by requiring special noise insulation construction. Land uses which have conventionally constructed structures and/or involve outdoor activities which would be disrupted by noise should generally be avoided.
-- <i>Clearly Unacceptable</i>	Unacceptable noise intrusion upon land use activities will occur. Adequate structural noise insulation is not practical under most circumstances. The indicated land use should be avoided unless strong overriding factors prevail and it should be prohibited if outdoor activities are involved.

\* Subtract 5 dB for low-activity outlying airports (Chiriaco Summit and Desert Center)

Source: Riverside County Airport Land Use Compatibility Plan, Table 2B.

**EXHIBIT 3-C: PERRIS VALLEY AIRPORT (PV) NOISE CONTOURS**



**LEGEND:**

-  Project Site Boundary
-  Airport Influence Area
-  55 dBA CNEL Noise Contour
-  60 dBA CNEL Noise Contour
-  65 dBA CNEL Noise Contour

Source: Riverside County Airport Land Use Compatibility Plan Policy Document (July 2010)

## 4 SIGNIFICANCE CRITERIA

The following significance criteria are based on currently adopted guidance provided by Appendix G of the State CEQA Guidelines. (1) For the purposes of this report, impacts would be potentially significant if the Project results in or causes:

- A. Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?
- B. Generation of excessive ground-borne vibration or ground-borne noise levels?
- C. For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

### 4.1 NOISE LEVEL INCREASES (THRESHOLD A)

Noise level increases resulting from the Project are evaluated based on the Appendix G CEQA Guidelines described above at the closest sensitive receiver locations. Under CEQA, consideration must be given to the magnitude of the increase, the existing baseline ambient noise levels, and the location of noise-sensitive receivers to determine if a noise increase represents a significant adverse environmental impact. This approach recognizes *that there is no single noise increase that renders a noise impact significant*. (14) This is primarily because of the wide variation in individual thresholds of annoyance and differing individual experiences with noise. Thus, an important way of determining a person's subjective reaction to a new noise is the comparison of it to the existing environment to which one has adapted—the so-called *ambient* environment. In general, the more a new noise level exceeds the previously existing ambient noise level, the less acceptable the new noise level will typically be judged.

#### 4.1.1 NOISE-SENSITIVE RECEIVERS

The Federal Interagency Committee on Noise (FICON) (15) developed guidance to be used for the assessment of project-generated increases in noise levels that consider the ambient noise level. The FICON recommendations are based on studies that relate aircraft noise levels to the percentage of persons highly annoyed by aircraft noise. Although the FICON recommendations were specifically developed to assess aircraft noise impacts, these recommendations are often used in environmental noise impact assessments involving the use of cumulative noise exposure metrics, such as the average-daily noise level (CNEL) and equivalent continuous noise level ( $L_{eq}$ ).

As previously stated, the approach used in this noise study recognizes *that there is no single noise increase that renders a noise impact significant*, based on a 2008 California Court of Appeal ruling on *Gray v. County of Madera*. (14) For example, if the ambient noise environment is quiet (<60 dBA) and the new noise source greatly increases the noise levels, an impact may occur if the noise criteria may be exceeded. Therefore, for this analysis, a *readily perceptible* 5 dBA or greater project-related noise level increase is considered a significant impact when the without project noise levels are below 60 dBA. Per the FICON, in areas where the without project noise levels

range from 60 to 65 dBA, a 3 dBA *barely perceptible* noise level increase appears to be appropriate for most people. When the without project noise levels already exceed 65 dBA, any increase in community noise louder than 1.5 dBA or greater is considered a significant impact if the noise criteria for a given land use is exceeded, since it likely contributes to an existing noise exposure exceedance. The FICON guidance provides an established source of criteria to assess the impacts of substantial temporary or permanent increase in baseline ambient noise levels. Based on the FICON criteria, the amount to which a given noise level increase is considered acceptable is reduced when the without Project (baseline) noise levels are already shown to exceed certain land-use specific exterior noise level criteria. The specific levels are based on typical responses to noise level increases of 5 dBA or *readily perceptible*, 3 dBA or *barely perceptible*, and 1.5 dBA depending on the underlying without Project noise levels for noise-sensitive uses. These levels of increases and their perceived acceptance at noise sensitive receiver locations are consistent with guidance provided by both the Federal Highway Administration (4 p. 9) and Caltrans (16 p. 2\_48).

#### **4.1.2 NON-NOISE-SENSITIVE RECEIVERS**

The City of Menifee General Plan Noise Element, Table N-b3, *Land Use Compatibility for Community Noise Environments* was used to establish the satisfactory noise levels of significance for non-noise-sensitive land uses in the Project study area. As previously shown on Exhibit 3-A, the *normally acceptable* exterior noise level for non-noise-sensitive land uses is 70 dBA CNEL. (17) To determine if Project-related traffic noise level increases are significant at off-site non-noise-sensitive land uses, a *barely perceptible* 3 dBA criteria is used. When the without Project noise levels are greater than the *normally acceptable* 70 dBA CNEL land use compatibility criteria, a *barely perceptible* 3 dBA or greater noise level increase is considered a significant impact since the noise level criteria is already exceeded. The noise level increases used to determine significant impacts for non-noise-sensitive land uses is generally consistent with the FICON noise level increase thresholds for noise-sensitive land uses but instead rely on the City of Menifee General Plan Noise Element, Table N-b3, *Land Use Compatibility for Community Noise Environments normally acceptable* 70 dBA CNEL exterior noise level criteria.

## **4.2 VIBRATION (THRESHOLD B)**

As described in Section 3.4, the vibration impacts originating from the construction of Murrieta Road Warehouse, vibration-generating activities are appropriately evaluated using the Caltrans vibration damage thresholds to assess potential temporary construction-related impacts at adjacent building locations. The nearest noise sensitive buildings adjacent to the Project site can best be described as “older residential structures” with a maximum acceptable continuous vibration threshold of 0.3 PPV (in/sec).

## **4.3 CEQA GUIDELINES NOT FURTHER ANALYZED (THRESHOLD C)**

The closest airport which would require additional noise analysis under CEQA Appendix G Guideline C is the Perris Valley Airport. As previously described in Section 3.5, the Project is located outside the 55 dBA CNEL noise level contours of the Perris Valley Airport. As shown on

Exhibit 3-C, the Project site is located outside the 55 dBA CNEL noise level contour boundaries and is considered *clearly acceptable*. Therefore, based on the RC ALUCP compatibility criteria, the potential impacts under CEQA Appendix G Guideline C, are *less than significant* and are not further analyzed in this noise study.

#### 4.4 SIGNIFICANCE CRITERIA SUMMARY

Noise impacts shall be considered significant if any of the following occur as a direct result of the proposed Project. Table 4-1 shows the significance criteria summary matrix that includes the allowable criteria used to identify potentially significant incremental noise level increases.

**TABLE 4-1: SIGNIFICANCE CRITERIA SUMMARY**

Analysis	Receiving Land Use	Condition(s)	Significance Criteria	
			Daytime	Nighttime
Off-Site	Noise-Sensitive <sup>1</sup>	If ambient is < 60 dBA Leq <sup>1</sup>	≥ 5 dBA Leq Project increase	
		If ambient is 60 - 65 dBA Leq <sup>1</sup>	≥ 3 dBA Leq Project increase	
		If ambient is > 65 dBA Leq <sup>1</sup>	≥ 1.5 dBA Leq Project increase	
	Non-Noise Sensitive <sup>2</sup>	if ambient is > 70 dBA CNEL	≥ 3 dBA CNEL Project increase	
Operational	Noise-Sensitive <sup>1</sup>	If ambient is < 60 dBA Leq <sup>1</sup>	≥ 5 dBA Leq Project increase	
		If ambient is 60 - 65 dBA Leq <sup>1</sup>	≥ 3 dBA Leq Project increase	
		If ambient is > 65 dBA Leq <sup>1</sup>	≥ 1.5 dBA Leq Project increase	
Construction	Noise-Sensitive <sup>1</sup>	Noise Level Threshold <sup>5</sup>	80 dBA Leq	70 dBA Leq
		Vibration Level Threshold <sup>7</sup>	0.3 PPV (in/sec)	

<sup>1</sup> FICON, 1992.

<sup>2</sup> City of Menifee General Plan Noise Element, Table N-b3.

<sup>3</sup> City of Menifee Development Code, Section 9.210.060 (Appendix 3.1).

<sup>4</sup> Federal Transit Administration, Transit Noise and Vibration Impact Assessment Manual.

<sup>5</sup> Caltrans Transportation and Construction Vibration Manual, April 2020 Table 19.

"Daytime" = 7:00 a.m. to 10:00 p.m.; "Nighttime" = 10:00 p.m. to 7:00 a.m.

*This page intentionally left blank*



## 5 EXISTING NOISE LEVEL MEASUREMENTS

To assess the existing noise level environment, 24-hour noise level measurements were taken at five locations in the Project study area. The receiver locations were selected to describe and document the existing noise environment within the Project study area. Exhibit 5-A provides the boundaries of the Project study area and the noise level measurement locations. To fully describe the existing noise conditions, noise level measurements were collected by Urban Crossroads, Inc. on Monday, June 13<sup>th</sup>, 2022. Appendix 5.1 includes study area photos.

### 5.1 MEASUREMENT PROCEDURE AND CRITERIA

To describe the existing noise environment, the hourly noise levels were measured during typical weekday conditions over a 24-hour period. By collecting individual hourly noise level measurements, it is possible to describe the equivalent daytime and nighttime hourly noise levels. The long-term noise readings were recorded using Piccolo Type 2 integrating sound level meter and dataloggers. The Piccolo sound level meters were calibrated using a Larson-Davis calibrator, Model CAL 150. All noise meters were programmed in "slow" mode to record noise levels in "A" weighted form. The sound level meters and microphones were equipped with a windscreen during all measurements. All noise level measurement equipment satisfies the American National Standards Institute (ANSI) standard specifications for sound level meters ANSI S1.4-2014/IEC 61672-1:2013. (18)

### 5.2 NOISE MEASUREMENT LOCATIONS

The long-term noise level measurements were positioned as close to the nearest sensitive receiver locations as possible to assess the existing ambient hourly noise levels surrounding the Project site. Both Caltrans and the FTA recognize that it is not reasonable to collect noise level measurements that can fully represent every part of a private yard, patio, deck, or balcony normally used for human activity when estimating impacts for new development projects. This is demonstrated in the Caltrans general site location guidelines which indicate that, *sites must be free of noise contamination by sources other than sources of interest. Avoid sites located near sources such as barking dogs, lawnmowers, pool pumps, and air conditioners unless it is the express intent of the analyst to measure these sources.* (2) Further, FTA guidance states, *that it is not necessary nor recommended that existing noise exposure be determined by measuring at every noise-sensitive location in the project area. Rather, the recommended approach is to characterize the noise environment for clusters of sites based on measurements or estimates at representative locations in the community.* (8)

Based on recommendations of Caltrans and the FTA, it is not necessary to collect measurements at each individual building or residence, because each receiver measurement represents a group of buildings that share acoustical equivalence. (8) In other words, the area represented by the receiver shares similar shielding, terrain, and geometric relationship to the reference noise source. Receivers represent a location of noise sensitive areas and are used to estimate the future noise level impacts. Collecting reference ambient noise level measurements at the nearby sensitive receiver locations allows for a comparison of the before and after Project noise levels

and is necessary to assess potential noise impacts due to the Project's contribution to the ambient noise levels.

### 5.3 NOISE MEASUREMENT RESULTS

The noise measurements presented below focus on the average or equivalent sound levels ( $L_{eq}$ ). The equivalent sound level ( $L_{eq}$ ) represents a steady state sound level containing the same total energy as a time varying signal over a given sample period. Table 5-1 identifies the hourly daytime (7:00 a.m. to 10:00 p.m.) and nighttime (10:00 p.m. to 7:00 a.m.) noise levels at each noise level measurement location.

**TABLE 5-1: 24-HOUR AMBIENT NOISE LEVEL MEASUREMENTS**

Location <sup>1</sup>	Description	Energy Average Noise Level (dBA $L_{eq}$ ) <sup>2</sup>	
		Daytime	Nighttime
L1	Located north of the Project site near single-family residence at 25815 Floyd Avenue.	53.7	44.5
L2	Located north of the Project site near single-family residence at 25955 Floyd Avenue.	48.8	44.7
L3	Located east of the Project site near a construction company at 26414 Murrieta Road.	63.7	60.2
L4	Located south of the Project site near single-family residence at 25910 Cam Juarez.	56.9	52.3
L5	Located southwest of the Project site near single-family residence at 25735 McLaughlin Road.	55.4	52.3


<sup>1</sup> See Exhibit 5-A for the noise level measurement locations.

<sup>2</sup> Energy (logarithmic) average levels. The long-term 24-hour measurement worksheets are included in Appendix 5.2.

"Daytime" = 7:00 a.m. to 10:00 p.m.; "Nighttime" = 10:00 p.m. to 7:00 a.m.

Table 5-1 provides the equivalent noise levels used to describe the daytime, evening, and nighttime ambient conditions. These daytime and nighttime energy average noise levels represent the average of all hourly noise levels observed during these time periods expressed as a single number. Appendix 5.2 provides summary worksheets of the noise levels for each of the daytime and nighttime hours.

EXHIBIT 5-A: NOISE MEASUREMENT LOCATIONS



**LEGEND:**  
N  
[Red dashed line] Site Boundary    [Orange triangle] Measurement Locations

*This page intentionally left blank*

## 6 TRAFFIC NOISE METHODS AND PROCEDURES

The following section outlines the methods and procedures used to estimate and analyze the future traffic noise environment. Consistent with the City of Menifee *Land Use Compatibility for Community Noise Environments* (see Exhibit 3-A), all transportation related noise levels are presented in terms of the 24-hour CNEL's.

### 6.1 FHWA TRAFFIC NOISE PREDICTION MODEL

The expected roadway noise level increases from vehicular traffic were calculated by Urban Crossroads, Inc. using a computer program that replicates the Federal Highway Administration (FHWA) Traffic Noise Prediction Model- FHWA-RD-77-108. (19) The FHWA Model arrives at a predicted noise level through a series of adjustments to the Reference Energy Mean Emission Level (REMEL). In California the national REMELs are substituted with the California Vehicle Noise (Calveno) Emission Levels. (20) Adjustments are then made to the REMEL to account for: the roadway classification (e.g., collector, secondary, major or arterial), the roadway active width (i.e., the distance between the center of the outermost travel lanes on each side of the roadway), the total average daily traffic (ADT), the travel speed, the percentages of automobiles, medium trucks, and heavy trucks in the traffic volume, the roadway grade, the angle of view (e.g., whether the roadway view is blocked), the site conditions ("hard" or "soft" relates to the absorption of the ground, pavement, or landscaping), and the percentage of total ADT which flows each hour throughout a 24-hour period. Research conducted by Caltrans has shown that the use of soft site conditions is appropriate for the application of the FHWA traffic noise prediction model used in this analysis. (21)

#### 6.1.1 OFF-SITE TRAFFIC NOISE PREDICTION MODEL INPUTS

Table 6-1 presents the roadway parameters used to assess the Project's off-site transportation noise impacts. Table 6-1 identifies the ten off-site study area roadway segments, the distance from the centerline to adjacent land use based on the functional roadway classifications per the City of Menifee General Plan Circulation Element, and the vehicle speeds. The ADT volumes used in this study area presented on Table 6-2 are based on *Murrieta Road Warehouse Traffic Impact Analysis*, prepared by EPD Solutions, Inc. (22)

- Existing Conditions
- Existing Conditions with Project Scenario 1 – No Signal
- Existing Conditions with Project Scenario 2 – With Signal
- Opening Year Cumulative (OYC) without Project (2026) Conditions
- Opening Year Cumulative (OYC) with Project Scenario 1 – No Signal
- Opening Year Cumulative (OYC) with Project Scenario 2 – With Signal

The ADT volumes vary for each roadway segment based on the existing traffic volumes and the combination of project traffic distributions. This analysis relies on a comparative evaluation of the off-site traffic noise impacts at the boundary of the right-of-way of the receiving adjacent land use, without and with project ADT traffic volumes from the Project traffic study.

TABLE 6-1: OFF-SITE ROADWAY PARAMETERS

ID	Roadway	Segment	Classification <sup>1</sup>	Receiving Land Use <sup>2</sup>	Distance from Centerline to Receiving Land Use (Feet) <sup>3</sup>	Vehicle Speed (mph)
1	Geary St.	s/o Ethanac Rd.	Collector	Sensitive	37'	40
2	Murrieta Rd.	n/o Ethanac Rd.	Secondary	Sensitive	50'	45
3	Murrieta Rd.	s/o Ethanac Rd.	Secondary	Sensitive	50'	45
4	Murrieta Rd.	n/o Circulation Dwy.	Secondary	Non-Sensitive	50'	45
5	Murrieta Rd.	n/o Mclaughlin Rd.	Secondary	Non-Sensitive	50'	45
6	Ethanac Rd.	w/o Geary St.	Expressway	Sensitive	53'	55
7	Ethanac Rd.	w/o Murrieta Rd.	Expressway	Sensitive	53'	55
8	Ethanac Rd.	e/o Murrieta Rd.	Expressway	Sensitive	53'	55
9	Ethanac Rd.	w/o Barnett Rd.	Expressway	Non-Sensitive	53'	55
10	Ethanac Rd.	e/o Barnett Rd.	Expressway	Non-Sensitive	53'	55

<sup>1</sup> City of Menifee General Plan Circulation Element.

<sup>2</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>3</sup> Distance to receiving land use is based upon the right-of-way distances.

To quantify the off-site noise levels, the Project related truck trips were added to the heavy truck category in the FHWA noise prediction model. The addition of the Project related truck trips increases the percentage of heavy trucks in the vehicle mix. This approach recognizes that the FHWA noise prediction model is significantly influenced by the number of heavy trucks in the vehicle mix.

Table 6-3 provides the time of day (daytime, evening, and nighttime) vehicle splits. The daily Project truck trip-ends were assigned to the individual off-site study area roadway segments based on the Project truck trip distribution percentages documented in the *Murrieta Road Warehouse Traffic Impact Analysis*. Using the Project truck trips in combination with the Project trip distribution, Urban Crossroads, Inc. calculated the number of additional Project truck trips and vehicle mix percentages for each of the study area roadway segments. Table 6-4 shows the traffic flow by vehicle type (vehicle mix) used for all without Project traffic scenarios, and Tables 6-5 to 6-6 show the vehicle mixes used for the with Project traffic scenarios.

**TABLE 6-2: AVERAGE DAILY TRAFFIC VOLUMES**

ID	Roadway	Segment	Average Daily Traffic Volumes <sup>1</sup>					
			Existing			Opening Year Cumulative (2026)		
			Without Project	Scenario 1 No Signal	Scenario 2 With Signal	Without Project	Scenario 1 No Signal	Scenario 2 With Signal
1	Geary St.	s/o Ethanac Rd.	80	368	332	86	374	338
2	Murrieta Rd.	n/o Ethanac Rd.	3,730	3,823	3,823	16,710	16,803	16,803
3	Murrieta Rd.	s/o Ethanac Rd.	7,710	8,371	8,406	8,730	9,391	9,426
4	Murrieta Rd.	n/o Circulation Dwy.	7,940	8,205	8,185	9,120	9,385	9,365
5	Murrieta Rd.	n/o Mclaughlin Rd.	7,940	8,127	8,127	8,970	9,157	9,157
6	Ethanac Rd.	w/o Geary St.	12,430	12,430	12,430	21,360	21,360	21,360
7	Ethanac Rd.	w/o Murrieta Rd.	13,200	13,488	13,518	21,240	21,528	21,558
8	Ethanac Rd.	e/o Murrieta Rd.	15,260	15,462	15,462	36,860	37,715	37,715
9	Ethanac Rd.	w/o Barnett Rd.	14,650	15,505	15,505	36,220	37,075	37,075
10	Ethanac Rd.	e/o Barnett Rd.	21,600	22,455	22,455	52,610	53,465	53,465

<sup>1</sup> Murrieta Road Warehouse Traffic Impact Analysis, EPD Solutions, Inc.

**TABLE 6-3: TIME OF DAY VEHICLE SPLITS**

Vehicle Type	Time of Day Splits <sup>1</sup>			Total of Time of Day Splits
	Daytime	Evening	Nighttime	
Autos	75.55%	13.96%	10.49%	100.00%
Medium Trucks	48.92%	2.17%	48.91%	100.00%
Heavy Trucks	47.30%	5.40%	47.30%	100.00%

<sup>1</sup> County of Riverside Office of Industrial Hygiene. Values rounded to the nearest one-hundredth. Vehicle mix percentage values rounded to the nearest one-hundredth. "Daytime" = 7:00 a.m. to 7:00 p.m.; "Evening" = 7:00 p.m. to 10:00 p.m.; "Nighttime" = 10:00 p.m. to 7:00 a.m.

**TABLE 6-4: WITHOUT PROJECT VEHICLE MIX**

Classification	Total % Traffic Flow			Total
	Autos	Medium Trucks	Heavy Trucks	
All Segments	97.42%	1.84%	0.74%	100.00%

County of Riverside Office of Industrial Hygiene. Values rounded to the nearest one-hundredth. Vehicle mix percentage values rounded to the nearest one-hundredth.

Due to the added Project truck trips, the increase in Project traffic volumes and the distributions of trucks on the study area road segments, the percentage of autos, medium trucks and heavy trucks will vary for each of the traffic scenarios. This explains why the existing and future traffic volumes and vehicle mixes vary between seemingly identical study area roadway segments.

**TABLE 6-5: EXISTING WITH PROJECT SCENARIO 1 – NO SIGNAL VEHICLE MIX**

ID	Roadway	Segment	With Project <sup>1</sup>			
			Autos	Medium Trucks	Heavy Trucks	Total <sup>2</sup>
1	Geary St.	s/o Ethanac Rd.	71.96%	2.32%	25.71%	100.00%
2	Murrieta Rd.	n/o Ethanac Rd.	97.48%	1.80%	0.72%	100.00%
3	Murrieta Rd.	s/o Ethanac Rd.	96.42%	1.78%	1.80%	100.00%
4	Murrieta Rd.	n/o Circulation Dwy.	96.83%	1.83%	1.35%	100.00%
5	Murrieta Rd.	n/o Mclaughlin Rd.	97.48%	1.80%	0.72%	100.00%
6	Ethanac Rd.	w/o Geary St.	97.42%	1.84%	0.74%	100.00%
7	Ethanac Rd.	w/o Murrieta Rd.	96.73%	1.85%	1.42%	100.00%
8	Ethanac Rd.	e/o Murrieta Rd.	96.15%	1.91%	1.95%	100.00%
9	Ethanac Rd.	w/o Barnett Rd.	96.26%	1.83%	1.91%	100.00%
10	Ethanac Rd.	e/o Barnett Rd.	96.62%	1.83%	1.55%	100.00%

<sup>1</sup> Total of vehicle mix percentage values rounded to the nearest one-hundredth.

**TABLE 6-6: EXISTING WITH PROJECT SCENARIO 2 – WITH SIGNAL**

ID	Roadway	Segment	With Project <sup>1</sup>			
			Autos	Medium Trucks	Heavy Trucks	Total <sup>2</sup>
1	Geary St.	s/o Ethanac Rd.	97.42%	1.84%	0.74%	100.00%
2	Murrieta Rd.	n/o Ethanac Rd.	97.42%	1.84%	0.74%	100.00%
3	Murrieta Rd.	s/o Ethanac Rd.	97.42%	1.84%	0.74%	100.00%
4	Murrieta Rd.	n/o Circulation Dwy.	97.42%	1.84%	0.74%	100.00%
5	Murrieta Rd.	n/o Mclaughlin Rd.	97.42%	1.84%	0.74%	100.00%
6	Ethanac Rd.	w/o Geary St.	97.42%	1.84%	0.74%	100.00%
7	Ethanac Rd.	w/o Murrieta Rd.	97.42%	1.84%	0.74%	100.00%
8	Ethanac Rd.	e/o Murrieta Rd.	97.42%	1.84%	0.74%	100.00%
9	Ethanac Rd.	w/o Barnett Rd.	97.42%	1.84%	0.74%	100.00%
10	Ethanac Rd.	e/o Barnett Rd.	97.42%	1.84%	0.74%	100.00%

<sup>1</sup> Total of vehicle mix percentage values rounded to the nearest one-hundredth.



**TABLE 6-7: OYC WITH PROJECT SCENARIO 1 – NO SIGNAL VEHICLE MIX**

ID	Roadway	Segment	With Project <sup>1</sup>			
			Autos	Medium Trucks	Heavy Trucks	Total <sup>2</sup>
1	Geary St.	s/o Ethanac Rd.	72.37%	2.32%	25.31%	100.00%
2	Murrieta Rd.	n/o Ethanac Rd.	97.43%	1.83%	0.74%	100.00%
3	Murrieta Rd.	s/o Ethanac Rd.	96.53%	1.79%	1.69%	100.00%
4	Murrieta Rd.	n/o Circulation Dwy.	96.90%	1.83%	1.27%	100.00%
5	Murrieta Rd.	n/o Mclaughlin Rd.	97.47%	1.80%	0.72%	100.00%
6	Ethanac Rd.	w/o Geary St.	97.42%	1.84%	0.74%	100.00%
7	Ethanac Rd.	w/o Murrieta Rd.	96.99%	1.85%	1.17%	100.00%
8	Ethanac Rd.	e/o Murrieta Rd.	96.94%	1.84%	1.22%	100.00%
9	Ethanac Rd.	w/o Barnett Rd.	96.93%	1.84%	1.23%	100.00%
10	Ethanac Rd.	e/o Barnett Rd.	97.08%	1.84%	1.08%	100.00%

<sup>1</sup> Total of vehicle mix percentage values rounded to the nearest one-hundredth.

**TABLE 6-8: OYC WITH PROJECT SCENARIO 2 – WITH SIGNAL**

ID	Roadway	Segment	With Project <sup>1</sup>			
			Autos	Medium Trucks	Heavy Trucks	Total <sup>2</sup>
1	Geary St.	s/o Ethanac Rd.	79.94%	1.83%	18.24%	100.00%
2	Murrieta Rd.	n/o Ethanac Rd.	97.43%	1.83%	0.74%	100.00%
3	Murrieta Rd.	s/o Ethanac Rd.	96.16%	1.81%	2.03%	100.00%
4	Murrieta Rd.	n/o Circulation Dwy.	97.11%	1.82%	1.07%	100.00%
5	Murrieta Rd.	n/o Mclaughlin Rd.	97.47%	1.80%	0.72%	100.00%
6	Ethanac Rd.	w/o Geary St.	97.42%	1.84%	0.74%	100.00%
7	Ethanac Rd.	w/o Murrieta Rd.	96.85%	1.86%	1.30%	100.00%
8	Ethanac Rd.	e/o Murrieta Rd.	96.94%	1.84%	1.22%	100.00%
9	Ethanac Rd.	w/o Barnett Rd.	96.93%	1.84%	1.23%	100.00%
10	Ethanac Rd.	e/o Barnett Rd.	97.08%	1.84%	1.08%	100.00%

<sup>1</sup> Total of vehicle mix percentage values rounded to the nearest one-hundredth.

*This page intentionally left blank*

## 7 OFF-SITE TRAFFIC NOISE ANALYSIS

To assess the off-site transportation CNEL noise level impacts associated with development of the proposed Project, noise contours were developed based on the *Murrieta Road Warehouse Traffic Impact Analysis* prepared by EPD Solutions, Inc. (22) Noise contour boundaries represent the equal levels of noise exposure and are measured in CNEL from the center of the roadway.

### 7.1 TRAFFIC NOISE CONTOURS

Noise contours were used to assess the Project's incremental traffic-related noise impacts at land uses adjacent to roadways conveying Project traffic. The noise contours represent the distance to noise levels of a constant value and are measured from the center of the roadway for the 70, 65, and 60 dBA noise levels. The noise contours do not consider the effect of any existing noise barriers or topography that may attenuate ambient noise levels. In addition, because the noise contours reflect modeling of vehicular noise on area roadways, they appropriately do not reflect noise contributions from the surrounding stationary noise sources within the Project study area. Tables 7-1 to 7-5 present a summary of the exterior traffic noise levels for each traffic condition. Appendix 7.1 includes the traffic noise level contours worksheets for each traffic condition.

**TABLE 7-1: EXISTING WITHOUT PROJECT CONTOURS**

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Geary St.	s/o Ethanac Rd.	Sensitive	48.3	RW	RW	RW
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	64.9	RW	RW	106
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	68.1	RW	80	172
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	68.2	RW	81	175
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.2	RW	81	175
6	Ethanac Rd.	w/o Geary St.	Sensitive	73.6	92	197	425
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	73.8	95	205	442
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	74.4	105	226	487
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	74.3	102	220	474
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	76.0	132	285	614

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

**TABLE 7-2: EXISTING WITH PROJECT SCENARIO 1 – NO SIGNAL NOISE CONTOURS**

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Geary St.	s/o Ethanac Rd.	Sensitive	65.9	RW	42	91
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	64.9	RW	50	107
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	69.9	50	107	230
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	69.3	RW	96	208
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.2	RW	82	177
6	Ethanac Rd.	w/o Geary St.	Sensitive	73.6	92	197	425
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	74.8	111	240	516
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	76.0	134	288	621
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	76.0	133	286	616
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	77.2	160	344	741

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

**TABLE 7-3: EXISTING WITH PROJECT SCENARIO 2 – WITH SIGNAL NOISE CONTOURS**

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Geary St.	s/o Ethanac Rd.	Sensitive	54.5	RW	RW	RW
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	65.0	RW	50	108
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	68.4	RW	85	182
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	68.3	RW	83	179
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.3	RW	83	178
6	Ethanac Rd.	w/o Geary St.	Sensitive	73.6	92	197	425
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	73.9	97	209	449
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	74.5	106	228	491
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	74.5	106	228	492
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	76.1	136	292	630

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

**TABLE 7-4: OYC (2026) WITHOUT PROJECT CONTOURS**

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Geary St.	s/o Ethanac Rd.	Sensitive	48.7	RW	RW	RW
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	71.4	62	134	288
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	68.6	RW	87	187
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	68.8	RW	89	192
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.7	RW	88	190
6	Ethanac Rd.	w/o Geary St.	Sensitive	75.9	131	283	609
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	75.9	131	282	607
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	78.3	189	407	877
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	78.2	187	402	867
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	79.8	239	516	1112

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

**TABLE 7-5: OYC (2026) WITH PROJECT SCENARIO 1 – NO SIGNAL NOISE CONTOURS**

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Geary St.	s/o Ethanac Rd.	Sensitive	65.9	RW	42	91
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	71.4	62	134	289
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	70.3	52	113	243
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	69.7	RW	104	223
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.7	RW	89	192
6	Ethanac Rd.	w/o Geary St.	Sensitive	75.9	131	283	609
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	76.5	145	312	671
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	79.0	212	457	985
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	79.0	210	453	976
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	80.4	260	561	1209

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

TABLE 7-6: OYC (2026) WITH PROJECT SCENARIO 2 – WITH SIGNAL NOISE CONTOURS

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Geary St.	s/o Ethanac Rd.	Sensitive	65.9	RW	42	91
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	71.4	62	134	289
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	70.3	52	113	243
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	69.7	RW	104	223
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.7	RW	89	192
6	Ethanac Rd.	w/o Geary St.	Sensitive	75.9	131	283	609
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	76.5	145	312	671
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	79.0	212	457	985
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	79.0	210	453	976
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	80.4	260	561	1209

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

## 7.2 EXISTING PROJECT SCENARIO 1 – NO SIGNAL TRAFFIC NOISE LEVEL INCREASES

An analysis of existing traffic noise levels plus traffic noise generated by the proposed Project Scenario 1 – No Signal has been included in this report to fully analyze all the existing traffic scenarios identified in the *Murrieta Road Warehouse Traffic Impact Analysis*. This condition is provided solely for informational purposes and will not occur, since the Project will not be fully developed and occupied under Existing conditions. Table 7-1 shows the Existing without Project conditions CNEL noise levels. The Existing without Project exterior noise levels are expected to range from 48.3 to 76.0 dBA CNEL, without accounting for any noise attenuation features such as noise barriers or topography. Table 7-2 shows the Existing with Project Scenario 1 – No Signal conditions will range from 64.9 to 77.2 dBA CNEL. Table 7-7 shows that the Project Scenario 1 – No Signal off-site traffic noise level impacts will range from 0.0 to 17.6 dBA CNEL.

Based on the significance criteria for off-site traffic noise presented in Table 4-1, three of the study area roadway segments are shown to experience *potentially significant* off-site traffic noise level increases due to the proposed Project Scenario 1 – No Signal conditions. The segments are described below.

- Geary Street south of Ethanac Road (Segment #1)
- Murrieta Road south of Ethanac Road (Segment #3)
- Ethanac Road east of Murrieta Road (Segment #8)

Section 7.5 describes the off-site traffic noise mitigation measures considered in this analysis. All other roadway segments would experience *less than significant* noise level increases due to the proposed with Project traffic conditions.

### 7.3 EXISTING PROJECT SCENARIO 2 – WITH SIGNAL TRAFFIC NOISE LEVEL INCREASES

An analysis of existing traffic noise levels plus traffic noise generated by the proposed Project Scenario 2 – With Signal has been included in this report to fully analyze all the existing traffic scenarios identified in the *Murrieta Road Warehouse Traffic Impact Analysis*. This condition is provided solely for informational purposes and will not occur, since the Project will not be fully developed and occupied under Existing conditions. Table 7-1 shows the Existing without Project conditions CNEL noise levels. The Existing without Project exterior noise levels are expected to range from 48.3 to 76.0 dBA CNEL, without accounting for any noise attenuation features such as noise barriers or topography. Table 7-3 shows the Existing with Project Scenario 2 – With Signal conditions will range from 54.5 to 76.1 dBA CNEL. Table 7-8 shows that the Project Scenario 1 – No Signal off-site traffic noise level impacts will range from 0.0 to 6.2 dBA CNEL.

Based on the significance criteria for off-site traffic noise presented in Table 4-1, one of the study area roadway segments are shown to experience *potentially significant* off-site traffic noise level increases due to the proposed Project Scenario 2 – With Signal conditions. The segment is described below.

- Geary Street south of Ethanac Road (Segment #1)

Section 7.5 describes the off-site traffic noise mitigation measures considered in this analysis. All other roadway segments would experience *less than significant* noise level increases due to the proposed with Project traffic conditions.

### 7.4 OYC PROJECT SCENARIO 1 – NO SIGNAL TRAFFIC NOISE LEVEL INCREASES

Table 7-4 shows the OYC without Project conditions CNEL noise levels. The OYC without Project exterior noise levels are expected to range from 48.7 to 79.8 dBA CNEL, without accounting for any noise attenuation features such as noise barriers or topography. Table 7-5 shows the OYC with Project Scenario 1 – No Signal conditions will range from 65.9 to 80.4 dBA CNEL. Table 7-9 shows that the Project Scenario 1 – No Signal off-site traffic noise level impacts will range from 0.0 to 17.2 dBA CNEL.

Based on the significance criteria for off-site traffic noise presented in Table 4-1, two of the study area roadway segments are shown to experience *potentially significant* off-site traffic noise level increases due to the proposed Project Scenario 1 – No Signal conditions. The segments are described below.

- Geary Street south of Ethanac Road (Segment #1)
- Murrieta Road south of Ethanac Road (Segment #3)

Section 7.5 describes the off-site traffic noise mitigation measures considered in this analysis. All other roadway segments would experience *less than significant* noise level increases due to the proposed with Project traffic conditions.

## 7.5 OYC PROJECT SCENARIO 2 – WITH SIGNAL TRAFFIC NOISE LEVEL INCREASES

Table 7-4 shows the OYC without Project conditions CNEL noise levels. The OYC without Project exterior noise levels are expected to range from 48.7 to 79.8 dBA CNEL, without accounting for any noise attenuation features such as noise barriers or topography. Table 7-6 shows the OYC with Project Scenario 2 – With Signal conditions will range from 64.1 to 80.4 dBA CNEL. Table 7-9 shows that the Project Scenario 2 – With Signal off-site traffic noise level impacts will range from 0.0 to 15.4 dBA CNEL.

Based on the significance criteria for off-site traffic noise presented in Table 4-1, two of the study area roadway segments are shown to experience *potentially significant* off-site traffic noise level increases due to the proposed Project Scenario 2 – With Signal conditions. The segments are described below.

- Geary Street south of Ethanac Road (Segment #1)
- Murrieta Road south of Ethanac Road (Segment #3)

Section 7.5 describes the off-site traffic noise mitigation measures considered in this analysis. All other roadway segments would experience *less than significant* noise level increases due to the proposed with Project traffic conditions.

## 7.6 OFF-SITE TRAFFIC NOISE MITIGATION

To reduce the *potentially significant* Project traffic noise level increases on the impacted study area for Existing with Project and Opening Year with Project conditions, potential noise mitigation measures are identified in this analysis. Potential mitigation measures discussed below include rubberized asphalt hot mix pavement and off-site noise barriers for the existing non-conforming residential use adjacent to impacted roadway segments.

### 7.6.1 RUBBERIZED ASPHALT

Due to the potential noise attenuation benefits, rubberized asphalt is considered as a mitigation measure for the Project-related roadway improvements associated with Project construction. To reduce traffic noise levels at the noise source, Caltrans research has shown that rubberized asphalt can provide noise attenuation of approximately 4 dBA for automobile traffic noise levels. (23) Changing the pavement type of a roadway has been shown to reduce the amount of tire/pavement noise produced at the source under both near-term and long-term conditions. Traffic noise is generated primarily by the interaction of the tires and pavement, the engine, and exhaust systems. For automobiles noise, as much as 75 to 90-percent of traffic noise is generated by the interaction of the tires and pavement, especially when traveling at higher and constant speeds. (2) According to research conducted by Caltrans (23) and the Canadian Ministry of Transportation and Highways (24) a 4 dBA reduction in tire/pavement noise is attainable using rubberized asphalt under typical operating conditions.

The effectiveness of reducing traffic noise levels is higher on roadways with low percentages of heavy trucks, since the heavy truck engine and exhaust noise is not affected by rubberized alternative pavement due to the truck engine and exhaust stack height above the pavement



itself. (23) Per Caltrans guidance a truck stack height is modeled using a height of 11.5 feet above the road. (4) (25) With the primary off-site traffic noise source consisting of heavy trucks with a stack height of 11.5 feet off the ground, the tire/pavement noise reduction benefits associated with rubberized asphalt will be primarily limited to autos.

While the off-site Project-related traffic noise level increases would theoretically be reduced with the 4 dBA reduction provided by rubberized asphalt, the reduction would not provide reliable benefits for the noise levels generated by heavy truck traffic. This is, as previously stated, due to the noise source height difference between automobiles and trucks. While rubberized asphalt will provide some noise reduction, this noise study recognizes that this is only effective for tire-on-pavement noise at higher speeds and would not reduce truck-related off-site traffic noise levels associated with truck engine and exhaust stacks to less than significant impacts. Since the use of rubberized asphalt would not lower the off-site traffic noise levels below a level of significance, rubberized asphalt is not proposed as mitigation for the Project and the off-site Project-related traffic noise level increases at adjacent land uses would remain *significant*.

### 7.6.2 OFF-SITE NOISE BARRIERS

Since existing and future noise-sensitive receiving land uses are located adjacent to the impacted roadway segments in the Project study area, off-site noise barriers were considered in this analysis as a potential traffic noise mitigation measure to reduce the impacts. Off-site noise barriers are estimated to provide a *readily perceptible* 5 dBA reduction which, according to the FHWA, is *simple* to attain when blocking the line-of-sight from the noise source to the receiver. (4). As previously discussed, Caltrans guidance in the Highway Design Manual, Section 1102.3(3), indicates that for design purposes, *the noise barrier should intercept the line of sight from the exhaust stack of a truck to the receptor*, and an 11.5-foot-high truck stack height is assumed to represent the truck engine and exhaust noise source. (25) Therefore, any exterior noise barriers at receiving noise sensitive land uses experiencing Project-related traffic noise level increases would need to be high enough and long enough to block the line-of-sight from the noise source (at 11.5 feet high per Caltrans) to the receiver (at 5 feet high per FHWA guidance) in order to provide a 5 dBA reduction per FHWA guidance. (25)

In addition, according to FHWA guidance, outdoor living areas are generally limited to outdoor living areas of frequent human use (e.g., backyards of single-family homes). Therefore, front and side yards of residential homes adjacent to off-site roadway segments do not represent noise sensitive areas of frequent human use that require exterior noise mitigation. (4) Exterior noise mitigation in the form of noise barriers is not anticipated to provide the FHWA attainable reduction of 5 dBA required to reduce the off-site traffic noise level increases and would also require potential openings for driveway access to individual residential lots fronting the road. As such, off-site noise barriers would not be feasible and would not lower the off-site traffic noise levels below a level of significance, and therefore, noise barriers are not proposed as mitigation for the Project.

### 7.6.3 SIGNIFICANT OFF-SITE TRAFFIC NOISE IMPACTS

Both rubberized asphalt and off-site noise barriers are considered as potential noise mitigation measures to reduce the *potentially significant* off-site traffic noise level increases shown on Tables 7-7 to 7-10. However, neither form of mitigation would eliminate the off-site traffic noise level increases at the adjacent land uses to the impacted roadway segments. Therefore, the Project-related off-site traffic noise level increases at adjacent noise-sensitive land are considered a *significant and unavoidable* impact.

TABLE 7-7: EXISTING WITH PROJECT SCENARIO 1 – NO SIGNAL TRAFFIC NOISE INCREASES

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>1</sup>			Incremental Noise Level Increase Threshold <sup>2</sup>	
				No Project	With Project	Project Addition	Limit	Exceeded?
1	Geary St.	s/o Ethanac Rd.	Sensitive	48.3	65.9	17.6	5.0	<b>Yes</b>
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	64.9	64.9	0.0	3.0	No
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	68.1	69.9	1.8	1.5	<b>Yes</b>
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	68.2	69.3	1.1	n/a	No
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.2	68.2	0.0	n/a	No
6	Ethanac Rd.	w/o Geary St.	Sensitive	73.6	73.6	0.0	1.5	No
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	73.8	74.8	1.0	1.5	No
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	74.4	76.0	1.6	1.5	<b>Yes</b>
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	74.3	76.0	1.7	3.0	No
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	76.0	77.2	1.2	3.0	No

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of each roadway and the property line of the receiving land use.

<sup>3</sup> Does the Project create an incremental noise level increase exceeding the significance criteria (Table 4-1)?

**TABLE 7-8: EXISTING WITH PROJECT SCENARIO 2 – WITH SIGNAL TRAFFIC NOISE INCREASES**

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>1</sup>			Incremental Noise Level Increase Threshold <sup>2</sup>	
				No Project	With Project	Project Addition	Limit	Exceeded?
1	Geary St.	s/o Ethanac Rd.	Sensitive	48.3	54.5	6.2	5.0	<b>Yes</b>
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	64.9	65.0	0.1	3.0	No
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	68.1	68.4	0.3	1.5	No
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	68.2	68.3	0.1	n/a	No
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.2	68.3	0.1	n/a	No
6	Ethanac Rd.	w/o Geary St.	Sensitive	73.6	73.6	0.0	1.5	No
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	73.8	73.9	0.1	1.5	No
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	74.4	74.5	0.1	1.5	No
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	74.3	74.5	0.2	3.0	No
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	76.0	76.1	0.1	3.0	No

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of each roadway and the property line of the receiving land use.

<sup>3</sup> Does the Project create an incremental noise level increase exceeding the significance criteria (Table 4-1)?

TABLE 7-9: OYC WITH PROJECT SCENARIO 1 – NO SIGNAL TRAFFIC NOISE INCREASES

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>1</sup>			Incremental Noise Level Increase Threshold <sup>2</sup>	
				No Project	With Project	Project Addition	Limit	Exceeded?
1	Geary St.	s/o Ethanac Rd.	Sensitive	48.7	65.9	17.2	5.0	Yes
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	71.4	71.4	0.0	1.5	No
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	68.6	70.3	1.7	1.5	Yes
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	68.8	69.7	0.9	n/a	No
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.7	68.7	0.0	n/a	No
6	Ethanac Rd.	w/o Geary St.	Sensitive	75.9	75.9	0.0	1.5	No
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	75.9	76.5	0.6	1.5	No
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	78.3	79.0	0.7	1.5	No
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	78.2	79.0	0.8	3.0	No
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	79.8	80.4	0.6	3.0	No

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of each roadway and the property line of the receiving land use.

<sup>3</sup> Does the Project create an incremental noise level increase exceeding the significance criteria (Table 4-1)?

**TABLE 7-10: OYC WITH PROJECT SCENARIO 2 – WITH SIGNAL TRAFFIC NOISE INCREASES**

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>1</sup>			Incremental Noise Level Increase Threshold <sup>2</sup>	
				No Project	With Project	Project Addition	Limit	Exceeded?
1	Geary St.	s/o Ethanac Rd.	Sensitive	48.7	64.1	15.4	5.0	<b>Yes</b>
2	Murrieta Rd.	n/o Ethanac Rd.	Sensitive	71.4	71.4	0.0	1.5	No
3	Murrieta Rd.	s/o Ethanac Rd.	Sensitive	68.6	70.7	2.1	1.5	<b>Yes</b>
4	Murrieta Rd.	n/o Circulation Dwy.	Non-Sensitive	68.8	69.4	0.6	n/a	No
5	Murrieta Rd.	n/o Mclaughlin Rd.	Non-Sensitive	68.7	68.7	0.0	n/a	No
6	Ethanac Rd.	w/o Geary St.	Sensitive	75.9	75.9	0.0	1.5	No
7	Ethanac Rd.	w/o Murrieta Rd.	Sensitive	75.9	76.7	0.8	1.5	No
8	Ethanac Rd.	e/o Murrieta Rd.	Sensitive	78.3	79.0	0.7	1.5	No
9	Ethanac Rd.	w/o Barnett Rd.	Non-Sensitive	78.2	79.0	0.8	3.0	No
10	Ethanac Rd.	e/o Barnett Rd.	Non-Sensitive	79.8	80.4	0.6	3.0	No

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of each roadway and the property line of the receiving land use.

<sup>3</sup> Does the Project create an incremental noise level increase exceeding the significance criteria (Table 4-1)?


## 8 RECEIVER LOCATIONS

To assess the potential for long-term operational and short-term construction noise impacts, the following sensitive receiver locations, as shown on Exhibit 8-A, were identified as representative locations for analysis. Sensitive receivers are generally defined as locations where people reside or where the presence of unwanted sound could otherwise adversely affect the use of the land. Noise-sensitive land uses are generally considered to include schools, hospitals, single-family dwellings, mobile home parks, churches, libraries, and recreation areas. Moderately noise-sensitive land uses typically include multi-family dwellings, hotels, motels, dormitories, outpatient clinics, cemeteries, golf courses, country clubs, athletic/tennis clubs, and equestrian clubs. Land uses that are considered relatively insensitive to noise include business, commercial, and professional developments. Land uses that are typically not affected by noise include: industrial, manufacturing, utilities, agriculture, undeveloped land, parking lots, warehousing, liquid and solid waste facilities, salvage yards, and transit terminals.

To describe the potential off-site Project noise levels, five receiver locations in the vicinity of the Project site were identified. The selection of receiver locations is based on FHWA guidelines and is consistent with additional guidance provided by Caltrans and the FTA, as previously described in Section 5.2. Other sensitive land uses in the Project study area that are located at greater distances than those identified in this noise study will experience lower noise levels than those presented in this report due to the additional attenuation from distance and the shielding of intervening structures. Distance is measured in a straight line from the project boundary to each receiver location.

- R1: Location R1 represents the existing noise sensitive residence at 25705 Floyd Avenue, approximately 63 feet northwest of the Project site. R1 is placed in the private outdoor living areas (backyard) facing the Project site. A 24-hour noise measurement was taken near this location, L1, to describe the existing ambient noise environment.
- R2: Location R2 represents the existing noise sensitive residence at 25875 Floyd Avenue, approximately 47 feet north of the Project site. R2 is placed in the private outdoor living areas (backyard) facing the Project site. A 24-hour noise measurement was taken near this location, L1, to describe the existing ambient noise environment.
- R3: Location R3 represents the existing noise sensitive residence at 25955 Floyd Avenue, approximately 47 feet north of the Project site. R3 is placed in the private outdoor living areas (backyard) facing the Project site. A 24-hour noise measurement was taken near this location, L2, to describe the existing ambient noise environment.
- R4: Location R4 represents the existing noise sensitive residence at 25910 Cam Juarez, approximately 371 feet south of the Project site. A 24-hour noise measurement was taken near this location, L4, to describe the existing ambient noise environment.
- R5: Location R5 represents the existing noise sensitive residence at 25707 McLaughlin Road, approximately 428 feet southwest of the Project site. R5 is placed in the private outdoor living areas (backyard) facing the Project site. A 24-hour noise measurement was taken near this location, L5, to describe the existing ambient noise environment.

**EXHIBIT 8-A: RECEIVER LOCATIONS**



**LEGEND:**

- Site Boundary
- Receiver Locations
- Distance from receiver to Project site boundary (in feet)



## 9 OPERATIONAL NOISE ANALYSIS

This section analyzes the potential stationary-source operational noise impacts at the nearby receiver locations, identified in Section 8, resulting from the operation of the proposed Murrieta Road Warehouse Project. Exhibit 9-A identifies the noise source locations used to assess the operational noise levels with the planned 6 to 14-foot-high noise barriers.

### 9.1 OPERATIONAL NOISE SOURCES

This operational noise analysis is intended to describe noise level impacts associated with the expected typical of daytime and nighttime activities at the Project site. To present the potential worst-case noise conditions, this analysis assumes the Project would be operational 24 hours per day, seven days per week. Consistent with similar warehouse and industrial uses, the Project business operations would primarily be conducted within the enclosed buildings, except for traffic movement, parking, as well as loading and unloading of trucks at designated loading bays. The on-site Project-related noise sources are expected to include: loading dock activity, roof-top air conditioning units, parking lot vehicle movements, diesel fire pump, trash enclosure activity, and truck movements.


### 9.2 REFERENCE NOISE LEVELS

To estimate the Project operational noise impacts, reference noise level measurements were collected from similar types of activities to represent the noise levels expected with the development of the proposed Project. This section provides a detailed description of the reference noise level measurements shown on Table 9-1 used to estimate the Project operational noise impacts. It is important to note that the following projected noise levels assume the worst-case noise environment with the loading dock activity, roof-top air conditioning units, parking lot vehicle movements, diesel fire pump, trash enclosure activity, and truck movements all operating at the same time. These sources of noise activity will likely vary throughout the day.

#### 9.2.1 MEASUREMENT PROCEDURES

The reference noise level measurements presented in this section were collected using a Larson Davis LxT Type 1 precision sound level meter (serial number 01146). The LxT sound level meter was calibrated using a Larson-Davis calibrator, Model CAL 200, was programmed in "slow" mode to record noise levels in "A" weighted form and was located at approximately five feet above the ground elevation for each measurement. The sound level meters and microphones were equipped with a windscreen during all measurements. All noise level measurement equipment satisfies the American National Standards Institute (ANSI) standard specifications for sound level meters ANSI S1.4-2014/IEC 61672-1:2013. (18)

**EXHIBIT 9-A: OPERATIONAL NOISE SOURCE LOCATIONS**



**LEGEND:**

- |                                |                               |  |
|--------------------------------|-------------------------------|--|
| Site Boundary                  | Parking Lot Vehicle Movements | Truck Movements                            |
| Loading Dock Activity          | Trash Enclosure Activity      | Planned Noise Barrier                      |
| Roof-Top Air Conditioning Unit | Diesel Fire Pump              | 14' Planned Noise Barrier Height (in feet) |

**TABLE 9-1: REFERENCE NOISE LEVEL MEASUREMENTS**

Reference Noise Source	Noise Source Height (Feet)	Min./Hour <sup>1</sup>		Reference Noise Level (dBA L <sub>eq</sub> ) @ 50 Feet	Sound Power Level (dBA) <sup>2</sup>
		Day	Night		
Loading Dock Activity	8'	60	60	62.8	103.4
Roof-Top Air Conditioning Units	5'	39	28	57.2	88.9
Parking Lot Vehicle Movements	5'	60	60	52.6	81.1
Diesel Fire Pump	8'	60	60	49.8	78.3
Trash Enclosure Activity	5'	60	30	57.3	89.0
Truck Movements	8'	60	60	59.8	93.2

<sup>1</sup> Anticipated duration (minutes within the hour) of noise activity during typical hourly conditions expected at the Project site. "Daytime" = 7:00 a.m. - 10:00 p.m.; "Nighttime" = 10:00 p.m. - 7:00 a.m.

<sup>2</sup> Sound power level represents the total amount of acoustical energy (noise level) produced by a sound source independent of distance or surroundings. Sound power levels calculated using the CadnaA noise model at the reference distance to the noise source. Numbers may vary due to size differences between point and area noise sources.

### 9.2.2 LOADING DOCK ACTIVITY

The reference loading dock activities are intended to describe the typical operational noise source levels associated with the Project. This includes truck idling, deliveries, backup alarms, unloading/loading, docking including a combination of tractor trailer semi-trucks, two-axle delivery trucks, and background forklift operations. At a uniform reference distance of 50 feet, Urban Crossroads collected a reference noise level of 62.8 dBA L<sub>eq</sub>. The loading dock activity noise level measurement was taken over a fifteen-minute period and represents multiple noise sources taken from the center of activity. The reference noise level measurement includes employees unloading a docked truck container included the squeaking of the truck's shocks when weight was removed from the truck, employees playing music over a radio, as well as a forklift horn and backup alarm. In addition, during the noise level measurement a truck entered the loading dock area and proceeded to reverse and dock in a nearby loading bay, adding truck engine, idling, air brakes noise, in addition to on-going idling of an already docked truck. Loading dock activity is estimated during all the daytime, evening, and nighttime hours.

### 9.2.3 ROOF-TOP AIR CONDITIONING UNITS

The noise level measurements describe a single mechanical roof-top air conditioning unit. The reference noise level represents a Lennox SCA120 series 10-ton model packaged air conditioning unit. At the uniform reference distance of 50 feet, the reference noise level is 59.2 dBA L<sub>eq</sub>. Based on the typical operating conditions observed over a four-day measurement period, the roof-top air conditioning units are estimated to operate for an average 39 minutes per hour during the daytime hours, and 28 minutes per hour during the nighttime hours. These operating conditions reflect peak summer cooling requirements with measured temperatures approaching 96 degrees Fahrenheit (°F) with average daytime temperatures of 82°F. For this noise analysis, the air conditioning units are expected to be located on the roof of the Project buildings.

#### **9.2.4 PARKING LOT VEHICLE MOVEMENTS**

To describe the on-site parking lot activity, a long-term 29-hour reference noise level measurement was collected in the center of activity within the staff parking lot of a warehouse distribution center. At 50 feet from the center of activity, the parking lot produced a reference noise level of 56.1 dBA  $L_{eq}$ . Parking activities are expected to take place during the full hour (60 minutes) throughout the daytime and evening hours. The parking lot noise levels are mainly due to cars pulling in and out of parking spaces in combination with car doors opening and closing.

#### **9.2.5 DIESEL FIRE PUMP**

The site plan shows that the Project may include the use of a fire pump. To describe the diesel pump, a reference noise level measurement was taken by Urban Crossroads, Inc. at the Coachella Valley Water District (CVWD) pump site number 5676, located at 38-130 Portola Avenue in the City of Palm Desert. The reference noise level measurement indicates that pump activity generates noise levels of at the uniform 50-foot reference distance is 49.8 dBA  $L_{eq}$  at 50 feet.

#### **9.2.6 TRASH ENCLOSURE ACTIVITY**

To describe the noise levels associated with a trash enclosure activity, Urban Crossroads collected a reference noise level measurement at an existing trash enclosure containing two dumpster bins. The trash enclosure noise levels describe metal gates opening and closing, metal scraping against concrete floor sounds, dumpster movement on metal wheels, and trash dropping into the metal dumpster. The reference noise levels describe trash enclosure noise activities when trash is dropped into an empty metal dumpster, as would occur at the Project Site. The measured reference noise level at the uniform 50-foot reference distance is 59.3 dBA  $L_{eq}$  for the trash enclosure activity. The reference noise level describes the expected noise source activities associated with the trash enclosures for the Project's proposed building. Typical trash enclosure activities are estimated to occur for 10 minutes per hour.

#### **9.2.7 TRUCK MOVEMENTS**

The truck movements reference noise level measurement was collected over a period of 1 hour and 28 minutes and represents multiple heavy trucks entering and exiting the outdoor loading dock area producing a reference noise level of 59.8 dBA  $L_{eq}$  at 50 feet. The noise sources included at this measurement location account for trucks entering and exiting the Project driveways and maneuvering in and out of the outdoor loading dock activity area.

### **9.3 CADNAA NOISE PREDICTION MODEL**

To fully describe the exterior operational noise levels from the Project, Urban Crossroads, Inc. developed a noise prediction model using the CadnaA (Computer Aided Noise Abatement) computer program. CadnaA can analyze multiple types of noise sources using the spatially accurate Project site plan, georeferenced Nearmap aerial imagery, topography, buildings, and barriers in its calculations to predict outdoor noise levels. Using the ISO 9613-2 protocol, CadnaA will calculate the distance from each noise source to the noise receiver locations, using the

ground absorption, distance, and barrier/building attenuation inputs to provide a summary of noise level at each receiver and the partial noise level contributions by noise source.

Consistent with the ISO 9613-2 protocol, the CadnaA noise prediction model relies on the reference sound power level ( $L_w$ ) to describe individual noise sources. While sound pressure levels (e.g.,  $L_{eq}$ ) quantify in decibels the intensity of given sound sources at a reference distance, sound power levels ( $L_w$ ) are connected to the sound source and are independent of distance. Sound pressure levels vary substantially with distance from the source and diminish because of intervening obstacles and barriers, air absorption, wind, and other factors. Sound power is the acoustical energy emitted by the sound source and is an absolute value that is not affected by the environment. The operational noise level calculations provided in this noise study account for the distance attenuation provided due to geometric spreading, when sound from a localized stationary source (i.e., a point source) propagates uniformly outward in a spherical pattern. A default ground attenuation factor of 0.5 was used in the noise analysis to account for mixed ground representing a combination of hard and soft surfaces. Appendix 9.1 includes the detailed noise dBA  $L_{eq}$  model inputs used to estimate the Project operational noise levels presented in this section.

#### 9.4 PROJECT OPERATIONAL NOISE LEVELS

Using the reference noise levels to represent the proposed Project operations that include loading dock activity, roof-top air conditioning units, parking lot vehicle movements, diesel fire pump, trash enclosure activity, and truck movements, Urban Crossroads, Inc. calculated the operational source noise levels that are expected to be generated at the Project site and the Project-related noise level increases that would be experienced at each of the sensitive receiver locations. Table 9-2 shows the Project operational noise levels during the daytime hours of 7:00 a.m. to 10:00 p.m. The daytime hourly noise levels at the off-site receiver locations are expected to range from 41.3 to 49.1 dBA  $L_{eq}$ .

**TABLE 9-2: DAYTIME PROJECT OPERATIONAL NOISE LEVELS**

Noise Source <sup>1</sup>	Operational Noise Levels by Receiver Location (dBA Leq)				
	R1	R2	R3	R4	R5
Loading Dock Activity	44.6	49.0	46.9	42.5	40.0
Roof-Top Air Conditioning Units	24.7	32.7	36.3	31.0	25.4
Parking Lot Vehicle Movements	44.4	27.4	42.3	32.7	34.5
Trash Enclosure Activity	0.0	0.0	0.0	7.5	3.9
Truck Movements	32.2	24.8	27.2	21.1	25.8
<b>Total (All Noise Sources)</b>	<b>47.7</b>	<b>49.1</b>	<b>48.5</b>	<b>43.2</b>	<b>41.3</b>

<sup>1</sup> See Exhibit 9-A for the noise source locations. CadnaA noise model calculations are included in Appendix 9.1.

Table 9-3 shows the Project operational noise levels during the nighttime hours of 10:00 p.m. to 7:00 a.m. The nighttime hourly noise levels at the off-site receiver locations are expected to range from 41.2 to 49.1 dBA  $L_{eq}$ . The differences between the daytime and nighttime noise levels

are largely related to the estimated duration of noise activity as outlined in Table 9-1. Appendix 9.1 includes the detailed noise model inputs including the planned 6 to 14-foot-high wall.

**TABLE 9-3: NIGHTTIME PROJECT OPERATIONAL NOISE LEVELS**

Noise Source <sup>1</sup>	Operational Noise Levels by Receiver Location (dBA Leq)				
	R1	R2	R3	R4	R5
Loading Dock Activity	44.6	49.0	46.9	42.5	40.0
Roof-Top Air Conditioning Units	22.3	30.3	33.9	28.6	23.0
Parking Lot Vehicle Movements	44.4	27.4	42.3	32.7	34.5
Trash Enclosure Activity	0.0	0.0	0.0	7.5	3.9
Truck Movements	28.2	20.8	23.2	17.1	21.8
<b>Total (All Noise Sources)</b>	<b>47.6</b>	<b>49.1</b>	<b>48.4</b>	<b>43.1</b>	<b>41.2</b>

<sup>1</sup> See Exhibit 9-A for the noise source locations. CadnaA noise model calculations are included in Appendix 9.1.

## 9.5 PROJECT OPERATIONAL NOISE LEVEL INCREASES

To describe the Project operational noise level increases, the Project operational noise levels are combined with the existing ambient noise levels measurements for the nearby receiver locations that may be potentially impacted by Project operational noise sources. Since the units used to measure noise, decibels (dB), are logarithmic units, the Project-operational and existing ambient noise levels cannot be combined using standard arithmetic equations. (2) Instead, they must be logarithmically added using the following base equation:

$$SPL_{Total} = 10\log_{10}[10^{SPL1/10} + 10^{SPL2/10} + \dots + 10^{SPLn/10}]$$

Where “SPL1,” “SPL2,” etc. are equal to the sound pressure levels being combined, or in this case, the Project-operational and existing ambient noise levels. The difference between the combined Project and ambient noise levels describes the Project noise level increases to the existing ambient noise environment. Noise levels that would be experienced at receiver locations when Project-source noise is added to the daytime and nighttime ambient conditions are presented on Tables 9-4 and 9-5, respectively. As indicated on Table 9-4, the Project will generate a daytime operational noise level increase ranging from 0.2 to 2.5 dBA  $L_{eq}$  at the nearest receiver locations. Table 9-5 shows that the Project will generate a nighttime operational noise level increase ranging from 0.3 to 4.7 dBA  $L_{eq}$  at the nearest receiver locations. Project-related operational noise level increases will not exceed the operational noise level increase significance criteria presented in Table 4-1. Therefore, Project related operational noise level increases at the sensitive receiver locations will be *less than significant*.

**TABLE 9-4: DAYTIME PROJECT OPERATIONAL NOISE LEVEL INCREASES**

Receiver Location <sup>1</sup>	Total Project Operational Noise Level <sup>2</sup>	Measurement Location <sup>3</sup>	Reference Ambient Noise Levels <sup>4</sup>	Combined Project and Ambient <sup>5</sup>	Project Increase <sup>6</sup>	Increase Criteria <sup>7</sup>	Increase Criteria Exceeded?
R1	47.3	L1	53.7	54.6	0.9	5.0	No
R2	47.6	L2	48.8	51.3	2.5	5.0	No
R3	46.8	L2	48.8	50.9	2.1	5.0	No
R4	43.2	L4	56.9	57.1	0.2	5.0	No
R5	41.3	L5	55.4	55.6	0.2	5.0	No

<sup>1</sup> See Exhibit 8-A for the receiver locations.

<sup>2</sup> Total Project daytime operational noise levels as shown on Table 9-2.

<sup>3</sup> Reference noise level measurement locations as shown on Exhibit 5-A.

<sup>4</sup> Observed daytime ambient noise levels as shown on Table 5-1.

<sup>5</sup> Represents the combined ambient conditions plus the Project activities.

<sup>6</sup> The noise level increase expected with the addition of the proposed Project activities.

<sup>7</sup> Significance increase criteria as shown on Table 4-1.

**TABLE 9-5: NIGHTTIME OPERATIONAL NOISE LEVEL INCREASES**

Receiver Location <sup>1</sup>	Total Project Operational Noise Level <sup>2</sup>	Measurement Location <sup>3</sup>	Reference Ambient Noise Levels <sup>4</sup>	Combined Project and Ambient <sup>5</sup>	Project Increase <sup>6</sup>	Increase Criteria <sup>7</sup>	Increase Criteria Exceeded?
R1	47.2	L1	44.5	49.1	4.6	5.0	No
R2	47.6	L2	44.7	49.4	4.7	5.0	No
R3	46.7	L2	44.7	48.8	4.1	5.0	No
R4	43.1	L4	52.3	52.8	0.5	5.0	No
R5	41.2	L5	52.3	52.6	0.3	5.0	No

<sup>1</sup> See Exhibit 8-A for the receiver locations.

<sup>2</sup> Total Project nighttime operational noise levels as shown on Table 9-3.

<sup>3</sup> Reference noise level measurement locations as shown on Exhibit 5-A.

<sup>4</sup> Observed nighttime ambient noise levels as shown on Table 5-1.

<sup>5</sup> Represents the combined ambient conditions plus the Project activities.

<sup>6</sup> The noise level increase expected with the addition of the proposed Project activities.

<sup>7</sup> Significance increase criteria as shown on Table 4-1.



## 10 CONSTRUCTION ANALYSIS

This section analyzes potential impacts resulting from the short-term construction activities associated with the development of the Project. Exhibit 10-A shows the construction activity boundaries in relation to the nearest sensitive receiver locations previously described in Section 6. Section 9.210.060[C] of the City's Development Code indicates that private construction projects, located within one-quarter of a mile from an occupied residence, are considered exempt from the Development Code noise standards if they occur within the permitted hours of 6:30 a.m. and 7:00 p.m., with no activity allowed on Sundays and nationally recognized holidays (12). In addition, since neither the City of Menifee General Plan or Development Code establish numeric maximum acceptable construction source noise levels at potentially affected receivers for CEQA analysis purposes. Therefore, a numerical construction threshold based on Federal Transit Administration (FTA) Transit Noise and Vibration Impact Assessment Manual is used for analysis of daytime construction impacts. The FTA considers a daytime exterior construction noise level of 80 dBA  $L_{eq}$  as a reasonable threshold for noise sensitive residential land use. (8 p. 179).

### 10.1 CONSTRUCTION NOISE LEVELS

The FTA *Transit Noise and Vibration Impact Assessment Manual* recognizes that construction projects are accomplished in several different stages and outlines the procedures for assessing noise impacts during construction. Each stage has a specific equipment mix, depending on the work to be completed during that stage. As a result of the equipment mix, each stage has its own noise characteristics; some stages have higher continuous noise levels than others, and some have higher impact noise levels than others. The Project construction activities are expected to occur in the following stages:

- Site Preparation
- Grading
- Building Construction
- Paving
- Architectural Coating

### 10.2 CONSTRUCTION REFERENCE NOISE LEVELS

To describe construction noise activities, this construction noise analysis was prepared using reference construction equipment noise levels from the Federal Highway Administration (FHWA) published the Roadway Construction Noise Model (RCNM), which includes a national database of construction equipment reference noise emission levels. (26) The RCNM equipment database, provides a comprehensive list of the noise generating characteristics for specific types of construction equipment. In addition, the database provides an acoustical usage factor to estimate the fraction of time each piece of construction equipment is operating at full power (i.e., its loudest condition) during a construction operation.

EXHIBIT 10-A: CONSTRUCTION NOISE SOURCE LOCATIONS



### 10.3 CONSTRUCTION NOISE ANALYSIS

Using the reference construction equipment noise levels and the CadnaA noise prediction model, calculations of the Project construction noise level impacts at the nearby sensitive receiver locations were completed. Consistent with FTA guidance for general construction noise assessment, Table 10-1 presents the combined noise levels for the loudest construction equipment, assuming they operate at the same time. As shown on Table 10-2, the construction noise levels are expected to range from 52.2 to 68.8 dBA  $L_{eq}$  at the nearby receiver locations. Appendix 10.1 includes the detailed CadnaA construction noise model inputs.

**TABLE 10-1: CONSTRUCTION REFERENCE NOISE LEVELS**

Construction Stage	Reference Construction Equipmnet <sup>1</sup>	Reference Noise Level @ 50 Feet (dBA $L_{eq}$ )	Composite Reference Noise Level (dBA $L_{eq}$ ) <sup>2</sup>	Reference Power Level (dBA $L_w$ ) <sup>3</sup>
Site Preparation	Tractor	80	84.0	115.6
	Backhoe	74		
	Grader	81		
Grading	Scraper	80	83.3	114.9
	Excavator	77		
	Dozer	78		
Building Construction	Crane	73	80.6	112.2
	Generator	78		
	Front End Loader	75		
Paving	Paver	74	77.8	109.5
	Dump Truck	72		
	Roller	73		
Architectural Coating	Man Lift	68	76.2	107.8
	Compressor (air)	74		
	Generator (<25kVA)	70		

<sup>1</sup> FHWA Road Construction Noise Model.

<sup>2</sup> Represents the combined noise level for all equipment assuming they operate at the same time consistent with FTA Transit Noise and Vibration Impact Assessment guidance.

<sup>3</sup> Sound power level represents the total amount of acoustical energy (noise level) produced by a sound source independent of distance or surroundings.

**TABLE 10-2: CONSTRUCTION EQUIPMENT NOISE LEVEL SUMMARY**

Receiver Location <sup>1</sup>	Construction Noise Levels (dBA L <sub>eq</sub> )					
	Site Preparation	Grading	Building Construction	Paving	Architectural Coating	Highest Levels <sup>2</sup>
R1	65.4	64.7	62.0	59.3	57.6	65.4
R2	68.8	68.1	65.4	62.7	61.0	68.8
R3	68.3	67.6	64.9	62.2	60.5	68.3
R4	62.4	61.7	59.0	56.3	54.6	62.4
R5	60.0	59.3	56.6	53.9	52.2	60.0

<sup>1</sup> Construction noise source and receiver locations are shown on Exhibit 10-A.

<sup>2</sup> Construction noise level calculations based on distance from the construction activity, which is measured from the Project site boundary to the nearest receiver locations. CadnaA construction noise model inputs are included in Appendix 10.1.

## 10.4 CONSTRUCTION NOISE LEVEL COMPLIANCE

To evaluate whether the Project will generate potentially significant short-term noise levels at nearest receiver locations, a construction-related daytime noise level threshold of 80 dBA L<sub>eq</sub> is used as a reasonable threshold to assess the daytime construction noise level impacts. The construction noise analysis shows that the nearest receiver locations will satisfy the reasonable daytime 80 dBA L<sub>eq</sub> significance threshold during Project construction activities as shown on Table 10-3. Therefore, the noise impacts due to Project construction noise are considered *less than significant* at all receiver locations.

**TABLE 10-3: CONSTRUCTION NOISE LEVEL COMPLIANCE**

Receiver Location <sup>1</sup>	Construction Noise Levels (dBA L <sub>eq</sub> )		
	Highest Construction Noise Levels <sup>2</sup>	Threshold <sup>3</sup>	Threshold Exceeded? <sup>4</sup>
R1	65.4	80	No
R2	68.8	80	No
R3	68.3	80	No
R4	62.4	80	No
R5	60.0	80	No

<sup>1</sup> Construction noise source and receiver locations are shown on Exhibit 10-A.

<sup>2</sup> Highest construction noise level calculations based on distance from the construction noise source activity to the nearest receiver locations as shown on Table 10-2.

<sup>3</sup> Construction noise level thresholds as shown on Table 4-1.

<sup>4</sup> Do the estimated Project construction noise levels exceed the construction noise level threshold?

## 10.5 OFF-SITE ROADWAY AND UTILITY IMPROVEMENTS CONSTRUCTION NOISE ANALYSIS

To support the Project development, there will be grading, trenching, and paving for off-site improvements associated with roadway construction and utility installation for the Project. The Project would pave Geary Street along the entire 990-foot western Project site boundary to a 40-foot width. In addition, the Project would improve the existing dirt road portion of Geary Street from the northwestern end of the Project site north to Ethanac Road. The roadway improvement would include paving at a width of 36-feet and would not include the construction of sidewalks or curbs. In addition, the Project would expand the existing 12-foot southbound portion of Murrieta Road to a 31-foot width along the entire 990-foot Project frontage with a 6:1 transition to the existing edge of the pavement north of the site and a 20:1 transition to the existing edge of the pavement south of the site. In addition, the Project would include construction of a 32-foot-wide private driveway along the entire 1,233.5-foot southern boundary of the Project site. The Project would develop a 6-foot-wide sidewalk along Geary Street, Murrieta Road and the new driveway. The Project would include the construction of an offsite biotreatment modular wetland system at the northeast end of the Project site adjacent to Murrieta Road to treat off-site runoff. The Project would also include the construction of a 72-inch to 84-inch storm drain main line in Murrieta Road that would connect to the biotreatment system at the northeast end of the Project site, and extend northerly to Ethanac Road, draining northwest into the Riverside County Flood Control channel.

It is expected that the off-site construction activities would not take place at any one location for the entire duration of construction due to the nature of the linear construction activity. Construction noise from this off-site work would, therefore, be relatively short-term and the noise levels would be reduced as construction work moves linearly along the selected alignment and farther from sensitive uses. The loudest phase of construction associated with off-site roadway and utility improvements would likely be grading/excavation activities, which would generate similar noise levels when compared to the grading/excavation phase of the proposed project's on-site construction activities previously outlined on Table 10-1. Since the nearest receivers are located 47 feet from the Project construction activity, it is expected that the off-site construction activities will be located at similar or greater distances, the off-site construction activities are expected to be no greater than what was previously evaluated in the construction noise analysis outlined above in Sections 10.3 and 10.4. Therefore, the off-site roadway and utility improvement construction activities will be *less than significant*.

## 10.6 NIGHTTIME CONCRETE POUR NOISE ANALYSIS

It is our understanding that nighttime concrete pouring activities may occur as a part of Project building construction activities. Nighttime concrete pouring activities are often used to support reduced concrete mixer truck transit times and lower air temperatures than during the daytime hours and are generally limited to the actual building pad area. Since the nighttime concrete pours will take place outside the permitted City of Menifee Development Code, Section 9.210.060[C] of the City of Menifee Development Code indicates that construction activity is restricted to the hours within 6:30 a.m. and 7:00 p.m. with no activity allowed on Sundays and nationally recognized holidays. The Project Applicant will be required to obtain authorization for

nighttime work from the City of Menifee. Any nighttime construction noise activities shall satisfy the noise limits outlined in Table 4-1.

**10.6.1 NIGHTTIME CONCRETE POUR REFERENCE NOISE LEVEL MEASUREMENTS**

To estimate the noise levels due to nighttime concrete pouring activities, sample reference noise level measurements were taken during a nighttime concrete pouring at a construction site. Urban Crossroads, Inc. collected short-term nighttime concrete pour reference noise level measurements during the noise-sensitive nighttime hours between 1:00 a.m. to 2:00 a.m. at 27334 San Bernardino Avenue in the City of Redlands. The reference noise levels describe the expected concrete pour noise sources that may include concrete mixer truck movements and pouring activities, concrete paving equipment, rear mounted concrete mixer truck backup alarms, engine idling, air brakes, generators, and workers communicating/whistling. To describe the nighttime concrete pour noise levels associated with the construction of the Murrieta Road Warehouse, this analysis relies on reference sound pressure level of 67.7 dBA  $L_{eq}$  at 50 feet representing a sound power level of 100.3 dBA  $L_w$ . While the Project noise levels will depend on the actual duration of activities and specific equipment fleet in use at the time of construction, the reference sound power level of 100.3 dBA  $L_w$  is used to describe the expected Project nighttime concrete pour noise activities.

**10.6.2 NIGHTTIME CONCRETE POUR NOISE LEVEL COMPLIANCE**

As shown on Table 10-4, the noise levels associated with the nighttime concrete pour activities are estimated to range from 37.2 to 53.5 dBA  $L_{eq}$  at the existing noise sensitive receiver locations. The analysis shows that the unmitigated nighttime concrete pour activities will not exceed the FTA 70 dBA  $L_{eq}$  nighttime residential noise level threshold at all the nearest noise sensitive receiver locations. Therefore, the noise impacts due to Project construction nighttime concrete pour noise activity are considered *less than significant* at all receiver locations with prior authorization for nighttime work from the City of Menifee. Appendix 10.3 includes the CadnaA nighttime concrete pour noise model inputs.

**TABLE 10-4: NIGHTTIME CONCRETE POUR NOISE LEVEL COMPLIANCE**

Receiver Location <sup>1</sup>	Concrete Pour Construction Noise Levels (dBA $L_{eq}$ )		
	Exterior Noise Levels <sup>2</sup>	Threshold <sup>3</sup>	Threshold Exceeded? <sup>4</sup>
R1	50.1	70	No
R2	53.5	70	No
R3	53.0	70	No
R4	47.1	70	No
R5	44.7	70	No

<sup>1</sup> Construction noise source and receiver locations are shown on Exhibit 10-A.

<sup>2</sup> Nighttime Concrete Pour noise model inputs are included in Appendix 10.2.

<sup>3</sup> Construction noise level thresholds as shown on Table 4-1.

<sup>4</sup> Do the estimated Project construction noise levels exceed the construction noise level threshold?

## 10.7 CONSTRUCTION VIBRATION ANALYSIS

Construction activity can result in varying degrees of ground vibration, depending on the equipment and methods employed. The operation of construction equipment causes ground vibrations that spread through the ground and diminish in strength with distance. Ground vibration levels associated with various types of construction equipment are summarized on Table 10-5. Based on the representative vibration levels presented for various construction equipment types, it is possible to estimate the potential Project construction vibration levels using the following vibration assessment methods defined by the FTA. To calculate the vibration levels, the FTA provides the following equation:  $PPV_{\text{equip}} = PPV_{\text{ref}} \times (25/D)^{1.5}$

**TABLE 10-5: VIBRATION SOURCE LEVELS FOR CONSTRUCTION EQUIPMENT**

Equipment	PPV (in/sec) at 25 feet
Small bulldozer	0.003
Jackhammer	0.035
Loaded Trucks	0.076
Large bulldozer	0.089
Vibratory Roller	0.210

Federal Transit Administration, Transit Noise and Vibration Impact Assessment Manual

Table 10-6 presents the expected Project related vibration levels at the nearby receiver locations. At distances ranging from 24 to 1,506 feet from Project construction activities, construction vibration velocity levels are estimated to range from 0.003 to 0.081 in/sec PPV. Based on maximum acceptable continuous vibration threshold of 0.3 PPV (in/sec), the typical Project construction vibration levels will fall below the building damage thresholds at all the noise sensitive receiver locations. Therefore, the Project-related vibration impacts are considered *less than significant* during typical construction activities at the Project site.



**TABLE 10-6: PROJECT CONSTRUCTION VIBRATION LEVELS**

Location <sup>1</sup>	Distance to Const. Activity (Feet) <sup>2</sup>	Typical Construction Vibration Levels PPV (in/sec) <sup>3</sup>						Thresholds PPV (in/sec) <sup>4</sup>	Thresholds Exceeded? <sup>5</sup>
		Small bulldozer	Jack- hammer	Loaded Trucks	Large bulldozer	Vibratory Roller	Highest Vibration Level		
R1	63'	0.001	0.009	0.019	0.022	0.052	0.052	0.3	No
R2	47'	0.001	0.014	0.029	0.035	0.081	0.081	0.3	No
R3	47'	0.001	0.014	0.029	0.035	0.081	0.081	0.3	No
R4	371'	0.000	0.001	0.001	0.002	0.004	0.004	0.3	No
R5	428'	0.000	0.000	0.001	0.001	0.003	0.003	0.3	No

<sup>1</sup> Construction noise source and receiver locations are shown on Exhibit 10-A.

<sup>2</sup> Distance from receiver to limits of construction activity.

<sup>3</sup> Based on the Vibration Source Levels of Construction Equipment (Table 10-5).

<sup>4</sup> Caltrans Transportation and Construction Vibration Guidance Manual, April 2020, Table 19, p. 38.

<sup>5</sup> Does the peak vibration exceed the acceptable vibration thresholds?

"PPV" = Peak Particle Velocity



## 11 REFERENCES

1. **State of California.** *California Environmental Quality Act, Appendix G.* 2019.
2. **California Department of Transportation Environmental Program.** *Technical Noise Supplement - A Technical Supplement to the Traffic Noise Analysis Protocol.* Sacramento, CA : s.n., September 2013.
3. **Environmental Protection Agency Office of Noise Abatement and Control.** *Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety.* March 1974. EPA/ONAC 550/9/74-004.
4. **U.S. Department of Transportation, Federal Highway Administration, Office of Environment and Planning, Noise and Air Quality Branch.** *Highway Traffic Noise Analysis and Abatement Policy and Guidance.* December 2011.
5. **U.S. Department of Transportation Federal Highway Administration.** *Highway Noise Barrier Design Handbook.* 2001.
6. **U.S. Department of Transportation, Federal Highway Administration.** *Highway Traffic Noise in the United States, Problem and Response.* April 2000. p. 3.
7. **U.S. Environmental Protection Agency Office of Noise Abatement and Control.** *Noise Effects Handbook-A Desk Reference to Health and Welfare Effects of Noise.* October 1979 (revised July 1981). EPA 550/9/82/106.
8. **U.S. Department of Transportation, Federal Transit Administration.** *Transit Noise and Vibration Impact Assessment Manual, FTA Report No. 0123.* September 2018.
9. **California Department of Transportation.** *Transportation and Construction Vibration Guidance Manual.* April 2020.
10. **Office of Planning and Research.** *State of California General Plan Guidelines.* 2019.
11. **City of Menifee.** *General Plan Noise Element.* July 2015.
12. —. *Development Code, Chapter 9.215: Performance Standards.*
13. **Riverside County Airport Land Use Commission.** *Riverside County Airport Land Use Compatibility Plan Policy Document.* October 2004.
14. **California Court of Appeal.** *Gray v. County of Madera, F053661.* 167 Cal.App.4th 1099; - Cal.Rptr.3d, October 2008.
15. **Federal Interagency Committee on Noise.** *Federal Agency Review of Selected Airport Noise Analysis Issues.* August 1992.
16. **California Department of Transportation.** *Technical Noise Supplement.* November 2009.
17. **County of Riverside.** *General Plan Noise Element.* December 2015.
18. **American National Standards Institute (ANSI).** *Specification for Sound Level Meters ANSI S1.4-2014/IEC 61672-1:2013.*
19. **U.S. Department of Transportation, Federal Highway Administration.** *FHWA Highway Traffic Noise Prediction Model.* December 1978. FHWA-RD-77-108.
20. **California Department of Transportation Environmental Program, Office of Environmental Engineering.** *Use of California Vehicle Noise Reference Energy Mean Emission Levels (Calveno REMELs) in FHWA Highway Traffic Noise Prediction.* September 1995. TAN 95-03.

21. **California Department of Transportation.** *Traffic Noise Attenuation as a Function of Ground and Vegetation Final Report.* June 1995. FHWA/CA/TL-95/23.
22. **EPD Soluitons, Inc.** *Murrieta Road Warehouse Project Traffic Impact Analysis.* January, 2024.
23. **California Department of Transportation Environmental Program.** *I-80 Davis OGAC Pavement Noise Study.* September 2001.
24. **Canadian Ministry of Transportation and Highways, Highway Environment Branch.** *Open-Graded Asphalt 'Quiet Pavement' - Assessment of Traffic Noise Reduction Performance.* November 1995.
25. **California Department of Transportation.** *Highway Design Manual, Chapter 1100 Highway Traffic Noise Abatement.* November 2017.
26. **U.S. Department of Transportation, Federal Highway Administration, Office of Environment and Planning.** *FHWA Roadway Construction Noise Model.* January, 2006.

## 12 CERTIFICATIONS

The contents of this noise study report represent an accurate depiction of the noise environment and impacts associated with the proposed Murrieta Road Warehouse Project. The information contained in this noise study report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at (949) 584-3148.

Bill Lawson, P.E., INCE  
Principal  
URBAN CROSSROADS, INC.  
1133 Camelback #8329  
Newport Beach, CA 92658  
(949) 581-3148  
[blawson@urbanxroads.com](mailto:blawson@urbanxroads.com)



### EDUCATION

Master of Science in Civil and Environmental Engineering  
California Polytechnic State University, San Luis Obispo • December, 1993

Bachelor of Science in City and Regional Planning  
California Polytechnic State University, San Luis Obispo • June, 1992

### PROFESSIONAL REGISTRATIONS

PE – Registered Professional Traffic Engineer – TR 2537 • January, 2009  
AICP – American Institute of Certified Planners – 013011 • June, 1997–January 1, 2012  
PTP – Professional Transportation Planner • May, 2007 – May, 2013  
INCE – Institute of Noise Control Engineering • March, 2004

### PROFESSIONAL AFFILIATIONS

ASA – Acoustical Society of America  
ITE – Institute of Transportation Engineers

### PROFESSIONAL CERTIFICATIONS

Certified Acoustical Consultant – County of San Diego • March, 2018  
Certified Acoustical Consultant – County of Orange • February, 2011  
FHWA-NHI-142051 Highway Traffic Noise Certificate of Training • February, 2013

*This page intentionally left blank*

**APPENDIX 3.1:**  
**CITY OF MENIFEE DEVELOPMENT CODE**

*This page intentionally left blank*

## TITLE 9: PLANNING AND ZONING

### ARTICLE 4: SITE DEVELOPMENT REGULATIONS AND PERFORMANCE STANDARDS

#### Chapter 9.210 Performance Standards

##### 9.210.060 Noise Control Regulations <sup>AG</sup>

- A. **Intent.** At certain levels, sound becomes noise and may jeopardize the health, safety or general welfare of city residents and degrade their quality of life. Pursuant to its police power, the City Council hereby declares that noise shall be regulated in the manner described herein. This chapter is intended to establish citywide standards regulating noise. This chapter is not intended to establish thresholds of significance for the purpose of any analysis required by the California Environmental Quality Act (CEQA), and no such thresholds are hereby established.
- B. **General Exemptions.** Sound emanating from the following sources are exempt from the provisions of this chapter:
1. Facilities owned or operated by or for a governmental agency.
  2. Capital improvement projects of a governmental agency.
  3. The maintenance or repair of public properties.
  4. Public safety personnel in the course of executing their official duties, including, but not limited to, sworn peace officers, emergency personnel and public utility personnel. This exemption includes, without limitation, sound emanating from all equipment used by such personnel, whether stationary or mobile.
  5. Public and private schools and school-sponsored activities.
  6. Agricultural operations on land designated Agriculture in the City's General Plan, or land zoned AG (Agriculture), provided such operations are carried out in a manner consistent with accepted industry standards. This exemption includes, without limitation, sound emanating from all equipment used during such operations, whether stationary or mobile.
  7. Wind energy conversion systems (WECS), provided such systems comply with the noise provisions of the Menifee Municipal Code.
  8. Property maintenance, including, but not limited to, the operation of lawnmowers, leaf blowers, etc., provided such maintenance occurs between the hours of 7:00 a.m. and 8:00 p.m.
  9. Motor vehicles (factory equipped), other than off-highway vehicles. This exemption does not include sound emanating from motor vehicle sound systems.
  10. Heating and air conditioning equipment in proper repair.
  11. Safety, warning and alarm devices, including, but not limited to, house and car alarms, and other warning devices that are designed to protect the public health, safety and welfare.
  12. The discharge of firearms consistent with all state laws.

13. Bars, nightclubs, cocktail lounges, cabarets, billiards/pool halls, restaurants, drive-ins and eating establishments that have a Conditional Use Permit for on-site alcohol sales and live entertainment (interior noise). Outdoor patios and similar areas shall be subject to the requirements of this chapter, unless conditioned otherwise under Conditional Use Permit review.
- C. **Construction-Related Exemptions.** Exceptions may be requested from the standards set forth in Section 9.210.060 of this chapter and may be characterized as construction-related, single event or continuous events exceptions.
1. Private construction projects, with or without a Building Permit, located one-quarter of a mile or more from an inhabited dwelling.
  2. Private construction projects, with or without a building permit, located within one-quarter of a mile from an inhabited dwelling, shall be permitted Monday through Saturday, except nationally recognized holidays, 6:30 a.m. to 7:00 p.m., or specified in Section 8.01.010. There shall be no construction permitted on Sunday or nationally recognized holidays unless approval is obtained from the City Building Official or City Engineer.
  3. Construction-related exceptions. If construction occurs during off hours or exceeds noise thresholds, an application for a construction-related exception shall be made using the temporary use application provided by the Community Development Director in [Chapter 9.105](#) of this Title. For construction activities on Sunday or nationally recognized holidays, Section 8.01.010 of this Code shall prevail.
- D. **General Sound Level Standards.** No person shall create any sound, or allow the creation of any sound, on any property that causes the exterior and interior sound level on any other occupied property to exceed the sound level standards set forth in Table 9.210.060-1, Stationary Source Noise Standards.

Table 9.210.060-1 Stationary Source Noise Standards		
Land Use	Interior Standards	Exterior Standards
10:00 p.m. to 7:00 a.m.	40 L <sub>eq</sub> (10-minute)	45 L <sub>eq</sub> (10-minute)
7:00 a.m. to 10:00 p.m.	55 L <sub>eq</sub> (10-minute)	65 L <sub>eq</sub> (10-minute)

- E. **Sound Level Measurement Methodology.** Sound level measurements may be made anywhere within the boundaries of an occupied property. The actual location of a sound level measurement shall be at the discretion of the enforcement officials identified in Section 9.210.060.G. Sound level measurements shall be made with a sound level meter. Immediately before a measurement is made, the sound level meter shall be calibrated utilizing an acoustical calibrator meeting the standards of the American National Standards Institute. Following a sound level measurement, the calibration of the sound level meter shall be reverified. Sound level meters and calibration equipment shall be certified annually.
- F. **Special Sound Level Measurement Methodology.** The general sound level standards set forth in Section 9.210.060.E apply to sound emanating from all sources, including the following special sound sources, and the person creating, or allowing the creation of, the sound is subject to the requirements of that section. The following special sound sources are also subject to the following additional standards; failure to comply with these standards constitutes separate violations of this chapter.



1. Motor vehicles.
    - a. Off-highway vehicles.
      - i. No person shall operate an off-highway vehicle unless it is equipped with a USDA-qualified spark arrester and a constantly operating and properly maintained muffler. A muffler is not considered constantly operating and properly maintained if it is equipped with a cutout, bypass or similar device.
      - ii. No person shall operate an off-highway vehicle unless the noise emitted by the vehicle is not more than 96 dBA if the vehicle was manufactured on or after January 1, 1986, or is not more than 101 dBA if the vehicle was manufactured before January 1, 1986. For purposes of this division, emitted noise shall be measured a distance of 20 inches from the vehicle tailpipe using test procedures established by the Society of Automotive Engineers under Standard J-1287.
    - b. Sound systems. No person shall operate a motor vehicle sound system, whether affixed to the vehicle or not, between the hours of 10:00 p.m. and 8:00 a.m. the following morning, such that the sound system is audible to the human ear inside any inhabited dwelling. No person shall operate a motor vehicle sound system, whether affixed to the vehicle or not, at any other time such that the sound system is audible to the human ear at a distance greater than 100 feet from the vehicle.
  2. Power tools and equipment. No person shall operate any power tools or equipment as specified in Section 8.01.010, such that the power tools or equipment is audible to the human ear inside an inhabited dwelling other than a dwelling in which the power tools or equipment may be located. No person shall operate any power tools or equipment at any other time such that the power tools or equipment are audible to the human ear at a distance greater than 100 feet from the power tools or equipment.
  3. Audio equipment. No person shall operate any audio equipment, whether portable or not, between the hours of 10:00 p.m. and 8:00 a.m. the following morning such that the equipment is audible to the human ear inside an inhabited dwelling other than a dwelling in which the equipment may be located. No person shall operate any audio equipment, whether portable or not, at any other time such that the equipment is audible to the human ear at a distance greater than 100 feet from the equipment.
  4. Sound-amplifying equipment and live music. No person shall install, use or operate sound-amplifying equipment, or perform, or allow to be performed, live music unless such activities comply with the following requirements. To the extent that these requirements conflict with any conditions of approval attached to an underlying land use permit, these requirements shall control.
    - a. Sound-amplifying equipment or live music is prohibited between the hours of 10:00 p.m. and 8:00 a.m. the following morning on Sunday through Thursday and between the hours of 11:00 p.m. and 8:00 a.m. the following morning on Friday and Saturday.
    - b. Sound emanating from sound-amplifying equipment or live music at any other time shall not be audible to the human ear at a distance greater than 200 feet from the equipment or music.
- G. Duty to Cooperate.** No person shall refuse to cooperate with, or obstruct, any peace officer or code enforcement officer when he or she is engaged in the process of enforcing the provisions of this chapter. This duty to cooperate may require a person to extinguish a sound source so that it

can be determined whether sound emanating from the source violates the provisions of this chapter.

**APPENDIX 5.1:**  
**STUDY AREA PHOTOS**

*This page intentionally left blank*




### JN: 14912 Study Area Photos



14912\_L1\_N\_E  
33, 44' 21.950000"117, 12' 38.000000"



14912\_L1\_N\_N  
33, 44' 21.920000"117, 12' 38.060000"



14912\_L1\_N\_S  
33, 44' 21.930000"117, 12' 38.030000"



14912\_L1\_N\_W  
33, 44' 21.930000"117, 12' 38.000000"



14912\_L2\_C\_N  
33, 44' 21.990000"117, 12' 31.000000"



14912\_L2\_C\_S  
33, 44' 22.000000"117, 12' 30.970000"

### JN: 14912 Study Area Photos




14912\_L2\_C\_W  
33, 44' 21.990000"117, 12' 31.000000"



14912\_L2\_K\_E  
33, 44' 21.990000"117, 12' 30.940000"



14912\_L3\_C\_E  
33, 44' 15.370000"117, 12' 22.020000"



14912\_L3\_C\_N  
33, 44' 15.380000"117, 12' 22.040000"



14912\_L3\_C\_S  
33, 44' 15.340000"117, 12' 21.990000"



14912\_L3\_C\_W  
33, 44' 15.350000"117, 12' 22.020000"



### JN: 14912 Study Area Photos



14912\_L4\_O\_E  
33, 44' 8.600000"117, 12' 27.920000"



14912\_L4\_O\_N  
33, 44' 8.610000"117, 12' 27.920000"



14912\_L4\_O\_S  
33, 44' 8.570000"117, 12' 27.920000"



14912\_L4\_O\_W  
33, 44' 8.600000"117, 12' 27.920000"



14912\_L5\_Q\_E  
33, 44' 8.570000"117, 12' 38.580000"



14912\_L5\_Q\_N  
33, 44' 8.570000"117, 12' 38.580000"

**JN: 14912 Study Area Photos**



14912\_L5\_Q\_S

33, 44' 8.560000" 117, 12' 38.580000"



14912\_L5\_Q\_W

33, 44' 8.560000" 117, 12' 38.580000"



**APPENDIX 5.2:**  
**NOISE LEVEL MEASUREMENT WORKSHEETS**

*This page intentionally left blank*

### 24-Hour Noise Level Measurement Summary


Date: Monday, June 13, 2022  
Project: Murrieta and Ethanac Industrial Warehouse

Location: L1- Located north of the Project site near single-family  
Source: residence at 25815 Floyd Avenue.

Meter: Piccolo II

JN: 14912  
Analyst: S. Shami

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$
Night	0	38.0	44.9	34.8	43.0	42.3	41.0	40.4	38.4	37.2	35.8	35.5	35.2	38.0	10.0	48.0
	1	46.0	63.5	36.1	60.0	56.3	49.8	47.2	42.1	39.9	37.6	37.2	36.6	46.0	10.0	56.0
	2	39.2	47.9	35.2	45.5	44.5	42.9	42.0	39.6	38.0	36.2	35.9	35.5	39.2	10.0	49.2
	3	41.8	50.6	37.3	48.3	47.2	45.6	44.7	42.4	40.6	38.6	38.2	37.7	41.8	10.0	51.8
	4	43.4	52.8	38.9	50.3	49.0	47.1	46.1	43.8	42.2	40.3	39.9	39.4	43.4	10.0	53.4
	5	49.1	68.1	40.3	63.6	59.4	49.2	45.7	44.1	43.0	41.5	41.2	40.7	49.1	10.0	59.1
Day	6	41.6	54.1	37.8	50.3	49.0	46.7	43.0	40.7	39.9	38.9	38.6	38.2	41.6	10.0	51.6
	7	42.5	62.8	37.6	51.7	48.5	44.5	43.0	40.9	39.8	38.5	38.3	37.9	42.5	0.0	42.5
	8	49.3	61.0	43.7	55.8	54.7	52.8	52.1	49.5	48.2	45.6	45.0	44.4	49.3	0.0	49.3
	9	50.4	63.6	38.8	60.9	59.9	56.7	55.6	48.4	45.5	40.5	39.9	39.3	50.4	0.0	50.4
	10	58.3	73.4	38.7	70.7	69.6	66.5	63.8	50.7	45.4	40.9	40.3	39.2	58.3	0.0	58.3
	11	58.2	72.0	38.5	70.0	68.9	66.7	64.5	53.3	44.7	40.2	39.6	38.9	58.2	0.0	58.2
	12	57.3	70.0	38.3	68.7	67.8	65.8	63.8	51.5	45.2	40.4	39.8	38.8	57.3	0.0	57.3
	13	55.3	71.1	38.9	66.7	65.4	63.0	60.8	51.7	45.3	40.7	40.1	39.4	55.3	0.0	55.3
	14	57.0	69.9	39.4	68.3	67.2	64.8	63.1	53.2	46.5	41.4	40.7	40.0	57.0	0.0	57.0
	15	51.2	63.0	38.3	61.5	60.8	58.7	57.1	48.4	43.7	40.0	39.5	38.7	51.2	0.0	51.2
	16	51.4	62.9	40.8	60.4	59.3	57.3	56.2	51.4	48.0	43.5	42.6	41.5	51.4	0.0	51.4
	17	50.2	61.3	41.5	58.5	57.3	55.3	54.1	50.7	47.9	43.9	43.2	42.1	50.2	0.0	50.2
	18	47.0	58.2	40.3	54.7	53.4	51.2	50.2	47.5	45.3	42.3	41.7	40.9	47.0	0.0	47.0
	19	47.7	88.7	41.7	85.7	84.1	80.5	77.5	57.7	47.2	43.5	43.0	42.3	47.7	5.0	52.7
	20	47.1	55.8	41.7	53.6	52.7	51.2	50.3	47.8	45.8	43.3	42.9	42.2	47.1	5.0	52.1
	21	44.1	51.7	39.9	49.6	48.7	47.4	46.8	44.6	43.2	41.4	41.0	40.4	44.1	5.0	49.1
Night	22	45.2	53.7	39.7	51.3	50.5	49.2	48.4	46.0	44.0	41.4	40.9	40.3	45.2	10.0	55.2
	23	44.9	54.4	38.6	51.6	50.7	49.2	48.3	45.6	43.4	40.4	39.9	39.1	44.9	10.0	54.9
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)		
Day	Min	42.5	51.7	37.6	49.6	48.5	44.5	43.0	40.9	39.8	38.5	38.3	37.9	24-Hour	Daytime (7am-10pm)	Nighttime (10pm-7am)
	Max	58.3	88.7	43.7	85.7	84.1	80.5	77.5	57.7	48.2	45.6	45.0	44.4			
Energy Average		53.7	Average:		62.5	61.2	58.8	57.3	49.8	45.4	41.7	41.2	40.4			
Night	Min	38.0	44.9	34.8	43.0	42.3	41.0	40.4	38.4	37.2	35.8	35.5	35.2	51.9	53.7	44.5
	Max	49.1	68.1	40.3	63.6	59.4	49.8	48.4	46.0	44.0	41.5	41.2	40.7			
Energy Average		44.5	Average:		51.5	49.9	46.7	45.1	42.5	40.9	39.0	38.6	38.1			

## 24-Hour Noise Level Measurement Summary


Date: Monday, June 13, 2022  
Project: Murrieta and Ethanac Industrial Warehouse

Location: L2- Located north of the Project site near single-family  
Source: residence at 25955 Floyd Avenue.

Meter: Piccolo II

JN: 14912  
Analyst: S. Shami

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$	
Night	0	39.2	47.1	33.7	46.8	46.5	45.4	44.2	38.8	36.0	34.4	34.1	33.8	39.2	10.0	49.2	
	1	40.2	48.8	33.8	48.3	47.9	46.5	44.8	40.0	37.0	34.6	34.3	34.0	40.2	10.0	50.2	
	2	41.2	51.2	33.5	50.8	50.6	48.8	46.9	39.0	36.1	34.2	33.9	33.6	41.2	10.0	51.2	
	3	43.0	51.9	35.9	51.6	51.1	49.7	48.0	42.8	39.0	36.6	36.3	36.0	43.0	10.0	53.0	
	4	46.6	55.2	38.5	54.9	54.5	53.2	51.8	46.5	43.1	39.3	39.0	38.6	46.6	10.0	56.6	
	5	47.9	56.0	40.3	55.6	55.2	54.1	52.7	48.5	44.9	41.4	40.9	40.5	47.9	10.0	57.9	
Day	6	46.9	54.7	38.6	54.3	53.9	52.8	51.6	47.4	44.3	40.1	39.5	38.8	46.9	10.0	56.9	
	7	49.4	64.0	38.0	63.1	61.2	55.5	51.5	44.9	42.2	39.0	38.5	38.2	49.4	0.0	49.4	
	8	44.0	53.1	36.3	52.4	51.9	50.4	48.8	43.8	41.0	37.3	36.9	36.4	44.0	0.0	44.0	
	9	45.1	53.8	37.2	53.5	53.2	51.7	50.1	45.0	42.3	38.3	37.8	37.3	45.1	0.0	45.1	
	10	50.3	59.7	36.4	59.0	58.6	57.4	56.7	50.1	42.9	37.8	37.2	36.5	50.3	0.0	50.3	
	11	49.0	58.2	38.0	57.6	57.2	55.9	54.8	48.5	43.0	39.3	38.8	38.2	49.0	0.0	49.0	
	12	50.4	59.8	39.4	59.4	59.2	58.2	56.6	49.0	44.7	40.8	40.3	39.7	50.4	0.0	50.4	
	13	49.4	58.1	40.6	57.7	57.3	55.8	54.2	49.6	45.3	42.0	41.4	40.8	49.4	0.0	49.4	
	14	50.3	58.3	40.2	57.8	57.4	56.3	55.6	50.9	46.1	41.7	41.1	40.5	50.3	0.0	50.3	
	15	48.7	57.0	39.9	56.4	55.8	54.6	53.5	49.0	46.0	42.1	41.1	40.2	48.7	0.0	48.7	
	16	49.2	57.1	41.0	56.7	56.3	55.0	53.8	49.4	46.7	42.7	42.0	41.2	49.2	0.0	49.2	
	17	49.2	56.9	41.9	56.3	55.8	53.8	52.7	49.7	47.5	44.0	43.2	42.1	49.2	0.0	49.2	
	18	48.8	57.3	40.8	57.1	56.7	54.7	52.8	48.9	46.6	42.5	41.6	41.0	48.8	0.0	48.8	
	19	48.3	57.4	41.3	56.2	55.0	53.1	52.0	48.9	46.7	42.9	42.3	41.5	48.3	5.0	53.3	
	20	48.5	55.7	40.6	55.3	54.9	53.5	52.4	49.5	46.4	42.2	41.4	40.8	48.5	5.0	53.5	
21	46.5	53.9	39.6	53.5	53.1	52.0	50.7	47.2	44.4	40.8	40.3	39.8	46.5	5.0	51.5		
Night	22	45.2	52.1	38.2	51.8	51.5	50.4	49.4	46.1	43.0	39.4	38.8	38.3	45.2	10.0	55.2	
Night	23	43.5	51.2	36.4	50.8	50.3	49.1	47.9	44.0	41.1	37.5	37.0	36.6	43.5	10.0	53.5	
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)			
Day	Min	44.0	53.1	36.3	52.4	51.9	50.4	48.8	43.8	41.0	37.3	36.9	36.4	24-Hour	47.6	48.8	44.7
	Max	50.4	64.0	41.9	63.1	61.2	58.2	56.7	50.9	47.5	44.0	43.2	42.1				
Energy Average		48.8	Average:		56.8	56.2	54.5	53.1	48.3	44.8	40.9	40.3	39.6				
Night	Min	39.2	47.1	33.5	46.8	46.5	45.4	44.2	38.8	36.0	34.2	33.9	33.6				
	Max	47.9	56.0	40.3	55.6	55.2	54.1	52.7	48.5	44.9	41.4	40.9	40.5				
Energy Average		44.7	Average:		51.7	51.3	50.0	48.6	43.7	40.5	37.5	37.1	36.7				

### 24-Hour Noise Level Measurement Summary


Date: Monday, June 13, 2022  
 Project: Murrieta and Ethanac Industrial Warehouse

Location: L3- Located east of the Project site near a construction  
 Source: company at 26414 Murrieta Road.

Meter: Piccolo II

JN: 14912  
 Analyst: S. Shami

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$
Night	0	54.2	67.8	34.8	67.4	66.4	62.2	58.5	46.0	39.2	35.8	35.3	34.9	54.2	10.0	64.2
	1	55.3	70.3	35.0	69.4	67.6	62.2	58.9	46.7	39.4	35.7	35.4	35.1	55.3	10.0	65.3
	2	52.5	66.3	34.3	65.9	64.9	60.4	56.6	42.3	37.0	34.8	34.6	34.4	52.5	10.0	62.5
	3	57.0	70.4	37.7	69.9	68.7	64.7	61.8	51.4	43.8	38.6	38.2	37.8	57.0	10.0	67.0
	4	61.4	74.2	40.3	73.8	72.6	69.0	66.8	57.6	48.8	41.8	40.9	40.4	61.4	10.0	71.4
	5	64.3	76.8	43.5	76.4	75.2	71.5	69.3	61.9	53.7	45.1	44.2	43.6	64.3	10.0	74.3
Day	6	64.2	75.3	41.1	74.9	73.9	71.4	69.7	63.7	56.1	43.9	42.2	41.3	64.2	10.0	74.2
	7	64.5	75.3	45.2	74.8	73.9	71.0	69.5	64.8	57.8	48.2	46.9	45.8	64.5	0.0	64.5
	8	64.1	74.5	41.8	74.1	73.2	70.5	69.2	64.7	57.5	44.5	43.2	42.2	64.1	0.0	64.1
	9	63.9	74.2	43.0	73.8	73.0	70.5	69.0	64.4	57.8	45.4	44.2	43.2	63.9	0.0	63.9
	10	64.1	73.4	43.4	73.0	72.3	70.3	69.4	65.2	59.0	46.6	45.0	43.7	64.1	0.0	64.1
	11	63.3	72.2	43.4	71.8	71.0	69.4	68.3	64.6	59.1	47.1	45.1	43.7	63.3	0.0	63.3
	12	64.4	74.2	44.8	73.9	72.9	70.4	69.1	65.3	60.1	48.2	46.6	45.1	64.4	0.0	64.4
	13	63.6	73.7	43.6	73.2	72.4	69.7	68.4	64.3	59.1	47.1	45.1	43.9	63.6	0.0	63.6
	14	63.6	73.0	44.6	72.5	71.6	69.6	68.5	64.8	59.5	48.1	46.6	45.1	63.6	0.0	63.6
	15	63.3	73.4	42.4	73.0	72.0	69.4	68.1	64.1	58.6	45.8	44.0	42.5	63.3	0.0	63.3
	16	65.5	78.6	44.1	77.9	76.4	72.2	69.4	63.9	58.8	47.1	45.8	44.5	65.5	0.0	65.5
	17	64.0	74.2	45.2	73.6	72.7	70.0	68.4	64.8	59.9	48.3	46.6	45.3	64.0	0.0	64.0
	18	64.2	74.9	44.6	74.5	73.5	70.5	69.2	64.6	58.5	47.3	45.8	44.9	64.2	0.0	64.2
	19	62.6	72.5	44.5	72.0	70.9	68.8	67.8	63.5	56.8	47.7	46.1	44.8	62.6	5.0	67.6
	20	62.1	72.3	44.6	71.9	71.1	68.9	67.6	62.3	55.3	46.7	45.7	44.8	62.1	5.0	67.1
	21	60.7	72.4	42.3	71.9	71.0	67.9	66.2	59.5	51.2	43.6	43.0	42.5	60.7	5.0	65.7
Night	22	59.1	71.0	40.8	70.5	69.5	66.6	64.9	56.6	48.6	42.2	41.5	41.0	59.1	10.0	69.1
	23	57.1	69.8	38.3	69.2	68.1	65.2	62.8	52.5	44.4	39.2	38.7	38.4	57.1	10.0	67.1
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)		
Day	Min	60.7	72.2	41.8	71.8	70.9	67.9	66.2	59.5	51.2	43.6	43.0	42.2	24-Hour	Daytime (7am-10pm)	Nighttime (10pm-7am)
	Max	65.5	78.6	45.2	77.9	76.4	72.2	69.5	65.3	60.1	48.3	46.9	45.8			
Energy Average		63.7	Average:		73.5	72.5	69.9	68.5	64.1	57.9	46.8	45.3	44.1			
Night	Min	52.5	66.3	34.3	65.9	64.9	60.4	56.6	42.3	37.0	34.8	34.6	34.4	62.7	63.7	60.2
	Max	64.3	76.8	43.5	76.4	75.2	71.5	69.7	63.7	56.1	45.1	44.2	43.6			
Energy Average		60.2	Average:		70.8	69.7	65.9	63.3	53.2	45.7	39.7	39.0	38.5			

### 24-Hour Noise Level Measurement Summary


Date: Monday, June 13, 2022  
 Project: Murrieta and Ethanac Industrial Warehouse

Location: L4- Located south of the Project site near single-family  
 Source: residence at 25910 Cam Juarez.

Meter: Piccolo II

JN: 14912  
 Analyst: S. Shami

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$
Night	0	41.2	50.1	37.2	49.3	48.2	45.3	44.0	41.1	39.5	38.0	37.7	37.3	41.2	10.0	51.2
	1	43.1	51.9	38.2	51.3	50.7	49.0	47.6	42.2	40.5	38.8	38.5	38.3	43.1	10.0	53.1
	2	48.7	58.9	37.7	58.6	58.1	56.8	55.2	45.3	40.4	38.3	38.0	37.8	48.7	10.0	58.7
	3	46.6	56.4	39.5	55.9	55.3	53.8	52.1	44.9	41.8	40.1	39.9	39.6	46.6	10.0	56.6
	4	46.6	56.5	40.8	56.0	55.1	52.4	50.7	45.9	43.8	41.6	41.2	40.9	46.6	10.0	56.6
	5	55.9	75.8	43.4	75.2	74.8	73.4	72.1	68.0	68.0	58.0	44.4	43.9	43.5	55.9	10.0
Day	6	52.6	63.4	41.3	63.0	62.5	60.2	57.9	50.2	46.1	42.3	41.9	41.4	52.6	10.0	62.6
	7	55.2	66.6	41.7	66.2	65.7	63.4	61.2	51.3	46.6	42.9	42.3	41.9	55.2	0.0	55.2
	8	56.2	65.8	47.1	65.5	65.2	63.4	61.5	54.8	51.8	48.7	48.2	47.4	56.2	0.0	56.2
	9	58.4	70.1	42.1	69.9	69.5	67.6	64.6	50.9	46.2	42.9	42.5	42.3	58.4	0.0	58.4
	10	58.5	69.8	41.7	69.4	69.0	67.0	64.6	55.6	47.1	42.8	42.3	41.9	58.5	0.0	58.5
	11	55.6	67.0	42.4	66.6	66.3	64.0	61.2	51.2	46.8	43.3	42.9	42.6	55.6	0.0	55.6
	12	57.4	68.4	43.2	68.1	67.6	65.9	63.7	53.6	47.7	44.3	43.8	43.4	57.4	0.0	57.4
	13	57.6	68.4	43.8	67.9	67.4	65.7	63.8	55.6	50.6	45.0	44.4	44.0	57.6	0.0	57.6
	14	56.2	67.4	43.8	66.9	66.4	64.7	62.6	52.5	48.1	44.7	44.3	43.9	56.2	0.0	56.2
	15	55.5	66.8	42.7	66.4	66.0	64.0	61.6	51.5	46.6	43.4	43.1	42.8	55.5	0.0	55.5
	16	57.4	68.8	44.5	68.2	67.6	65.4	63.9	54.7	48.8	45.2	44.9	44.6	57.4	0.0	57.4
	17	56.9	68.7	43.4	68.4	67.7	65.4	62.6	51.9	48.7	44.7	44.2	43.6	56.9	0.0	56.9
	18	55.3	66.6	42.5	66.4	66.0	63.8	61.3	50.7	46.5	43.2	43.0	42.6	55.3	0.0	55.3
	19	58.3	70.9	43.1	70.6	70.0	66.8	63.8	50.9	46.9	44.0	43.6	43.2	58.3	5.0	63.3
	20	55.5	66.4	43.7	66.1	65.6	63.7	61.6	52.3	47.4	44.4	44.1	43.8	55.5	5.0	60.5
	21	56.4	67.8	43.3	67.5	67.0	65.0	62.4	51.9	47.2	44.2	43.7	43.3	56.4	5.0	61.4
Night	22	57.4	68.9	42.2	68.5	68.0	66.2	63.4	52.1	46.4	42.9	42.6	42.3	57.4	10.0	67.4
	23	53.1	64.3	41.4	63.9	63.6	61.9	59.4	49.9	44.8	42.0	41.8	41.5	53.1	10.0	63.1
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)		
Day	Min	55.2	65.8	41.7	65.5	65.2	63.4	61.2	50.7	46.2	42.8	42.3	41.9	24-Hour	Daytime (7am-10pm)	Nighttime (10pm-7am)
	Max	58.5	70.9	47.1	70.6	70.0	67.6	64.6	55.6	51.8	48.7	48.2	47.4			
Energy Average		56.9	Average:		67.6	67.1	65.1	62.7	52.6	47.8	44.2	43.8	43.4	55.6	56.9	52.3
Night	Min	41.2	50.1	37.2	49.3	48.2	45.3	44.0	41.1	39.5	38.0	37.7	37.3			
	Max	57.4	75.8	43.4	75.2	74.8	73.4	72.1	68.0	58.0	44.4	43.9	43.5			
Energy Average		52.3	Average:		60.2	59.6	57.7	55.8	48.8	44.6	40.9	40.6	40.3			

### 24-Hour Noise Level Measurement Summary


Date: Monday, June 13, 2022  
Project: Murrieta and Ethanac Industrial Warehouse

Location: L5- Located southwest of the Project site near single-family  
Source: residence at 25735 McLaughlin Road.

Meter: Piccolo II

JN: 14912  
Analyst: S. Shami

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$	
Night	0	40.8	43.5	38.4	43.0	42.7	42.2	42.0	41.3	40.6	39.5	39.2	38.7	40.8	10.0	50.8	
	1	45.3	56.8	38.7	55.6	54.4	52.4	50.5	42.6	40.8	39.6	39.3	38.9	45.3	10.0	55.3	
	2	45.5	54.8	39.4	54.2	53.8	52.0	50.5	43.9	41.9	40.5	40.2	39.8	45.5	10.0	55.5	
	3	43.6	52.3	39.8	51.1	50.5	48.0	46.7	43.2	41.7	40.5	40.3	40.1	43.6	10.0	53.6	
	4	42.9	47.7	40.2	47.2	46.7	45.6	44.9	43.4	42.4	40.9	40.7	40.4	42.9	10.0	52.9	
	5	59.1	67.4	56.5	66.3	65.8	65.1	64.6	63.0	63.0	61.5	58.9	58.3	57.2	59.1	10.0	69.1
Day	6	56.7	64.8	45.7	63.8	63.2	61.5	60.7	58.0	54.7	49.1	48.1	46.5	56.7	10.0	66.7	
	7	55.1	62.3	45.7	61.4	60.8	59.7	58.9	56.2	53.5	49.1	48.0	46.6	55.1	0.0	55.1	
	8	53.5	61.1	43.0	60.3	59.8	58.7	57.8	54.5	51.3	46.3	45.2	43.8	53.5	0.0	53.5	
	9	57.1	64.8	46.2	64.0	63.4	62.0	61.2	58.2	55.1	50.2	49.1	47.2	57.1	0.0	57.1	
	10	57.0	65.5	45.1	64.8	64.3	63.1	62.4	57.1	53.6	48.5	47.5	45.9	57.0	0.0	57.0	
	11	55.9	67.1	43.1	66.2	65.2	63.6	61.7	53.1	49.3	45.4	44.5	43.5	55.9	0.0	55.9	
	12	55.1	65.0	42.1	64.6	64.0	62.9	61.6	53.0	47.5	43.8	43.1	42.4	55.1	0.0	55.1	
	13	55.0	64.2	44.1	63.6	63.1	61.8	60.4	54.5	51.7	47.0	46.0	44.6	55.0	0.0	55.0	
	14	54.1	64.0	42.6	63.4	62.9	61.7	60.0	52.4	47.4	43.5	43.1	42.7	54.1	0.0	54.1	
	15	52.4	62.3	42.7	61.6	60.8	58.8	57.8	51.2	48.1	44.6	43.9	43.1	52.4	0.0	52.4	
	16	57.1	70.2	44.1	69.0	68.3	65.0	60.8	53.7	48.9	45.4	44.9	44.4	57.1	0.0	57.1	
	17	49.6	57.7	43.7	57.2	56.7	55.3	54.1	49.8	47.1	44.6	44.2	43.8	49.6	0.0	49.6	
	18	58.7	65.7	46.4	64.7	64.1	63.0	62.4	60.3	57.3	50.9	49.5	47.3	58.7	0.0	58.7	
	19	57.7	68.9	47.2	67.5	66.2	63.5	61.9	57.4	54.6	50.1	49.1	47.9	57.7	5.0	62.7	
	20	53.3	65.2	44.4	63.7	62.6	60.5	58.3	51.4	48.2	45.4	45.1	44.6	53.3	5.0	58.3	
	21	48.2	56.8	42.2	56.3	55.8	54.6	53.5	47.5	44.4	42.9	42.6	42.4	48.2	5.0	53.2	
Night	22	49.5	58.0	41.5	57.3	56.8	55.7	54.5	49.8	46.2	42.3	42.0	41.6	49.5	10.0	59.5	
Night	23	45.9	53.4	41.3	52.8	52.4	51.1	50.1	45.8	43.6	42.0	41.8	41.5	45.9	10.0	55.9	
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)			
Day	Min	48.2	56.8	42.1	56.3	55.8	54.6	53.5	47.5	44.4	42.9	42.6	42.4	24-Hour	54.5	55.4	52.3
	Max	58.7	70.2	47.2	69.0	68.3	65.0	62.4	60.3	57.3	50.9	49.5	47.9				
Energy Average		55.4	Average:		63.2	62.5	61.0	59.5	54.0	50.5	46.5	45.7	44.7				
Night	Min	40.8	43.5	38.4	43.0	42.7	42.2	42.0	41.3	40.6	39.5	39.2	38.7				
	Max	59.1	67.4	56.5	66.3	65.8	65.1	64.6	63.0	61.5	58.9	58.3	57.2				
Energy Average		52.3	Average:		54.6	54.0	52.6	51.6	47.9	45.9	43.7	43.3	42.7				

*This page intentionally left blank*



**APPENDIX 9.1:**  
**CADNAA OPERATIONAL NOISE MODEL INPUTS**

*This page intentionally left blank*

# 15382 - Murrieta Road Warehouse

CadnaA Noise Prediction Model: 15382-02.cna

Date: 16.02.24

Analyst: B. Lawson

## Calculation Configuration

Configuration	
Parameter	Value
<b>General</b>	
Max. Error (dB)	0.00
Max. Search Radius #(Unit,LEN)	2000.01
Min. Dist Src to Rcvr	0.00
<b>Partition</b>	
Raster Factor	0.50
Max. Length of Section #(Unit,LEN)	999.99
Min. Length of Section #(Unit,LEN)	1.01
Min. Length of Section (%)	0.00
Proj. Line Sources	On
Proj. Area Sources	On
<b>Ref. Time</b>	
Daytime Penalty (dB)	0.00
Recr. Time Penalty (dB)	5.00
Night-time Penalty (dB)	10.00
<b>DTM</b>	
Standard Height (m)	0.00
Model of Terrain	Triangulation
<b>Reflection</b>	
max. Order of Reflection	2
Search Radius Src	100.00
Search Radius Rcvr	100.00
Max. Distance Source - Rcvr	1000.00 1000.00
Min. Distance Rcvr - Reflector	1.00 1.00
Min. Distance Source - Reflector	0.10
<b>Industrial (ISO 9613)</b>	
Lateral Diffraction	some Obj
Obst. within Area Src do not shield	On
<b>Screening</b>	
	Incl. Ground Att. over Barrier
	Dz with limit (20/25)
Barrier Coefficients C1,2,3	3.0 20.0 0.0
Temperature #(Unit,TEMP)	10
rel. Humidity (%)	70
Ground Absorption G	0.50
Wind Speed for Dir. #(Unit,SPEED)	3.0
<b>Roads (TNM)</b>	
<b>Railways (FTA/FRA)</b>	
<b>Aircraft (???)</b>	
Strictly acc. to AzB	

## Receiver Noise Levels

Name	M.	ID	Level Lr			Limit. Value			Land Use			Height (ft)	Coordinates			
			Day (dBA)	Night (dBA)	CNEL (dBA)	Day (dBA)	Night (dBA)	CNEL (dBA)	Type	Auto	Noise Type		X (ft)	Y (ft)	Z (ft)	
RECEIVERS		R1	47.7	47.6	54.3	65.0	45.0	0.0				5.00	a	6269578.05	2214028.72	5.00
RECEIVERS		R2	47.8	47.7	54.4	65.0	45.0	0.0				5.00	a	6270349.04	2214039.76	5.00
RECEIVERS		R3	47.0	46.9	53.5	65.0	45.0	0.0				5.00	a	6270665.43	2214039.18	5.00
RECEIVERS		R4	43.5	43.4	50.1	65.0	45.0	0.0				5.00	a	6270491.71	2212653.91	5.00
RECEIVERS		R5	41.7	41.6	48.3	65.0	45.0	0.0				5.00	a	6269424.34	2212662.54	5.00

## Point Source(s)

Name	M.	ID	Result. PWL			Lw / Li		Operating Time			Height (ft)	Coordinates				
			Day (dBA)	Evening (dBA)	Night (dBA)	Type	Value dB(A)	norm.	Day (min)	Special (min)		Night (min)	X (ft)	Y (ft)	Z (ft)	
POINTSOURCE		AC01	88.9	88.9	88.9	Lw	88.9		585.00	0.00	252.00	5.00	g	6270756.58	2213778.74	50.00
POINTSOURCE		AC02	88.9	88.9	88.9	Lw	88.9		585.00	0.00	252.00	5.00	g	6270696.69	2213777.44	50.00
POINTSOURCE		AC03	88.9	88.9	88.9	Lw	88.9		585.00	0.00	252.00	5.00	g	6270750.07	2213238.38	50.00
POINTSOURCE		AC04	88.9	88.9	88.9	Lw	88.9		585.00	0.00	252.00	5.00	g	6270684.97	2213237.08	50.00
POINTSOURCE		CAR001	81.1	81.1	81.1	Lw	81.1					5.00	a	6270694.10	2213974.64	5.00
POINTSOURCE		CAR002	81.1	81.1	81.1	Lw	81.1					5.00	a	6270711.06	2213929.84	5.00
POINTSOURCE		CAR003	81.1	81.1	81.1	Lw	81.1					5.00	a	6270739.22	2213974.32	5.00
POINTSOURCE		CAR004	81.1	81.1	81.1	Lw	81.1					5.00	a	6270765.14	2213931.12	5.00
POINTSOURCE		CAR005	81.1	81.1	81.1	Lw	81.1					5.00	a	6270792.66	2213972.08	5.00
POINTSOURCE		CAR006	81.1	81.1	81.1	Lw	81.1					5.00	a	6270829.15	2213972.40	5.00
POINTSOURCE		CAR007	81.1	81.1	81.1	Lw	81.1					5.00	a	6270848.99	2213941.04	5.00
POINTSOURCE		CAR008	81.1	81.1	81.1	Lw	81.1					5.00	a	6270808.02	2213913.84	5.00
POINTSOURCE		CAR009	81.1	81.1	81.1	Lw	81.1					5.00	a	6270850.91	2213895.91	5.00
POINTSOURCE		CAR010	81.1	81.1	81.1	Lw	81.1					5.00	a	6270805.14	2213793.19	5.00
POINTSOURCE		CAR011	81.1	81.1	81.1	Lw	81.1					5.00	a	6270847.71	2213766.95	5.00

Name	M.	ID	Result. PWL			Lw / Li		Operating Time			Height		Coordinates			
			Day	Evening	Night	Type	Value	norm.	Day	Special	Night			X	Y	Z
			(dBA)	(dBA)	(dBA)				(min)	(min)	(min)	(ft)		(ft)	(ft)	(ft)
POINTSOURCE		CAR012	81.1	81.1	81.1	Lw	81.1					5.00	a	6270805.14	2213739.11	5.00
POINTSOURCE		CAR013	81.1	81.1	81.1	Lw	81.1					5.00	a	6270846.11	2213690.79	5.00
POINTSOURCE		CAR014	81.1	81.1	81.1	Lw	81.1					5.00	a	6270806.42	2213664.87	5.00
POINTSOURCE		CAR015	81.1	81.1	81.1	Lw	81.1					5.00	a	6270848.99	2213629.02	5.00
POINTSOURCE		CAR016	81.1	81.1	81.1	Lw	81.1					5.00	a	6270803.54	2213593.50	5.00
POINTSOURCE		CAR017	81.1	81.1	81.1	Lw	81.1					5.00	a	6270847.07	2213557.66	5.00
POINTSOURCE		CAR018	81.1	81.1	81.1	Lw	81.1					5.00	a	6270805.14	2213531.74	5.00
POINTSOURCE		CAR019	81.1	81.1	81.1	Lw	81.1					5.00	a	6270844.51	2213480.86	5.00
POINTSOURCE		CAR020	81.1	81.1	81.1	Lw	81.1					5.00	a	6270804.18	2213464.86	5.00
POINTSOURCE		CAR021	81.1	81.1	81.1	Lw	81.1					5.00	a	6270845.15	2213425.50	5.00
POINTSOURCE		CAR022	81.1	81.1	81.1	Lw	81.1					5.00	a	6270804.82	2213407.90	5.00
POINTSOURCE		CAR023	81.1	81.1	81.1	Lw	81.1					5.00	a	6270844.19	2213373.98	5.00
POINTSOURCE		CAR024	81.1	81.1	81.1	Lw	81.1					5.00	a	6270801.62	2213357.01	5.00
POINTSOURCE		CAR025	81.1	81.1	81.1	Lw	81.1					5.00	a	6270843.23	2213329.17	5.00
POINTSOURCE		CAR026	81.1	81.1	81.1	Lw	81.1					5.00	a	6270799.06	2213289.49	5.00
POINTSOURCE		CAR027	81.1	81.1	81.1	Lw	81.1					5.00	a	6270844.19	2213272.21	5.00
POINTSOURCE		CAR028	81.1	81.1	81.1	Lw	81.1					5.00	a	6270800.66	2213237.01	5.00
POINTSOURCE		CAR029	81.1	81.1	81.1	Lw	81.1					5.00	a	6270844.19	2213210.13	5.00
POINTSOURCE		CAR030	81.1	81.1	81.1	Lw	81.1					5.00	a	6270841.31	2213100.05	5.00
POINTSOURCE		CAR031	81.1	81.1	81.1	Lw	81.1					5.00	a	6270784.02	2213087.89	5.00
POINTSOURCE		CAR032	81.1	81.1	81.1	Lw	81.1					5.00	a	6270732.82	2213089.17	5.00
POINTSOURCE		CAR033	81.1	81.1	81.1	Lw	81.1					5.00	a	6270688.66	2213090.13	5.00
POINTSOURCE		CAR034	81.1	81.1	81.1	Lw	81.1					5.00	a	6269829.22	2213097.28	5.00
POINTSOURCE		CAR035	81.1	81.1	81.1	Lw	81.1					5.00	a	6269790.68	2213097.28	5.00
POINTSOURCE		CAR036	81.1	81.1	81.1	Lw	81.1					5.00	a	6269746.93	2213097.80	5.00
POINTSOURCE		CAR037	81.1	81.1	81.1	Lw	81.1					5.00	a	6269709.95	2213098.06	5.00
POINTSOURCE		CAR038	81.1	81.1	81.1	Lw	81.1					5.00	a	6269676.62	2213120.97	5.00
POINTSOURCE		CAR039	81.1	81.1	81.1	Lw	81.1					5.00	a	6269731.83	2213230.61	5.00
POINTSOURCE		CAR040	81.1	81.1	81.1	Lw	81.1					5.00	a	6269677.10	2213257.49	5.00
POINTSOURCE		CAR041	81.1	81.1	81.1	Lw	81.1					5.00	a	6269732.47	2213293.01	5.00
POINTSOURCE		CAR042	81.1	81.1	81.1	Lw	81.1					5.00	a	6269679.02	2213331.41	5.00
POINTSOURCE		CAR043	81.1	81.1	81.1	Lw	81.1					5.00	a	6269730.55	2213365.02	5.00
POINTSOURCE		CAR044	81.1	81.1	81.1	Lw	81.1					5.00	a	6269678.38	2213394.78	5.00
POINTSOURCE		CAR045	81.1	81.1	81.1	Lw	81.1					5.00	a	6269730.87	2213419.42	5.00
POINTSOURCE		CAR046	81.1	81.1	81.1	Lw	81.1					5.00	a	6269680.62	2213463.58	5.00
POINTSOURCE		CAR047	81.1	81.1	81.1	Lw	81.1					5.00	a	6269731.83	2213489.18	5.00
POINTSOURCE		CAR048	81.1	81.1	81.1	Lw	81.1					5.00	a	6269679.34	2213516.38	5.00
POINTSOURCE		CAR049	81.1	81.1	81.1	Lw	81.1					5.00	a	6269731.51	2213559.90	5.00
POINTSOURCE		CAR050	81.1	81.1	81.1	Lw	81.1					5.00	a	6269679.66	2213594.78	5.00
POINTSOURCE		CAR051	81.1	81.1	81.1	Lw	81.1					5.00	a	6269734.07	2213622.30	5.00
POINTSOURCE		CAR052	81.1	81.1	81.1	Lw	81.1					5.00	a	6269680.30	2213657.83	5.00
POINTSOURCE		CAR053	81.1	81.1	81.1	Lw	81.1					5.00	a	6269736.63	2213685.67	5.00
POINTSOURCE		CAR054	81.1	81.1	81.1	Lw	81.1					5.00	a	6269680.30	2213719.59	5.00
POINTSOURCE		CAR055	81.1	81.1	81.1	Lw	81.1					5.00	a	6269738.23	2213757.35	5.00
POINTSOURCE		CAR056	81.1	81.1	81.1	Lw	81.1					5.00	a	6269680.94	2213776.55	5.00
POINTSOURCE		CAR057	81.1	81.1	81.1	Lw	81.1					5.00	a	6269739.19	2213801.83	5.00
POINTSOURCE		CAR058	81.1	81.1	81.1	Lw	81.1					5.00	a	6269681.26	2213820.71	5.00
POINTSOURCE		CAR059	81.1	81.1	81.1	Lw	81.1					5.00	a	6269723.51	2213924.72	5.00
POINTSOURCE		CAR060	81.1	81.1	81.1	Lw	81.1					5.00	a	6269683.82	2213926.00	5.00
POINTSOURCE		CAR061	81.1	81.1	81.1	Lw	81.1					5.00	a	6269683.82	2213959.60	5.00
POINTSOURCE		CAR062	81.1	81.1	81.1	Lw	81.1					5.00	a	6269707.82	2213981.68	5.00
POINTSOURCE		CAR063	81.1	81.1	81.1	Lw	81.1					5.00	a	6269742.71	2213982.00	5.00
POINTSOURCE		CAR064	81.1	81.1	81.1	Lw	81.1					5.00	a	6269778.55	2213941.04	5.00
POINTSOURCE		CAR065	81.1	81.1	81.1	Lw	81.1					5.00	a	6269794.23	2213981.36	5.00
POINTSOURCE		CAR066	81.1	81.1	81.1	Lw	81.1					5.00	a	6269813.43	2213942.00	5.00
POINTSOURCE		CAR067	81.1	81.1	81.1	Lw	81.1					5.00	a	6269837.75	2213982.32	5.00
POINTSOURCE		FIRE01	78.3	78.3	78.3	Lw	78.3					5.00	a	6270648.51	2213095.15	5.00
POINTSOURCE		TRASH01	89.0	89.0	89.0	Lw	89		900.00	0.00	270.00	0.00	a	6269879.84	2213837.31	0.00
POINTSOURCE		TRASH02	89.0	89.0	89.0	Lw	89		900.00	0.00	270.00	0.00	a	6270673.25	2213832.13	0.00
POINTSOURCE		TRASH03	89.0	89.0	89.0	Lw	89		900.00	0.00	270.00	0.00	a	6270652.65	2213185.98	0.00
POINTSOURCE		TRASH04	89.0	89.0	89.0	Lw	89		900.00	0.00	270.00	0.00	a	6269871.17	2213194.11	0.00

### Line Source(s)

Name	M.	ID	Result. PWL			Result. PWL'			Lw / Li		Operating Time			Moving Pt. Src			Height		
			Day	Evening	Night	Day	Evening	Night	Type	Value	norm.	Day	Special	Night	Number			Speed	
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)				(min)	(min)	(min)	Day	Evening	Night	(mph)	(ft)
LINESOURCE		TRUCK01	93.2	93.2	93.2	67.5	67.5	67.5	Lw	93.2								8	a
LINESOURCE		TRUCK02	93.2	93.2	93.2	67.4	67.4	67.4	Lw	93.2								8	a

Name	ID	Height		Coordinates			
		Begin	End	x	y	z	Ground
		(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
LINESOURCE	TRUCK01	8.00	a	6270878.03	2213858.87	8.00	0.00
				6269650.39	2213865.84	8.00	0.00
LINESOURCE	TRUCK02	8.00	a	6269642.27	2213169.63	8.00	0.00
				6270882.67	2213158.03	8.00	0.00

### Area Source(s)

Name	M.	ID	Result. PWL			Result. PWL"			Lw / Li		Operating Time			Height		
			Day (dBA)	Evening (dBA)	Night (dBA)	Day (dBA)	Evening (dBA)	Night (dBA)	Type	Value dB(A)	norm.	Day (min)	Special (min)	Night (min)	(ft)	
AREASOURCE		DRY01	103.4	103.4	103.4	64.4	64.4	64.4	Lw	103.4					8	a
AREASOURCE		DRY02	103.4	103.4	103.4	67.0	67.0	67.0	Lw	103.4					8	a
AREASOURCE		DRY03	103.4	103.4	103.4	67.0	67.0	67.0	Lw	103.4					8	a
AREASOURCE		DRY04	103.4	103.4	103.4	67.4	67.4	67.4	Lw	103.4					8	a

Name	ID	Height		Coordinates			
		Begin (ft)	End (ft)	x (ft)	y (ft)	z (ft)	Ground (ft)
AREASOURCE	DRY01	8.00	a	6269876.92	2213992.92	8.00	0.00
				6270659.73	2213986.70	8.00	0.00
				6270658.78	2213879.08	8.00	0.00
				6269875.55	2213882.56	8.00	0.00
AREASOURCE	DRY02	8.00	a	6269880.14	2213815.94	8.00	0.00
				6270668.00	2213808.98	8.00	0.00
				6270665.68	2213749.80	8.00	0.00
				6269876.65	2213756.76	8.00	0.00
AREASOURCE	DRY03	8.00	a	6269869.69	2213275.22	8.00	0.00
				6270655.24	2213269.42	8.00	0.00
				6270655.24	2213207.92	8.00	0.00
				6269870.85	2213216.05	8.00	0.00
AREASOURCE	DRY04	8.00	a	6269860.78	2213147.53	8.00	0.00
				6270632.40	2213139.41	8.00	0.00
				6270631.24	2213083.71	8.00	0.00
				6269859.62	2213091.83	8.00	0.00

### Barrier(s)

Name	Sel.	M.	ID	Absorption		Z-Ext. (ft)	Cantilever horz. (ft)	vert. (ft)	Height		Coordinates			
				left	right				Begin (ft)	End (ft)	x (ft)	y (ft)	z (ft)	Ground (ft)
BARRIERPLANNED			0						6.00	a	6269672.70	2213997.82	6.00	0.00
											6269864.53	2213996.21	6.00	0.00
BARRIERPLANNED			0						14.00	a	6269864.53	2213996.21	14.00	0.00
											6270674.52	2213989.35	14.00	0.00
BARRIERPLANNED			0						6.00	a	6270674.52	2213989.35	6.00	0.00
											6270861.33	2213987.27	6.00	0.00
BARRIERPLANNED			0						14.00	a	6269851.46	2213146.86	14.00	0.00
											6269850.77	2213088.80	14.00	0.00
											6270659.62	2213082.03	14.00	0.00
											6270660.66	2213137.76	14.00	0.00
BARRIERPLANNED			0						14.00	a	6269864.53	2213996.21	14.00	0.00
											6269863.85	2213885.18	14.00	0.00
BARRIERPLANNED			0						14.00	a	6270674.52	2213989.35	14.00	0.00
											6270672.82	2213878.05	14.00	0.00

### Building(s)

Name	Sel.	M.	ID	RB	Residents	Absorption	Height	Coordinates				
								Begin (ft)	x (ft)	y (ft)	z (ft)	Ground (ft)
BUILDING			BUILDING00001	x	0		45.00	a	6269767.00	2213817.81	45.00	0.00
									6269880.14	2213815.94	45.00	0.00
									6269876.65	2213756.76	45.00	0.00
									6270665.68	2213749.80	45.00	0.00
									6270668.00	2213808.98	45.00	0.00
									6270780.02	2213807.39	45.00	0.00
									6270772.21	2213207.13	45.00	0.00
									6270655.24	2213207.92	45.00	0.00
									6270655.24	2213269.42	45.00	0.00
									6269869.69	2213275.22	45.00	0.00
									6269870.85	2213216.05	45.00	0.00
									6269757.89	2213213.64	45.00	0.00

### Ground Absorption(s)

Name	Sel.	M.	ID	G	Coordinates	
					x (ft)	y (ft)
				1.0	6269634.78	2214002.93
					6270869.19	2213990.43
					6270869.92	2214032.36
					6269632.57	2214039.71

*This page intentionally left blank*

## **APPENDIX 10.1:**

### **CADNAA CONSTRUCTION NOISE MODEL INPUTS**

*This page intentionally left blank*



# 15382 - Murrieta Road Warehouse

CadnaA Noise Prediction Model: 15382-02\_Construction.cna

Date: 16.02.24

Analyst: B. Lawson

## Receiver Noise Levels

Name	M.	ID	Level Lr			Limit. Value			Land Use			Height (ft)	Coordinates			
			Day (dBA)	Night (dBA)	CNEL (dBA)	Day (dBA)	Night (dBA)	CNEL (dBA)	Type	Auto	Noise Type		X (ft)	Y (ft)	Z (ft)	
RECEIVERS		R1	65.4	-41.6	62.4	65.0	45.0	0.0				5.00	a	6269578.05	2214028.72	5.00
RECEIVERS		R2	68.8	-38.2	65.8	65.0	45.0	0.0				5.00	a	6270349.04	2214039.76	5.00
RECEIVERS		R3	68.3	-38.7	65.3	65.0	45.0	0.0				5.00	a	6270665.43	2214039.18	5.00
RECEIVERS		R4	62.4	-44.6	59.4	65.0	45.0	0.0				5.00	a	6270491.71	2212653.91	5.00
RECEIVERS		R5	60.0	-47.0	57.0	65.0	45.0	0.0				5.00	a	6269424.34	2212662.54	5.00

## Area Source(s)

Name	M.	ID	Result. PWL			Result. PWL"			Lw / Li			Operating Time			Height		
			Day (dBA)	Evening (dBA)	Night (dBA)	Day (dBA)	Evening (dBA)	Night (dBA)	Type	Value	norm. dB(A)	Day (min)	Special (min)	Night (min)	(ft)		
SITEBOUNDARY		CONSTRUCTION	122.6	15.6	15.6	72.0	-35.0	-35.0	PWL-Pt	115.6						8	a

Name	ID	Height		Coordinates			
		Begin (ft)	End (ft)	x (ft)	y (ft)	z (ft)	Ground (ft)
SITEBOUNDARY	CONSTRUCTION	8.00	a	6269640.34	2214023.10	8.00	0.00
				6270886.69	2214012.27	8.00	0.00
				6270884.94	2213021.84	8.00	0.00
				6269638.48	2213032.69	8.00	0.00

*This page intentionally left blank*

## **APPENDIX 10.2**

### **CADNAA CONCRETE POUR NOISE MODEL INPUTS**

*This page intentionally left blank*

# 15382 - Murrieta Road Warehouse

CadnaA Noise Prediction Model: 15382-02\_Pour.cna

Date: 16.02.24

Analyst: B. Lawson

## Receiver Noise Levels

Name	M.	ID	Level Lr			Limit. Value			Land Use			Height (ft)	Coordinates			
			Day (dBA)	Night (dBA)	CNEL (dBA)	Day (dBA)	Night (dBA)	CNEL (dBA)	Type	Auto	Noise Type		X (ft)	Y (ft)	Z (ft)	
RECEIVERS		R1	50.1	-56.9	47.1	65.0	45.0	0.0				5.00	a	6269578.05	2214028.72	5.00
RECEIVERS		R2	53.5	-53.5	50.5	65.0	45.0	0.0				5.00	a	6270349.04	2214039.76	5.00
RECEIVERS		R3	53.0	-54.0	50.0	65.0	45.0	0.0				5.00	a	6270665.43	2214039.18	5.00
RECEIVERS		R4	47.1	-59.8	44.1	65.0	45.0	0.0				5.00	a	6270491.71	2212653.91	5.00
RECEIVERS		R5	44.7	-62.2	41.7	65.0	45.0	0.0				5.00	a	6269424.34	2212662.54	5.00

## Area Source(s)

Name	M.	ID	Result. PWL			Result. PWL"			Lw / Li			Operating Time			Height		
			Day (dBA)	Evening (dBA)	Night (dBA)	Day (dBA)	Evening (dBA)	Night (dBA)	Type	Value	norm. dB(A)	Day (min)	Special (min)	Night (min)	(ft)		
SITEBOUNDARY		CONSTRUCTION	107.3	0.3	0.3	56.7	-50.3	-50.3	PWL-Pt	100.3						8	a

Name	ID	Height		Coordinates			
		Begin (ft)	End (ft)	x (ft)	y (ft)	z (ft)	Ground (ft)
SITEBOUNDARY	CONSTRUCTION	8.00	a	6269640.34	2214023.10	8.00	0.00
				6270886.69	2214012.27	8.00	0.00
				6270884.94	2213021.84	8.00	0.00
				6269638.48	2213032.69	8.00	0.00

*This page intentionally left blank*