



---

# **Beech Logistics Center**

## **NOISE AND VIBRATION ANALYSIS**

### **CITY OF FONTANA**

PREPARED BY:

Bill Lawson, PE, INCE  
blawson@urbanxroads.com  
(949) 584-3148

JANUARY 9, 2023

---

14726-03 Noise Study



## TABLE OF CONTENTS

<b>TABLE OF CONTENTS</b> .....	<b>III</b>
<b>APPENDICES</b> .....	<b>IV</b>
<b>LIST OF EXHIBITS</b> .....	<b>IV</b>
<b>LIST OF TABLES</b> .....	<b>V</b>
<b>LIST OF ABBREVIATED TERMS</b> .....	<b>VI</b>
<b>EXECUTIVE SUMMARY</b> .....	<b>1</b>
<b>1 INTRODUCTION</b> .....	<b>3</b>
1.1 Site Location.....	3
1.2 Project Description.....	3
<b>2 FUNDAMENTALS</b> .....	<b>7</b>
2.1 Range of Noise .....	7
2.2 Noise Descriptors .....	8
2.3 Sound Propagation.....	8
2.4 Noise Control .....	9
2.5 Noise Barrier Attenuation .....	9
2.6 Land Use Compatibility With Noise .....	10
2.7 Community Response to Noise .....	10
2.8 Vibration .....	11
<b>3 REGULATORY SETTING</b> .....	<b>13</b>
3.1 State of California Noise Requirements.....	13
3.2 City of Fontana General Plan Noise Element .....	13
3.3 Operational Noise Standards .....	14
3.4 Construction Noise Standards .....	14
3.5 Construction Vibration Standards.....	15
<b>4 SIGNIFICANCE CRITERIA</b> .....	<b>17</b>
4.1 Noise Level Increases (Threshold A) .....	17
4.2 Vibration (Threshold B).....	18
4.3 CEQA Guidelines Not Further Analyzed (Threshold C) .....	18
4.4 Significance Criteria Summary .....	19
<b>5 EXISTING NOISE LEVEL MEASUREMENTS</b> .....	<b>21</b>
5.1 Measurement Procedure and Criteria .....	21
5.2 Noise Measurement Locations .....	21
5.3 Noise Measurement Results .....	22
<b>6 TRAFFIC NOISE METHODS AND PROCEDURES</b> .....	<b>25</b>
6.1 FHWA Traffic Noise Prediction Model .....	25
<b>7 OFF-SITE TRAFFIC NOISE ANALYSIS</b> .....	<b>29</b>
7.1 Traffic Noise Contours .....	29
7.2 Existing Project Traffic Noise Level Increases .....	32
7.3 2024 Traffic Noise Level Increases .....	33
<b>8 RECEIVER LOCATIONS</b> .....	<b>35</b>
<b>9 OPERATIONAL NOISE ANALYSIS</b> .....	<b>37</b>

9.1 Operational Noise Sources..... 37

9.2 Reference Noise Levels ..... 37

9.3 CadnaA Noise Prediction Model ..... 40

9.4 Project Operational Noise Levels..... 41

9.5 Project Operational Noise Level Compliance..... 42

9.6 Project Operational Noise Level Increases ..... 43

**10 CONSTRUCTION ANALYSIS.....45**

10.1 Construction Noise Levels..... 45

10.2 Construction Reference Noise Levels ..... 45

10.3 Construction Noise Analysis..... 47

10.4 Construction Noise Level Compliance ..... 48

10.5 Nighttime Concrete Pour Noise Analysis ..... 49

10.6 Construction Vibration Analysis..... 52

**11 REFERENCES..... 55**

**12 CERTIFICATIONS ..... 57**

**APPENDICES**

- APPENDIX 3.1: CITY OF FONTANA DEVELOPMENT CODE
- APPENDIX 5.1: STUDY AREA PHOTOS
- APPENDIX 5.2: NOISE LEVEL MEASUREMENT WORKSHEETS
- APPENDIX 7.1: OFF-SITE TRAFFIC NOISE CONTOURS
- APPENDIX 9.1: CADNAA OPERATIONAL NOISE MODEL INPUTS
- APPENDIX 10.1: CADNAA CONSTRUCTION NOISE MODEL INPUTS
- APPENDIX 10.2: CADNAA CONCRETE POUR NOISE MODEL INPUTS

**LIST OF EXHIBITS**

EXHIBIT 1-A: LOCATION MAP .....4

EXHIBIT 1-B: SITE PLAN..... 5

EXHIBIT 2-A: TYPICAL NOISE LEVELS .....7

EXHIBIT 2-B: NOISE LEVEL INCREASE PERCEPTION ..... 10

EXHIBIT 2-C: TYPICAL LEVELS OF GROUND-BORNE VIBRATION..... 12

EXHIBIT 5-A: NOISE MEASUREMENT LOCATIONS..... 23

EXHIBIT 8-A: RECEIVER LOCATIONS ..... 36

EXHIBIT 9-A: OPERATIONAL NOISE SOURCE LOCATIONS ..... 38

EXHIBIT 10-A: CONSTRUCTION NOISE SOURCE AND RECEIVER LOCATIONS ..... 46

EXHIBIT 10-B: NIGHTTIME CONCRETE POUR NOISE SOURCE AND RECEIVER LOCATIONS..... 51

**LIST OF TABLES**

**TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS .....1**

**TABLE 3-1: OPERATIONAL NOISE STANDARDS ..... 14**

**TABLE 4-1: SIGNIFICANCE CRITERIA SUMMARY ..... 19**

**TABLE 5-1: 24-HOUR AMBIENT NOISE LEVEL MEASUREMENTS ..... 22**

**TABLE 6-1: OFF-SITE ROADWAY PARAMETERS ..... 26**

**TABLE 6-2: AVERAGE DAILY TRAFFIC VOLUMES ..... 27**

**TABLE 6-3: TIME OF DAY VEHICLE SPLITS ..... 27**

**TABLE 6-4: WITHOUT PROJECT VEHICLE MIX ..... 27**

**TABLE 6-5: EXISTING WITH PROJECT VEHICLE MIX ..... 28**

**TABLE 6-6: OPENING YEAR CUMULATIVE 2024 WITH PROJECT VEHICLE MIX ..... 28**

**TABLE 7-1: EXISTING WITHOUT PROJECT CONTOURS ..... 29**

**TABLE 7-2: EXISTING WITH PROJECT CONTOURS ..... 30**

**TABLE 7-3: OYC 2024 WITHOUT PROJECT CONTOURS ..... 31**

**TABLE 7-4: OYC 2024 WITH PROJECT CONTOURS ..... 32**

**TABLE 7-5: EXISTING WITH PROJECT TRAFFIC NOISE LEVEL INCREASES ..... 33**

**TABLE 7-6: OYC 2024 WITH PROJECT TRAFFIC NOISE LEVEL INCREASES ..... 34**

**TABLE 9-1: REFERENCE NOISE LEVEL MEASUREMENTS ..... 39**

**TABLE 9-2: DAYTIME PROJECT OPERATIONAL NOISE LEVELS ..... 41**

**TABLE 9-3: NIGHTTIME PROJECT OPERATIONAL NOISE LEVELS ..... 42**

**TABLE 9-4: OPERATIONAL NOISE LEVEL COMPLIANCE ..... 42**

**TABLE 9-5: DAYTIME PROJECT OPERATIONAL NOISE LEVEL INCREASES ..... 43**

**TABLE 9-6: NIGHTTIME OPERATIONAL NOISE LEVEL INCREASES ..... 44**

**TABLE 10-1: CONSTRUCTION REFERENCE NOISE LEVELS ..... 47**

**TABLE 10-2: CONSTRUCTION EQUIPMENT NOISE LEVEL SUMMARY ..... 48**

**TABLE 10-3: TYPICAL CONSTRUCTION NOISE LEVEL COMPLIANCE ..... 49**

**TABLE 10-4: NIGHTTIME CONCRETE POUR NOISE LEVEL COMPLIANCE ..... 50**

**TABLE 10-5: VIBRATION SOURCE LEVELS FOR CONSTRUCTION EQUIPMENT ..... 52**

**TABLE 10-6: PROJECT CONSTRUCTION VIBRATION LEVELS ..... 53**

## **LIST OF ABBREVIATED TERMS**

(1)	Reference
ADT	Average Daily Traffic
ANSI	American National Standards Institute
Calveno	California Vehicle Noise
CEQA	California Environmental Quality Act
CNEL	Community Noise Equivalent Level
dBA	A-weighted decibels
FHWA	Federal Highway Administration
FTA	Federal Transit Administration
INCE	Institute of Noise Control Engineering
$L_{eq}$	Equivalent continuous (average) sound level
$L_{max}$	Maximum level measured over the time interval
$L_{min}$	Minimum level measured over the time interval
mph	Miles per hour
OPR	Office of Planning and Research
PPV	Peak Particle Velocity
Project	Beech Logistics Center
REMEL	Reference Energy Mean Emission Level
RMS	Root-mean-square
VdB	Vibration Decibels

## EXECUTIVE SUMMARY

Urban Crossroads, Inc. has prepared this noise study to determine the potential noise impacts and the necessary noise mitigation measures, if any, for the proposed Beech Logistics Center development (“Project”). The proposed Project includes the development of a single 168,759 square foot warehouse building. This study has been prepared to satisfy applicable City of Fontana standards and thresholds of significance based on guidance provided by Appendix G of the California Environmental Quality Act (CEQA) Guidelines. (1)

The results of this Beech Logistics Center Noise and Vibration Analysis are summarized below based on the significance criteria in Section 4 of this report. Table ES-1 shows the findings of significance for each potential noise and/or vibration impact under CEQA before and after any required mitigation measures.

**TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS**

Analysis	Report Section	Significance Findings	
		Unmitigated	Mitigated
Off-Site Traffic Noise	7	<i>Less Than Significant</i>	-
Operational Noise	9	<i>Less Than Significant</i>	-
Construction Noise	10	<i>Less Than Significant</i>	-
Nighttime Concrete Pour		<i>Less Than Significant</i>	-
Construction Vibration		<i>Less Than Significant</i>	-

*This page intentionally left blank*

# **1 INTRODUCTION**

This noise analysis has been completed to determine the noise impacts associated with the development of the proposed Beech Logistics Center (“Project”). This noise study briefly describes the proposed Project, provides information regarding noise fundamentals, sets out the local regulatory setting, presents the study methods and procedures for transportation related CNEL traffic noise analysis, and evaluates the future exterior noise environment. In addition, this study includes an analysis of the potential Project-related long-term stationary-source operational noise and short-term construction noise and vibration impacts.

## **1.1 SITE LOCATION**

The proposed project is located north of Foothill Boulevard and west of Beech Avenue in the City of Fontana as shown on Exhibit 1-A. The proposed Project is located within the Southwest Industrial Park Specific Plan (SWIP) in the Jurupa North Research and Development District.


## **1.2 PROJECT DESCRIPTION**

The proposed Project is to consist of a single 168,759 square foot warehouse building. The Project is anticipated to be constructed in one phase by the year 2024. The preliminary site plan for the proposed Project is shown on Exhibit 1-B. The on-site Project-related noise sources are expected to include: loading dock activity, roof-top air conditioning units, trash enclosure activity, parking lot vehicle movements, and truck movements. This noise analysis is intended to describe noise level impacts associated with the expected typical operational activities at the Project site.

EXHIBIT 1-A: LOCATION MAP



EXHIBIT 1-B: SITE PLAN



*This page intentionally left blank*

## 2 FUNDAMENTALS

Noise is simply defined as "unwanted sound." Sound becomes unwanted when it interferes with normal activities, when it causes actual physical harm or when it has adverse effects on health. Noise is measured on a logarithmic scale of sound pressure level known as a decibel (dB). A-weighted decibels (dBA) approximate the subjective response of the human ear to broad frequency noise source by discriminating against very low and very high frequencies of the audible spectrum. They are adjusted to reflect only those frequencies which are audible to the human ear. Exhibit 2-A presents a summary of the typical noise levels and their subjective loudness and effects that are described in more detail below.

**EXHIBIT 2-A: TYPICAL NOISE LEVELS**

<b>COMMON OUTDOOR ACTIVITIES</b>	<b>COMMON INDOOR ACTIVITIES</b>	<b>A - WEIGHTED SOUND LEVEL dBA</b>	<b>SUBJECTIVE LOUDNESS</b>	<b>EFFECTS OF NOISE</b>
THRESHOLD OF PAIN		140	<b>INTOLERABLE OR DEAFENING</b>	<b>HEARING LOSS</b>
NEAR JET ENGINE		130		
		120		
JET FLY-OVER AT 300m (1000 ft)	ROCK BAND	110		
LOUD AUTO HORN		100	<b>VERY NOISY</b>	<b>SPEECH INTERFERENCE</b>
GAS LAWN MOWER AT 1m (3 ft)		90		
DIESEL TRUCK AT 15m (50 ft), at 80 km/hr (50 mph)	FOOD BLENDER AT 1m (3 ft)	80	<b>LOUD</b>	
NOISY URBAN AREA, DAYTIME	VACUUM CLEANER AT 3m (10 ft)	70		
HEAVY TRAFFIC AT 90m (300 ft)	NORMAL SPEECH AT 1m (3 ft)	60	<b>MODERATE</b>	<b>SLEEP DISTURBANCE</b>
QUIET URBAN DAYTIME	LARGE BUSINESS OFFICE	50		
QUIET URBAN NIGHTTIME	THEATER, LARGE CONFERENCE ROOM (BACKGROUND)	40	<b>FAINT</b>	<b>NO EFFECT</b>
QUIET SUBURBAN NIGHTTIME	LIBRARY	30		
QUIET RURAL NIGHTTIME	BEDROOM AT NIGHT, CONCERT HALL (BACKGROUND)	20		
	BROADCAST/RECORDING STUDIO	10	<b>VERY FAINT</b>	
LOWEST THRESHOLD OF HUMAN HEARING	LOWEST THRESHOLD OF HUMAN HEARING	0		

Source: Environmental Protection Agency Office of Noise Abatement and Control, *Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety (EPA/ONAC 550/9-74-004) March 1974.*

### 2.1 RANGE OF NOISE

Since the range of intensities that the human ear can detect is so large, the scale frequently used to measure intensity is a scale based on multiples of 10, the logarithmic scale. The scale for measuring intensity is the decibel scale. Each interval of 10 decibels indicates a sound energy ten times greater than before, which is perceived by the human ear as being roughly twice as loud. (2) The most common sounds vary between 40 dBA (very quiet) to 100 dBA (very loud). Normal conversation at three feet is roughly at 60 dBA, while loud jet engine noises equate to 110 dBA

at approximately 1,000 feet, which can cause serious discomfort. (3) Another important aspect of noise is the duration of the sound and the way it is described and distributed in time.

## 2.2 NOISE DESCRIPTORS

Environmental noise descriptors are generally based on averages, rather than instantaneous, noise levels. The most used metric is the equivalent level ( $L_{eq}$ ). Equivalent sound levels are not measured directly but are calculated from sound pressure levels typically measured in A-weighted decibels (dBA). The equivalent sound level ( $L_{eq}$ ) represents a steady state sound level containing the same total energy as a time varying signal over a given sample period and is commonly used to describe the “average” noise levels within the environment.

Peak hour or average noise levels, while useful, do not completely describe a given noise environment. Noise levels lower than peak hour may be disturbing if they occur during times when quiet is most desirable, namely evening and nighttime (sleeping) hours. To account for this, the Community Noise Equivalent Level (CNEL), representing a composite 24-hour noise level is utilized. The CNEL is the weighted average of the intensity of a sound, with corrections for time of day, and averaged over 24 hours. The time-of-day corrections require the addition of 5 decibels to dBA  $L_{eq}$  sound levels in the evening from 7:00 p.m. to 10:00 p.m., and the addition of 10 decibels to dBA  $L_{eq}$  sound levels at night between 10:00 p.m. and 7:00 a.m. These additions are made to account for the noise sensitive time periods during the evening and night hours when noise can become more intrusive. CNEL does not represent the actual sound level heard at any time, but rather represents the total sound exposure. The City of Fontana relies on the 24-hour CNEL level to assess land use compatibility with transportation related noise sources.

## 2.3 SOUND PROPAGATION

When sound propagates over a distance, it changes in level and frequency content. The way noise reduces with distance depends on the following factors.

### 2.3.1 GEOMETRIC SPREADING

Sound from a localized source (i.e., a stationary point source) propagates uniformly outward in a spherical pattern. The sound level attenuates (or decreases) at a rate of 6 dB for each doubling of distance from a point source. Highways consist of several localized noise sources on a defined path and hence can be treated as a line source, which approximates the effect of several point sources. Noise from a line source propagates outward in a cylindrical pattern, often referred to as cylindrical spreading. Sound levels attenuate at a rate of 3 dB for each doubling of distance from a line source. (2)

### 2.3.2 GROUND ABSORPTION

The propagation path of noise from a highway to a receiver is usually very close to the ground. Noise attenuation from ground absorption and reflective wave canceling adds to the attenuation associated with geometric spreading. Traditionally, the excess attenuation has also been expressed in terms of attenuation per doubling of distance. This approximation is usually

sufficiently accurate for distances of less than 200 ft. For acoustically hard sites (i.e., sites with a reflective surface between the source and the receiver, such as a parking lot or body of water), no excess ground attenuation is assumed. For acoustically absorptive or soft sites (i.e., those sites with an absorptive ground surface between the source and the receiver such as soft dirt, grass, or scattered bushes and trees), an excess ground attenuation value of 1.5 dB per doubling of distance is normally assumed. When added to the cylindrical spreading, the excess ground attenuation results in an overall drop-off rate of 4.5 dB per doubling of distance from a line source. (4)

### **2.3.3 ATMOSPHERIC EFFECTS**

Receivers located downwind from a source can be exposed to increased noise levels relative to calm conditions, whereas locations upwind can have lowered noise levels. Sound levels can be increased at large distances (e.g., more than 500 feet) due to atmospheric temperature inversion (i.e., increasing temperature with elevation). Other factors such as air temperature, humidity, and turbulence can also have significant effects. (2)

### **2.3.4 SHIELDING**

A large object or barrier in the path between a noise source and a receiver can substantially attenuate noise levels at the receiver. The amount of attenuation provided by shielding depends on the size of the object and the frequency content of the noise source. Shielding by trees and other such vegetation typically only has an “out of sight, out of mind” effect. That is, the perception of noise impact tends to decrease when vegetation blocks the line-of-sight to nearby residents. However, for vegetation to provide a substantial, or even noticeable, noise reduction, the vegetation area must be at least 15 feet in height, 100 feet wide and dense enough to completely obstruct the line-of-sight between the source and the receiver. This size of vegetation may provide up to 5 dBA of noise reduction. The Federal Highway Administration (FHWA) does not consider the planting of vegetation to be a noise abatement measure. (5)

## **2.4 NOISE CONTROL**

Noise control is the process of obtaining an acceptable noise environment for an observation point or receiver by controlling the noise source, transmission path, receiver, or all three. This concept is known as the source-path-receiver concept. In general, noise control measures can be applied to these three elements.

## **2.5 NOISE BARRIER ATTENUATION**

Effective noise barriers can reduce noise levels by 10 to 15 dBA, cutting the loudness of traffic noise in half. A noise barrier is most effective when placed close to the noise source or receiver. Noise barriers, however, do have limitations. For a noise barrier to work, it must block the line-of-sight path of sound from the noise source.

## 2.6 LAND USE COMPATIBILITY WITH NOISE


Some land uses are more tolerant of noise than others. For example, schools, hospitals, churches, and residences are more sensitive to noise intrusion than are commercial or industrial developments and related activities. As ambient noise levels affect the perceived amenity or livability of a development, so too can the mismanagement of noise impacts impair the economic health and growth potential of a community by reducing the area’s desirability as a place to live, shop and work. For this reason, land use compatibility with the noise environment is an important consideration in the planning and design process. The FHWA encourages State and Local government to regulate land development in such a way that noise-sensitive land uses are either prohibited from being located adjacent to a highway, or that the developments are planned, designed, and constructed in such a way that noise impacts are minimized. (6)

## 2.7 COMMUNITY RESPONSE TO NOISE

Approximately sixteen percent of the population has a very low tolerance for noise and will object to any noise not of their making. Consequently, even in the quietest environment, some complaints may occur. Twenty to thirty percent of the population will not complain even in very severe noise environments. (7 pp. 8-6) Thus, a variety of reactions can be expected from people exposed to any given noise environment.

Surveys have shown that community response to noise varies from no reaction to vigorous action for newly introduced noises averaging from 10 dB below existing to 25 dB above existing. (8) According to research originally published in the Noise Effects Handbook (7), the percentage of high annoyance ranges from approximately 0 percent at 45 dB or less, 10 percent are highly annoyed around 60 dB, and increases rapidly to approximately 70 percent being highly annoyed at approximately 85 dB or greater. Despite this variability in behavior on an individual level, the population can be expected to exhibit the following responses to changes in noise levels as shown on Exhibit 2-B. A change of 3 dBA is considered barely perceptible, and changes of 5 dBA are considered readily perceptible. (4)

**EXHIBIT 2-B: NOISE LEVEL INCREASE PERCEPTION**




## 2.8 VIBRATION

Per the Federal Transit Administration (FTA) *Transit Noise Impact and Vibration Impact Assessment Manual* (8), vibration is the periodic oscillation of a medium or object. The rumbling sound caused by the vibration of room surfaces is called structure-borne noise. Sources of ground-borne vibrations include natural phenomena (e.g., earthquakes, volcanic eruptions, sea waves, landslides) or human-made causes (e.g., explosions, machinery, traffic, trains, construction equipment). Vibration sources may be continuous, such as factory machinery, or transient, such as explosions. As is the case with airborne sound, ground-borne vibrations may be described by amplitude and frequency.

There are several different methods that are used to quantify vibration. The peak particle velocity (PPV) is defined as the maximum instantaneous peak of the vibration signal. The PPV is most frequently used to describe vibration impacts to buildings but is not always suitable for evaluating human response (annoyance) because it takes some time for the human body to respond to vibration signals. Instead, the human body responds to average vibration amplitude often described as the root mean square (RMS). The RMS amplitude is defined as the average of the squared amplitude of the signal and is most frequently used to describe the effect of vibration on the human body. Decibel notation (VdB) is commonly used to measure RMS. Decibel notation (VdB) serves to reduce the range of numbers used to describe human response to vibration. Typically, ground-borne vibration generated by man-made activities attenuates rapidly with distance from the source of the vibration. Sensitive receivers for vibration include structures (especially older masonry structures), people (especially residents, the elderly, and sick), and vibration-sensitive equipment and/or activities.

The background vibration-velocity level in residential areas is generally 50 VdB. Ground-borne vibration is normally perceptible to humans at approximately 65 VdB. For most people, a vibration-velocity level of 75 VdB is the approximate dividing line between barely perceptible and distinctly perceptible levels. Typical outdoor sources of perceptible ground-borne vibration are construction equipment, steel-wheeled trains, and traffic on rough roads. If a roadway is smooth, the ground-borne vibration is rarely perceptible. The range of interest is from approximately 50 VdB, which is the typical background vibration-velocity level, to 100 VdB, which is the general threshold where minor damage can occur in fragile buildings. Exhibit 2-C illustrates common vibration sources and the human and structural response to ground-borne vibration.

**EXHIBIT 2-C: TYPICAL LEVELS OF GROUND-BORNE VIBRATION**



\* RMS Vibration Velocity Level in VdB relative to 10<sup>-6</sup> inches/second

Source: Federal Transit Administration (FTA) Transit Noise and Vibration Impact Assessment Manual.

### 3 REGULATORY SETTING

The federal government, the State of California, various county governments, and most municipalities in the state have established standards and ordinances to control noise. In most areas, automobile and truck traffic is the major source of environmental noise. Traffic activity generally produces an average sound level that remains constant with time. Air and rail traffic, and commercial and industrial activities are also major sources of noise in some areas. Federal, state, and local agencies regulate different aspects of environmental noise. Federal and state agencies generally set noise standards for mobile sources such as aircraft and motor vehicles, while regulation of stationary sources is left to local agencies.

#### 3.1 STATE OF CALIFORNIA NOISE REQUIREMENTS

The State of California regulates freeway noise, sets standards for sound transmission, provides occupational noise control criteria, identifies noise standards, and provides guidance for local land use compatibility. State law requires that each county and city adopt a General Plan that includes a Noise Element which is to be prepared per guidelines adopted by the Governor's Office of Planning and Research (OPR). (9) The purpose of the Noise Element is to *limit the exposure of the community to excessive noise levels*. In addition, the California Environmental Quality Act (CEQA) requires that all known environmental effects of a project be analyzed, including environmental noise impacts.

#### 3.2 CITY OF FONTANA GENERAL PLAN NOISE ELEMENT

The City of Fontana General Plan was updated on November 13, 2018. (11) To protect residents from the negative effect of "spillover" noise (Goal #10), the City of Fontana has identified the following policies in the General Plan Noise Element:

##### **Policy**

*Residential land uses and areas identified as noise-sensitive shall be protected from excessive noise from non-transportation sources including industrial, commercial, and residential activities and equipment.*

##### **Actions**

- A. *Projects located in commercial areas shall not exceed stationary- source noise standards at the property line of proximate residential or commercial uses.*
- B. *Industrial uses shall not exceed commercial or residential stationary source noise standards at the most proximate land uses.*
- C. *Non-transportation noise shall be considered in land use planning decisions.*
- D. *Construction shall be performed as quietly as feasible when performed in proximity to residential or other noise sensitive land uses.*

### 3.3 OPERATIONAL NOISE STANDARDS

To analyze noise impacts originating from a designated fixed location or private property such as the Beech Logistics Center Project, stationary-source (operational) noise such as the expected loading dock activity, roof-top air conditioning units, trash enclosure activity, parking lot vehicle movements, and truck movements are typically evaluated against standards established under a jurisdiction's Municipal Code.

The City of Fontana noise control guidelines for determining and mitigating non-transportation or stationary noise source impacts from operations in neighboring residential areas are found in the Zoning and Development Code (Section 30-543), provided in Appendix 3.1. For industrial zoning districts, Section 30-543 indicates that *no person shall create or cause to be created any sound which exceeds the noise levels in this section as measured at the property line of any residentially zoned property*. The performance standards found in Section 30-543 limit the exterior noise level to 70 dBA  $L_{eq}$  during the daytime hours, and 65 dBA  $L_{eq}$  during the nighttime hours at sensitive receiver locations as shown on Table 3-1. (12)

**TABLE 3-1: OPERATIONAL NOISE STANDARDS**

Jurisdiction	Land use	Noise Level Standards (dBA Leq) <sup>2</sup>	
		Daytime	Nighttime
City of Fontana <sup>1</sup>	Residential	70	65

<sup>1</sup> Section 30-543 of the City of Fontana Development Code (Appendix 3.1).

<sup>2</sup>  $L_{eq}$  represents a steady state sound level containing the same total energy as a time varying signal over a given sample period.

"Daytime" = 7:00 a.m. to 10:00 p.m.; "Nighttime" = 10:00 p.m. to 7:00 a.m.

### 3.4 CONSTRUCTION NOISE STANDARDS

The City of Fontana has set restrictions to control noise impacts associated with the construction of the proposed Project. According to Section 18-63[b][7] of the city's Municipal Code, *Construction or repairing of buildings or structures*, construction activity is limited: *between the hours of 7:00 a.m. and 6:00 p.m. on weekdays and between the hours of 8:00 a.m. and 5:00 p.m. on Saturdays except in the case of urgent necessity*. (13) Project construction noise levels are, therefore, considered exempt from municipal regulation if activities occur within the hours specified in the City of Fontana Municipal Code, Section 18-63[7] of 7:00 a.m. to 6:00 p.m. on weekdays and between the hours of 8:00 a.m. to 5:00 p.m. on Saturdays. However, neither the General Plan nor the Municipal Code establish numeric maximum acceptable construction source noise levels at potentially affected receivers for CEQA analysis purposes. Therefore, a numerical construction threshold based on Federal Transit Administration (FTA) *Transit Noise and Vibration Impact Assessment Manual* is used for analysis of daytime construction impacts, as discussed below.

According to the FTA, local noise ordinances are typically not very useful in evaluating construction noise. They usually relate to nuisance and hours of allowed activity, and sometimes specify limits in terms of maximum levels, but are generally not practical for assessing the impact of a construction project. Project construction noise criteria should account for the existing noise

environment, the absolute noise levels during construction activities, the duration of the construction, and the adjacent land use. Due to the lack of standardized construction noise thresholds, the FTA provides guidelines that can be considered reasonable criteria for construction noise assessment. The FTA considers a daytime exterior construction noise level of 80 dBA  $L_{eq}$  as a reasonable threshold for noise sensitive residential land use with a nighttime exterior construction noise level of 70 dBA  $L_{eq}$  (8 p. 179).

### **3.5 CONSTRUCTION VIBRATION STANDARDS**

Construction activity can result in varying degrees of ground-borne vibration, depending on the equipment and methods used, distance to the affected structures and soil type. Construction vibration is generally associated with pile driving and rock blasting. Other construction equipment such as air compressors, light trucks, hydraulic loaders, etc., generates little or no ground vibration (8). To analyze vibration impacts originating from the operation and construction of the Beech Logistics Center, vibration-generating activities are appropriately evaluated against standards established under the Municipal Code, if such standards exist. However, the City of Fontana does not identify specific construction vibration level limits. Therefore, for analysis purposes, the Caltrans *Transportation and Construction Vibration Guidance Manual*, (12 p. 38) Table 19, vibration damage are used in this noise study to assess potential temporary construction-related impacts at adjacent building locations. The nearest noise sensitive buildings adjacent to the Project site can best be described as “older residential structures” with a maximum acceptable continuous vibration threshold of 0.3 PPV (in/sec).

*This page intentionally left blank*

## 4 SIGNIFICANCE CRITERIA

The following significance criteria are based on currently adopted guidance provided by Appendix G of the California Environmental Quality Act (CEQA) Guidelines. (1) For the purposes of this report, impacts would be potentially significant if the Project results in or causes:

- A. Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?
- B. Generation of excessive ground-borne vibration or ground-borne noise levels?
- C. For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

### 4.1 NOISE LEVEL INCREASES (THRESHOLD A)

Noise level increases resulting from the Project are evaluated based on the Appendix G CEQA Guidelines. Under CEQA, consideration must be given to the magnitude of the increase, the existing baseline ambient noise levels, and the location of receivers to determine if a noise increase represents a significant adverse environmental impact. This approach recognizes *that there is no single noise increase that renders the noise impact significant*. (15) This is primarily because of the wide variation in individual thresholds of annoyance and differing individual experiences with noise. Thus, an important way of determining a person's subjective reaction to a new noise is the comparison of it to the existing environment to which one has adapted—the so-called *ambient* environment. In general, the more a new noise exceeds the previously existing ambient noise level, the less acceptable the new noise will typically be judged.

The Federal Interagency Committee on Noise (FICON) (16) developed guidance to be used for the assessment of project-generated increases in noise levels that consider the ambient noise level. The FICON recommendations are based on studies that relate aircraft noise levels to the percentage of persons highly annoyed by aircraft noise. Although the FICON recommendations were specifically developed to assess aircraft noise impacts, these recommendations are often used in environmental noise impact assessments involving the use of cumulative noise exposure metrics, such as the average-daily noise level (CNEL) and equivalent continuous noise level ( $L_{eq}$ ).

As previously stated, the approach used in this noise study recognizes *that there is no single noise increase that renders the noise impact significant*, based on a 2008 California Court of Appeal ruling on *Gray v. County of Madera*. (15) For example, if the ambient noise environment is quiet (<60 dBA) and the new noise source greatly increases the noise levels, an impact may occur if the noise criteria may be exceeded. Therefore, for this analysis, a *readily perceptible* 5 dBA or greater project-related noise level increase is considered a significant impact when the without project noise levels are below 60 dBA. Per the FICON, in areas where the without project noise levels range from 60 to 65 dBA, a 3 dBA *barely perceptible* noise level increase appears to be appropriate for most people. When the without project noise levels already exceed 65 dBA, any

increase in community noise louder than 1.5 dBA or greater is considered a significant impact if the noise criteria for a given land use is exceeded, since it likely contributes to an existing noise exposure exceedance. The FICON guidance provides an established source of criteria to assess the impacts of substantial temporary or permanent increase in baseline ambient noise levels. Based on the FICON criteria, the amount to which a given noise level increase is considered acceptable is reduced when the without Project (baseline) noise levels are already shown to exceed certain land-use specific exterior noise level criteria. The specific levels are based on typical responses to noise level increases of 5 dBA or *readily perceptible*, 3 dBA or *barely perceptible*, and 1.5 dBA depending on the underlying without Project noise levels for noise-sensitive uses. These levels of increases and their perceived acceptance are consistent with guidance provided by both the Federal Highway Administration (4 p. 9) and Caltrans (17 p. 2\_48).

#### **4.2 VIBRATION (THRESHOLD B)**

As described in Section 3.5, the vibration impacts originating from the construction of Beech Logistics Center, vibration-generating activities are appropriately evaluated using the Caltrans vibration damage thresholds to assess potential temporary construction-related impacts at adjacent building locations. The nearest noise sensitive buildings adjacent to the Project site can best be described as “older residential structures” with a maximum acceptable continuous vibration threshold of 0.3 PPV (in/sec).

#### **4.3 CEQA GUIDELINES NOT FURTHER ANALYZED (THRESHOLD C)**

CEQA Noise Threshold C applies when there are nearby public and private airports and/or air strips and focuses on land use compatibility of the Project to nearby airports and airstrips. The Project site is not located within two miles of an airport or airstrip. The closest airport is the Ontario International Airport located roughly 7 miles southwest of the Project site. As such, the Project site would not be exposed to excessive noise levels from airport operations, and therefore, impacts are considered *less than significant*, and no further noise analysis is conducted in relation to Appendix G to the CEQA Guidelines, Noise Threshold C.

#### 4.4 SIGNIFICANCE CRITERIA SUMMARY

Noise impacts shall be considered significant if any of the following occur as a direct result of the proposed Project. Table 4-1 shows the significance criteria summary matrix that includes the allowable criteria used to identify potentially significant incremental noise level increases.

**TABLE 4-1: SIGNIFICANCE CRITERIA SUMMARY**

Analysis	Receiving Land Use	Condition(s)	Significance Criteria	
			Daytime	Nighttime
Off-Site	Noise-Sensitive <sup>1</sup>	if ambient is < 60 dBA CNEL	≥ 5 dBA CNEL Project increase	
		if ambient is 60 - 65 dBA CNEL	≥ 3 dBA CNEL Project increase	
		if ambient is > 65 dBA CNEL	≥ 1.5 dBA CNEL Project increase	
Operational	Adjacent Uses	Exterior Noise Level Standards <sup>2</sup>	70 dBA Leq	65 dBA Leq
	Noise-Sensitive <sup>1</sup>	If ambient is < 60 dBA Leq	≥ 5 dBA Leq Project increase	
		If ambient is 60 - 65 dBA Leq	≥ 3 dBA Leq Project increase	
		If ambient is > 65 dBA Leq	≥ 1.5 dBA Leq Project increase	
Construction	Adjacent Uses	Exempt from the exterior noise level standards between the hours 7:00 a.m. to 6:00 p.m. on weekdays and between the hours of 8:00 a.m. to 5:00 p.m. on Saturdays <sup>3</sup>		
		Noise Level Threshold <sup>4</sup>	80 dBA Leq	70 dBA Leq
		Vibration Level Threshold <sup>5</sup>	0.3 PPV (in/sec)	

<sup>1</sup> FICON, 1992.

<sup>2</sup> Based on Section 30-543 of the City of Fontana Municipal Code.

<sup>3</sup> Based on Sections 18-63(7) and 30-543 of the City of Fontana Municipal Code.

<sup>4</sup> Federal Transit Administration, Transit Noise and Vibration Impact Assessment Manual.

<sup>5</sup> Caltrans Transportation and Construction Vibration Guidance Manual, April 2020, Table 19.

"Daytime" = 7:00 a.m. to 10:00 p.m.; "Nighttime" = 10:00 p.m. to 7:00 a.m.

*This page intentionally left blank*

## 5 EXISTING NOISE LEVEL MEASUREMENTS

To assess the existing noise level environment, 24-hour noise level measurements were taken at six locations in the Project study area. The receiver locations were selected to describe and document the existing noise environment within the Project study area. Exhibit 5-A provides the boundaries of the Project study area and the noise level measurement locations. To fully describe the existing noise conditions, noise level measurements were collected by Urban Crossroads, Inc. on Wednesday, October 27<sup>th</sup>, 2021. Appendix 5.1 includes study area photos.

### 5.1 MEASUREMENT PROCEDURE AND CRITERIA

To describe the existing noise environment, the hourly noise levels were measured during typical weekday conditions over a 24-hour period. By collecting individual hourly noise level measurements, it is possible to describe the equivalent daytime and nighttime hourly noise levels. The long-term noise readings were recorded using Piccolo Type 2 integrating sound level meter and dataloggers. The Piccolo sound level meters were calibrated using a Larson-Davis calibrator, Model CAL 150. All noise meters were programmed in "slow" mode to record noise levels in "A" weighted form. The sound level meters and microphones were equipped with a windscreen during all measurements. All noise level measurement equipment satisfies the American National Standards Institute (ANSI) standard specifications for sound level meters ANSI S1.4-2014/IEC 61672-1:2013. (18)

### 5.2 NOISE MEASUREMENT LOCATIONS

The long-term noise level measurements were positioned as close to the nearest sensitive receiver locations as possible to assess the existing ambient hourly noise levels surrounding the Project site. Both Caltrans and the FTA recognize that it is not reasonable to collect noise level measurements that can fully represent every part of a private yard, patio, deck, or balcony normally used for human activity when estimating impacts for new development projects. This is demonstrated in the Caltrans general site location guidelines which indicate that, *sites must be free of noise contamination by sources other than sources of interest. Avoid sites located near sources such as barking dogs, lawnmowers, pool pumps, and air conditioners unless it is the express intent of the analyst to measure these sources.* (2) Further, FTA guidance states, *that it is not necessary nor recommended that existing noise exposure be determined by measuring at every noise-sensitive location in the project area. Rather, the recommended approach is to characterize the noise environment for clusters of sites based on measurements or estimates at representative locations in the community.* (8)

Based on recommendations of Caltrans and the FTA, it is not necessary to collect measurements at each individual building or residence, because each receiver measurement represents a group of buildings that share acoustical equivalence. (8) In other words, the area represented by the receiver shares similar shielding, terrain, and geometric relationship to the reference noise source. Receivers represent a location of noise sensitive areas and are used to estimate the future noise level impacts. Collecting reference ambient noise level measurements at the nearby sensitive receiver locations allows for a comparison of the before and after Project noise levels

and is necessary to assess potential noise impacts due to the Project's contribution to the ambient noise levels.

### 5.3 NOISE MEASUREMENT RESULTS

The noise measurements presented below focus on the average or equivalent sound levels ( $L_{eq}$ ). The equivalent sound level ( $L_{eq}$ ) represents a steady state sound level containing the same total energy as a time varying signal over a given sample period. Table 5-1 identifies the hourly daytime (7:00 a.m. to 10:00 p.m.) and nighttime (10:00 p.m. to 7:00 a.m.) noise levels at each noise level measurement location.

**TABLE 5-1: 24-HOUR AMBIENT NOISE LEVEL MEASUREMENTS**

Location <sup>1</sup>	Description	Energy Average Noise Level (dBA $L_{eq}$ ) <sup>2</sup>	
		Daytime	Nighttime
L1	Located northwest of the Project site near single-family residence at 15247 Montanez Street.	51.2	50.7
L2	Located north of the Project site near a child's playground southwest of Parsley Leaf Place.	51.6	51.3
L3	Located northeast of the Project site near single-family residence at 15459 Vanilla Bean Lane.	65.0	61.0
L4	Located southeast of the Project site near single-family residence at 15357 Foothill Boulevard.	69.9	65.9
L5	Located southwest of the Project site near Sunset Motel at 15243 Foothill Boulevard.	71.5	67.3
L6	Located southwest of the Project site near Forty Winks Motel at 15210 Foothill Boulevard.	54.0	54.5

<sup>1</sup> See Exhibit 5-A for the noise level measurement locations.

<sup>2</sup> Energy (logarithmic) average levels. The long-term 24-hour measurement worksheets are included in Appendix 5.2.

"Daytime" = 7:00 a.m. to 10:00 p.m.; "Nighttime" = 10:00 p.m. to 7:00 a.m.

Table 5-1 provides the (energy average) noise levels used to describe the daytime and nighttime ambient conditions. These daytime and nighttime energy average noise levels represent the average of all hourly noise levels observed during these time periods expressed as a single number. Appendix 5.2 provides summary worksheets of the noise levels for each hour as well as the minimum, maximum, L<sub>1</sub>, L<sub>2</sub>, L<sub>5</sub>, L<sub>8</sub>, L<sub>25</sub>, L<sub>50</sub>, L<sub>90</sub>, L<sub>95</sub>, and L<sub>99</sub> percentile noise levels observed during the daytime and nighttime periods.

EXHIBIT 5-A: NOISE MEASUREMENT LOCATIONS



LEGEND:

- ▲ Measurement Locations

*This page intentionally left blank*

## 6 TRAFFIC NOISE METHODS AND PROCEDURES

The following section outlines the methods and procedures used to estimate and analyze the future traffic noise environment. Consistent with the *Land Use Compatibility Criteria*, all transportation related noise levels are presented in terms of the 24-hour CNEL's.

### 6.1 FHWA TRAFFIC NOISE PREDICTION MODEL

The expected roadway noise level increases from vehicular traffic were calculated by Urban Crossroads, Inc. using a computer program that replicates the Federal Highway Administration (FHWA) Traffic Noise Prediction Model- FHWA-RD-77-108. (19) This methodology is commonly used to describe the off-site traffic noise levels throughout California and is consistent with the City of Fontana General Plan Noise Element.

The FHWA Model arrives at a predicted noise level through a series of adjustments to the Reference Energy Mean Emission Level (REMEL). In California the national REMELs are substituted with the California Vehicle Noise (Calveno) Emission Levels. (20) Adjustments are then made to the REMEL to account for: the roadway classification (e.g., collector, secondary, major or arterial), the roadway active width (i.e., the distance between the center of the outermost travel lanes on each side of the roadway), the total average daily traffic (ADT), the travel speed, the percentages of automobiles, medium trucks, and heavy trucks in the traffic volume, the roadway grade, the angle of view (e.g., whether the roadway view is blocked), the site conditions ("hard" or "soft" relates to the absorption of the ground, pavement, or landscaping), and the percentage of total ADT which flows each hour throughout a 24-hour period. Research conducted by Caltrans has shown that the use of soft site conditions is appropriate for the application of the FHWA traffic noise prediction model used in this analysis. (21)

#### 6.1.1 OFF-SITE TRAFFIC NOISE PREDICTION MODEL INPUTS

Table 6-1 presents the roadway parameters used to assess the Project's off-site transportation noise impacts. Table 6-1 identifies the 14 off-site study area roadway segments, the distance from the centerline to adjacent land use based on the functional roadway classifications per the City of Fontana General Plan, and the posted vehicle speeds. The ADT volumes used in this study area presented on Table 6-2 are based on *Beech Logistics Center Traffic Study by Urban Crossroads, Inc.* for the following traffic scenarios. (21)

1. Existing (E)
2. Existing + Project (E+P)
3. Opening Year Cumulative (2024) without Project (OYC)
4. Opening Year Cumulative (2024) with Project (OYCP)

The ADT volumes vary for each roadway segment based on the existing traffic volumes and the combination of project traffic distributions. This analysis relies on a comparative evaluation of the off-site traffic noise impacts at the boundary of the right-of-way of the receiving adjacent land use, without and with project ADT traffic volumes from the Project traffic study.

**TABLE 6-1: OFF-SITE ROADWAY PARAMETERS**

ID	Roadway	Segment	Classification <sup>1</sup>	Receiving Land Use <sup>2</sup>	Distance from Centerline to Receiving Land Use (Feet) <sup>3</sup>	Vehicle Speed (mph)
1	Cherry Av.	n/o Foothill Bl. (SR-66)	Major	Non-Sensitive	66'	55
2	Cherry Av.	s/o Foothill Bl. (SR-66)	Major	Sensitive	66'	55
3	Redwood Av.	s/o Foothill Bl. (SR-66)	Collector	Sensitive	34'	45
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	Collector	Sensitive	34'	45
5	Almeria Av.	n/o Foothill Bl. (SR-66)	Collector	Sensitive	34'	45
6	Citrus Av.	n/o Foothill Bl. (SR-66)	Primary	Sensitive	52'	50
7	Citrus Av.	s/o Foothill Bl. (SR-66)	Primary	Sensitive	52'	50
8	Foothill Bl. (SR-66)	w/o Cherry Av.	Major	Sensitive	66'	55
9	Foothill Bl. (SR-66)	e/o Cherry Av.	Major	Non-Sensitive	66'	55
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	Major	Sensitive	66'	55
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	Major	Sensitive	66'	55
12	Foothill Bl. (SR-66)	e/o Beech Av.	Major	Sensitive	66'	55
13	Foothill Bl. (SR-66)	w/o Citrus Av.	Major	Non-Sensitive	66'	55
14	Foothill Bl. (SR-66)	e/o Citrus Av.	Major	Sensitive	66'	55

<sup>1</sup> Beech Logistics Center Traffic Study, Urban Crossroads, Inc.

<sup>2</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>3</sup> Distance to receiving land use is based upon the right-of-way distances.

To quantify the off-site noise levels, the Project related truck trips were added to the heavy truck category in the FHWA noise prediction model. The addition of the Project related truck trips increases the percentage of heavy trucks in the vehicle mix. This approach recognizes that the FHWA noise prediction model is significantly influenced by the number of heavy trucks in the vehicle mix.

Table 6-3 provides the time of day (daytime, evening, and nighttime) vehicle splits. Table 6-4 shows the traffic flow by vehicle type (vehicle mix) used for all without Project traffic scenarios, and Tables 6-5 to 6-6 show the vehicle mixes used for the with Project traffic scenarios. Due to the added Project truck trips, the increase in Project traffic volumes and the distributions of trucks on the study area road segments, the percentage of autos, medium trucks and heavy trucks will vary for each of the traffic scenarios. This explains why the existing and future traffic volumes and vehicle mixes vary between seemingly identical study area roadway segments.

**TABLE 6-2: AVERAGE DAILY TRAFFIC VOLUMES**

ID	Roadway	Segment	Average Daily Traffic Volumes <sup>1</sup>			
			Existing		Opening Year (2023)	
			Without Project	With Project	Without Project	With Project
1	Cherry Av.	n/o Foothill Bl. (SR-66)	27,002	27,054	30,847	30,898
2	Cherry Av.	s/o Foothill Bl. (SR-66)	25,477	25,556	28,966	29,045
3	Redwood Av.	s/o Foothill Bl. (SR-66)	3,640	3,656	3,935	3,951
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	2,048	2,065	2,279	2,296
5	Almeria Av.	n/o Foothill Bl. (SR-66)	4,370	4,404	5,207	5,240
6	Citrus Av.	n/o Foothill Bl. (SR-66)	21,394	21,453	23,154	23,214
7	Citrus Av.	s/o Foothill Bl. (SR-66)	23,286	23,366	25,070	25,151
8	Foothill Bl. (SR-66)	w/o Cherry Av.	29,038	29,077	33,692	33,730
9	Foothill Bl. (SR-66)	e/o Cherry Av.	29,143	29,328	37,778	37,963
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	25,529	25,731	28,475	28,677
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	26,742	26,961	31,783	32,002
12	Foothill Bl. (SR-66)	e/o Beech Av.	25,908	26,115	31,300	31,300
13	Foothill Bl. (SR-66)	w/o Citrus Av.	26,377	26,551	32,059	32,059
14	Foothill Bl. (SR-66)	e/o Citrus Av.	25,973	26,006	30,922	30,922

<sup>1</sup> Beech Logistics Center Traffic Study, Urban Crossroads, Inc

**TABLE 6-3: TIME OF DAY VEHICLE SPLITS**

Vehicle Type	Time of Day Splits <sup>1</sup>			Total of Time of Day Splits
	Daytime	Evening	Nighttime	
Autos	76.57%	12.78%	10.64%	100.00%
Medium Trucks	84.53%	3.60%	11.87%	100.00%
Heavy Trucks	76.09%	2.17%	21.74%	100.00%

<sup>1</sup> Based on the May 24, 2022, 24-hour directional vehicle classification count collected on Foothill Boulevard. west of Beech Avenue (Beech Logistics Center Traffic Analysis, Urban Crossroads, Inc.)

"Daytime" = 7:00 a.m. to 7:00 p.m.; "Evening" = 7:00 p.m. to 10:00 p.m.; "Nighttime" = 10:00 p.m. to 7:00 a.m.

**TABLE 6-4: WITHOUT PROJECT VEHICLE MIX**

Classification	Total % Traffic Flow <sup>1</sup>			Total
	Autos	Medium Trucks	Heavy Trucks	
All Segments	96.33%	2.01%	1.66%	100.00%

<sup>1</sup> Based on the May 24, 2022, 24-hour directional vehicle classification count collected on Foothill Boulevard. west of Beech Avenue (Beech Logistics Center Traffic Analysis, Urban Crossroads, Inc.)

**TABLE 6-5: EXISTING WITH PROJECT VEHICLE MIX**

ID	Roadway	Segment	With Project <sup>1</sup>			
			Autos	Medium Trucks	Heavy Trucks	Total <sup>2</sup>
1	Cherry Av.	n/o Foothill Bl. (SR-66)	96.27%	2.02%	1.71%	100.00%
2	Cherry Av.	s/o Foothill Bl. (SR-66)	96.16%	2.04%	1.80%	100.00%
3	Redwood Av.	s/o Foothill Bl. (SR-66)	96.34%	2.00%	1.66%	100.00%
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	96.36%	1.99%	1.65%	100.00%
5	Almeria Av.	n/o Foothill Bl. (SR-66)	96.36%	1.99%	1.65%	100.00%
6	Citrus Av.	n/o Foothill Bl. (SR-66)	96.30%	2.01%	1.69%	100.00%
7	Citrus Av.	s/o Foothill Bl. (SR-66)	96.28%	2.01%	1.70%	100.00%
8	Foothill Bl. (SR-66)	w/o Cherry Av.	96.32%	2.01%	1.67%	100.00%
9	Foothill Bl. (SR-66)	e/o Cherry Av.	96.12%	2.04%	1.84%	100.00%
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	96.09%	2.04%	1.87%	100.00%
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	96.11%	2.04%	1.85%	100.00%
12	Foothill Bl. (SR-66)	e/o Beech Av.	96.27%	2.01%	1.72%	100.00%
13	Foothill Bl. (SR-66)	w/o Citrus Av.	96.27%	2.01%	1.72%	100.00%
14	Foothill Bl. (SR-66)	e/o Citrus Av.	96.33%	2.01%	1.66%	100.00%

<sup>1</sup> Total of vehicle mix percentage values rounded to the nearest one-hundredth.

**TABLE 6-6: OPENING YEAR CUMULATIVE 2024 WITH PROJECT VEHICLE MIX**

ID	Roadway	Segment	With Project <sup>1</sup>			
			Autos	Medium Trucks	Heavy Trucks	Total <sup>2</sup>
1	Cherry Av.	n/o Foothill Bl. (SR-66)	96.27%	2.02%	1.71%	100.00%
2	Cherry Av.	s/o Foothill Bl. (SR-66)	96.18%	2.03%	1.79%	100.00%
3	Redwood Av.	s/o Foothill Bl. (SR-66)	96.34%	2.00%	1.66%	100.00%
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	96.35%	2.00%	1.65%	100.00%
5	Almeria Av.	n/o Foothill Bl. (SR-66)	96.35%	2.00%	1.65%	100.00%
6	Citrus Av.	n/o Foothill Bl. (SR-66)	96.30%	2.01%	1.69%	100.00%
7	Citrus Av.	s/o Foothill Bl. (SR-66)	96.29%	2.01%	1.70%	100.00%
8	Foothill Bl. (SR-66)	w/o Cherry Av.	96.32%	2.01%	1.67%	100.00%
9	Foothill Bl. (SR-66)	e/o Cherry Av.	96.17%	2.03%	1.80%	100.00%
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	96.12%	2.04%	1.84%	100.00%
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	96.14%	2.03%	1.82%	100.00%
12	Foothill Bl. (SR-66)	e/o Beech Av.	96.33%	2.01%	1.66%	100.00%
13	Foothill Bl. (SR-66)	w/o Citrus Av.	96.33%	2.01%	1.66%	100.00%
14	Foothill Bl. (SR-66)	e/o Citrus Av.	96.33%	2.01%	1.66%	100.00%

<sup>1</sup> Total of vehicle mix percentage values rounded to the nearest one-hundredth.

## 7 OFF-SITE TRAFFIC NOISE ANALYSIS

To assess the off-site transportation CNEL noise level impacts associated with the proposed Project, noise contours were developed based on the *Beech Logistics Center Traffic Study*. (21) Noise contour boundaries represent the equal levels of noise exposure and are measured in CNEL from the center of the roadway.

### 7.1 TRAFFIC NOISE CONTOURS

Noise contours were used to assess the Project's incremental traffic-related noise impacts at land uses adjacent to roadways conveying Project traffic. The noise contours represent the distance to noise levels of a constant value and are measured from the center of the roadway for the 70, 65, and 60 dBA noise levels. The noise contours do not consider the effect of any existing noise barriers or topography that may attenuate ambient noise levels. In addition, because the noise contours reflect modeling of vehicular noise on area roadways, they appropriately do not reflect noise contributions from the surrounding stationary noise sources within the Project study area. Tables 7-1 to 7-4 present a summary of the exterior traffic noise levels for each traffic condition. Appendix 7.1 includes the traffic noise level contours worksheets.

**TABLE 7-1: EXISTING WITHOUT PROJECT CONTOURS**

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Cherry Av.	n/o Foothill Bl. (SR-66)	Non-Sensitive	74.6	134	288	621
2	Cherry Av.	s/o Foothill Bl. (SR-66)	Sensitive	74.4	129	277	598
3	Redwood Av.	s/o Foothill Bl. (SR-66)	Sensitive	66.4	RW	RW	90
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	Sensitive	63.9	RW	RW	61
5	Almeria Av.	n/o Foothill Bl. (SR-66)	Sensitive	67.1	RW	RW	102
6	Citrus Av.	n/o Foothill Bl. (SR-66)	Sensitive	73.5	90	193	416
7	Citrus Av.	s/o Foothill Bl. (SR-66)	Sensitive	73.9	95	204	440
8	Foothill Bl. (SR-66)	w/o Cherry Av.	Sensitive	74.9	141	303	652
9	Foothill Bl. (SR-66)	e/o Cherry Av.	Non-Sensitive	74.9	141	304	654
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	Sensitive	74.4	129	278	599
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	Sensitive	74.6	133	287	617
12	Foothill Bl. (SR-66)	e/o Beech Av.	Sensitive	74.4	130	281	605
13	Foothill Bl. (SR-66)	w/o Citrus Av.	Non-Sensitive	74.5	132	284	612
14	Foothill Bl. (SR-66)	e/o Citrus Av.	Sensitive	74.4	130	281	606

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

TABLE 7-2: EXISTING WITH PROJECT CONTOURS

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Cherry Av.	n/o Foothill Bl. (SR-66)	Non-Sensitive	74.7	135	291	627
2	Cherry Av.	s/o Foothill Bl. (SR-66)	Sensitive	74.5	132	284	611
3	Redwood Av.	s/o Foothill Bl. (SR-66)	Sensitive	66.4	RW	RW	90
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	Sensitive	63.9	RW	RW	62
5	Almeria Av.	n/o Foothill Bl. (SR-66)	Sensitive	67.2	RW	RW	102
6	Citrus Av.	n/o Foothill Bl. (SR-66)	Sensitive	73.6	90	194	418
7	Citrus Av.	s/o Foothill Bl. (SR-66)	Sensitive	74.0	96	206	444
8	Foothill Bl. (SR-66)	w/o Cherry Av.	Sensitive	74.9	141	303	654
9	Foothill Bl. (SR-66)	e/o Cherry Av.	Non-Sensitive	75.1	145	313	673
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	Sensitive	74.6	133	287	619
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	Sensitive	74.8	137	296	638
12	Foothill Bl. (SR-66)	e/o Beech Av.	Sensitive	74.5	132	284	613
13	Foothill Bl. (SR-66)	w/o Citrus Av.	Non-Sensitive	74.6	133	288	620
14	Foothill Bl. (SR-66)	e/o Citrus Av.	Sensitive	74.4	131	281	606

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

TABLE 7-3: OYC 2024 WITHOUT PROJECT CONTOURS

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Cherry Av.	n/o Foothill Bl. (SR-66)	Non-Sensitive	75.2	146	315	679
2	Cherry Av.	s/o Foothill Bl. (SR-66)	Sensitive	74.9	140	302	651
3	Redwood Av.	s/o Foothill Bl. (SR-66)	Sensitive	66.7	RW	RW	95
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	Sensitive	64.3	RW	RW	66
5	Almeria Av.	n/o Foothill Bl. (SR-66)	Sensitive	67.9	RW	RW	114
6	Citrus Av.	n/o Foothill Bl. (SR-66)	Sensitive	73.9	94	203	438
7	Citrus Av.	s/o Foothill Bl. (SR-66)	Sensitive	74.2	100	215	462
8	Foothill Bl. (SR-66)	w/o Cherry Av.	Sensitive	75.6	155	334	720
9	Foothill Bl. (SR-66)	e/o Cherry Av.	Non-Sensitive	76.1	167	361	777
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	Sensitive	74.8	139	299	644
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	Sensitive	75.3	149	322	693
12	Foothill Bl. (SR-66)	e/o Beech Av.	Sensitive	75.2	148	318	686
13	Foothill Bl. (SR-66)	w/o Citrus Av.	Non-Sensitive	75.4	150	323	697
14	Foothill Bl. (SR-66)	e/o Citrus Av.	Sensitive	75.2	147	316	680

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

TABLE 7-4: OYC 2024 WITH PROJECT CONTOURS

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>2</sup>	Distance to Contour from Centerline (Feet)		
					70 dBA CNEL	65 dBA CNEL	60 dBA CNEL
1	Cherry Av.	n/o Foothill Bl. (SR-66)	Non-Sensitive	75.2	147	318	684
2	Cherry Av.	s/o Foothill Bl. (SR-66)	Sensitive	75.0	143	308	664
3	Redwood Av.	s/o Foothill Bl. (SR-66)	Sensitive	66.7	RW	RW	95
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	Sensitive	64.3	RW	RW	66
5	Almeria Av.	n/o Foothill Bl. (SR-66)	Sensitive	67.9	RW	RW	115
6	Citrus Av.	n/o Foothill Bl. (SR-66)	Sensitive	73.9	95	205	441
7	Citrus Av.	s/o Foothill Bl. (SR-66)	Sensitive	74.3	100	216	466
8	Foothill Bl. (SR-66)	w/o Cherry Av.	Sensitive	75.6	155	335	722
9	Foothill Bl. (SR-66)	e/o Cherry Av.	Non-Sensitive	76.2	171	369	795
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	Sensitive	75.0	143	308	664
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	Sensitive	75.5	153	331	712
12	Foothill Bl. (SR-66)	e/o Beech Av.	Sensitive	75.2	148	318	686
13	Foothill Bl. (SR-66)	w/o Citrus Av.	Non-Sensitive	75.4	150	323	697
14	Foothill Bl. (SR-66)	e/o Citrus Av.	Sensitive	75.2	147	316	680

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of the receiving adjacent land use.

"RW" = Location of the respective noise contour falls within the right-of-way of the road.

## 7.2 EXISTING PROJECT TRAFFIC NOISE LEVEL INCREASES

An analysis of existing traffic noise levels plus traffic noise generated by the proposed Project has been included in this report for informational purposes and to fully analyze all the existing traffic scenarios identified in the Traffic Study. However, the analysis of existing off-site traffic noise levels plus traffic noise generated by the proposed Project scenario will not actually occur since the Project would not be fully constructed and operational until 2024 conditions. Table 7-1 shows the Existing without Project conditions CNEL noise levels. The Existing without Project exterior noise levels range from 63.9 to 74.9 dBA CNEL, without accounting for any noise attenuation features such as noise barriers or topography. Table 7-2 shows the Existing with Project conditions ranging from 63.9 to 75.1 dBA CNEL. Table 7-5 shows that the Project off-site traffic noise level increases range from 0.0 to 0.2 dBA CNEL on the study area roadway segments.

Based on the significance criteria for off-site traffic noise presented in Section 4.1, land uses adjacent to the study area roadway segments would experience *less than significant* noise level impacts due to unmitigated Project-related traffic noise levels.

TABLE 7-5: EXISTING WITH PROJECT TRAFFIC NOISE LEVEL INCREASES

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>1</sup>			Incremental Noise Level Increase Threshold <sup>2</sup>	
				No Project	With Project	Project Addition	Limit	Exceeded?
1	Cherry Av.	n/o Foothill Bl. (SR-66)	Non-Sensitive	74.6	74.7	0.1	1.5	No
2	Cherry Av.	s/o Foothill Bl. (SR-66)	Sensitive	74.4	74.5	0.1	1.5	No
3	Redwood Av.	s/o Foothill Bl. (SR-66)	Sensitive	66.4	66.4	0.0	1.5	No
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	Sensitive	63.9	63.9	0.0	3.0	No
5	Almeria Av.	n/o Foothill Bl. (SR-66)	Sensitive	67.1	67.2	0.1	1.5	No
6	Citrus Av.	n/o Foothill Bl. (SR-66)	Sensitive	73.5	73.6	0.1	1.5	No
7	Citrus Av.	s/o Foothill Bl. (SR-66)	Sensitive	73.9	74.0	0.1	1.5	No
8	Foothill Bl. (SR-66)	w/o Cherry Av.	Sensitive	74.9	74.9	0.0	1.5	No
9	Foothill Bl. (SR-66)	e/o Cherry Av.	Non-Sensitive	74.9	75.1	0.2	1.5	No
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	Sensitive	74.4	74.6	0.2	1.5	No
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	Sensitive	74.6	74.8	0.2	1.5	No
12	Foothill Bl. (SR-66)	e/o Beech Av.	Sensitive	74.4	74.5	0.1	1.5	No
13	Foothill Bl. (SR-66)	w/o Citrus Av.	Non-Sensitive	74.5	74.6	0.1	1.5	No
14	Foothill Bl. (SR-66)	e/o Citrus Av.	Sensitive	74.4	74.4	0.0	1.5	No

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of each roadway and the property line of the receiving land use.

<sup>3</sup> Does the Project create an incremental noise level increase exceeding the significance criteria (Table 4-1)?

### 7.3 2024 TRAFFIC NOISE LEVEL INCREASES

Table 7-3 presents the OYC 2024 without Project conditions CNEL noise levels. The OYC 2024 without Project exterior noise levels range from 64.3 to 76.1 dBA CNEL, without accounting for any noise attenuation features such as noise barriers or topography. Table 7-4 shows that the OYC 2024 with Project conditions will range from 64.3 to 76.2 dBA CNEL. Table 7-6 shows that the Project off-site traffic noise level increases range from 0.0 to 0.2 dBA CNEL on the study area roadway segments.

Based on the significance criteria for off-site traffic noise presented in Section 4.1, land uses adjacent to the study area roadway segments would experience *less than significant* noise level impacts due to unmitigated Project-related traffic noise levels.

TABLE 7-6: OYC 2024 WITH PROJECT TRAFFIC NOISE LEVEL INCREASES

ID	Road	Segment	Receiving Land Use <sup>1</sup>	CNEL at Receiving Land Use (dBA) <sup>1</sup>			Incremental Noise Level Increase Threshold <sup>2</sup>	
				No Project	With Project	Project Addition	Limit	Exceeded?
1	Cherry Av.	n/o Foothill Bl. (SR-66)	Non-Sensitive	75.2	75.2	0.0	1.5	No
2	Cherry Av.	s/o Foothill Bl. (SR-66)	Sensitive	74.9	75.0	0.1	1.5	No
3	Redwood Av.	s/o Foothill Bl. (SR-66)	Sensitive	66.7	66.7	0.0	1.5	No
4	Hemlock Av.	s/o Foothill Bl. (SR-66)	Sensitive	64.3	64.3	0.0	3.0	No
5	Almeria Av.	n/o Foothill Bl. (SR-66)	Sensitive	67.9	67.9	0.0	1.5	No
6	Citrus Av.	n/o Foothill Bl. (SR-66)	Sensitive	73.9	73.9	0.0	1.5	No
7	Citrus Av.	s/o Foothill Bl. (SR-66)	Sensitive	74.2	74.3	0.1	1.5	No
8	Foothill Bl. (SR-66)	w/o Cherry Av.	Sensitive	75.6	75.6	0.0	1.5	No
9	Foothill Bl. (SR-66)	e/o Cherry Av.	Non-Sensitive	76.1	76.2	0.1	1.5	No
10	Foothill Bl. (SR-66)	w/o Hemlock Av.	Sensitive	74.8	75.0	0.2	1.5	No
11	Foothill Bl. (SR-66)	e/o Hemlock Av.	Sensitive	75.3	75.5	0.2	1.5	No
12	Foothill Bl. (SR-66)	e/o Beech Av.	Sensitive	75.2	75.2	0.0	1.5	No
13	Foothill Bl. (SR-66)	w/o Citrus Av.	Non-Sensitive	75.4	75.4	0.0	1.5	No
14	Foothill Bl. (SR-66)	e/o Citrus Av.	Sensitive	75.2	75.2	0.0	1.5	No

<sup>1</sup> Based on a review of existing aerial imagery. Noise sensitive uses limited to existing residential land uses.

<sup>2</sup> The CNEL is calculated at the boundary of the right-of-way of each roadway and the property line of the receiving land use.

<sup>3</sup> Does the Project create an incremental noise level increase exceeding the significance criteria (Table 4-1)?

## 8 RECEIVER LOCATIONS

To assess the potential for long-term operational and short-term construction noise impacts, the following sensitive receiver locations, as shown on Exhibit 8-A, were identified as representative locations for analysis. Sensitive receivers are generally defined as locations where people reside or where the presence of unwanted sound could otherwise adversely affect the use of the land. Noise-sensitive land uses are generally considered to include schools, hospitals, single-family dwellings, mobile home parks, churches, libraries, and recreation areas. Moderately noise-sensitive land uses typically include multi-family dwellings, hotels, motels, dormitories, outpatient clinics, cemeteries, golf courses, country clubs, athletic/tennis clubs, and equestrian clubs. Land uses that are considered relatively insensitive to noise include business, commercial, and professional developments. Land uses that are typically not affected by noise include: industrial, manufacturing, utilities, agriculture, undeveloped land, parking lots, warehousing, liquid and solid waste facilities, salvage yards, and transit terminals.

To describe the potential off-site Project noise levels, six receiver locations in the vicinity of the Project site were identified. The selection of receiver locations is based on FHWA guidelines and is consistent with additional guidance provided by Caltrans and the FTA, as previously described in Section 5.2. Other sensitive land uses in the Project study area that are located at greater distances than those identified in this noise study will experience lower noise levels than those presented in this report due to the additional attenuation from distance and the shielding of intervening structures. Distance is measured in a straight line from the project boundary to each receiver location.

- R1: Location R1 represents existing noise sensitive residence at 15247 Montanez Street, approximately 88 feet northwest of the Project site. Receiver R1 is placed in the private outdoor living areas (backyard) facing the Project site. A 24-hour noise measurement was taken near this location, L1, to describe the existing ambient noise environment.
- R2: Location R2 represents the existing noise sensitive park southwest of Parsley Leaf Place, approximately 130 feet north of the Project site. Receiver R2 is placed in the private outdoor living areas facing the Project site. A 24-hour noise measurement was taken near this location, L2, to describe the existing ambient noise environment.
- R3: Location R3 represents the existing noise sensitive residence at 15459 Vanilla Bean Lane, approximately 772 feet east of the Project site. Receiver R3 is placed in the private outdoor living areas (backyard) facing the Project site. A 24-hour noise measurement was taken near this location, L3, to describe the existing ambient noise environment.
- R4: Location R4 represents the existing noise sensitive residence at 15357 Foothill Boulevard, approximately 852 feet southeast of the Project site. Since there are no private outdoor living areas (backyard) facing the Project site, receiver R4 is placed at the building's façade. A 24-hour noise measurement was taken near this location, L4, to describe the existing ambient noise environment.
- R5: Location R5 represents the existing noise sensitive Sunset Motel at 15243 Foothill Boulevard, approximately 737 feet south of the Project site. Since there are no private outdoor living areas (backyard) facing the Project site, receiver R5 is placed at the

building's façade. A 24-hour noise measurement was taken near this location, L5, to describe the existing ambient noise environment.

- R6: Location R6 represents the existing noise sensitive Forty Winks Motel at 15210 Foothill Boulevard, approximately 332 feet southwest of the Project site. Receiver R6 is placed in the private outdoor living areas facing the Project site. A 24-hour noise measurement was taken near this location, L6, to describe the existing ambient noise environment.

**EXHIBIT 8-A: RECEIVER LOCATIONS**



**LEGEND:**

- N
- Site Boundary
- Existing Barrier
- Receiver Locations
- 6' Existing Barrier Height (in feet)
- Distance from receiver to Project site boundary (in feet)

## 9 OPERATIONAL NOISE ANALYSIS

This section analyzes the potential stationary-source operational noise impacts at the nearby receiver locations, identified in Section 8, resulting from the operation of the proposed Beech Logistics Center Project. Exhibit 9-A identifies the noise source locations used to assess the operational noise levels.

### 9.1 OPERATIONAL NOISE SOURCES

This operational noise analysis is intended to describe noise level impacts associated with the expected typical of daytime and nighttime activities at the Project site. To present the potential worst-case noise conditions, this analysis assumes the Project would be operational 24 hours per day, seven days per week. Consistent with similar warehouse and industrial uses, the Project business operations would primarily be conducted within the enclosed buildings, except for traffic movement, parking, as well as loading and unloading of trucks at designated loading bays. The on-site Project-related noise sources are expected to include: loading dock activity, roof-top air conditioning units, trash enclosure activity, parking lot vehicle movements, and truck movements.


### 9.2 REFERENCE NOISE LEVELS

To estimate the Project operational noise impacts, reference noise level measurements were collected from similar types of activities to represent the noise levels expected with the development of the proposed Project. This section provides a detailed description of the reference noise level measurements shown on Table 9-1 used to estimate the Project operational noise impacts. It is important to note that the following projected noise levels assume the worst-case noise environment with the loading dock activity, roof-top air conditioning units, trash enclosure activity, parking lot vehicle movements, and truck movements all operating at the same time. These sources of noise activity will likely vary throughout the day.

#### 9.2.1 MEASUREMENT PROCEDURES

The reference noise level measurements presented in this section were collected using a Larson Davis LxT Type 1 precision sound level meter (serial number 01146). The LxT sound level meter was calibrated using a Larson-Davis calibrator, Model CAL 200, was programmed in "slow" mode to record noise levels in "A" weighted form and was located at approximately five feet above the ground elevation for each measurement. The sound level meters and microphones were equipped with a windscreen during all measurements. All noise level measurement equipment satisfies the American National Standards Institute (ANSI) standard specifications for sound level meters ANSI S1.4-2014/IEC 61672-1:2013. (18)

**EXHIBIT 9-A: OPERATIONAL NOISE SOURCE LOCATIONS**



**LEGEND:**

- Site Boundary
- Roof-Top Air Conditioning Unit
- Parking Lot Vehicle Movements
- Loading Dock Activity
- Trash Enclosure Activity
- Truck Movements
- Planned 14-Foot High Screenwall

**TABLE 9-1: REFERENCE NOISE LEVEL MEASUREMENTS**

Noise Source <sup>1</sup>	Noise Source Height (Feet)	Min./Hour <sup>2</sup>		Reference Noise Level (dBA L <sub>eq</sub> ) @ 50 Feet	Sound Power Level (dBA) <sup>3</sup>
		Day	Night		
Loading Dock Activity	8'	60	60	65.7	111.5
Roof-Top Air Conditioning Units	5'	39	28	57.2	88.9
Trash Enclosure Activity	5'	60	60	57.3	89.0
Parking Lot Vehicle Movements	5'	60	60	52.6	81.1
Truck Movements	8'	60	60	59.8	93.2

<sup>1</sup> As measured by Urban Crossroads, Inc.

<sup>2</sup> Anticipated duration (minutes within the hour) of noise activity during typical hourly conditions expected at the Project site. "Daytime" = 7:00 a.m. - 10:00 p.m.; "Nighttime" = 10:00 p.m. - 7:00 a.m.

<sup>3</sup> Sound power level represents the total amount of acoustical energy (noise level) produced by a sound source independent of distance or surroundings. Sound power levels calculated using the CadnaA noise model at the reference distance to the noise source.

## 9.2.2 LOADING DOCK ACTIVITY

The reference loading dock activities are intended to describe the typical outdoor operational noise activities associated with the Project. This includes truck idling, reefer activity (refrigerator truck/cold storage), deliveries, backup alarms, trailer docking including a combination of tractor trailer semi-trucks, two-axle delivery trucks, and background operation activities. The reference noise level measurement was taken in the center of the loading dock activity area and represents multiple concurrent noise sources resulting in a combined noise level of 65.7 dBA L<sub>eq</sub> at a uniform distance of 50 feet. Specifically, the reference noise level measurement represents one truck located approximately 30 feet from the noise level meter with another truck passing by to park roughly 20 feet away, both with their engines idling. Throughout the reference noise level measurement, a separate docked and running reefer truck was located approximately 50 feet east of the measurement location. Additional background noise sources included truck pass-by noise, truck drivers talking to each other next to docked trucks, and air brake release noise when trucks parked.

## 9.2.3 ROOF-TOP AIR CONDITIONING UNITS

The noise level measurements describe a single mechanical roof-top air conditioning unit. The reference noise level represents a Lennox SCA120 series 10-ton model packaged air conditioning unit. At the uniform reference distance of 50 feet, the reference noise levels are 57.2 dBA L<sub>eq</sub>. Based on the typical operating conditions observed over a four-day measurement period, the roof-top air conditioning units are estimated to operate for an average 39 minutes per hour during the daytime hours, and 28 minutes per hour during the nighttime hours. These operating conditions reflect peak summer cooling requirements with measured temperatures approaching 96 degrees Fahrenheit (°F) with average daytime temperatures of 82°F. For this noise analysis, the air conditioning units are expected to be located on the roof of the Project buildings.

### 9.2.5 TRASH ENCLOSURE ACTIVITY

To describe the noise levels associated with a trash enclosure activity, Urban Crossroads collected a reference noise level measurement at an existing trash enclosure containing two dumpster bins. The trash enclosure noise levels describe metal gates opening and closing, metal scraping against concrete floor sounds, dumpster movement on metal wheels, and trash dropping into the metal dumpster. The reference noise levels describe trash enclosure noise activities when trash is dropped into an empty metal dumpster, as would occur at the Project Site. The measured reference noise level at the uniform 50-foot reference distance is 57.3 dBA  $L_{eq}$  for the trash enclosure activity. The reference noise level describes the expected noise source activities associated with the trash enclosures for the Project's proposed building.

### 9.2.6 PARKING LOT VEHICLE MOVEMENTS

To describe the on-site parking lot activity, a long-term 29-hour reference noise level measurement was collected in the center of activity within the staff parking lot of an Amazon warehouse distribution center. At 50 feet from the center of activity, the parking lot produced a reference noise level of 52.6 dBA  $L_{eq}$ . Parking activities are expected to take place during the full hour (60 minutes) throughout the daytime and evening hours. The parking lot noise levels are mainly due cars pulling in and out of parking spaces in combination with car doors opening and closing.

### 9.2.7 TRUCK MOVEMENTS

The truck movements reference noise level measurement was collected over a period of 1 hour and 28 minutes and represents multiple heavy trucks entering and exiting the outdoor loading dock area producing a reference noise level of 59.8 dBA  $L_{eq}$  at 50 feet. The noise sources included at this measurement location account for trucks entering and exiting the Project driveways and maneuvering in and out of the outdoor loading dock activity area.

## 9.3 CADNAA NOISE PREDICTION MODEL

To fully describe the exterior operational noise levels from the Project, Urban Crossroads, Inc. developed a noise prediction model using the CadnaA (Computer Aided Noise Abatement) computer program. CadnaA can analyze multiple types of noise sources using the spatially accurate Project site plan, georeferenced Nearmap aerial imagery, topography, buildings, and barriers in its calculations to predict outdoor noise levels.

Using the ISO 9613-2 protocol, CadnaA will calculate the distance from each noise source to the noise receiver locations, using the ground absorption, distance, and barrier/building attenuation inputs to provide a summary of noise level at each receiver and the partial noise level contributions by noise source. Consistent with the ISO 9613-2 protocol, the CadnaA noise prediction model relies on the reference sound power level ( $L_w$ ) to describe individual noise sources. While sound pressure levels (e.g.,  $L_{eq}$ ) quantify in decibels the intensity of given sound sources at a reference distance, sound power levels ( $L_w$ ) are connected to the sound source and are independent of distance. Sound pressure levels vary substantially with distance from the

source and diminish because of intervening obstacles and barriers, air absorption, wind, and other factors. Sound power is the acoustical energy emitted by the sound source and is an absolute value that is not affected by the environment.

The operational noise level calculations provided in this noise study account for the distance attenuation provided due to geometric spreading, when sound from a localized stationary source (i.e., a point source) propagates uniformly outward in a spherical pattern. A default ground attenuation factor of 0.5 was used in the CadnaA noise analysis to account for mixed ground representing a combination of hard and soft surfaces. Appendix 9.1 includes the detailed noise model inputs used to estimate the Project operational noise levels presented in this section.

#### 9.4 PROJECT OPERATIONAL NOISE LEVELS

Using the reference noise levels to represent the proposed Project operations that include loading dock activity, roof-top air conditioning units, trash enclosure activity, parking lot vehicle movements, and truck movements, Urban Crossroads, Inc. calculated the operational source noise levels that are expected to be generated at the Project site and the Project-related noise level increases that would be experienced at each of the sensitive receiver locations. Table 9-2 shows the Project operational noise levels during the daytime hours of 7:00 a.m. to 10:00 p.m. The daytime hourly noise levels at the off-site receiver locations are expected to range from 44.0 to 53.0 dBA  $L_{eq}$ .

**TABLE 9-2: DAYTIME PROJECT OPERATIONAL NOISE LEVELS**

Noise Source <sup>1</sup>	Operational Noise Levels by Receiver Location (dBA $L_{eq}$ )					
	R1	R2	R3	R4	R5	R6
Loading Dock Activity	48.8	52.3	45.2	44.0	44.7	41.2
Roof-Top Air Conditioning Units	21.8	33.3	27.7	28.3	29.1	33.1
Trash Enclosure Activity	24.9	26.4	19.8	15.3	23.4	8.7
Parking Lot Vehicle Movements	37.9	27.3	29.0	29.1	32.0	37.7
Truck Movements	25.7	44.6	35.0	32.6	33.7	36.2
<b>Total (All Noise Sources)</b>	<b>49.2</b>	<b>53.0</b>	<b>45.8</b>	<b>44.5</b>	<b>45.4</b>	<b>44.0</b>

<sup>1</sup> See Exhibit 9-A for the noise source locations. CadnaA noise model calculations are included in Appendix 9.1.

Table 9-3 shows the Project operational noise levels during the nighttime hours of 10:00 p.m. to 7:00 a.m. The nighttime hourly noise levels at the off-site receiver locations are expected to range from 43.9 to 53.0 dBA  $L_{eq}$ . The differences between the daytime and nighttime noise levels are largely related to the estimated duration of noise activity as outlined in Table 9-1 and Appendix 9.1.

**TABLE 9-3: NIGHTTIME PROJECT OPERATIONAL NOISE LEVELS**

Noise Source <sup>1</sup>	Operational Noise Levels by Receiver Location (dBA Leq)					
	R1	R2	R3	R4	R5	R6
Loading Dock Activity	48.8	52.3	45.2	44.0	44.7	41.2
Roof-Top Air Conditioning Units	19.4	30.9	25.3	25.9	26.7	30.7
Trash Enclosure Activity	24.9	26.4	19.8	15.3	23.4	8.7
Parking Lot Vehicle Movements	37.9	27.3	29.0	29.1	32.0	37.7
Truck Movements	25.7	44.6	35.0	32.6	33.7	36.2
<b>Total (All Noise Sources)</b>	<b>49.2</b>	<b>53.0</b>	<b>45.7</b>	<b>44.5</b>	<b>45.3</b>	<b>43.9</b>

<sup>1</sup> See Exhibit 9-A for the noise source locations. CadnaA noise model calculations are included in Appendix 9.1.

## 9.5 PROJECT OPERATIONAL NOISE LEVEL COMPLIANCE

To demonstrate compliance with local noise regulations, the Project-only operational noise levels are evaluated against exterior noise level thresholds based on the City of Fontana exterior noise level standards at nearby noise-sensitive receiver locations. Table 9-4 shows the operational noise levels associated with Beech Logistics Center Project will satisfy the City of Fontana 70 dBA  $L_{eq}$  daytime and 65 dBA  $L_{eq}$  nighttime exterior noise level standards at the nearest receiver locations. Therefore, the operational noise impacts are considered *less than significant* at the nearby noise-sensitive receiver locations.

**TABLE 9-4: OPERATIONAL NOISE LEVEL COMPLIANCE**

Receiver Location <sup>1</sup>	Project Operational Noise Levels (dBA Leq) <sup>2</sup>		Noise Level Standards (dBA Leq) <sup>3</sup>		Noise Level Standards Exceeded? <sup>4</sup>	
	Daytime	Nighttime	Daytime	Nighttime	Daytime	Nighttime
R1	49.2	49.2	70	65	No	No
R2	53.0	53.0	70	65	No	No
R3	45.8	45.7	70	65	No	No
R4	44.5	44.5	70	65	No	No
R5	45.4	45.3	70	65	No	No
R6	44.0	43.9	70	65	No	No

<sup>1</sup> See Exhibit 8-A for the receiver locations.

<sup>2</sup> Proposed Project operational noise levels as shown on Tables 9-2 and 9-3.

<sup>3</sup> Exterior noise level standards, as shown on Table 4-1.

<sup>4</sup> Do the estimated Project operational noise source activities exceed the noise level standards?

"Daytime" = 7:00 a.m. - 10:00 p.m.; "Nighttime" = 10:00 p.m. - 7:00 a.m.

## 9.6 PROJECT OPERATIONAL NOISE LEVEL INCREASES

To describe the Project operational noise level increases, the Project operational noise levels are combined with the existing ambient noise levels measurements for the nearby receiver locations potentially impacted by Project operational noise sources. Since the units used to measure noise, decibels (dB), are logarithmic units, the Project-operational and existing ambient noise levels cannot be combined using standard arithmetic equations. (2) Instead, they must be logarithmically added using the following base equation:

$$SPL_{Total} = 10\log_{10}[10^{SPL1/10} + 10^{SPL2/10} + \dots 10^{SPLn/10}]$$

Where “SPL1,” “SPL2,” etc. are equal to the sound pressure levels being combined, or in this case, the Project-operational and existing ambient noise levels. The difference between the combined Project and ambient noise levels describes the Project noise level increases to the existing ambient noise environment. As indicated on Table 9-5, the Project will generate a daytime noise level increase ranging from 0.0 to 3.8 dBA  $L_{eq}$  operational noise level increase at the nearest receiver locations. Table 9-6 shows that the Project will generate a nighttime operational noise level increase ranging from 0.0 to 4.0 dBA  $L_{eq}$  at the nearest receiver locations.

**TABLE 9-5: DAYTIME PROJECT OPERATIONAL NOISE LEVEL INCREASES**

Receiver Location <sup>1</sup>	Total Project Operational Noise Level <sup>2</sup>	Measurement Location <sup>3</sup>	Reference Ambient Noise Levels <sup>4</sup>	Combined Project and Ambient <sup>5</sup>	Project Increase <sup>6</sup>	Increase Criteria <sup>7</sup>	Increase Criteria Exceeded?
R1	49.2	L1	51.2	53.3	2.1	5.0	No
R2	53.0	L2	51.6	55.4	3.8	5.0	No
R3	45.8	L3	65.0	65.1	0.1	1.5	No
R4	44.5	L4	69.9	69.9	0.0	1.5	No
R5	45.4	L5	71.5	71.5	0.0	1.5	No
R6	44.0	L6	54.0	54.4	0.4	5.0	No

<sup>1</sup> See Exhibit 8-A for the receiver locations.

<sup>2</sup> Total Project daytime operational noise levels as shown on Table 9-2.

<sup>3</sup> Reference noise level measurement locations as shown on Exhibit 5-A.

<sup>4</sup> Observed daytime ambient noise levels as shown on Table 5-1.

<sup>5</sup> Represents the combined ambient conditions plus the Project activities.

<sup>6</sup> The noise level increase expected with the addition of the proposed Project activities.

<sup>7</sup> Significance increase criteria as shown on Table 4-1.

TABLE 9-6: NIGHTTIME OPERATIONAL NOISE LEVEL INCREASES

Receiver Location <sup>1</sup>	Total Project Operational Noise Level <sup>2</sup>	Measurement Location <sup>3</sup>	Reference Ambient Noise Levels <sup>4</sup>	Combined Project and Ambient <sup>5</sup>	Project Increase <sup>6</sup>	Increase Criteria <sup>7</sup>	Increase Criteria Exceeded?
R1	49.2	L1	50.7	53.0	2.3	5.0	No
R2	53.0	L2	51.3	55.3	4.0	5.0	No
R3	45.7	L3	61.0	61.1	0.1	5.0	No
R4	44.5	L4	65.9	65.9	0.0	1.5	No
R5	45.3	L5	67.3	67.3	0.0	1.5	No
R6	43.9	L6	54.5	54.9	0.4	5.0	No

<sup>1</sup> See Exhibit 8-A for the receiver locations.

<sup>2</sup> Total Project nighttime operational noise levels as shown on Table 9-3.

<sup>3</sup> Reference noise level measurement locations as shown on Exhibit 5-A.

<sup>4</sup> Observed nighttime ambient noise levels as shown on Table 5-1.

<sup>5</sup> Represents the combined ambient conditions plus the Project activities.

<sup>6</sup> The noise level increase expected with the addition of the proposed Project activities.

<sup>7</sup> Significance increase criteria as shown on Table 4-1.

The Project-related operational noise level increases will satisfy the operational noise level increase significance criteria presented on Table 4-1. Therefore, the incremental Project operational noise level increase is considered *less than significant* at all receiver locations.

## 10 CONSTRUCTION ANALYSIS

This section analyzes potential impacts resulting from the short-term construction activities associated with the development of the Project. Exhibit 10-A shows the construction activity boundaries in relation to the nearest sensitive receiver locations previously described in Section 8. The City of Fontana Municipal Code Section 18-63[7], states that project construction noise levels are considered exempt between 7:00 a.m. and 6:00 p.m. on weekdays and between the hours of 8:00 a.m. to 5:00 p.m. on Saturdays.

In addition, neither the General Plan nor the Municipal Code establish numeric maximum acceptable construction source noise levels at potentially affected receivers for CEQA analysis purposes. Therefore, a numerical construction threshold based on Federal Transit Administration (FTA) Transit Noise and Vibration Impact Assessment Manual is used for analysis of daytime construction impacts. The FTA considers a daytime exterior construction noise level of 80 dBA  $L_{eq}$  as a reasonable threshold for noise sensitive residential land use with a nighttime exterior construction noise level of 70 dBA  $L_{eq}$  (8 p. 179).

### 10.1 CONSTRUCTION NOISE LEVELS

The FTA *Transit Noise and Vibration Impact Assessment Manual* recognizes that construction projects are accomplished in several different stages and outlines the procedures for assessing noise impacts during construction. Each stage has a specific equipment mix, depending on the work to be completed during that stage. As a result of the equipment mix, each stage has its own noise characteristics; some stages have higher continuous noise levels than others, and some have higher impact noise levels than others. The Project construction activities are expected to occur in the following stages:

- Site Preparation
- Grading
- Building Construction
- Paving
- Architectural Coating

### 10.2 CONSTRUCTION REFERENCE NOISE LEVELS

To describe construction noise activities, this construction noise analysis was prepared using reference construction equipment noise levels from the Federal Highway Administration (FHWA) published the Roadway Construction Noise Model (RCNM), which includes a national database of construction equipment reference noise emission levels. (23) The RCNM equipment database, provides a comprehensive list of the noise generating characteristics for specific types of construction equipment. In addition, the database provides an acoustical usage factor to estimate the fraction of time each piece of construction equipment is operating at full power (i.e., its loudest condition) during a construction operation.

**EXHIBIT 10-A: CONSTRUCTION NOISE SOURCE AND RECEIVER LOCATIONS**



**LEGEND:**

Construction Activity

Existing Barrier

Distance from receiver to Project site boundary (in feet)

Receiver Locations

Existing Barrier Height (in feet)

### 10.3 CONSTRUCTION NOISE ANALYSIS

Using the reference construction equipment noise levels and the CadnaA noise prediction model, calculations of the Project construction noise level impacts at the nearby sensitive receiver locations were completed. Consistent with FTA guidance for general construction noise assessment, Table 10-1 presents the combined noise levels for the loudest construction equipment, assuming they operate at the same time. As shown on Table 10-2, the construction noise levels are expected to range from 50.1 to 65.5 dBA  $L_{eq}$  at the nearby receiver locations. Appendix 10.1 includes the detailed CadnaA construction noise model inputs.

**TABLE 10-1: CONSTRUCTION REFERENCE NOISE LEVELS**

Construction Stage	Reference Construction Activity	Reference Noise Level @ 50 Feet (dBA $L_{eq}$ ) <sup>1</sup>	Combined Noise Level (dBA $L_{eq}$ ) <sup>2</sup>	Combined Sound Power Level (PWL) <sup>3</sup>
Demolition	Demolition Equipment	82	83	115
	Backhoes	74		
	Hauling Trucks	72		
Site Preparation	Crawler Tractors	78	80	112
	Hauling Trucks	72		
	Rubber Tired Dozers	75		
Grading	Graders	81	83	115
	Excavators	77		
	Compactors	76		
Building Construction	Cranes	73	81	113
	Tractors	80		
	Welders	70		
Paving	Pavers	74	83	115
	Paving Equipment	82		
	Rollers	73		
Architectural Coating	Cranes	73	77	109
	Air Compressors	74		
	Generator Sets	70		

<sup>1</sup> FHWA Roadway Construction Noise Model (RCNM).

<sup>2</sup> Represents the combined noise level for all equipment assuming they operate at the same time consistent with FTA Transit Noise and Vibration Impact Assessment guidance.

<sup>3</sup> Sound power level represents the total amount of acoustical energy (noise level) produced by a sound source independent of distance or surroundings. Sound power levels calibrated using the CadnaA noise model at the reference distance to the noise source.

**TABLE 10-2: CONSTRUCTION EQUIPMENT NOISE LEVEL SUMMARY**

Receiver Location <sup>1</sup>	Construction Noise Levels (dBA L <sub>eq</sub> )					
	Site Preparation	Grading	Building Construction	Paving	Architectural Coating	Highest Levels <sup>2</sup>
R1	59.2	62.2	60.2	62.2	56.2	62.2
R2	62.5	65.5	63.5	65.5	59.5	65.5
R3	54.4	57.4	55.4	57.4	51.4	57.4
R4	53.1	56.1	54.1	56.1	50.1	56.1
R5	54.9	57.9	55.9	57.9	51.9	57.9
R6	59.0	62.0	60.0	62.0	56.0	62.0

<sup>1</sup> Noise receiver locations are shown on Exhibit 10-A.

<sup>2</sup> Construction noise level calculations based on distance from the construction activity, which is measured from the Project site boundary to the nearest receiver locations. CadnaA construction noise model inputs are included in Appendix 10.1.

#### 10.4 CONSTRUCTION NOISE LEVEL COMPLIANCE

To evaluate whether the Project will generate potentially significant short-term noise levels at nearest receiver locations, a construction-related daytime noise level threshold of 80 dBA L<sub>eq</sub> is used as a reasonable threshold to assess the daytime construction noise level impacts. The construction noise analysis shows that the nearest receiver locations will not exceed the reasonable daytime 80 dBA L<sub>eq</sub> significance threshold during Project construction activities as shown on Table 10-3. Therefore, the noise impacts due to Project construction noise are considered *less than significant* at all receiver locations.

**TABLE 10-3: TYPICAL CONSTRUCTION NOISE LEVEL COMPLIANCE**

Receiver Location <sup>1</sup>	Construction Noise Levels (dBA Leq)		
	Highest Construction Noise Levels <sup>2</sup>	Threshold <sup>3</sup>	Threshold Exceeded? <sup>4</sup>
R1	62.2	80	No
R2	65.5	80	No
R3	57.4	80	No
R4	56.1	80	No
R5	57.9	80	No
R6	62.0	80	No

<sup>1</sup> Construction noise source and receiver locations are shown on Exhibit 10-A.

<sup>2</sup> Highest construction noise level calculations based on distance from the construction noise source activity to the nearest receiver locations as shown on Table 10-2.

<sup>3</sup> Construction noise level thresholds as shown on Table 4-1.

<sup>4</sup> Do the estimated Project construction noise levels exceed the construction noise level threshold?

## 10.5 NIGHTTIME CONCRETE POUR NOISE ANALYSIS

It is our understanding that nighttime concrete pouring activities will occur as a part of Project building construction activities. Nighttime concrete pouring activities are often used to support reduced concrete mixer truck transit times and lower air temperatures than during the daytime hours and are generally limited to the actual building pad area. Since the nighttime concrete pours will take place outside the permitted City of Fontana Municipal Code, Section 18-63(b)(7) hours of 7:00 a.m. and 6:00 p.m. on weekdays and between the hours of 8:00 a.m. and 5:00 p.m. on Saturdays the Project Applicant will be required to obtain authorization for nighttime work from the City of Fontana. Any nighttime construction noise activities are evaluated against the FTA nighttime exterior construction noise level threshold of 70 dBA Leq for noise sensitive residential land use (8 p. 179).

### 10.5.1 NIGHTTIME CONCRETE POUR REFERENCE NOISE LEVEL MEASUREMENTS

To estimate the noise levels due to nighttime concrete pour activities, sample reference noise level measurements were taken during a nighttime concrete pour at a construction site. Urban Crossroads, Inc. collected short-term nighttime concrete pour reference noise level measurements during the noise-sensitive nighttime hours between 1:00 a.m. to 2:00 a.m. at 27334 San Bernardino Avenue in the City of Redlands. The reference noise levels describe the expected concrete pour noise sources that may include concrete mixer truck movements and pouring activities, concrete paving equipment, rear mounted concrete mixer truck backup alarms, engine idling, air brakes, generators, and workers communicating/whistling. To describe the nighttime concrete pour noise levels associated with the construction of the Beech Logistics Center, this analysis relies on reference sound pressure level of 67.7 dBA Leq at 50 feet representing a sound power level of 100.3 dBA Lw. While the Project noise levels will depend on the actual duration of activities and specific equipment fleet in use at the time of construction,

the reference sound power level of 100.3 dBA  $L_w$  is used to describe the expected Project nighttime concrete pour noise activities.

### 10.5.2 NIGHTTIME CONCRETE POUR NOISE LEVEL COMPLIANCE

As shown on Table 10-4, the noise levels associated with the nighttime concrete pour activities (paving) are estimated to range from 40.8 to 48.8 dBA  $L_{eq}$  and will not exceed FTA nighttime exterior construction noise level threshold of 70 dBA  $L_{eq}$  for noise sensitive residential land use (8 p. 179). Based on the results of this analysis, all nearest noise receiver locations will experience *less than significant* impacts due to the Project related nighttime concrete pour activities. Appendix 10.2 includes the CadnaA nighttime concrete pour noise model inputs.

**TABLE 10-4: NIGHTTIME CONCRETE POUR NOISE LEVEL COMPLIANCE**

Receiver Location <sup>1</sup>	Concrete Pour Construction Noise Levels (dBA $L_{eq}$ )		
	Exterior Noise Levels <sup>2</sup>	Nighttime Threshold <sup>3</sup>	Threshold Exceeded? <sup>4</sup>
R1	47.0	70	No
R2	48.8	70	No
R3	42.0	70	No
R4	40.8	70	No
R5	42.9	70	No
R6	47.1	70	No


<sup>1</sup> Construction noise source and receiver locations are shown on Exhibit 10-A.

<sup>2</sup> Nighttime Concrete Pour noise model inputs are included in Appendix 10.2.

<sup>3</sup> Construction noise level thresholds as shown on Table 4-1.

<sup>4</sup> Do the estimated Project construction noise levels exceed the nighttime construction noise level threshold?

**EXHIBIT 10-B: NIGHTTIME CONCRETE POUR NOISE SOURCE AND RECEIVER LOCATIONS**



- LEGEND:**
- N
  - Site Boundary
  - Nighttime Concrete Pour Activity
  - Existing Barrier
  - 6' Existing Barrier Height (in feet)
  - Receiver Locations
  - Distance from receiver to construction activity (in feet)

## 10.6 CONSTRUCTION VIBRATION ANALYSIS

Construction activity can result in varying degrees of ground vibration, depending on the equipment and methods employed. Operation of construction equipment causes ground vibrations that spread through the ground and diminish in strength with distance. Ground vibration levels associated with various types of construction equipment are summarized on Table 10-5. Based on the representative vibration levels presented for various construction equipment types, it is possible to estimate the potential for human response (annoyance) and building damage using the following vibration assessment methods defined by the FTA. To describe the vibration impacts the FTA provides the following equation:  $PPV_{\text{equip}} = PPV_{\text{ref}} \times (25/D)^{1.5}$

**TABLE 10-5: VIBRATION SOURCE LEVELS FOR CONSTRUCTION EQUIPMENT**

Equipment	PPV (in/sec) at 25 feet
Small bulldozer	0.003
Jackhammer	0.035
Loaded Trucks	0.076
Large bulldozer	0.089
Vibratory Roller	0.210

Federal Transit Administration, Transit Noise and Vibration Impact Assessment Manual

Table 10-6 presents the expected Project related vibration levels at the nearby receiver locations. At distances ranging from 88 to 852 feet from Project construction activities, construction vibration velocity levels are estimated to range from 0.001 to 0.032 in/sec PPV. Based on maximum acceptable continuous vibration threshold of 0.3 PPV (in/sec), the typical Project construction vibration levels will fall below the building damage thresholds at all the noise sensitive receiver locations. Therefore, the Project-related vibration impacts are considered *less than significant* during typical construction activities at the Project site. Moreover, the vibration levels reported at the sensitive receiver locations are unlikely to be sustained during the entire construction period but will occur rather only during the times that heavy construction equipment is operating adjacent to the Project site perimeter.

**TABLE 10-6: PROJECT CONSTRUCTION VIBRATION LEVELS**

Receiver <sup>1</sup>	Distance to Const. Activity (Feet) <sup>2</sup>	Typical Construction Vibration Levels PPV (in/sec) <sup>3</sup>						Thresholds PPV (in/sec) <sup>4</sup>	Thresholds Exceeded? <sup>5</sup>
		Small bulldozer	Jackhammer	Loaded Trucks	Large bulldozer	Vibratory Roller	Highest Vibration Level		
R1	88'	0.000	0.005	0.012	0.013	0.032	0.032	0.3	No
R2	130'	0.000	0.003	0.006	0.008	0.018	0.018	0.3	No
R3	772'	0.000	0.000	0.000	0.001	0.001	0.001	0.3	No
R4	852'	0.000	0.000	0.000	0.000	0.001	0.001	0.3	No
R5	737'	0.000	0.000	0.000	0.001	0.001	0.001	0.3	No
R6	332'	0.000	0.001	0.002	0.002	0.004	0.004	0.3	No

<sup>1</sup> Receiver locations are shown on Exhibit 10-A.

<sup>2</sup> Distance from receiver location to Project construction boundary (Project site boundary).

<sup>3</sup> Based on the Vibration Source Levels of Construction Equipment (Table 10-4).

<sup>4</sup> Caltrans Transportation and Construction Vibration Guidance Manual, April 2020, Table 19, p. 38.

<sup>5</sup> Does the peak vibration exceed the acceptable vibration thresholds?

"PPV" = Peak Particle Velocity

*This page intentionally left blank*

## 11 REFERENCES

1. **State of California.** *California Environmental Quality Act, Environmental Checklist Form Appendix G.* 2021.
2. **California Department of Transportation Environmental Program.** *Technical Noise Supplement - A Technical Supplement to the Traffic Noise Analysis Protocol.* Sacramento, CA : s.n., September 2013.
3. **Environmental Protection Agency Office of Noise Abatement and Control.** *Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety.* March 1974. EPA/ONAC 550/9/74-004.
4. **U.S. Department of Transportation, Federal Highway Administration, Office of Environment and Planning, Noise and Air Quality Branch.** *Highway Traffic Noise Analysis and Abatement Policy and Guidance.* December 2011.
5. **U.S. Department of Transportation Federal Highway Administration.** *Highway Noise Barrier Design Handbook.* 2001.
6. **U.S. Department of Transportation, Federal Highway Administration.** *Highway Traffic Noise in the United States, Problem and Response.* April 2000. p. 3.
7. **U.S. Environmental Protection Agency Office of Noise Abatement and Control.** *Noise Effects Handbook-A Desk Reference to Health and Welfare Effects of Noise.* October 1979 (revised July 1981). EPA 550/9/82/106.
8. **U.S. Department of Transportation, Federal Transit Administration.** *Transit Noise and Vibration Impact Assessment Manual.* September 2018.
9. **Office of Planning and Research.** *State of California General Plan Guidelines.* October 2019.
10. **City of Fontana.** *General Plan Noise Element.* November 2018.
11. —. *Zoning and Development Code, Section 30, Article V - Residential Zoning Districts, Division 6 - Performance Standards.*
12. —. *Municipal Code, Chapter 18, Article II - Noise.*
13. **California Department of Transportation.** *Transportation and Construction Vibration Guidance Manual.* April 2020.
14. **California Court of Appeal.** *Gray v. County of Madera, F053661.* 167 Cal.App.4th 1099; - Cal.Rptr.3d, October 2008.
15. **Federal Interagency Committee on Noise.** *Federal Agency Review of Selected Airport Noise Analysis Issues.* August 1992.
16. **California Department of Transportation.** *Technical Noise Supplement.* November 2009.
17. **American National Standards Institute (ANSI).** *Specification for Sound Level Meters ANSI S1.4-2014/IEC 61672-1:2013.*
18. **U.S. Department of Transportation, Federal Highway Administration.** *FHWA Highway Traffic Noise Prediction Model.* December 1978. FHWA-RD-77-108.
19. **California Department of Transportation Environmental Program, Office of Environmental Engineering.** *Use of California Vehicle Noise Reference Energy Mean Emission Levels (Calveno REMELs) in FHWA Highway Traffic Noise Prediction.* September 1995. TAN 95-03.

20. **California Department of Transportation.** *Traffic Noise Attenuation as a Function of Ground and Vegetation Final Report.* June 1995. FHWA/CA/TL-95/23.
21. **Urban Crossroads, Inc.** *Beech Logistics Center Traffic Study.*
22. **U.S. Department of Transportation, Federal Highway Administration, Office of Environment and Planning.** *FHWA Roadway Construction Noise Model.* January, 2006.

## 12 CERTIFICATIONS

The contents of this noise study report represent an accurate depiction of the noise environment and impacts associated with the proposed Beech Logistics Center Project. The information contained in this noise study report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at (949) 584-3148.

Bill Lawson, P.E., INCE  
Principal  
URBAN CROSSROADS, INC.  
260 E. Baker Street, Suite 200  
Costa Mesa, CA 92626  
(949) 336-5979  
[blawson@urbanxroads.com](mailto:blawson@urbanxroads.com)



### EDUCATION

Master of Science in Civil and Environmental Engineering  
California Polytechnic State University, San Luis Obispo • December, 1993  
  
Bachelor of Science in City and Regional Planning  
California Polytechnic State University, San Luis Obispo • June, 1992

### PROFESSIONAL REGISTRATIONS

PE – Registered Professional Traffic Engineer – TR 2537 • January, 2009  
AICP – American Institute of Certified Planners – 013011 • June, 1997–January 1, 2012  
PTP – Professional Transportation Planner • May, 2007 – May, 2013  
INCE – Institute of Noise Control Engineering • March, 2004

### PROFESSIONAL AFFILIATIONS

ASA – Acoustical Society of America  
ITE – Institute of Transportation Engineers

### PROFESSIONAL CERTIFICATIONS

Certified Acoustical Consultant – County of Orange • February, 2011  
FHWA-NHI-142051 Highway Traffic Noise Certificate of Training • February, 2013

*This page intentionally left blank*

**APPENDIX 3.1:**  
**CITY OF FONTANA DEVELOPMENT CODE**

*This page intentionally left blank*

### **Section No. 30-542 - Trash and Recycling Collection Areas.**

All trash receptacles and disposal areas shall be screened from view. All industrial facilities shall be provided with trash receptacles and recycling facilities as follows:

1. **Number.** An adequate number and size of receptacles shall be provided to serve all uses on a property.
2. **Screening.** All receptacles shall be screened and the trash enclosure that is designed pursuant to the City approved Conceptual Plan. The receptacle shall not be visible above the wall. The enclosure shall be architecturally compatible with the architecture of the proposed/existing structures.

### **DIVISION 6. - PERFORMANCE STANDARDS**

#### **Section No. 30-543 - Noise and Vibration.**

- A. **Noise Levels.** No person shall create or cause to be created any sound which exceeds the noise levels in this Section as measured at the property line of any residentially zoned property:
  1. The noise level between 7:00 a.m. and 10:00 p.m. shall not exceed 70 db(A).
  2. The noise level between 10:00 p.m. and 7:00 a.m. shall not exceed 65 db(A).
- B. **Noise Measurements.** Noise shall be measured with a sound level meter that meets the standards of the American National Standards Institute (ANSI) Section S14-1979, Type 1 or Type 2. Noise levels shall be measured using the "A" weighted sound pressure level scale in decibels (reference pressure = 20 micronewtons per meter squared).
- C. **Vibration.** No person shall create or cause to be created any activity which causes a vibration which can be felt beyond the property line with or without the aid of an instrument.

#### **Section No. 30-544 - Light and Glare.**

All lights shall be directed and/or shielded to prevent the light from adversely affecting adjacent properties. No structure or lighting feature shall be permitted which creates adverse glare. A photometric plan shall be provided that indicates the amount of light emanating from the proposed/existing light fixtures.

#### **Section No. 30-545 - Odors.**

All uses shall be operated in a manner such that no offensive odor is perceptible at or beyond the property line of that use.

#### **Section No. 30-546 - Electromagnetic Interference.**

No use, activity, or process shall be conducted which produces electromagnetic interference with normal radio and television receptions beyond the property line of that use.

*This page intentionally left blank*

**APPENDIX 5.1:**  
**STUDY AREA PHOTOS**

*This page intentionally left blank*

## JN: 14467 Study Area Photos



L1\_E  
34, 6' 38.090000" 117, 28' 18.760000"



L1\_N  
34, 6' 38.090000" 117, 28' 18.820000"



L1\_S  
34, 6' 38.090000" 117, 28' 18.790000"



L1\_W  
34, 6' 38.100000" 117, 28' 18.820000"



L2\_E  
34, 6' 34.830000" 117, 28' 15.380000"



L2\_N  
34, 6' 34.770000" 117, 28' 15.360000"

**JN: 14467 Study Area Photos**



**L2\_S**  
34, 6' 34.770000"117, 28' 15.410000"



**L2\_W**  
34, 6' 34.820000"117, 28' 15.410000"



**L3\_E**  
34, 6' 30.980000"117, 28' 7.910000"



**L3\_N**  
34, 6' 31.000000"117, 28' 7.940000"



**L3\_S**  
34, 6' 30.990000"117, 28' 7.940000"



**L3\_W**  
34, 6' 30.980000"117, 28' 7.940000"

### JN: 14467 Study Area Photos



L4\_E  
34, 6' 22.760000"117, 28' 11.320000"



L4\_N  
34, 6' 22.820000"117, 28' 11.370000"



L4\_S  
34, 6' 22.780000"117, 28' 11.320000"



L4\_W  
34, 6' 22.720000"117, 28' 11.370000"



L5\_E  
34, 6' 22.710000"117, 28' 21.670000"



L5\_N  
34, 6' 22.720000"117, 28' 21.700000"

### JN: 14467 Study Area Photos



L5\_S  
34, 6' 22.700000" 117, 28' 21.700000"



L5\_W  
34, 6' 22.700000" 117, 28' 21.700000"



L6\_E  
34, 6' 26.940000" 117, 28' 23.160000"



L6\_N  
34, 6' 26.970000" 117, 28' 23.180000"



L6\_S  
34, 6' 26.950000" 117, 28' 23.160000"



L6\_W  
34, 6' 26.970000" 117, 28' 23.160000"

**APPENDIX 5.2:**  
**NOISE LEVEL MEASUREMENT WORKSHEETS**

*This page intentionally left blank*

## 24-Hour Noise Level Measurement Summary


Date: Wednesday, October 27, 2021  
Project: Beech Avenue

Location: L1 - Located northwest of the Project site near single-family  
Source: residence at 15247 Montanez Street.

Meter: Piccolo II

JN: 14467  
Analyst: A. Khan

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$	
Night	0	49.5	55.7	46.0	55.4	55.0	53.9	53.2	49.7	48.1	46.5	46.3	46.1	49.5	10.0	59.5	
	1	46.5	52.7	43.9	52.3	51.7	50.0	48.9	46.6	45.6	44.5	44.2	44.0	46.5	10.0	56.5	
	2	44.9	49.1	43.4	48.5	47.9	46.9	46.4	45.2	44.5	43.8	43.6	43.4	44.9	10.0	54.9	
	3	51.2	59.8	45.7	59.3	58.7	57.4	56.0	50.7	48.0	46.3	46.1	45.8	51.2	10.0	61.2	
	4	51.7	57.4	48.1	57.0	56.8	55.9	55.0	52.2	50.5	48.8	48.4	48.1	51.7	10.0	61.7	
	5	53.1	59.1	50.2	58.8	58.3	56.7	55.5	53.5	52.1	50.8	50.5	50.3	53.1	10.0	63.1	
Day	6	54.9	60.7	51.6	60.2	59.8	58.4	57.4	55.5	54.2	52.2	51.9	51.7	54.9	10.0	64.9	
	7	56.3	62.9	53.4	62.4	61.9	60.0	58.8	56.3	55.2	53.9	53.7	53.5	56.3	0.0	56.3	
	8	52.6	59.5	50.1	59.2	58.7	56.6	55.2	52.3	51.3	50.5	50.3	50.1	52.6	0.0	52.6	
	9	50.2	59.0	44.5	58.6	58.0	55.6	53.7	50.6	47.6	45.3	45.0	44.7	50.2	0.0	50.2	
	10	48.7	59.2	43.0	58.3	57.5	54.8	52.7	47.6	45.6	43.8	43.5	43.1	48.7	0.0	48.7	
	11	50.1	60.6	44.8	60.1	59.2	55.9	53.8	49.1	47.1	45.3	45.1	44.9	50.1	0.0	50.1	
	12	50.6	60.0	44.8	59.6	58.9	56.3	54.6	50.0	47.8	45.6	45.3	45.0	50.6	0.0	50.6	
	13	50.9	59.1	45.7	58.6	58.0	55.9	54.6	51.0	48.8	46.6	46.2	45.8	50.9	0.0	50.9	
	14	53.3	61.7	47.2	61.2	60.6	58.8	57.5	53.4	50.9	48.3	47.9	47.4	53.3	0.0	53.3	
	15	50.8	58.7	45.2	58.3	57.7	55.9	54.5	51.3	48.6	46.1	45.7	45.4	50.8	0.0	50.8	
	16	49.8	59.7	43.6	59.3	58.7	56.1	53.8	48.9	46.7	44.4	44.1	43.7	49.8	0.0	49.8	
	17	51.0	61.7	43.7	61.1	60.2	57.2	55.4	50.1	46.9	44.4	44.2	43.8	51.0	0.0	51.0	
	18	49.2	57.6	43.8	57.3	56.7	54.8	53.1	49.4	46.6	44.4	44.2	43.9	49.2	0.0	49.2	
	19	48.5	56.9	43.4	56.5	55.9	54.0	52.5	48.4	46.2	44.2	43.9	43.5	48.5	5.0	53.5	
	20	49.3	59.9	43.0	59.4	58.4	55.5	53.3	48.2	45.8	43.9	43.5	43.1	49.3	5.0	54.3	
	21	48.9	58.3	43.0	58.0	57.4	55.2	53.4	48.0	45.6	43.6	43.3	43.1	48.9	5.0	53.9	
Night	22	47.2	55.9	41.8	55.5	54.9	52.8	51.0	47.0	44.8	42.6	42.3	41.9	47.2	10.0	57.2	
Night	23	46.7	55.8	41.0	55.5	54.9	53.1	51.0	46.1	43.6	41.7	41.4	41.1	46.7	10.0	56.7	
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)			
Day	Min	48.5	56.9	43.0	56.5	55.9	54.0	52.5	47.6	45.6	43.6	43.3	43.1	24-Hour	51.0	51.2	50.7
	Max	56.3	62.9	53.4	62.4	61.9	60.0	58.8	56.3	55.2	53.9	53.7	53.5				
Energy Average		51.2	Average:		59.2	58.5	56.2	54.5	50.3	48.0	46.0	45.7	45.4				
Night	Min	44.9	49.1	41.0	48.5	47.9	46.9	46.4	45.2	43.6	41.7	41.4	41.1				
	Max	54.9	60.7	51.6	60.2	59.8	58.4	57.4	55.5	54.2	52.2	51.9	51.7				
Energy Average		50.7	Average:		55.8	55.3	53.9	52.7	49.6	47.9	46.3	46.1	45.8				

### 24-Hour Noise Level Measurement Summary

Date: Wednesday, October 27, 2021

Location: L2 - Located north of the Project site near a child's playground

Meter: Piccolo II


JN: 14467

Project: Beech Avenue

Source: southwest of Parsley Leaf Place.

Analyst: A. Khan

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$	
Night	0	49.8	55.7	46.7	55.4	55.0	54.1	53.1	49.9	48.5	47.2	47.0	46.8	49.8	10.0	59.8	
	1	46.2	51.3	44.2	51.0	50.5	49.1	48.1	46.4	45.5	44.6	44.5	44.3	46.2	10.0	56.2	
	2	46.5	51.5	44.3	51.0	50.7	49.7	48.9	46.7	45.6	44.8	44.6	44.4	46.5	10.0	56.5	
	3	50.9	58.6	46.7	58.3	57.7	56.4	55.0	50.8	48.6	47.2	47.0	46.8	50.9	10.0	60.9	
	4	51.0	56.6	48.1	56.2	55.7	54.6	53.6	51.5	50.1	48.7	48.5	48.2	51.0	10.0	61.0	
	5	52.9	58.3	49.9	57.9	57.4	56.0	55.2	53.4	52.2	50.6	50.3	50.0	52.9	10.0	62.9	
	6	56.9	64.2	51.3	63.8	63.5	62.5	61.6	57.0	54.2	52.0	51.7	51.4	56.9	10.0	66.9	
Day	7	56.0	61.0	53.3	60.6	60.3	59.3	58.5	56.5	55.1	53.8	53.6	53.4	56.0	0.0	56.0	
	8	52.7	56.0	51.1	55.6	55.2	54.4	54.1	53.0	52.4	51.6	51.4	51.2	52.7	0.0	52.7	
	9	51.0	56.5	46.8	56.1	55.8	55.1	54.6	52.2	49.2	47.4	47.2	47.0	51.0	0.0	51.0	
	10	48.2	53.7	44.8	52.9	52.3	51.2	50.6	48.9	47.5	45.6	45.3	45.0	48.2	0.0	48.2	
	11	49.9	55.4	46.8	55.1	54.7	53.6	52.9	50.3	48.8	47.4	47.1	46.9	49.9	0.0	49.9	
	12	49.9	55.0	46.6	54.6	54.2	53.2	52.5	50.6	49.1	47.4	47.1	46.7	49.9	0.0	49.9	
	13	52.1	58.4	47.5	57.9	57.2	55.8	55.2	52.8	51.1	48.6	48.2	47.6	52.1	0.0	52.1	
	14	52.9	60.0	47.7	59.6	59.1	57.6	56.5	53.4	51.4	48.6	48.3	47.9	52.9	0.0	52.9	
	15	55.3	62.4	47.6	61.5	60.8	59.5	58.7	56.4	54.3	50.5	49.6	48.2	55.3	0.0	55.3	
	16	49.0	55.6	44.3	55.2	54.7	53.3	52.5	49.6	47.4	45.2	44.8	44.4	49.0	0.0	49.0	
	17	52.2	64.1	45.1	63.2	62.4	58.1	55.1	50.8	48.3	46.1	45.7	45.2	52.2	0.0	52.2	
	18	48.6	54.8	45.0	54.4	53.7	52.1	51.4	49.1	47.5	45.7	45.4	45.2	48.6	0.0	48.6	
	19	48.4	54.6	44.4	54.2	53.8	52.8	52.2	49.0	46.8	45.1	44.8	44.5	48.4	5.0	53.4	
	20	47.1	53.0	43.5	52.5	51.9	50.6	49.9	47.7	46.1	44.2	44.0	43.6	47.1	5.0	52.1	
	21	48.2	54.2	44.3	53.8	53.4	52.3	51.7	48.8	46.8	45.0	44.7	44.4	48.2	5.0	53.2	
Night	22	47.8	53.7	43.7	53.3	52.7	51.6	50.8	48.5	46.5	44.5	44.2	43.8	47.8	10.0	57.8	
Night	23	46.3	52.4	42.5	52.0	51.5	50.2	49.5	47.0	45.0	43.1	42.9	42.6	46.3	10.0	56.3	
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)			
Day	Min	47.1	53.0	43.5	52.5	51.9	50.6	49.9	47.7	46.1	44.2	44.0	43.6	24-Hour	51.5	51.6	51.3
	Max	56.0	64.1	53.3	63.2	62.4	59.5	58.7	56.5	55.1	53.8	53.6	53.4				
Energy Average		51.6	Average:		56.5	55.9	54.6	53.8	51.3	49.5	47.5	47.2	46.7				
Night	Min	46.2	51.3	42.5	51.0	50.5	49.1	48.1	46.4	45.0	43.1	42.9	42.6				
	Max	56.9	64.2	51.3	63.8	63.5	62.5	61.6	57.0	54.2	52.0	51.7	51.4				
Energy Average		51.3	Average:		55.4	55.0	53.8	52.9	50.1	48.5	47.0	46.7	46.5				

### 24-Hour Noise Level Measurement Summary


Date: Wednesday, October 27, 2021  
Project: Beech Avenue

Location: L3 - Located northeast of the Project site near single-family  
Source: residence at 15459 Vanilla Bean Lane.

Meter: Piccolo II

JN: 14467  
Analyst: A. Khan

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$	
Night	0	56.7	81.7	51.6	81.2	80.1	74.7	69.9	56.6	52.8	51.9	51.8	51.7	56.7	10.0	66.7	
	1	57.5	69.3	50.5	69.0	68.2	64.7	61.8	53.8	51.6	50.8	50.7	50.6	57.5	10.0	67.5	
	2	57.0	68.6	50.7	68.2	67.4	64.1	61.7	53.6	51.7	51.0	50.9	50.8	57.0	10.0	67.0	
	3	59.9	72.0	51.5	71.6	70.8	67.2	64.3	56.3	53.0	51.8	51.7	51.5	59.9	10.0	69.9	
	4	61.4	72.6	52.9	72.2	71.6	68.6	66.6	58.9	55.1	53.3	53.1	52.9	61.4	10.0	71.4	
	5	63.3	73.2	54.0	72.9	72.3	70.0	68.4	62.9	57.9	54.7	54.3	54.0	63.3	10.0	73.3	
Day	6	65.6	75.5	55.4	75.1	74.4	72.1	70.3	65.8	61.4	56.3	55.9	55.5	65.6	10.0	75.6	
	7	69.1	78.3	58.1	77.9	77.2	75.5	74.1	69.3	65.7	59.9	58.9	58.2	69.1	0.0	69.1	
	8	66.0	74.7	54.9	74.3	73.6	71.6	70.6	67.2	62.8	56.0	55.4	55.0	66.0	0.0	66.0	
	9	63.5	73.2	51.8	72.9	72.2	70.2	68.8	63.7	57.7	52.6	52.2	51.9	63.5	0.0	63.5	
	10	64.4	75.8	50.9	75.3	74.4	71.4	69.1	63.8	57.9	51.7	51.2	51.0	64.4	0.0	64.4	
	11	63.9	73.9	51.1	73.5	72.5	70.1	68.7	64.4	59.4	52.1	51.5	51.1	63.9	0.0	63.9	
	12	62.6	72.3	50.6	72.0	71.3	69.0	67.6	63.2	57.6	51.6	51.1	50.7	62.6	0.0	62.6	
	13	64.8	75.5	51.1	75.1	74.2	71.2	69.7	65.1	59.2	52.2	51.6	51.2	64.8	0.0	64.8	
	14	64.4	73.5	52.2	73.2	72.5	70.2	68.9	65.4	60.7	53.7	52.9	52.4	64.4	0.0	64.4	
	15	65.7	77.1	51.2	76.4	75.5	72.2	70.0	65.6	60.6	52.3	51.8	51.3	65.7	0.0	65.7	
	16	65.4	75.1	51.3	74.7	73.9	71.3	69.8	66.4	61.8	52.9	52.1	51.4	65.4	0.0	65.4	
	17	65.0	73.6	51.2	73.3	72.6	70.9	69.5	66.1	62.3	53.1	51.9	51.3	65.0	0.0	65.0	
	18	66.3	78.5	51.5	78.0	76.8	72.9	70.3	65.2	60.8	53.0	52.2	51.6	66.3	0.0	66.3	
	19	63.6	74.2	50.4	73.7	72.8	70.2	68.4	63.6	57.7	51.5	51.0	50.5	63.6	5.0	68.6	
	20	62.0	72.3	49.7	72.0	71.2	68.7	67.2	62.0	55.3	50.5	50.1	49.8	62.0	5.0	67.0	
	21	61.8	73.4	49.4	72.9	71.9	68.8	66.9	60.8	53.5	50.0	49.8	49.5	61.8	5.0	66.8	
Night	22	60.0	81.1	48.9	80.0	78.3	72.0	65.5	56.8	51.8	49.5	49.2	48.9	60.0	10.0	70.0	
Night	23	58.8	70.5	48.4	70.1	69.3	66.4	64.3	55.2	50.7	48.9	48.7	48.4	58.8	10.0	68.8	
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)			
Day	Min	61.8	72.3	49.4	72.0	71.2	68.7	66.9	60.8	53.5	50.0	49.8	49.5	24-Hour	63.9	65.0	61.0
	Max	69.1	78.5	58.1	78.0	77.2	75.5	74.1	69.3	65.7	59.9	58.9	58.2				
Energy Average		65.0	Average:		74.3	73.5	70.9	69.3	64.8	59.5	52.9	52.2	51.8				
Night	Min	56.7	68.6	48.4	68.2	67.4	64.1	61.7	53.6	50.7	48.9	48.7	48.4				
	Max	65.6	81.7	55.4	81.2	80.1	74.7	70.3	65.8	61.4	56.3	55.9	55.5				
Energy Average		61.0	Average:		73.4	72.5	68.9	65.9	57.8	54.0	52.0	51.8	51.6				

## 24-Hour Noise Level Measurement Summary


Date: Wednesday, October 27, 2021  
Project: Beech Avenue

Location: L4 - Located southeast of the Project site near single-family  
Source: residence at 15357 Foothill Boulevard.

Meter: Piccolo II

JN: 14467  
Analyst: A. Khan

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$	
Night	0	62.2	73.3	49.9	72.9	72.0	69.2	67.2	61.3	55.7	50.7	50.3	49.9	62.2	10.0	72.2	
	1	60.3	71.6	46.8	71.2	70.4	67.5	65.5	59.2	52.9	47.7	47.3	46.9	60.3	10.0	70.3	
	2	62.5	74.1	46.9	73.9	73.1	70.0	67.7	60.5	54.3	48.5	47.7	47.1	62.5	10.0	72.5	
	3	63.9	74.0	49.6	73.6	73.0	70.7	69.3	63.8	58.5	51.3	50.3	49.8	63.9	10.0	73.9	
	4	66.6	75.9	54.1	75.6	75.0	72.9	71.4	67.0	62.8	55.9	54.9	54.3	66.6	10.0	76.6	
	5	68.0	76.4	56.4	76.0	75.3	73.5	72.4	69.0	65.3	58.5	57.3	56.6	68.0	10.0	78.0	
Day	6	69.8	79.4	59.1	78.9	78.1	76.0	74.4	69.9	66.6	61.1	60.2	59.3	69.8	10.0	79.8	
	7	70.3	78.9	61.6	78.5	77.8	75.7	74.3	70.7	68.4	63.7	62.8	61.9	70.3	0.0	70.3	
	8	69.7	79.1	58.9	78.6	77.9	75.2	73.7	70.3	67.1	61.2	60.1	59.0	69.7	0.0	69.7	
	9	69.3	79.1	55.9	78.7	78.1	75.6	73.8	69.4	65.9	59.1	57.6	56.2	69.3	0.0	69.3	
	10	68.1	77.1	55.6	76.7	75.8	73.7	72.1	68.8	65.7	58.6	57.2	56.0	68.1	0.0	68.1	
	11	70.2	81.4	57.1	81.0	80.1	77.0	74.2	69.5	66.2	59.7	58.5	57.4	70.2	0.0	70.2	
	12	69.9	80.5	57.8	79.9	79.2	76.6	74.1	69.4	66.2	60.4	59.3	58.1	69.9	0.0	69.9	
	13	69.4	77.1	59.3	76.7	76.1	74.3	73.3	70.3	67.6	62.3	61.0	59.5	69.4	0.0	69.4	
	14	69.8	78.1	60.3	77.6	77.0	75.2	73.9	70.4	67.7	63.0	61.8	60.6	69.8	0.0	69.8	
	15	70.7	79.0	60.8	78.5	77.9	76.0	74.7	71.3	68.5	63.4	62.2	61.0	70.7	0.0	70.7	
	16	72.6	83.9	60.5	83.4	82.8	80.0	77.1	70.7	67.9	63.3	62.1	60.9	72.6	0.0	72.6	
	17	71.2	81.9	60.7	81.5	80.6	77.2	75.0	70.8	68.0	63.0	62.0	60.9	71.2	0.0	71.2	
	18	70.2	80.6	58.0	80.2	79.3	76.7	74.5	69.9	66.9	61.1	59.6	58.3	70.2	0.0	70.2	
	19	68.9	79.1	55.7	78.6	77.7	74.8	73.0	69.1	65.9	58.9	57.2	55.9	68.9	5.0	73.9	
	20	67.4	77.1	54.5	76.8	76.0	73.2	71.6	67.9	64.0	57.1	55.9	54.7	67.4	5.0	72.4	
	21	68.2	78.7	54.0	78.1	77.3	75.3	73.5	67.6	63.7	56.4	55.2	54.2	68.2	5.0	73.2	
Night	22	65.7	75.4	50.9	75.0	74.4	72.3	70.5	65.9	61.6	53.8	52.3	51.1	65.7	10.0	75.7	
	23	65.9	77.1	49.8	76.7	75.9	73.2	70.8	65.1	59.8	51.8	50.7	50.0	65.9	10.0	75.9	
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)			
Day	Min	67.4	77.1	54.0	76.7	75.8	73.2	71.6	67.6	63.7	56.4	55.2	54.2	24-Hour	68.8	69.9	65.9
	Max	72.6	83.9	61.6	83.4	82.8	80.0	77.1	71.3	68.5	63.7	62.8	61.9				
Energy Average		69.9	Average:		79.0	78.2	75.8	73.9	69.7	66.6	60.7	59.5	58.3				
Night	Min	60.3	71.6	46.8	71.2	70.4	67.5	65.5	59.2	52.9	47.7	47.3	46.9				
	Max	69.8	79.4	59.1	78.9	78.1	76.0	74.4	69.9	66.6	61.1	60.2	59.3				
Energy Average		65.9	Average:		74.9	74.1	71.7	69.9	64.6	59.7	53.3	52.3	51.7				

## 24-Hour Noise Level Measurement Summary


Date: Wednesday, October 27, 2021  
Project: Beech Avenue

Location: L5 - Located southwest of the Project site near Sunset Motel at  
Source: 15243 Foothill Boulevard.

Meter: Piccolo II

JN: 14467  
Analyst: A. Khan

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$	
Night	0	63.4	75.2	52.5	74.5	73.5	70.5	68.3	61.6	56.7	53.3	52.9	52.6	63.4	10.0	73.4	
	1	62.4	74.3	49.9	73.5	72.6	69.6	67.5	60.9	55.1	50.5	50.3	50.0	62.4	10.0	72.4	
	2	63.2	75.0	49.7	74.3	73.2	70.4	68.6	61.3	56.1	51.1	50.3	49.9	63.2	10.0	73.2	
	3	65.8	77.1	51.3	76.5	75.6	72.9	70.9	65.1	59.5	52.4	51.8	51.4	65.8	10.0	75.8	
	4	68.5	79.4	55.9	78.6	77.6	74.5	72.7	68.7	64.5	57.8	56.9	56.0	68.5	10.0	78.5	
	5	69.5	78.9	58.2	78.4	77.6	75.0	73.4	70.0	66.9	61.0	59.7	58.5	69.5	10.0	79.5	
	6	71.0	80.3	59.7	79.7	78.9	76.6	75.3	71.6	68.3	62.1	60.8	59.8	71.0	10.0	81.0	
Day	7	71.8	80.8	62.6	80.2	79.3	77.1	75.7	72.4	69.7	64.7	63.8	62.8	71.8	0.0	71.8	
	8	71.5	80.8	60.2	80.0	79.0	77.0	75.7	72.2	68.9	62.7	61.6	60.6	71.5	0.0	71.5	
	9	70.1	80.0	55.3	79.4	78.4	76.2	74.7	70.7	66.9	58.6	57.1	55.5	70.1	0.0	70.1	
	10	70.1	80.1	55.6	79.4	78.5	76.0	74.4	70.6	67.0	58.8	57.3	56.0	70.1	0.0	70.1	
	11	71.9	84.5	56.6	83.7	82.5	78.0	75.3	70.9	67.4	59.8	58.5	56.8	71.9	0.0	71.9	
	12	70.0	78.7	57.8	78.1	77.2	75.4	74.2	71.0	67.9	60.6	59.5	58.1	70.0	0.0	70.0	
	13	71.2	80.2	60.0	79.6	78.6	76.5	75.1	72.0	69.0	62.5	61.4	60.2	71.2	0.0	71.2	
	14	71.8	81.1	62.1	80.4	79.4	76.9	75.6	72.4	69.6	64.3	63.3	62.3	71.8	0.0	71.8	
	15	71.9	80.8	61.8	80.2	79.3	77.0	75.6	72.5	70.0	64.5	63.3	62.1	71.9	0.0	71.9	
	16	74.1	86.4	60.9	85.6	84.2	80.5	77.7	72.7	70.0	63.8	62.2	61.1	74.1	0.0	74.1	
	17	72.7	83.7	59.8	82.8	82.1	78.9	76.5	72.3	69.6	63.1	61.5	60.1	72.7	0.0	72.7	
	18	71.8	82.8	59.7	81.9	80.7	77.7	75.7	71.7	68.8	63.0	61.4	60.0	71.8	0.0	71.8	
	19	71.6	84.1	55.8	83.3	81.9	77.8	75.1	70.6	66.9	58.8	57.1	56.1	71.6	5.0	76.6	
	20	69.4	79.7	54.9	78.8	77.8	75.2	73.5	70.0	66.4	57.9	56.2	55.1	69.4	5.0	74.4	
	21	70.5	82.0	55.7	81.3	80.2	77.3	74.5	70.2	65.6	58.1	56.9	55.9	70.5	5.0	75.5	
Night	22	68.0	78.4	54.1	77.7	76.7	74.3	73.0	68.3	63.6	56.1	55.2	54.3	68.0	10.0	78.0	
Night	23	66.2	76.8	52.5	76.1	75.2	72.9	71.2	66.2	61.0	54.2	53.4	52.7	66.2	10.0	76.2	
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)			
Day	Min	69.4	78.7	54.9	78.1	77.2	75.2	73.5	70.0	65.6	57.9	56.2	55.1	24-Hour	70.4	71.5	67.3
	Max	74.1	86.4	62.6	85.6	84.2	80.5	77.7	72.7	70.0	64.7	63.8	62.8				
Energy Average		71.5	Average:		81.0	80.0	77.2	75.3	71.5	68.2	61.4	60.1	58.8	Nighttime (10pm-7am)			
Night	Min	62.4	74.3	49.7	73.5	72.6	69.6	67.5	60.9	55.1	50.5	50.3	49.9				
	Max	71.0	80.3	59.7	79.7	78.9	76.6	75.3	71.6	68.3	62.1	60.8	59.8				
Energy Average		67.3	Average:		76.6	75.6	73.0	71.2	66.0	61.3	55.4	54.6	53.9				

## 24-Hour Noise Level Measurement Summary


Date: Wednesday, October 27, 2021  
Project: Beech Avenue

Location: L6 - Located southwest of the Project site near Forty Winks  
Source: Motel at 15210 Foothill Boulevard.

Meter: Piccolo II

JN: 14467  
Analyst: A. Khan

Hourly  $L_{eq}$  dBA Readings (unadjusted)



Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$	Adj.	Adj. $L_{eq}$	
Night	0	52.8	59.3	49.1	58.8	58.2	56.9	56.3	53.3	51.3	49.6	49.4	49.1	52.8	10.0	62.8	
	1	50.0	56.5	45.6	56.0	55.5	54.5	53.9	50.4	47.9	46.2	45.9	45.7	50.0	10.0	60.0	
	2	50.8	59.0	45.7	58.3	57.5	56.2	55.3	50.8	48.5	46.4	46.1	45.8	50.8	10.0	60.8	
	3	53.9	60.4	49.1	60.0	59.6	58.2	57.3	54.6	52.4	49.9	49.6	49.2	53.9	10.0	63.9	
	4	55.9	62.9	51.2	62.5	62.0	60.4	59.2	56.4	54.4	52.1	51.8	51.3	55.9	10.0	65.9	
	5	57.3	62.9	53.1	62.5	62.0	61.0	60.1	58.0	56.5	54.1	53.6	53.2	57.3	10.0	67.3	
Day	6	59.0	64.9	54.6	64.6	64.1	62.9	62.2	59.8	58.0	55.6	55.2	54.8	59.0	10.0	69.0	
	7	59.2	63.9	56.2	63.5	63.1	62.2	61.6	59.8	58.6	57.0	56.6	56.3	59.2	0.0	59.2	
	8	56.1	60.6	52.9	60.3	59.9	59.0	58.5	56.8	55.3	53.6	53.4	53.0	56.1	0.0	56.1	
	9	54.0	60.0	49.2	59.6	59.1	58.1	57.4	54.7	52.9	50.2	49.8	49.4	54.0	0.0	54.0	
	10	52.5	58.8	47.9	58.3	57.7	56.4	55.5	53.2	51.5	48.9	48.4	48.0	52.5	0.0	52.5	
	11	54.0	61.5	49.3	61.0	60.2	58.7	57.9	54.3	52.2	50.1	49.8	49.4	54.0	0.0	54.0	
	12	52.1	57.1	48.6	56.7	56.2	55.3	54.7	52.9	51.3	49.3	49.0	48.7	52.1	0.0	52.1	
	13	51.4	56.0	48.4	55.6	55.1	54.2	53.5	52.0	50.9	49.1	48.8	48.5	51.4	0.0	51.4	
	14	53.1	57.6	49.8	57.3	56.9	56.2	55.6	53.7	52.4	50.6	50.3	49.9	53.1	0.0	53.1	
	15	52.4	57.7	48.7	57.3	56.9	55.8	55.0	53.1	51.6	49.5	49.2	48.8	52.4	0.0	52.4	
	16	52.7	60.2	47.6	59.6	59.0	57.5	56.5	53.1	51.0	48.6	48.2	47.7	52.7	0.0	52.7	
	17	53.2	59.5	48.3	59.1	58.7	57.6	56.8	53.8	51.7	49.3	48.9	48.5	53.2	0.0	53.2	
	18	54.3	61.0	49.1	60.7	60.2	59.0	58.3	54.8	52.6	49.9	49.6	49.2	54.3	0.0	54.3	
	19	53.6	61.5	47.8	61.1	60.6	58.8	57.6	53.8	51.4	48.7	48.3	47.9	53.6	5.0	58.6	
	20	51.4	58.2	46.9	57.8	57.2	55.9	54.7	52.0	50.1	47.7	47.4	47.0	51.4	5.0	56.4	
	21	51.7	59.5	46.8	58.8	58.2	56.5	55.2	52.1	49.6	47.5	47.2	46.9	51.7	5.0	56.7	
Night	22	50.0	56.2	45.5	55.8	55.3	54.3	53.5	50.5	48.5	46.3	46.0	45.6	50.0	10.0	60.0	
Night	23	49.0	55.5	44.3	55.1	54.7	53.5	52.8	49.5	47.5	45.1	44.7	44.4	49.0	10.0	59.0	
Timeframe	Hour	$L_{eq}$	$L_{max}$	$L_{min}$	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	$L_{eq}$ (dBA)			
Day	Min	51.4	56.0	46.8	55.6	55.1	54.2	53.5	52.0	49.6	47.5	47.2	46.9	24-Hour	54.2	54.0	54.5
	Max	59.2	63.9	56.2	63.5	63.1	62.2	61.6	59.8	58.6	57.0	56.6	56.3				
Energy Average		54.0	Average:		59.1	58.6	57.4	56.6	54.0	52.2	50.0	49.7	49.3				
Night	Min	49.0	55.5	44.3	55.1	54.7	53.5	52.8	49.5	47.5	45.1	44.7	44.4				
	Max	59.0	64.9	54.6	64.6	64.1	62.9	62.2	59.8	58.0	55.6	55.2	54.8				
Energy Average		54.5	Average:		59.3	58.8	57.5	56.7	53.7	51.7	49.5	49.1	48.8				

**APPENDIX 7.1:**  
**OFF-SITE TRAFFIC NOISE CONTOURS**

*This page intentionally left blank*

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Cherry Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 27,002 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,700 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.44	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.36	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.19	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.1	70.2	68.4	62.8	71.2	71.8	
Medium Trucks:	66.0	64.4	56.7	57.2	65.3	65.5	
Heavy Trucks:	69.1	67.1	57.7	63.0	70.0	70.1	
Vehicle Noise:	74.5	72.6	69.0	66.5	74.3	74.6	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			127	274	590	1,271	
CNEL:			134	288	621	1,339	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Cherry Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 27,054 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,705 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.27% Medium Trucks: 84.5% 3.6% 11.9% 2.02% Heavy Trucks: 76.1% 2.2% 21.7% 1.71%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.45	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.34	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.05	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.1	70.2	68.4	62.8	71.2	71.8	
Medium Trucks:	66.0	64.5	56.8	57.2	65.3	65.5	
Heavy Trucks:	69.3	67.3	57.9	63.1	70.2	70.2	
Vehicle Noise:	74.6	72.7	69.0	66.5	74.3	74.7	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			128	276	595	1,283	
CNEL:			135	291	627	1,350	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Cherry Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 30,847 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,085 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.02	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.78	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.61	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.7	70.7	69.0	63.4	71.8	72.4	
Medium Trucks:	66.5	65.0	57.3	57.7	65.9	66.0	
Heavy Trucks:	69.7	67.7	58.3	63.5	70.6	70.7	
Vehicle Noise:	75.1	73.2	69.6	67.0	74.8	75.2	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			139	299	645	1,389	
CNEL:			146	315	679	1,463	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Cherry Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 30,898 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,090 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.27% Medium Trucks: 84.5% 3.6% 11.9% 2.02% Heavy Trucks: 76.1% 2.2% 21.7% 1.71%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.03	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.76	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.48	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.7	70.7	69.0	63.4	71.8	72.4	
Medium Trucks:	66.6	65.0	57.3	57.8	65.9	66.1	
Heavy Trucks:	69.8	67.8	58.4	63.7	70.7	70.8	
Vehicle Noise:	75.1	73.3	69.6	67.1	74.9	75.2	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			140	302	650	1,400	
CNEL:			147	318	684	1,474	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Cherry Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA			NOISE MODEL INPUTS				
<b>Highway Data</b>			<b>Site Conditions (Hard = 10, Soft = 15)</b>				
Average Daily Traffic (Adt): 25,477 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,548 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet			Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15				
<b>Site Data</b>			<b>Vehicle Mix</b>				
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees			Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%				
			<b>Noise Source Elevations (in feet)</b>				
			Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0				
			<b>Lane Equivalent Distance (in feet)</b>				
			Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374				
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.19	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.62	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.44	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	71.9	69.9	68.2	62.6	71.0	71.6	
Medium Trucks:	65.7	64.2	56.5	56.9	65.1	65.2	
Heavy Trucks:	68.9	66.9	57.5	62.7	69.8	69.8	
Vehicle Noise:	74.3	72.4	68.8	66.2	74.0	74.4	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			122	263	568	1,223	
CNEL:			129	277	598	1,288	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Cherry Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA			NOISE MODEL INPUTS				
<b>Highway Data</b>			<b>Site Conditions (Hard = 10, Soft = 15)</b>				
Average Daily Traffic (Adt): 25,556 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,556 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet			Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15				
<b>Site Data</b>			<b>Vehicle Mix</b>				
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees			Autos: 76.6% 12.8% 10.6% 96.16% Medium Trucks: 84.5% 3.6% 11.9% 2.04% Heavy Trucks: 76.1% 2.2% 21.7% 1.80%				
			<b>Noise Source Elevations (in feet)</b>				
			Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0				
			<b>Lane Equivalent Distance (in feet)</b>				
			Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374				
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.20	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.55	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.08	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	71.9	69.9	68.2	62.6	71.0	71.6	
Medium Trucks:	65.8	64.2	56.6	57.0	65.1	65.3	
Heavy Trucks:	69.2	67.3	57.8	63.1	70.1	70.2	
Vehicle Noise:	74.4	72.5	68.8	66.4	74.2	74.5	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			125	270	581	1,252	
CNEL:			132	284	611	1,317	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Cherry Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA			NOISE MODEL INPUTS				
<b>Highway Data</b>			<b>Site Conditions (Hard = 10, Soft = 15)</b>				
Average Daily Traffic (Adt): 28,966 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,897 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet			Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15				
<b>Site Data</b>			<b>Vehicle Mix</b>				
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees			Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%				
			<b>Noise Source Elevations (in feet)</b>				
			Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0				
			<b>Lane Equivalent Distance (in feet)</b>				
			Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374				
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.75	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.06	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.88	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.4	70.5	68.7	63.1	71.5	72.1	
Medium Trucks:	66.3	64.7	57.0	57.5	65.6	65.8	
Heavy Trucks:	69.4	67.4	58.0	63.3	70.3	70.4	
Vehicle Noise:	74.8	72.9	69.3	66.8	74.6	74.9	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			133	287	618	1,332	
CNEL:			140	302	651	1,403	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Cherry Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA			NOISE MODEL INPUTS				
<b>Highway Data</b>			<b>Site Conditions (Hard = 10, Soft = 15)</b>				
Average Daily Traffic (Adt): 29,045 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,904 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet			Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15				
<b>Site Data</b>			<b>Vehicle Mix</b>				
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees			Autos: 76.6% 12.8% 10.6% 96.18% Medium Trucks: 84.5% 3.6% 11.9% 2.03% Heavy Trucks: 76.1% 2.2% 21.7% 1.79%				
			<b>Noise Source Elevations (in feet)</b>				
			Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0				
			<b>Lane Equivalent Distance (in feet)</b>				
			Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374				
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.75	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.00	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.56	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.4	70.5	68.7	63.2	71.5	72.1	
Medium Trucks:	66.3	64.8	57.1	57.5	65.7	65.8	
Heavy Trucks:	69.7	67.8	58.3	63.6	70.7	70.7	
Vehicle Noise:	74.9	73.0	69.4	66.9	74.7	75.0	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			136	293	631	1,360	
CNEL:			143	308	664	1,430	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Redwood Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 3,640 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 364 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-6.39	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-23.20	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-24.02	2.52	-1.20	-5.67	0.000	0.000

Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	63.3	61.4	59.6	54.1	62.5	63.0	
Medium Trucks:	57.6	56.1	48.4	48.8	56.9	57.1	
Heavy Trucks:	61.6	59.6	50.2	55.4	62.5	62.5	
Vehicle Noise:	66.2	64.3	60.4	58.3	66.0	66.4	

Centerline Distance to Noise Contour (in feet)					
	70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:	19	40	86	185	
CNEL:	19	42	90	194	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Redwood Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 3,656 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 366 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.34% Medium Trucks: 84.5% 3.6% 11.9% 2.00% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-6.37	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-23.20	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-24.02	2.52	-1.20	-5.67	0.000	0.000

Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	63.4	61.4	59.7	54.1	62.5	63.1	
Medium Trucks:	57.6	56.1	48.4	48.8	56.9	57.1	
Heavy Trucks:	61.6	59.6	50.2	55.4	62.5	62.5	
Vehicle Noise:	66.2	64.3	60.4	58.3	66.1	66.4	

Centerline Distance to Noise Contour (in feet)					
	70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:	19	40	86	185	
CNEL:	19	42	90	194	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Redwood Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 3,935 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 393 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-6.05	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-22.86	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-23.68	2.52	-1.20	-5.67	0.000	0.000

Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	63.7	61.7	60.0	54.4	62.8	63.4	
Medium Trucks:	57.9	56.4	48.7	49.1	57.3	57.4	
Heavy Trucks:	61.9	59.9	50.5	55.7	62.8	62.9	
Vehicle Noise:	66.5	64.6	60.7	58.6	66.4	66.7	

Centerline Distance to Noise Contour (in feet)					
	70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:	20	42	91	195	
CNEL:	20	44	95	205	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Redwood Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 3,951 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 395 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.34% Medium Trucks: 84.5% 3.6% 11.9% 2.00% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-6.03	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-22.86	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-23.68	2.52	-1.20	-5.67	0.000	0.000

Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	63.7	61.8	60.0	54.4	62.8	63.4	
Medium Trucks:	57.9	56.4	48.7	49.1	57.3	57.4	
Heavy Trucks:	61.9	59.9	50.5	55.7	62.8	62.9	
Vehicle Noise:	66.5	64.6	60.7	58.7	66.4	66.7	

Centerline Distance to Noise Contour (in feet)					
	70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:	20	42	91	195	
CNEL:	20	44	95	205	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Hemlock Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 2,048 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 205 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-8.89	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-25.69	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-26.52	2.52	-1.20	-5.67	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	60.9	58.9	57.1	51.6	60.0	60.5	
Medium Trucks:	55.1	53.6	45.9	46.3	54.4	54.6	
Heavy Trucks:	59.1	57.1	47.7	52.9	60.0	60.0	
Vehicle Noise:	63.7	61.8	57.9	55.8	63.5	63.9	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			13	27	59	126	
CNEL:			13	29	61	132	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Hemlock Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 2,065 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 206 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.36% Medium Trucks: 84.5% 3.6% 11.9% 1.99% Heavy Trucks: 76.1% 2.2% 21.7% 1.65%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-8.85	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-25.69	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-26.52	2.52	-1.20	-5.67	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	60.9	58.9	57.2	51.6	60.0	60.6	
Medium Trucks:	55.1	53.6	45.9	46.3	54.4	54.6	
Heavy Trucks:	59.1	57.1	47.7	52.9	60.0	60.0	
Vehicle Noise:	63.7	61.8	57.9	55.8	63.6	63.9	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			13	27	59	127	
CNEL:			13	29	62	133	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Hemlock Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 2,279 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 228 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-8.42	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-25.23	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-26.05	2.52	-1.20	-5.67	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	61.3	59.4	57.6	52.0	60.4	61.0	
Medium Trucks:	55.5	54.0	46.3	46.8	54.9	55.1	
Heavy Trucks:	59.5	57.5	48.1	53.4	60.4	60.5	
Vehicle Noise:	64.2	62.3	58.4	56.3	64.0	64.3	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			14	29	63	136	
CNEL:			14	31	66	142	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Hemlock Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 2,296 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 230 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
				VehicleType	Day	Evening	Night
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.35% Medium Trucks: 84.5% 3.6% 11.9% 2.00% Heavy Trucks: 76.1% 2.2% 21.7% 1.65%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-8.39	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-25.23	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-26.05	2.52	-1.20	-5.67	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	61.3	59.4	57.6	52.1	60.5	61.0	
Medium Trucks:	55.5	54.0	46.3	46.8	54.9	55.1	
Heavy Trucks:	59.5	57.5	48.1	53.4	60.4	60.5	
Vehicle Noise:	64.2	62.3	58.4	56.3	64.0	64.3	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			14	29	63	136	
CNEL:			14	31	66	142	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Almeria Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 4,370 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 437 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-5.60	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-22.40	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-23.22	2.52	-1.20	-5.67	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	64.1	62.2	60.4	54.9	63.3	63.8	
Medium Trucks:	58.4	56.9	49.2	49.6	57.7	57.9	
Heavy Trucks:	62.4	60.4	51.0	56.2	63.3	63.3	
Vehicle Noise:	67.0	65.1	61.2	59.1	66.8	67.1	
Centerline Distance to Noise Contour (in feet)							
		70 dBA	65 dBA	60 dBA	55 dBA		
	Ldn:	21	45	97	209		
	CNEL:	22	47	102	219		

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Almeria Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 4,404 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 440 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.36% Medium Trucks: 84.5% 3.6% 11.9% 1.99% Heavy Trucks: 76.1% 2.2% 21.7% 1.65%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-5.56	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-22.40	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-23.22	2.52	-1.20	-5.67	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	64.2	62.2	60.5	54.9	63.3	63.9	
Medium Trucks:	58.4	56.9	49.2	49.6	57.7	57.9	
Heavy Trucks:	62.4	60.4	51.0	56.2	63.3	63.3	
Vehicle Noise:	67.0	65.1	61.2	59.1	66.9	67.2	
Centerline Distance to Noise Contour (in feet)							
		70 dBA	65 dBA	60 dBA	55 dBA		
	Ldn:	21	45	97	210		
	CNEL:	22	47	102	220		

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Almeria Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 5,207 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 521 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-4.83	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-21.64	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-22.46	2.52	-1.20	-5.67	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	64.9	63.0	61.2	55.6	64.0	64.6	
Medium Trucks:	59.1	57.6	49.9	50.3	58.5	58.7	
Heavy Trucks:	63.1	61.1	51.7	56.9	64.0	64.1	
Vehicle Noise:	67.8	65.9	61.9	59.9	67.6	67.9	
Centerline Distance to Noise Contour (in feet)							
		70 dBA	65 dBA	60 dBA	55 dBA		
	Ldn:	24	51	109	235		
	CNEL:	25	53	114	247		

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Almeria Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 5,240 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 524 vehicles Vehicle Speed: 45 mph Near/Far Lane Distance: 14 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 34.0 feet Centerline Dist. to Observer: 34.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.35% Medium Trucks: 84.5% 3.6% 11.9% 2.00% Heavy Trucks: 76.1% 2.2% 21.7% 1.65%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 33.645 Medium Trucks: 33.381 Heavy Trucks: 33.407			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	68.46	-4.81	2.48	-1.20	-4.53	0.000	0.000
Medium Trucks:	79.45	-21.64	2.53	-1.20	-4.86	0.000	0.000
Heavy Trucks:	84.25	-22.46	2.52	-1.20	-5.67	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	64.9	63.0	61.2	55.7	64.0	64.6	
Medium Trucks:	59.1	57.6	49.9	50.3	58.5	58.7	
Heavy Trucks:	63.1	61.1	51.7	56.9	64.0	64.1	
Vehicle Noise:	67.8	65.9	62.0	59.9	67.6	67.9	
Centerline Distance to Noise Contour (in feet)							
		70 dBA	65 dBA	60 dBA	55 dBA		
	Ldn:	24	51	109	236		
	CNEL:	25	53	115	247		

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Citrus Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 21,394 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,139 vehicles Vehicle Speed: 50 mph Near/Far Lane Distance: 61 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 52.0 feet Centerline Dist. to Observer: 52.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 42.412 Medium Trucks: 42.203 Heavy Trucks: 42.223			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	70.20	0.85	0.97	-1.20	-4.66	0.000	0.000
Medium Trucks:	81.00	-15.96	1.00	-1.20	-4.87	0.000	0.000
Heavy Trucks:	85.38	-16.78	1.00	-1.20	-5.41	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	70.8	68.9	67.1	61.5	69.9	70.5	
Medium Trucks:	64.8	63.3	55.6	56.0	64.2	64.4	
Heavy Trucks:	68.4	66.4	57.0	62.2	69.3	69.4	
Vehicle Noise:	73.4	71.5	67.8	65.4	73.2	73.5	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			85	184	396	852	
CNEL:			90	193	416	896	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Citrus Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 21,453 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,145 vehicles Vehicle Speed: 50 mph Near/Far Lane Distance: 61 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 52.0 feet Centerline Dist. to Observer: 52.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.30% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.69%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 42.412 Medium Trucks: 42.203 Heavy Trucks: 42.223			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	70.20	0.86	0.97	-1.20	-4.66	0.000	0.000
Medium Trucks:	81.00	-15.94	1.00	-1.20	-4.87	0.000	0.000
Heavy Trucks:	85.38	-16.69	1.00	-1.20	-5.41	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	70.8	68.9	67.1	61.6	69.9	70.5	
Medium Trucks:	64.9	63.3	55.6	56.1	64.2	64.4	
Heavy Trucks:	68.5	66.5	57.1	62.3	69.4	69.5	
Vehicle Noise:	73.5	71.6	67.8	65.5	73.3	73.6	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			86	185	398	858	
CNEL:			90	194	418	902	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Citrus Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 23,154 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,315 vehicles Vehicle Speed: 50 mph Near/Far Lane Distance: 61 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 52.0 feet Centerline Dist. to Observer: 52.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 42.412 Medium Trucks: 42.203 Heavy Trucks: 42.223			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	70.20	1.19	0.97	-1.20	-4.66	0.000	0.000
Medium Trucks:	81.00	-15.62	1.00	-1.20	-4.87	0.000	0.000
Heavy Trucks:	85.38	-16.44	1.00	-1.20	-5.41	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	71.2	69.2	67.5	61.9	70.3	70.9	
Medium Trucks:	65.2	63.7	56.0	56.4	64.5	64.7	
Heavy Trucks:	68.7	66.8	57.3	62.6	69.6	69.7	
Vehicle Noise:	73.8	71.9	68.1	65.8	73.6	73.9	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			90	194	417	898	
CNEL:			94	203	438	944	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Citrus Av. Road Segment: n/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 23,214 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,321 vehicles Vehicle Speed: 50 mph Near/Far Lane Distance: 61 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 52.0 feet Centerline Dist. to Observer: 52.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.30% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.69%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 42.412 Medium Trucks: 42.203 Heavy Trucks: 42.223			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	70.20	1.20	0.97	-1.20	-4.66	0.000	0.000
Medium Trucks:	81.00	-15.60	1.00	-1.20	-4.87	0.000	0.000
Heavy Trucks:	85.38	-16.36	1.00	-1.20	-5.41	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	71.2	69.2	67.5	61.9	70.3	70.9	
Medium Trucks:	65.2	63.7	56.0	56.4	64.6	64.7	
Heavy Trucks:	68.8	66.8	57.4	62.6	69.7	69.8	
Vehicle Noise:	73.8	71.9	68.1	65.8	73.6	73.9	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			90	195	420	904	
CNEL:			95	205	441	950	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Citrus Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 23,286 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,329 vehicles Vehicle Speed: 50 mph Near/Far Lane Distance: 61 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 52.0 feet Centerline Dist. to Observer: 52.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 42.412 Medium Trucks: 42.203 Heavy Trucks: 42.223			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	70.20	1.21	0.97	-1.20	-4.66	0.000	0.000
Medium Trucks:	81.00	-15.59	1.00	-1.20	-4.87	0.000	0.000
Heavy Trucks:	85.38	-16.42	1.00	-1.20	-5.41	0.000	0.000

Unmitigated Noise Levels (without Topo and barrier attenuation)						
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	71.2	69.2	67.5	61.9	70.3	70.9
Medium Trucks:	65.2	63.7	56.0	56.4	64.6	64.7
Heavy Trucks:	68.8	66.8	57.4	62.6	69.7	69.7
Vehicle Noise:	73.8	71.9	68.2	65.8	73.6	73.9

Centerline Distance to Noise Contour (in feet)					
	70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:	90	194	419	902	
CNEL:	95	204	440	948	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Citrus Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 23,366 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,337 vehicles Vehicle Speed: 50 mph Near/Far Lane Distance: 61 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 52.0 feet Centerline Dist. to Observer: 52.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.28% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.70%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 42.412 Medium Trucks: 42.203 Heavy Trucks: 42.223			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	70.20	1.23	0.97	-1.20	-4.66	0.000	0.000
Medium Trucks:	81.00	-15.57	1.00	-1.20	-4.87	0.000	0.000
Heavy Trucks:	85.38	-16.29	1.00	-1.20	-5.41	0.000	0.000

Unmitigated Noise Levels (without Topo and barrier attenuation)						
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	71.2	69.2	67.5	61.9	70.3	70.9
Medium Trucks:	65.2	63.7	56.0	56.4	64.6	64.7
Heavy Trucks:	68.8	66.9	57.5	62.7	69.8	69.9
Vehicle Noise:	73.8	71.9	68.2	65.9	73.6	74.0

Centerline Distance to Noise Contour (in feet)					
	70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:	91	196	422	910	
CNEL:	96	206	444	956	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Citrus Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 25,070 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,507 vehicles Vehicle Speed: 50 mph Near/Far Lane Distance: 61 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 52.0 feet Centerline Dist. to Observer: 52.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 42.412 Medium Trucks: 42.203 Heavy Trucks: 42.223			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	70.20	1.53	0.97	-1.20	-4.66	0.000	0.000
Medium Trucks:	81.00	-15.27	1.00	-1.20	-4.87	0.000	0.000
Heavy Trucks:	85.38	-16.09	1.00	-1.20	-5.41	0.000	0.000

Unmitigated Noise Levels (without Topo and barrier attenuation)						
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	71.5	69.6	67.8	62.2	70.6	71.2
Medium Trucks:	65.5	64.0	56.3	56.7	64.9	65.0
Heavy Trucks:	69.1	67.1	57.7	62.9	70.0	70.1
Vehicle Noise:	74.1	72.2	68.5	66.1	73.9	74.2

Centerline Distance to Noise Contour (in feet)					
	70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:	95	204	440	947	
CNEL:	100	215	462	996	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Citrus Av. Road Segment: s/o Foothill Bl. (SR-66)				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 25,151 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,515 vehicles Vehicle Speed: 50 mph Near/Far Lane Distance: 61 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 52.0 feet Centerline Dist. to Observer: 52.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.29% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.70%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 42.412 Medium Trucks: 42.203 Heavy Trucks: 42.223			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	70.20	1.55	0.97	-1.20	-4.66	0.000	0.000
Medium Trucks:	81.00	-15.25	1.00	-1.20	-4.87	0.000	0.000
Heavy Trucks:	85.38	-15.98	1.00	-1.20	-5.41	0.000	0.000

Unmitigated Noise Levels (without Topo and barrier attenuation)						
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL
Autos:	71.5	69.6	67.8	62.2	70.6	71.2
Medium Trucks:	65.6	64.0	56.3	56.8	64.9	65.1
Heavy Trucks:	69.2	67.2	57.8	63.0	70.1	70.2
Vehicle Noise:	74.2	72.3	68.5	66.2	74.0	74.3

Centerline Distance to Noise Contour (in feet)					
	70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:	96	206	443	955	
CNEL:	100	216	466	1,004	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Foothill Bl. (SR-66) Road Segment: w/o Cherry Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 29,038 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,904 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.76	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.05	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.87	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.4	70.5	68.7	63.2	71.5	72.1	
Medium Trucks:	66.3	64.7	57.1	57.5	65.6	65.8	
Heavy Trucks:	69.4	67.5	58.0	63.3	70.3	70.4	
Vehicle Noise:	74.8	72.9	69.3	66.8	74.6	74.9	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			133	287	619	1,334	
CNEL:			141	303	652	1,405	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Foothill Bl. (SR-66) Road Segment: w/o Cherry Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 29,077 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,908 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.32% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.67%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.76	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.04	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.84	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.4	70.5	68.7	63.2	71.6	72.1	
Medium Trucks:	66.3	64.8	57.1	57.5	65.6	65.8	
Heavy Trucks:	69.5	67.5	58.1	63.3	70.4	70.4	
Vehicle Noise:	74.9	73.0	69.4	66.8	74.6	74.9	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			134	288	621	1,338	
CNEL:			141	303	654	1,409	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Foothill Bl. (SR-66) Road Segment: w/o Cherry Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 33,692 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,369 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.40	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.40	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.22	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	73.1	71.1	69.4	63.8	72.2	72.8	
Medium Trucks:	66.9	65.4	57.7	58.1	66.3	66.4	
Heavy Trucks:	70.1	68.1	58.7	63.9	71.0	71.1	
Vehicle Noise:	75.5	73.6	70.0	67.4	75.2	75.6	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			147	317	684	1,473	
CNEL:			155	334	720	1,552	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Foothill Bl. (SR-66) Road Segment: w/o Cherry Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 33,730 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,373 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.32% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.67%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.41	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.40	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.20	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	73.1	71.1	69.4	63.8	72.2	72.8	
Medium Trucks:	66.9	65.4	57.7	58.1	66.3	66.4	
Heavy Trucks:	70.1	68.1	58.7	63.9	71.0	71.1	
Vehicle Noise:	75.5	73.6	70.0	67.4	75.2	75.6	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			148	318	685	1,476	
CNEL:			155	335	722	1,555	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Foothill Bl. (SR-66) Road Segment: e/o Cherry Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 29,143 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,914 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.77	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.03	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.85	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.4	70.5	68.7	63.2	71.6	72.1	
Medium Trucks:	66.3	64.8	57.1	57.5	65.6	65.8	
Heavy Trucks:	69.5	67.5	58.1	63.3	70.4	70.4	
Vehicle Noise:	74.9	73.0	69.4	66.8	74.6	74.9	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			134	288	621	1,338	
CNEL:			141	304	654	1,409	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Foothill Bl. (SR-66) Road Segment: e/o Cherry Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 29,328 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,933 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.12% Medium Trucks: 84.5% 3.6% 11.9% 2.04% Heavy Trucks: 76.1% 2.2% 21.7% 1.84%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.79	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.94	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.39	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.5	70.5	68.8	63.2	71.6	72.2	
Medium Trucks:	66.4	64.9	57.2	57.6	65.7	65.9	
Heavy Trucks:	69.9	67.9	58.5	63.8	70.8	70.9	
Vehicle Noise:	75.0	73.1	69.4	67.0	74.8	75.1	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			138	297	640	1,380	
CNEL:			145	313	673	1,451	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Foothill Bl. (SR-66) Road Segment: e/o Cherry Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 37,778 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,778 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.90	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-13.90	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-14.73	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	73.6	71.6	69.9	64.3	72.7	73.3	
Medium Trucks:	67.4	65.9	58.2	58.6	66.8	66.9	
Heavy Trucks:	70.6	68.6	59.2	64.4	71.5	71.6	
Vehicle Noise:	76.0	74.1	70.5	67.9	75.7	76.1	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			159	343	738	1,590	
CNEL:			167	361	777	1,675	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Foothill Bl. (SR-66) Road Segment: e/o Cherry Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 37,963 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,796 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.17% Medium Trucks: 84.5% 3.6% 11.9% 2.03% Heavy Trucks: 76.1% 2.2% 21.7% 1.80%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.91	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-13.84	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-14.36	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	73.6	71.6	69.9	64.3	72.7	73.3	
Medium Trucks:	67.5	66.0	58.3	58.7	66.8	67.0	
Heavy Trucks:	70.9	69.0	59.5	64.8	71.9	71.9	
Vehicle Noise:	76.1	74.2	70.5	68.1	75.9	76.2	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			163	351	756	1,629	
CNEL:			171	369	795	1,713	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Foothill Bl. (SR-66) Road Segment: w/o Hemlock Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 25,529 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,553 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.20	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.61	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.43	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	71.9	69.9	68.2	62.6	71.0	71.6	
Medium Trucks:	65.7	64.2	56.5	56.9	65.1	65.2	
Heavy Trucks:	68.9	66.9	57.5	62.7	69.8	69.9	
Vehicle Noise:	74.3	72.4	68.8	66.2	74.0	74.4	
Centerline Distance to Noise Contour (in feet)							
	70 dBA	65 dBA	60 dBA	55 dBA			
Ldn:	122	264	568	1,225			
CNEL:	129	278	599	1,290			

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Foothill Bl. (SR-66) Road Segment: w/o Hemlock Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 25,731 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,573 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.09% Medium Trucks: 84.5% 3.6% 11.9% 2.04% Heavy Trucks: 76.1% 2.2% 21.7% 1.87%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.22	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.51	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.90	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	71.9	69.9	68.2	62.6	71.0	71.6	
Medium Trucks:	65.8	64.3	56.6	57.0	65.2	65.3	
Heavy Trucks:	69.4	67.4	58.0	63.2	70.3	70.4	
Vehicle Noise:	74.5	72.6	68.9	66.5	74.3	74.6	
Centerline Distance to Noise Contour (in feet)							
	70 dBA	65 dBA	60 dBA	55 dBA			
Ldn:	127	273	589	1,269			
CNEL:	133	287	619	1,334			

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Foothill Bl. (SR-66) Road Segment: w/o Hemlock Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 28,475 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,847 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.67	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.13	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.96	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.3	70.4	68.6	63.1	71.5	72.0	
Medium Trucks:	66.2	64.7	57.0	57.4	65.5	65.7	
Heavy Trucks:	69.4	67.4	58.0	63.2	70.3	70.3	
Vehicle Noise:	74.8	72.9	69.3	66.7	74.5	74.8	
Centerline Distance to Noise Contour (in feet)							
	70 dBA	65 dBA	60 dBA	55 dBA			
Ldn:	132	284	611	1,317			
CNEL:	139	299	644	1,387			

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Foothill Bl. (SR-66) Road Segment: w/o Hemlock Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 28,677 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,868 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.12% Medium Trucks: 84.5% 3.6% 11.9% 2.04% Heavy Trucks: 76.1% 2.2% 21.7% 1.84%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.69	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.04	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.48	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.4	70.4	68.7	63.1	71.5	72.1	
Medium Trucks:	66.3	64.8	57.1	57.5	65.6	65.8	
Heavy Trucks:	69.8	67.9	58.4	63.7	70.7	70.8	
Vehicle Noise:	74.9	73.0	69.3	66.9	74.7	75.0	
Centerline Distance to Noise Contour (in feet)							
	70 dBA	65 dBA	60 dBA	55 dBA			
Ldn:	136	293	631	1,360			
CNEL:	143	308	664	1,430			

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Foothill Bl. (SR-66) Road Segment: e/o Hemlock Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA			NOISE MODEL INPUTS				
<b>Highway Data</b>			<b>Site Conditions (Hard = 10, Soft = 15)</b>				
Average Daily Traffic (Adt): 26,742 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,674 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet			Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15				
<b>Site Data</b>			<b>Vehicle Mix</b>				
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees			Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%				
			<b>Noise Source Elevations (in feet)</b>				
			Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0				
			<b>Lane Equivalent Distance (in feet)</b>				
			Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374				
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.40	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.41	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.23	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.1	70.1	68.4	62.8	71.2	71.8	
Medium Trucks:	65.9	64.4	57.7	57.1	65.3	65.4	
Heavy Trucks:	69.1	67.1	57.7	62.9	70.0	70.1	
Vehicle Noise:	74.5	72.6	69.0	66.4	74.2	74.6	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			126	272	586	1,263	
CNEL:			133	287	617	1,330	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Foothill Bl. (SR-66) Road Segment: e/o Hemlock Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA			NOISE MODEL INPUTS				
<b>Highway Data</b>			<b>Site Conditions (Hard = 10, Soft = 15)</b>				
Average Daily Traffic (Adt): 26,961 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,696 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet			Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15				
<b>Site Data</b>			<b>Vehicle Mix</b>				
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees			Autos: 76.6% 12.8% 10.6% 96.11% Medium Trucks: 84.5% 3.6% 11.9% 2.04% Heavy Trucks: 76.1% 2.2% 21.7% 1.85%				
			<b>Noise Source Elevations (in feet)</b>				
			Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0				
			<b>Lane Equivalent Distance (in feet)</b>				
			Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374				
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.43	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.31	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.72	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.1	70.1	68.4	62.8	71.2	71.8	
Medium Trucks:	66.0	64.5	56.8	57.2	65.4	65.5	
Heavy Trucks:	69.6	67.6	58.2	63.4	70.5	70.6	
Vehicle Noise:	74.7	72.8	69.1	66.7	74.5	74.8	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			131	282	607	1,307	
CNEL:			137	296	638	1,374	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Foothill Bl. (SR-66) Road Segment: e/o Hemlock Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA			NOISE MODEL INPUTS				
<b>Highway Data</b>			<b>Site Conditions (Hard = 10, Soft = 15)</b>				
Average Daily Traffic (Adt): 31,783 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,178 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet			Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15				
<b>Site Data</b>			<b>Vehicle Mix</b>				
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees			Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%				
			<b>Noise Source Elevations (in feet)</b>				
			Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0				
			<b>Lane Equivalent Distance (in feet)</b>				
			Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374				
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.15	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.66	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.48	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.8	70.9	69.1	63.5	71.9	72.5	
Medium Trucks:	66.7	65.1	57.5	57.9	66.0	66.2	
Heavy Trucks:	69.8	67.9	58.4	63.7	70.7	70.8	
Vehicle Noise:	75.2	73.3	69.7	67.2	75.0	75.3	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			142	305	658	1,417	
CNEL:			149	322	693	1,493	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Foothill Bl. (SR-66) Road Segment: e/o Hemlock Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA			NOISE MODEL INPUTS				
<b>Highway Data</b>			<b>Site Conditions (Hard = 10, Soft = 15)</b>				
Average Daily Traffic (Adt): 32,002 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,200 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet			Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15				
<b>Site Data</b>			<b>Vehicle Mix</b>				
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees			Autos: 76.6% 12.8% 10.6% 96.14% Medium Trucks: 84.5% 3.6% 11.9% 2.03% Heavy Trucks: 76.1% 2.2% 21.7% 1.82%				
			<b>Noise Source Elevations (in feet)</b>				
			Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0				
			<b>Lane Equivalent Distance (in feet)</b>				
			Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374				
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.17	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.57	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.05	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.8	70.9	69.1	63.6	72.0	72.5	
Medium Trucks:	66.7	65.2	57.5	57.9	66.1	66.3	
Heavy Trucks:	70.3	68.3	58.9	64.1	71.2	71.2	
Vehicle Noise:	75.4	73.5	69.8	67.4	75.2	75.5	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			146	314	677	1,459	
CNEL:			153	331	712	1,534	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Foothill Bl. (SR-66) Road Segment: e/o Beech Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 25,908 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,591 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.26	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.54	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.37	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	71.9	70.0	68.2	62.7	71.0	71.6	
Medium Trucks:	65.8	64.3	56.6	57.0	65.1	65.3	
Heavy Trucks:	68.9	67.0	57.5	62.8	69.8	69.9	
Vehicle Noise:	74.4	72.5	68.8	66.3	74.1	74.4	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			124	266	574	1,237	
CNEL:			130	281	605	1,302	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Foothill Bl. (SR-66) Road Segment: e/o Beech Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 26,115 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,611 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.27% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.72%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.29	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.51	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.18	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.0	70.0	68.3	62.7	71.1	71.7	
Medium Trucks:	65.8	64.3	56.6	57.0	65.2	65.3	
Heavy Trucks:	69.1	67.1	57.7	63.0	70.0	70.1	
Vehicle Noise:	74.4	72.5	68.9	66.4	74.2	74.5	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			125	270	582	1,254	
CNEL:			132	284	613	1,320	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Foothill Bl. (SR-66) Road Segment: e/o Beech Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 31,300 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,130 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.08	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.72	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.54	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.8	70.8	69.0	63.5	71.9	72.4	
Medium Trucks:	66.6	65.1	57.4	57.8	66.0	66.1	
Heavy Trucks:	69.8	67.8	58.4	63.6	70.7	70.7	
Vehicle Noise:	75.2	73.3	69.7	67.1	74.9	75.2	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			140	302	651	1,403	
CNEL:			148	318	686	1,477	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Foothill Bl. (SR-66) Road Segment: e/o Beech Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 31,300 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,130 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.86%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.08	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.72	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.54	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.8	70.8	69.0	63.5	71.9	72.4	
Medium Trucks:	66.6	65.1	57.4	57.8	66.0	66.1	
Heavy Trucks:	69.8	67.8	58.4	63.6	70.7	70.7	
Vehicle Noise:	75.2	73.3	69.7	67.1	74.9	75.2	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			140	302	651	1,403	
CNEL:			148	318	686	1,477	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E Road Name: Foothill Bl. (SR-66) Road Segment: w/o Citrus Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 26,377 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,638 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.34	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.46	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.29	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.0	70.1	68.3	62.7	71.1	71.7	
Medium Trucks:	65.9	64.3	56.6	57.1	65.2	65.4	
Heavy Trucks:	69.0	67.0	57.6	62.9	69.9	70.0	
Vehicle Noise:	74.4	72.5	68.9	66.3	74.2	74.5	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			125	270	581	1,252	
CNEL:			132	284	612	1,318	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: E+P Road Name: Foothill Bl. (SR-66) Road Segment: w/o Citrus Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 26,551 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,655 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.27% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.72%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	1.37	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-15.43	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-16.11	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.0	70.1	68.3	62.8	71.2	71.7	
Medium Trucks:	65.9	64.4	56.7	57.1	65.2	65.4	
Heavy Trucks:	69.2	67.2	57.8	63.0	70.1	70.2	
Vehicle Noise:	74.5	72.6	69.0	66.4	74.3	74.6	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			127	273	589	1,268	
CNEL:			133	288	620	1,335	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY Road Name: Foothill Bl. (SR-66) Road Segment: w/o Citrus Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 32,059 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,206 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.19	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.62	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.44	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.9	70.9	69.2	63.6	72.0	72.5	
Medium Trucks:	66.7	65.2	57.5	57.9	66.1	66.2	
Heavy Trucks:	69.9	67.9	58.5	63.7	70.8	70.8	
Vehicle Noise:	75.3	73.4	69.8	67.2	75.0	75.4	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			143	307	662	1,425	
CNEL:			150	323	697	1,501	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)							
Scenario: OY+P Road Name: Foothill Bl. (SR-66) Road Segment: w/o Citrus Av.				Project Name: Beech Logistics Center Job Number: 14726			
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS			
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>			
Average Daily Traffic (Adt): 32,059 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,206 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15			
<b>Site Data</b>				<b>Vehicle Mix</b>			
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%			
				<b>Noise Source Elevations (in feet)</b>			
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0			
				<b>Lane Equivalent Distance (in feet)</b>			
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374			
FHWA Noise Model Calculations							
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten
Autos:	71.78	2.19	0.09	-1.20	-4.71	0.000	0.000
Medium Trucks:	82.40	-14.62	0.11	-1.20	-4.88	0.000	0.000
Heavy Trucks:	86.40	-15.44	0.11	-1.20	-5.30	0.000	0.000
Unmitigated Noise Levels (without Topo and barrier attenuation)							
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL	
Autos:	72.9	70.9	69.2	63.6	72.0	72.5	
Medium Trucks:	66.7	65.2	57.5	57.9	66.1	66.2	
Heavy Trucks:	69.9	67.9	58.5	63.7	70.8	70.8	
Vehicle Noise:	75.3	73.4	69.8	67.2	75.0	75.4	
Centerline Distance to Noise Contour (in feet)							
			70 dBA	65 dBA	60 dBA	55 dBA	
Ldn:			143	307	662	1,425	
CNEL:			150	323	697	1,501	

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)									
Scenario: E Road Name: Foothill Bl. (SR-66) Road Segment: e/o Citrus Av.					Project Name: Beech Logistics Center Job Number: 14726				
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS					
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>					
Average Daily Traffic (Adt): 25,973 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,597 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15					
<b>Site Data</b>				<b>Vehicle Mix</b>					
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%					
				<b>Noise Source Elevations (in feet)</b>					
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0					
				<b>Lane Equivalent Distance (in feet)</b>					
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374					
FHWA Noise Model Calculations									
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten		
Autos:	71.78	1.27	0.09	-1.20	-4.71	0.000	0.000		
Medium Trucks:	82.40	-15.53	0.11	-1.20	-4.88	0.000	0.000		
Heavy Trucks:	86.40	-16.35	0.11	-1.20	-5.30	0.000	0.000		
Unmitigated Noise Levels (without Topo and barrier attenuation)									
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL			
Autos:	71.9	70.0	68.2	62.7	71.1	71.6			
Medium Trucks:	65.8	64.3	56.6	57.0	65.1	65.3			
Heavy Trucks:	69.0	67.0	57.6	62.8	69.9	69.9			
Vehicle Noise:	74.4	72.5	68.9	66.3	74.1	74.4			
Centerline Distance to Noise Contour (in feet)									
			70 dBA	65 dBA	60 dBA	55 dBA			
Ldn:			124	267	575	1,239			
CNEL:			130	281	606	1,305			

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)									
Scenario: E+P Road Name: Foothill Bl. (SR-66) Road Segment: e/o Citrus Av.					Project Name: Beech Logistics Center Job Number: 14726				
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS					
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>					
Average Daily Traffic (Adt): 26,006 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 2,601 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15					
<b>Site Data</b>				<b>Vehicle Mix</b>					
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%					
				<b>Noise Source Elevations (in feet)</b>					
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0					
				<b>Lane Equivalent Distance (in feet)</b>					
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374					
FHWA Noise Model Calculations									
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten		
Autos:	71.78	1.28	0.09	-1.20	-4.71	0.000	0.000		
Medium Trucks:	82.40	-15.53	0.11	-1.20	-4.88	0.000	0.000		
Heavy Trucks:	86.40	-16.35	0.11	-1.20	-5.30	0.000	0.000		
Unmitigated Noise Levels (without Topo and barrier attenuation)									
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL			
Autos:	72.0	70.0	68.2	62.7	71.1	71.6			
Medium Trucks:	65.8	64.3	56.6	57.0	65.1	65.3			
Heavy Trucks:	69.0	67.0	57.6	62.8	69.9	69.9			
Vehicle Noise:	74.4	72.5	68.9	66.3	74.1	74.4			
Centerline Distance to Noise Contour (in feet)									
			70 dBA	65 dBA	60 dBA	55 dBA			
Ldn:			124	267	575	1,239			
CNEL:			131	281	606	1,305			

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)									
Scenario: OY Road Name: Foothill Bl. (SR-66) Road Segment: e/o Citrus Av.					Project Name: Beech Logistics Center Job Number: 14726				
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS					
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>					
Average Daily Traffic (Adt): 30,922 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,092 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15					
<b>Site Data</b>				<b>Vehicle Mix</b>					
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%					
				<b>Noise Source Elevations (in feet)</b>					
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0					
				<b>Lane Equivalent Distance (in feet)</b>					
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374					
FHWA Noise Model Calculations									
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten		
Autos:	71.78	2.03	0.09	-1.20	-4.71	0.000	0.000		
Medium Trucks:	82.40	-14.77	0.11	-1.20	-4.88	0.000	0.000		
Heavy Trucks:	86.40	-15.60	0.11	-1.20	-5.30	0.000	0.000		
Unmitigated Noise Levels (without Topo and barrier attenuation)									
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL			
Autos:	72.7	70.8	69.0	63.4	71.8	72.4			
Medium Trucks:	66.5	65.0	57.3	57.7	65.9	66.1			
Heavy Trucks:	69.7	67.7	58.3	63.5	70.6	70.7			
Vehicle Noise:	75.1	73.2	69.6	67.0	74.9	75.2			
Centerline Distance to Noise Contour (in feet)									
			70 dBA	65 dBA	60 dBA	55 dBA			
Ldn:			139	300	646	1,391			
CNEL:			147	316	680	1,466			

Tuesday, October 11, 2022

FHWA-RD-77-108 HIGHWAY NOISE PREDICTION MODEL (9/12/2021)									
Scenario: OY+P Road Name: Foothill Bl. (SR-66) Road Segment: e/o Citrus Av.					Project Name: Beech Logistics Center Job Number: 14726				
SITE SPECIFIC INPUT DATA				NOISE MODEL INPUTS					
<b>Highway Data</b>				<b>Site Conditions (Hard = 10, Soft = 15)</b>					
Average Daily Traffic (Adt): 30,922 vehicles Peak Hour Percentage: 10.00% Peak Hour Volume: 3,092 vehicles Vehicle Speed: 55 mph Near/Far Lane Distance: 90 feet				Autos: 15 Medium Trucks (2 Axles): 15 Heavy Trucks (3+ Axles): 15					
<b>Site Data</b>				<b>Vehicle Mix</b>					
Barrier Height: 0.0 feet Barrier Type (0-Wall, 1-Berm): 0.0 Centerline Dist. to Barrier: 66.0 feet Centerline Dist. to Observer: 66.0 feet Barrier Distance to Observer: 0.0 feet Observer Height (Above Pad): 5.0 feet Pad Elevation: 0.0 feet Road Elevation: 0.0 feet Road Grade: 0.0% Left View: -90.0 degrees Right View: 90.0 degrees				Autos: 76.6% 12.8% 10.6% 96.33% Medium Trucks: 84.5% 3.6% 11.9% 2.01% Heavy Trucks: 76.1% 2.2% 21.7% 1.66%					
				<b>Noise Source Elevations (in feet)</b>					
				Autos: 0.000 Medium Trucks: 2.297 Heavy Trucks: 8.004 Grade Adjustment: 0.0					
				<b>Lane Equivalent Distance (in feet)</b>					
				Autos: 48.539 Medium Trucks: 48.356 Heavy Trucks: 48.374					
FHWA Noise Model Calculations									
VehicleType	REMEL	Traffic Flow	Distance	Finite Road	Fresnel	Barrier Atten	Berm Atten		
Autos:	71.78	2.03	0.09	-1.20	-4.71	0.000	0.000		
Medium Trucks:	82.40	-14.77	0.11	-1.20	-4.88	0.000	0.000		
Heavy Trucks:	86.40	-15.60	0.11	-1.20	-5.30	0.000	0.000		
Unmitigated Noise Levels (without Topo and barrier attenuation)									
VehicleType	Leq Peak Hour	Leq Day	Leq Evening	Leq Night	Ldn	CNEL			
Autos:	72.7	70.8	69.0	63.4	71.8	72.4			
Medium Trucks:	66.5	65.0	57.3	57.7	65.9	66.1			
Heavy Trucks:	69.7	67.7	58.3	63.5	70.6	70.7			
Vehicle Noise:	75.1	73.2	69.6	67.0	74.9	75.2			
Centerline Distance to Noise Contour (in feet)									
			70 dBA	65 dBA	60 dBA	55 dBA			
Ldn:			139	300	646	1,391			
CNEL:			147	316	680	1,466			

Tuesday, October 11, 2022

**APPENDIX 9.1:**  
**CADNAA OPERATIONAL NOISE MODEL INPUTS**

*This page intentionally left blank*

# 14726 - Beech Logistics Center

CadnaA Noise Prediction Model: 14726-02.cna

Date: 11.10.22

Analyst: B. Lawson

## Calculation Configuration

Configuration	
Parameter	Value
<b>General</b>	
Max. Error (dB)	0.00
Max. Search Radius #(Unit,LEN)	2000.01
Min. Dist Src to Rcvr	0.00
<b>Partition</b>	
Raster Factor	0.50
Max. Length of Section #(Unit,LEN)	999.99
Min. Length of Section #(Unit,LEN)	1.01
Min. Length of Section (%)	0.00
Proj. Line Sources	On
Proj. Area Sources	On
<b>Ref. Time</b>	
Reference Time Day (min)	960.00
Reference Time Night (min)	480.00
Daytime Penalty (dB)	0.00
Recr. Time Penalty (dB)	5.00
Night-time Penalty (dB)	10.00
<b>DTM</b>	
Standard Height (m)	0.00
Model of Terrain	Triangulation
<b>Reflection</b>	
max. Order of Reflection	2
Search Radius Src	100.00
Search Radius Rcvr	100.00
Max. Distance Source - Rcvr	1000.00 1000.00
Min. Distance Rcvr - Reflector	1.00 1.00
Min. Distance Source - Reflector	0.10
<b>Industrial (ISO 9613)</b>	
Lateral Diffraction	some Obj
Obst. within Area Src do not shield	On
Screening	Incl. Ground Att. over Barrier
	Dz with limit (20/25)
Barrier Coefficients C1,2,3	3.0 20.0 0.0
Temperature #(Unit,TEMP)	10
rel. Humidity (%)	70
Ground Absorption G	0.50
Wind Speed for Dir. #(Unit,SPEED)	3.0
<b>Roads (TNM)</b>	
<b>Railways (FTA/FRA)</b>	
<b>Aircraft (???)</b>	
<b>Strictly acc. to AzB</b>	

## Receiver Noise Levels

Name	M.	ID	Level Lr			Limit. Value			Land Use			Height	Coordinates			
			Day	Night	CNEL	Day	Night	CNEL	Type	Auto	Noise Type		X	Y	Z	
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)				(ft)	(ft)	(ft)	(ft)	
RECEIVERS		R1	49.2	49.2	55.8	70.0	65.0	0.0				5.00	a	6191630.52	2349847.42	5.00
RECEIVERS		R2	53.0	53.0	59.7	70.0	65.0	0.0				5.00	a	6192072.27	2349581.19	5.00
RECEIVERS		R3	45.8	45.7	52.4	70.0	65.0	0.0				5.00	a	6192712.16	2349223.03	5.00
RECEIVERS		R4	44.5	44.5	51.2	70.0	65.0	0.0				5.00	a	6192344.81	2348348.88	5.00
RECEIVERS		R5	45.3	45.3	52.0	70.0	65.0	0.0				5.00	a	6191642.59	2348355.13	5.00
RECEIVERS		R6	44.0	43.9	50.5	70.0	65.0	0.0				5.00	a	6191411.34	2348765.52	5.00

## Point Source(s)

Name	M.	ID	Result. PWL			Lw / Li		Operating Time			Height	Coordinates				
			Day	Evening	Night	Type	Value	norm.	Day	Special		Night	X	Y	Z	
			(dBA)	(dBA)	(dBA)		dB(A)	(min)	(min)	(min)	(ft)		(ft)	(ft)	(ft)	
POINTSOURCE		AC01	88.9	88.9	88.9	Lw	88.9		585.00	0.00	252.00	5.00	g	6191726.32	2349219.08	50.00
POINTSOURCE		AC02	88.9	88.9	88.9	Lw	88.9		585.00	0.00	252.00	5.00	g	6191697.58	2349190.71	50.00
POINTSOURCE		TRASH01	89.0	89.0	89.0	Lw	89					5.00	a	6191827.70	2349595.53	5.00
POINTSOURCE		CAR01	81.1	81.1	81.1	Lw	81.1					5.00	a	6191602.12	2349694.96	5.00
POINTSOURCE		CAR02	81.1	81.1	81.1	Lw	81.1					5.00	a	6191569.87	2349743.00	5.00
POINTSOURCE		CAR03	81.1	81.1	81.1	Lw	81.1					5.00	a	6191547.43	2349695.89	5.00
POINTSOURCE		CAR04	81.1	81.1	81.1	Lw	81.1					5.00	a	6191509.77	2349744.02	5.00
POINTSOURCE		CAR05	81.1	81.1	81.1	Lw	81.1					5.00	a	6191484.91	2349696.35	5.00
POINTSOURCE		CAR06	81.1	81.1	81.1	Lw	81.1					5.00	a	6191460.47	2349744.26	5.00
POINTSOURCE		CAR07	81.1	81.1	81.1	Lw	81.1					5.00	a	6191417.59	2349697.49	5.00
POINTSOURCE		CAR08	81.1	81.1	81.1	Lw	81.1					5.00	a	6191393.15	2349745.40	5.00
POINTSOURCE		CAR09	81.1	81.1	81.1	Lw	81.1					5.00	a	6191356.65	2349118.33	5.00

Name	M.	ID	Result. PWL			Lw / Li		Operating Time			Height		Coordinates			
			Day	Evening	Night	Type	Value	norm.	Day	Special	Night	(ft)		X	Y	Z
			(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)			(ft)	(ft)	(ft)
POINTSOURCE		CAR10	81.1	81.1	81.1	Lw	81.1					5.00	a	6191401.70	2349115.77	5.00
POINTSOURCE		CAR11	81.1	81.1	81.1	Lw	81.1					5.00	a	6191404.94	2349165.01	5.00
POINTSOURCE		CAR12	81.1	81.1	81.1	Lw	81.1					5.00	a	6191452.78	2349114.30	5.00
POINTSOURCE		CAR13	81.1	81.1	81.1	Lw	81.1					5.00	a	6191475.25	2349162.62	5.00
POINTSOURCE		CAR14	81.1	81.1	81.1	Lw	81.1					5.00	a	6191497.89	2349115.34	5.00
POINTSOURCE		CAR15	81.1	81.1	81.1	Lw	81.1					5.00	a	6191549.17	2349160.76	5.00
POINTSOURCE		CAR16	81.1	81.1	81.1	Lw	81.1					5.00	a	6191567.05	2349116.57	5.00
POINTSOURCE		CAR17	81.1	81.1	81.1	Lw	81.1					5.00	a	6191594.26	2349160.60	5.00
POINTSOURCE		CAR18	81.1	81.1	81.1	Lw	81.1					5.00	a	6191609.72	2349115.24	5.00
POINTSOURCE		CAR19	81.1	81.1	81.1	Lw	81.1					5.00	a	6191647.16	2349160.30	5.00
POINTSOURCE		CAR20	81.1	81.1	81.1	Lw	81.1					5.00	a	6191662.00	2349113.75	5.00
POINTSOURCE		CAR21	81.1	81.1	81.1	Lw	81.1					5.00	a	6191684.41	2349159.07	5.00
POINTSOURCE		CAR22	81.1	81.1	81.1	Lw	81.1					5.00	a	6191701.67	2349113.08	5.00
POINTSOURCE		CAR23	81.1	81.1	81.1	Lw	81.1					5.00	a	6191721.07	2349157.84	5.00
POINTSOURCE		CAR24	81.1	81.1	81.1	Lw	81.1					5.00	a	6191744.94	2349111.74	5.00
POINTSOURCE		CAR25	81.1	81.1	81.1	Lw	81.1					5.00	a	6191779.20	2349111.16	5.00

### Line Source(s)

Name	M.	ID	Result. PWL			Result. PWL'			Lw / Li		Operating Time			Moving Pt. Src			Height		
			Day	Evening	Night	Day	Evening	Night	Type	Value	norm.	Day	Special	Night	Number	Speed	(ft)		
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)		dB(A)	(min)	(min)	(min)	Day	Evening	Night	(mph)	(ft)	
LINESOURCE		TRUCK01	93.2	93.2	93.2	77.2	77.2	77.2	Lw	93.2								8	a
LINESOURCE		TRUCK02	93.2	93.2	93.2	74.7	74.7	74.7	Lw	93.2								8	a

Name	Height		Coordinates			
	Begin	End	x	y	z	Ground
	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
LINESOURCE	8.00	a	6191945.81	2349502.13	8.00	0.00
			6191815.47	2349503.75	8.00	0.00
LINESOURCE	8.00	a	6191783.06	2349233.89	8.00	0.00
			6191781.90	2349175.50	8.00	0.00
			6191784.70	2349167.90	8.00	0.00
			6191788.76	2349160.89	8.00	0.00
			6191793.97	2349154.68	8.00	0.00
			6191800.16	2349149.46	8.00	0.00
			6191807.15	2349145.37	8.00	0.00
			6191814.74	2349142.54	8.00	0.00
			6191822.71	2349141.05	8.00	0.00
			6191830.81	2349140.95	8.00	0.00
			6191937.58	2349139.12	8.00	0.00

### Area Source(s)

Name	M.	ID	Result. PWL			Result. PWL''			Lw / Li		Operating Time			Height				
			Day	Evening	Night	Day	Evening	Night	Type	Value	norm.	Day	Special	Night	(ft)			
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)		dB(A)	(min)	(min)	(min)	Day	Special	Night	(ft)	
AREASOURCE		DOCK01	111.5	111.5	111.5	72.9	72.9	72.9	Lw	111.5							8	a

Name	Height		Coordinates			
	Begin	End	x	y	z	Ground
	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
AREASOURCE	8.00	a	6191692.93	2349619.50	8.00	0.00
			6191806.49	2349619.13	8.00	0.00
			6191917.86	2349551.08	8.00	0.00
			6191919.55	2349528.13	8.00	0.00
			6191815.92	2349530.41	8.00	0.00
			6191815.00	2349476.25	8.00	0.00
			6191917.61	2349475.03	8.00	0.00
			6191911.93	2349232.89	8.00	0.00
			6191685.35	2349234.65	8.00	0.00

### Barrier(s)

Name	M.	ID	Absorption		Z-Ext.	Cantilever		Height		Coordinates			
			left	right		horz.	vert.	Begin	End	x	y	z	Ground
			(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
BARRIEREXISTING		0						6.00	a	6191953.06	2349635.26	6.00	0.00
										6191149.54	2350122.95	6.00	0.00
BARRIEREXISTING		0						6.00	a	6192140.49	2349628.60	6.00	0.00
										6192068.43	2349628.96	6.00	0.00
										6192075.81	2350115.04	6.00	0.00
BARRIEREXISTING		0						6.00	a	6192272.26	2349514.36	6.00	0.00
										6192247.00	2349509.58	6.00	0.00
										6192261.96	2349470.26	6.00	0.00
										6192313.55	2349440.73	6.00	0.00
										6192471.57	2349440.65	6.00	0.00

Name	M.	ID	Absorption		Z-Ext.	Cantilever		Height		Coordinates				
			left	right		horz.	vert.	Begin	End	x	y	z	Ground	
					(ft)	(ft)	(ft)	(ft)			(ft)	(ft)	(ft)	(ft)
											6192519.63	2349407.71	6.00	0.00
											6192624.70	2349408.53	6.00	0.00
BARRIERTEMP		0						14.00	a		6191665.53	2349711.32	14.00	0.00
											6191922.00	2349554.25	14.00	0.00
											6191921.80	2349517.33	14.00	0.00
											6191843.15	2349518.49	14.00	0.00
BARRIERTEMP		0						14.00	a		6191842.63	2349487.41	14.00	0.00
											6191920.93	2349486.43	14.00	0.00
											6191915.00	2349229.36	14.00	0.00
											6191802.85	2349231.09	14.00	0.00
BARRIERTEMP		0						14.00	a		6191763.26	2349231.24	14.00	0.00
											6191739.48	2349231.47	14.00	0.00

### Building(s)

Name	M.	ID	RB	Residents	Absorption	Height		Coordinates					
						Begin	End	x	y	z	Ground		
						(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
BUILDING		BUILDING00001	x	0		45.00	a	6191388.45	2349681.15	45.00	0.00		
								6191651.14	2349677.89	45.00	0.00		
								6191692.22	2349654.35	45.00	0.00		
								6191683.27	2349233.04	45.00	0.00		
								6191739.13	2349230.29	45.00	0.00		
								6191738.84	2349177.38	45.00	0.00		
								6191377.59	2349182.91	45.00	0.00		

*This page intentionally left blank*

## **APPENDIX 10.1:**

### **CADNAA CONSTRUCTION NOISE MODEL INPUTS**

*This page intentionally left blank*

# 14726 - Beech Logistics Center

CadnaA Noise Prediction Model: 14726-02\_Construction.cna

Date: 11.10.22

Analyst: B. Lawson

## Calculation Configuration

Configuration	
Parameter	Value
<b>General</b>	
Max. Error (dB)	0.00
Max. Search Radius #(Unit,LEN)	2000.01
Min. Dist Src to Rcvr	0.00
Partition	
Raster Factor	0.50
Max. Length of Section #(Unit,LEN)	999.99
Min. Length of Section #(Unit,LEN)	1.01
Min. Length of Section (%)	0.00
Proj. Line Sources	On
Proj. Area Sources	On
<b>Ref. Time</b>	
Reference Time Day (min)	960.00
Reference Time Night (min)	480.00
Daytime Penalty (dB)	0.00
Recr. Time Penalty (dB)	5.00
Night-time Penalty (dB)	10.00
<b>DTM</b>	
Standard Height (m)	0.00
Model of Terrain	Triangulation
<b>Reflection</b>	
max. Order of Reflection	2
Search Radius Src	100.00
Search Radius Rcvr	100.00
Max. Distance Source - Rcvr	1000.00 1000.00
Min. Distance Rcvr - Reflector	1.00 1.00
Min. Distance Source - Reflector	0.10
<b>Industrial (ISO 9613)</b>	
Lateral Diffraction	some Obj
Obst. within Area Src do not shield	On
Screening	Incl. Ground Att. over Barrier
	Dz with limit (20/25)
Barrier Coefficients C1,2,3	3.0 20.0 0.0
Temperature #(Unit,TEMP)	10
rel. Humidity (%)	70
Ground Absorption G	0.50
Wind Speed for Dir. #(Unit,SPEED)	3.0
<b>Roads (TNM)</b>	
<b>Railways (FTA/FRA)</b>	
<b>Aircraft (???)</b>	
Strictly acc. to AzB	

## Receiver Noise Levels

Name	M.	ID	Level Lr			Limit. Value			Land Use			Height	Coordinates			
			Day	Night	CNEL	Day	Night	CNEL	Type	Auto	Noise Type		X	Y	Z	
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)				(ft)	(ft)	(ft)	(ft)	
RECEIVERS		R1	62.2	-42.6	59.2	70.0	65.0	0.0				5.00	a	6191630.52	2349847.42	5.00
RECEIVERS		R2	65.5	-39.3	62.4	70.0	65.0	0.0				5.00	a	6192072.27	2349581.19	5.00
RECEIVERS		R3	57.4	-47.4	54.4	70.0	65.0	0.0				5.00	a	6192712.16	2349223.03	5.00
RECEIVERS		R4	56.1	-48.7	53.0	70.0	65.0	0.0				5.00	a	6192344.81	2348348.88	5.00
RECEIVERS		R5	57.9	-46.9	54.9	70.0	65.0	0.0				5.00	a	6191642.59	2348355.13	5.00
RECEIVERS		R6	62.0	-42.8	59.0	70.0	65.0	0.0				5.00	a	6191411.34	2348765.52	5.00

## Area Source(s)

Name	M.	ID	Result. PWL			Result. PWL"			Lw / Li			Operating Time			Height	
			Day	Evening	Night	Day	Evening	Night	Type	Value	norm.	Day	Special	Night		
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)				(min)	(min)	(min)	(ft)	
SITEBOUNDARY		CONSTRUCTION	119.8	15.0	15.0	74.5	-30.2	-30.2	PWL-Pt	115					8	a

Name	Height		Coordinates			
	Begin	End	x	y	z	Ground
	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
SITEBOUNDARY	8.00	a	6191335.51	2349099.39	8.00	0.00
			6191348.38	2349759.65	8.00	0.00
			6191601.82	2349755.86	8.00	0.00
			6191946.79	2349545.55	8.00	0.00
			6191936.61	2349096.64	8.00	0.00

**Barrier(s)**

Name	M.	ID	Absorption		Z-Ext.	Cantilever		Height		Coordinates			
			left	right		horz.	vert.	Begin	End	x	y	z	Ground
					(ft)	(ft)	(ft)	(ft)	a	(ft)	(ft)	(ft)	(ft)
BARRIEREXISTING		0						6.00	a	6191953.06	2349635.26	6.00	0.00
										6191149.54	2350122.95	6.00	0.00
BARRIEREXISTING		0						6.00	a	6192140.49	2349628.60	6.00	0.00
										6192068.43	2349628.96	6.00	0.00
										6192075.81	2350115.04	6.00	0.00
BARRIEREXISTING		0						6.00	a	6192272.26	2349514.36	6.00	0.00
										6192247.00	2349509.58	6.00	0.00
										6192261.96	2349470.26	6.00	0.00
										6192313.55	2349440.73	6.00	0.00
										6192471.57	2349440.65	6.00	0.00
										6192519.63	2349407.71	6.00	0.00
										6192624.70	2349408.53	6.00	0.00

**APPENDIX 10.2:**  
**CADNAA CONCRETE POUR NOISE MODEL INPUTS**

*This page intentionally left blank*

# 14726 - Beech Logistics Center

CadnaA Noise Prediction Model: 14726-02\_Concrete.cna

Date: 11.10.22

Analyst: B. Lawson

## Calculation Configuration

Configuration	
Parameter	Value
<b>General</b>	
Max. Error (dB)	0.00
Max. Search Radius #(Unit,LEN)	2000.01
Min. Dist Src to Rcvr	0.00
<b>Partition</b>	
Raster Factor	0.50
Max. Length of Section #(Unit,LEN)	999.99
Min. Length of Section #(Unit,LEN)	1.01
Min. Length of Section (%)	0.00
Proj. Line Sources	On
Proj. Area Sources	On
<b>Ref. Time</b>	
Reference Time Day (min)	960.00
Reference Time Night (min)	480.00
Daytime Penalty (dB)	0.00
Recr. Time Penalty (dB)	5.00
Night-time Penalty (dB)	10.00
<b>DTM</b>	
Standard Height (m)	0.00
Model of Terrain	Triangulation
<b>Reflection</b>	
max. Order of Reflection	2
Search Radius Src	100.00
Search Radius Rcvr	100.00
Max. Distance Source - Rcvr	1000.00 1000.00
Min. Distance Rcvr - Reflector	1.00 1.00
Min. Distance Source - Reflector	0.10
<b>Industrial (ISO 9613)</b>	
Lateral Diffraction	some Obj
Obst. within Area Src do not shield	On
Screening	Incl. Ground Att. over Barrier
	Dz with limit (20/25)
Barrier Coefficients C1,2,3	3.0 20.0 0.0
Temperature #(Unit,TEMP)	10
rel. Humidity (%)	70
Ground Absorption G	0.50
Wind Speed for Dir. #(Unit,SPEED)	3.0
<b>Roads (TNM)</b>	
<b>Railways (FTA/FRA)</b>	
<b>Aircraft (???)</b>	
Strictly acc. to AzB	

## Receiver Noise Levels

Name	M.	ID	Level Lr		Limit. Value			Land Use			Height	Coordinates			
			Day	Night	CNEL	Day	Night	CNEL	Type	Auto		Noise Type	X	Y	Z
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)				(ft)	(ft)	(ft)	(ft)	
RECEIVERS		R1	47.0	-57.7	44.0	70.0	65.0	0.0			5.00	a	6191630.52	2349847.42	5.00
RECEIVERS		R2	48.8	-55.9	45.8	70.0	65.0	0.0			5.00	a	6192072.27	2349581.19	5.00
RECEIVERS		R3	42.0	-62.7	39.0	70.0	65.0	0.0			5.00	a	6192712.16	2349223.03	5.00
RECEIVERS		R4	40.8	-63.8	37.8	70.0	65.0	0.0			5.00	a	6192344.81	2348348.88	5.00
RECEIVERS		R5	42.9	-61.8	39.9	70.0	65.0	0.0			5.00	a	6191642.59	2348355.13	5.00
RECEIVERS		R6	47.1	-57.6	44.1	70.0	65.0	0.0			5.00	a	6191411.34	2348765.52	5.00

## Area Source(s)

Name	M.	ID	Result. PWL			Result. PWL"			Lw / Li			Operating Time			Height
			Day	Evening	Night	Day	Evening	Night	Type	Value	norm.	Day	Special	Night	
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)		dB(A)	(min)	(min)	(min)		
CONCRETE		CONCRETE POUR	105.1	0.3	0.3	62.9	-41.8	-41.8	PWL-Pt	100.3				8	a

Name	Height		Coordinates			
	Begin	End	x	y	z	Ground
	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
CONCRETE	8.00	a	6191388.92	2349680.54	8.00	0.00
			6191650.93	2349679.00	8.00	0.00
			6191692.92	2349653.88	8.00	0.00
			6191691.94	2349595.80	8.00	0.00
			6191750.60	2349594.80	8.00	0.00
			6191738.29	2349177.25	8.00	0.00
			6191377.53	2349181.05	8.00	0.00

**Barrier(s)**

Name	M.	ID	Absorption		Z-Ext.	Cantilever			Height		Coordinates			
			left	right		horz.	vert.	Begin	End	x	y	z	Ground	
					(ft)	(ft)	(ft)	(ft)	a	(ft)	(ft)	(ft)	(ft)	
BARRIEREXISTING		0						6.00	a	6191953.06	2349635.26	6.00	0.00	
										6191149.54	2350122.95	6.00	0.00	
BARRIEREXISTING		0						6.00	a	6192140.49	2349628.60	6.00	0.00	
										6192068.43	2349628.96	6.00	0.00	
										6192075.81	2350115.04	6.00	0.00	
BARRIEREXISTING		0						6.00	a	6192272.26	2349514.36	6.00	0.00	
										6192247.00	2349509.58	6.00	0.00	
										6192261.96	2349470.26	6.00	0.00	
										6192313.55	2349440.73	6.00	0.00	
										6192471.57	2349440.65	6.00	0.00	
										6192519.63	2349407.71	6.00	0.00	
										6192624.70	2349408.53	6.00	0.00	