



County of Sacramento

Mitigated Negative Declaration

Pursuant to Title 14, Division 6, Chapter 3, Article 6, Sections 15070 and 15071 of the California Code of Regulations and pursuant to the Procedures for Preparation and Processing of Environmental Documents adopted by the County of Sacramento pursuant to Sacramento County Ordinance No. SCC-116, the Environmental Coordinator of Sacramento County, State of California, does prepare, make, declare, publish, and cause to be filed with the County Clerk of Sacramento County, State of California, this Mitigated Negative Declaration re: The Project described as follows:

1. **Control Number:** PLNP2020-00303
2. **Title and Short Description of Project:** Reliance Village at Senate Park
The Project consists of a Minor Use Permit to allow for the construction of a 49-unit, congregate care facility for senior citizens on a 1.58-acre site. If the requested entitlement is approved, the applicant would construct a two-story, 19,578-square foot, congregate care facility and 26,781-square foot parking lot. The two parcels would be cleared and graded, which would result in the removal of 25 trees (9 native and 14 non-native). Minor extension of existing utility lines (sewer, water, electric) would be needed to service the new facilities. Other improvements to the project site would consist of storm water treatment and drainage facilities, sidewalk improvements along Jackson Street, and landscaping.
3. **Assessor's Parcel Number:** 228-0131-012-0000 & 228-0610-019-0000
4. **Location of Project:** The project site is located at 5252 and 5304 Jackson Street in the North Highlands community of unincorporated Sacramento County. The project site is located 500 feet north of the intersection of Madison Avenue and Jackson Street.
5. **Project Applicant:** Reliance Village No. 1 LLC
6. Said project will not have a significant effect on the environment for the following reasons:
 - a. It will not have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory.
 - b. It will not have the potential to achieve short-term, to the disadvantage of long-term, environmental goals.
 - c. It will not have impacts, which are individually limited, but cumulatively considerable.
 - d. It will not have environmental effects, which will cause substantial adverse effects on human beings, either directly or indirectly.
7. As a result thereof, the preparation of an environmental impact report pursuant to the Environmental Quality Act (Division 13 of the Public Resources Code of the State of California) is not required.
8. The attached Initial Study has been prepared by the Sacramento Office of County Planning and Environmental Review in support of this Mitigated Negative Declaration. Further information may be obtained by contacting the Office Planning and Environmental Review at 827 Seventh Street, Room 225, Sacramento, California, 95814, or phone (916) 874-6141.

Julie Newton

Julie Newton
Environmental Coordinator
County of Sacramento, State of California

COUNTY OF SACRAMENTO
PLANNING AND ENVIRONMENTAL REVIEW
INITIAL STUDY

PROJECT INFORMATION

CONTROL NUMBER: PLNP2020-00303

NAME: Reliance Village at Senate Park

LOCATION: The project site is located at 5252 and 5304 Jackson Street in the North Highlands community of unincorporated Sacramento County. The project site is located 500 feet north of the intersection of Madison Avenue and Jackson Street. Please refer to Plate IS-1: Project Vicinity and Plate IS-2: Project Location.

ASSESSOR'S PARCEL NUMBER: 228-0131-012-0000 & 228-0610-019-0000

OWNER/APPLICANT:

Reliance Village No. 1 LLC
4827 Laguna Park Dr., Unit D
Elk Grove, CA 95758
Contact: Michael Martin

PROJECT DESCRIPTION

The Project consists of a Minor Use Permit to allow for the construction of a 49-unit, congregate care facility for senior citizens on a 1.58-acre site. If the requested entitlement is approved, the applicant would construct a two-story, 19,578-square foot, congregate care facility and 26,781-square foot parking lot. The two parcels would be cleared and graded, which would result in the removal of 25 trees (9 native and 14 non-native). Minor extension of existing utility lines (sewer, water, electric) would be needed to service the new facilities. Other improvements to the project site would consist of storm water treatment and drainage facilities, sidewalk improvements along Jackson Street, and landscaping. Please refer to Plate IS-3: Site Plan and Plate IS-4: Landscaping Plan.

The congregate care facility would house residents 55 years and older who require assisted living level care without medical care. Typical onsite services would include:

- Assistance with daily living activities
- Central dining programs that include three meals a day
- Educational activities
- Emergency call systems in private and common areas
- Exercise activities

- Health services and medication administration
- Housekeeping and maintenance
- Organized recreational activities
- Personal and/or non-personal laundry services
- Social services and religious activities
- Transportation arrangements
- 24 hour security

Plate IS-1: Project Vicinity




Plate IS-2: Project Location



Independent verification of all data contained on this map product should be obtained by any user thereof. The County of Sacramento does not warrant the accuracy or completeness of this map product and therefore disclaims all liability for its fitness of use.

Plate IS-3: Site Plan



KEYNOTES

- 01 400 CONDENSER UNIT (20-2000 BTU) - LEAKING. PANEL EQUIPMENT IS 2' SCHEDULED BY 4" HIGH HEAVY DUTY. EACH REPAIR UNIT IS 30" REMOVABLE. UNITS AS SCHEDULED FOR VARIETY SUPPORTED BY ONE-PASS PANEL.
- 02 3/4" RADIUS, REFER TO C/D SHEET, 1/AS-1
- 03 VISITOR ONLY PARKING
- 04 10.2 TERN BI-CYCLE STORAGE UNITS (2) - REFER TO 2.0-01
- 05 HANDED L3 LIGHT POLE 10' HIGH TO 4/AS-1 TO 2.0-01
- 06 ZINC-BLENDED WALL SCREENS, REFER TO 2.0-01, 1/AS-1, OR 1/AS-2
- 07 AMERICAN PRECAST CONCRETE INC. PANEL TRIM WITH "D" STITCHING PATTERN. REFER TO MAKE SURE COLOR. 7-14
- 08 STAMPER AND 5" SAND CONCRETE 50-PSI W/ 50% 2" - 2000 PATTERN THERMOFORM. COLOR: MEX/54/1A. ADA COMPLIANT. REFER TO 2.0-01
- 09 BRUSH CARE TO BE LOCATED AS REFERRED. REFER TO 2.0-01 FOR ADDITIONAL INFO. REFER TO 2.0-01
- 10 10' HIGH (3) AMERICAN BRONZE IN THE PLANTING AS 3 TREE LOCATIONS. TYP.
- 11 ALL 94-2400 ADA COMPLIANT SECURITY GATE.

REVISIONS

NO.	DATE	BY	DESCRIPTION
1	REV 5-07-23	ML	
2	REV 9-13-22	ML	
3	REV 12-11-22	ML	

NOTES

1. DEPARTMENT OF A FOREST ROAD 75' W/ 4" FOR 100' FROM THE ROAD. REFER TO 2.0-01 FOR MORE INFORMATION. REFER TO 2.0-01 FOR MORE INFORMATION. REFER TO 2.0-01 FOR MORE INFORMATION.
2. BUILDING ADDRESS SHALL BE 500 JACKSON STREET. REFER TO 2.0-01 FOR MORE INFORMATION. REFER TO 2.0-01 FOR MORE INFORMATION.
3. REFER TO 2.0-01 FOR MORE INFORMATION. REFER TO 2.0-01 FOR MORE INFORMATION.

SITE NOTES

1. THE 5'-0" ALUMINUM RAILING SHALL BE 5' HIGH AND 4" DIA. REFER TO 2.0-01 FOR MORE INFORMATION. REFER TO 2.0-01 FOR MORE INFORMATION.
2. THE 5'-0" ALUMINUM RAILING SHALL BE 5' HIGH AND 4" DIA. REFER TO 2.0-01 FOR MORE INFORMATION. REFER TO 2.0-01 FOR MORE INFORMATION.
3. THE 5'-0" ALUMINUM RAILING SHALL BE 5' HIGH AND 4" DIA. REFER TO 2.0-01 FOR MORE INFORMATION. REFER TO 2.0-01 FOR MORE INFORMATION.

SCALE: 1" = 20' 0"

ARCHITECTURA - (FIRST FLOOR) SITE PLAN

DATE: 0-20-2022

SCALE: NOTED

JOHN ML

JOE 10-2002

AS-1

HM³ ARCHITECTURE INC.
ARCHITECTURE PLANNING CONSULTING


2500 JACKSON STREET, STE. 201
CHICO, CA 95926
www.hm3architect.com

NEW FACILITY
for
RELIANCE VILLAGE NO. 1 LLC
at
JACKSON STREET

2500 JACKSON STREET

LICENSED ARCHITECT
STATE OF CALIFORNIA
No. 23507
EX. 3/31/23

Plate IS-4: Landscaping Plan



TRIBBLES & PHILIPS
LANDSCAPE ARCHITECTURE
LLC, INC.
California Address: 4417
E. JILA STREET, SUITE 100
MILWAUKEE, WI 53212

**RELiance VILLAGE
LANDSCAPE DEVELOPMENT PLANS**
5252 & 5504 JACKSON STREET
SACRAMENTO, CALIFORNIA

Sheet Title
LANDSCAPE PLAN



No. **DDDD** Date **12 DEC 2023** Revision
Project No: 2023-03 Sheet No. **IS-4**
Date: 12 DEC 2023

ENVIRONMENTAL SETTING

The ±1.58-acre project site is an undeveloped site located in the unincorporated North Highlands Community in the northwestern portion of the County of Sacramento. The site is zoned RD-20 Multifamily Residential, meaning that the zoning would support up to 20 dwelling units per acre. The project site is adjacent to single family residential to the north, multifamily residential to the east, medical facilities to the south and commercial to the west. The site is on a corner lot and is bounded by Senate Avenue to the north and Jackson Avenue to the west.

ENVIRONMENTAL EFFECTS

Appendix G of the California Environmental Quality Act (CEQA) provides guidance for assessing the significance of potential environmental impacts. Based on this guidance, Sacramento County has developed an Initial Study Checklist (located at the end of this report). The Checklist identifies a range of potential significant effects by topical area. The topical discussions that follow are provided only when additional analysis beyond the Checklist is warranted.

LAND USE

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Cause a significant environmental impact due to a conflict with any applicable land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect.

PROJECT IMPACTS

The proposed project consists of a request for a Minor Use Permit to allow for the construction of a 49-unit, congregate care facility for senior citizens on a 1.58-acre site. The project site is zoned RD-20, which would allow for the construction of 20 dwelling units per acre. The site is currently undeveloped and the entire 1.58-acre site would be graded and all vegetation removed. The proposed project would construct a two-story, 19,578-square foot, congregate care facility and 26,781-square foot parking lot. Minor extension of existing utility lines (sewer, water, electric) would be needed to service the new facilities. Other improvements to the project site would consist of storm water treatment and drainage facilities, sidewalk improvements along Jackson Street, and landscaping. Individual environmental impacts are addressed in this document under the appropriate topical heading. All potential impacts would be reduced to less than significant with the implementation of project-specific mitigation.

In addition, construction of the proposed project would support the important elements included in the North Highlands Community Plan. In particular, the following element emphasizes a variety of housing types: “insure that a wide price range and variety of type of dwellings and living environments be made available to all segments of the community, giving adequate considerations to every income, ethnic and other group of the population” (North Highlands Community Plan, 1974; page 4). As the proposed project would provide an additional housing type for seniors, the proposed project would support the elements of the Community Plan. Therefore, with approval of the minor use permit, the proposed project would have a less than significant impact with regards to potential conflict with the North Highlands Community Plan.

POPULATION/HOUSING

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Induce substantial unplanned population growth in an area either directly (e.g., by proposing new homes and businesses) or indirectly (e.g., through extension of infrastructure).

PROJECT IMPACTS

The proposed project would construct a 49-unit, congregate care facility for senior citizens. The project would serve an aging population that would draw from the existing community. The proposed project would house approximately 49 residents in an assisted living facility. The project site is located in the unincorporated community of North Highlands, which, in 2020, had an approximate population of 49,327. Should all future residents originate from outside of the community of North Highlands, the addition of 49 residents does not represent a significant population increase. Furthermore, the project site is currently zoned RD-20, which would allow for the construction of up to 20 dwelling units per acre. On a 1.58 acre site, this would represent approximately 31 dwelling units. The average household size in the community of North Highlands is 3.01 people per dwelling units. Therefore, the development of the site under existing zoning could add an additional 95 individuals. As such, the proposed addition of 49 residents would be less than the number of residents that could be added by-right under the existing zoning. Additionally, the economic activity that would be supported by the project would not be sufficient to directly or indirectly lead to substantial employment growth. Project impacts related to Population/Housing are less than significant.

TRANSPORTATION/TRAFFIC

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Conflict with or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b) – measuring transportation impacts individually or cumulatively, using a vehicles miles traveled standard established by the County.

REGULATORY SETTING

Senate Bill 743 (SB 743) was passed in 2013 and changes the way transportation impacts are evaluated for many projects under the California Environmental Quality Act (CEQA). Specifically, these changes replace vehicle delay with vehicle miles traveled (VMT) as the measure for determining a significant impact for applicable projects, including land use projects.

Sacramento County updated their Transportation Analysis Guidelines (TAG) in July 2020 to provide a methodology to conduct CEQA transportation analyses for land development and transportation projects in compliance with SB 743. The 2020 TAG provides screening criteria for projects that are expected to result in less-than-significant VMT impacts based on project description, characteristics, and/or location. If a component of the project meets these screening criteria, but not the entire project, only the component meeting the criteria would be screened from CEQA transportation analysis.

Table IS-1 shows the screening criteria for whether a project could have significant traffic impacts based on Vehicle Miles Travel (VMT).

Table IS-1: Screening Criteria for CEQA Transportation Analysis for Development Projects

Type	Screening Criteria
1. Small Projects	<ul style="list-style-type: none"> Projects generating less than 237 average daily traffic (ADT)
2. Local Serving Retail ¹	<ul style="list-style-type: none"> 100,000 square feet of total gross floor area or less; OR if supported by a market study with a capture area of 3 miles or less; AND Local Serving: Project does not have regional-serving characteristics
3. Local-Serving Public Facilities/Services	<ul style="list-style-type: none"> Transit centers Day care center Public K-12 schools Neighborhood park (developed or undeveloped) Community center Post offices Police and fire facilities

	<ul style="list-style-type: none"> • Branch libraries • Government offices (primarily serving customers in-person) • Utility, communications, and similar facilities • Water sanitation, waste management, and similar facilities
<p>4. Projects in VMT-Efficient Areas</p>	<ul style="list-style-type: none"> • Residential Located in a VMT Efficient Area: Based on an approved screening map. • Commercial Employment Project Located in a VMT Efficient Area: Based on an approved screening map. • Industrial Employment Project Located in a VMT Efficient Area: Based on an approved screening map.
<p>5. Projects Near Transit Stations</p>	<ul style="list-style-type: none"> • High-Quality Transit: Located within ½ a mile of an existing major transit stop² or an existing stop along a high-quality transit corridor³; AND • Minimum Gross Floor Area Ratio (FAR) of 0.75 for office projects or components; AND • Parking: Provides no more than the minimum number of parking spaces required⁴; AND • Sustainable Communities Strategy (SCS): Project is not inconsistent with the adopted SCS; AND • Affordable Housing: Does not replace affordable residential units with a smaller number of moderate- or high-income residential units; AND • Active Transportation: Project does not negatively impact transit, bike or pedestrian infrastructure.
<p>6. Restricted Affordable Residential Projects</p>	<ul style="list-style-type: none"> • Affordability: Screening criteria only apply to the restricted affordable units; AND • Restrictions: Units must be deed-restricted for a minimum of 55 years; AND

	<ul style="list-style-type: none"> • Parking: Provides no more than the minimum number of parking spaces required⁴; AND • Transit Access: Project has access to transit within a ½ mile walking distance; AND • Active Transportation: Project does not negatively impact transit, bike or pedestrian infrastructure.
<p>1 See Appendix A of the Sacramento County Transportation Analysis Guidelines for land use types considered to be retail.</p> <p>2 Defined in the Pub. Resources Code § 21064.3 (“Major transit stop’ means a site containing an existing rail transit station, a ferry terminal served by either a bus or rail transit service, or the intersection of two or more major bus routes with a frequency of service interval of 15 minutes or less during the morning and afternoon peak commute periods”).</p> <p>3 Defined in the Pub. Resources Code § 21155 (“For purposes of this section, a high-quality transit corridor means a corridor with fixed route bus service with service intervals no longer than 15 minutes during peak commute hours”).</p> <p>4 Sacramento County Zoning Code Chapter 5: Development Standards</p>	

PROJECT IMPACTS

Senior housing projects can be evaluated against screening criteria Numbers 3 and 6 listed in Table IS-1, above, according to the definitions in Appendix A of the 2020 TAG. The proposed project meets the criteria of Number 3 and is considered a Local-Serving Public Facility/Service as a “Congregate Care Facility.” Those that live at these facilities tend to have lower vehicle ownership rates and fewer trips taken. Therefore, the proposed project would not result in a net increase of regional VMT. Traffic impacts of the project would be **less than significant**.

AIR QUALITY

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard.

CRITERIA POLLUTANT HEALTH RISKS

All criteria air pollutants can have human health effects at certain concentrations. Air districts develop region-specific CEQA thresholds of significance in consideration of existing air quality concentrations and attainment designations under the national ambient air quality standards (NAAQS) and California ambient air quality standards (CAAQS). The NAAQS and CAAQS are informed by a wide range of scientific evidence, which demonstrates that there are known safe concentrations of criteria air pollutants. Because the NAAQS and CAAQS are based on maximum pollutant levels in outdoor air that would not harm the public's health, and air district thresholds pertain to attainment

of these standards, the thresholds established by air districts are also protective of human health. Sacramento County is currently in nonattainment of the NAAQS and CAAQS for ozone. Projects that emit criteria air pollutants in exceedance of SMAQMD's thresholds would contribute to the regional degradation of air quality that could result in adverse human health impacts.

Acute health effects of ozone exposure include increased respiratory and pulmonary resistance, cough, pain, shortness of breath, and lung inflammation. Chronic health effects include permeability of respiratory epithelia and the possibility of permanent lung impairment (EPA 2021).

HEALTH EFFECTS SCREENING

In order to estimate the potential health risks that could result from the operational emissions of ROG, NO_x, and PM_{2.5}, PER staff implemented the procedures within SMAQMD's *Instructions for Sac Metro Air District Minor Project and Strategic Area Project Health Effects Screening Tools* (SMAQMD's Instructions). To date, SMAQMD has published three options for analyzing projects: small projects may use the Minor Project Health Screening Tool, while larger projects may use the Strategic Area Project Health Screening Tool, and practitioners have the option to conduct project-specific modeling.

Both the Minor Project Health Screening Tool and Strategic Area Project Health Screening Tool are based on the maximum thresholds of significance adopted within the five air district regions contemplated within SMAQMD's *Guidance to Address the Friant Ranch Ruling for CEQA Projects in the Sac Metro Air District* (SMAQMD's Friant Guidance; October 2020). The air district thresholds considered in SMAQMD's Friant Guidance included thresholds from SMAQMD as well as the El Dorado County Air Quality Management District, the Feather River Air Quality Management District, the Placer County Air Pollution Control District, and the Yolo Solano Air Quality Management District. The highest allowable emission rates of NO_x, ROG, PM₁₀, and PM_{2.5} from the five air districts is 82 pounds per day (lbs/day) for all four pollutants. Thus, the Minor Project Health Screening Tool is intended for use by projects that would result in emissions at or below 82 lbs/day, while the Strategic Area Project Health Screening Tool is intended for use by projects that would result in emissions between two and eight times greater than 82 lbs/day. The Strategic Area Project Screening Model was prepared by SMAQMD for five locations throughout the Sacramento region for two scenarios: two times and eight times the threshold of significance level (2xTOS and 8xTOS). The corresponding emissions levels included in the model for 2xTOS were 164 lb/day for ROG and NO_x, and 656 lb/day under the 8xTOS for ROG and NO_x (SMAQMD 2020).

As noted in SMAQMD's Friant Guidance, "each model generates conservative estimates of health effects, for two reasons: The tools' outputs are based on the simulation of a full year of exposure at the maximum daily average of the increases in air pollution concentration... [and] [t]he health effects are calculated for emissions levels that are very high" (SMAQMD 2020).

The model derives the estimated health risk associated with operation of the project based on increases in concentrations of ozone and PM_{2.5} that were estimated using a photochemical grid model (PGM). The concentration estimates of the PGM are then applied to the U.S. Environmental Protection Agency's Benefits Mapping and Analysis Program (BenMAP) to estimate the resulting health effects from concentration increases. PGMs and BenMAP were developed to assess air pollution and human health impacts over large areas and populations that far exceed the area of an average land use development project. These models were never designed to determine whether emissions generated by an individual development project would affect community health or the date an air basin would attain an ambient air quality standard. Rather, they are used to help inform regional planning strategies based on cumulative changes in emissions within an air basin or larger geography.

It must be cautioned that within the typical project-level scope of CEQA analyses, PGMs are unable to provide precise, spatially defined pollutant data at a local scale. In addition, as noted in SMAQMD's Friant Guidance, "BenMAP estimates potential health effects from a change in air pollutant concentrations, but does not fully account for other factors affecting health such as access to medical care, genetics, income levels, behavior choices such as diet and exercise, and underlying health conditions" (2020). Thus, the modeling conducted for the health risk analysis is based on imprecise mapping and only takes into account one of the main public health determinants (i.e., environmental influences).

Since the project was below the daily operational thresholds for criteria air pollutants, the Minor Project Health Screening Tool was used to estimate health risks. The results are shown in Table IS-2 and Table IS-3.

Table IS-2: PM_{2.5} Health Risk Estimates

PM _{2.5} Health Endpoint	Age Range ¹	Incidences Across the Reduced Sacramento 4-km Modeling Domain Resulting from Project Emissions (per year) ^{2,5}	Incidences Across the 5-Air-District Region Resulting from Project Emissions (per year) ²	Percent of Background Health Incidences Across the 5-Air-District Region ³	Total Number of Health Incidences Across the 5-Air-District Region (per year) ⁴
		(Mean)	(Mean)		
Respiratory					
Emergency Room Visits, Asthma	0 - 99	1.1	1.1	0.0058%	18419
Hospital Admissions, Asthma	0 - 64	0.075	0.070	0.0038%	1846
Hospital Admissions, All Respiratory	65 - 99	0.36	0.32	0.0016%	19644
Cardiovascular					
Hospital Admissions, All Cardiovascular (less Myocardial Infarctions)	65 - 99	0.20	0.18	0.00075%	24037
Acute Myocardial Infarction, Nonfatal	18 - 24	0.000098	0.000092	0.0024%	4
Acute Myocardial Infarction, Nonfatal	25 - 44	0.0090	0.0085	0.0028%	308
Acute Myocardial Infarction, Nonfatal	45 - 54	0.020	0.019	0.0026%	741
Acute Myocardial Infarction, Nonfatal	55 - 64	0.033	0.032	0.0026%	1239

Acute Myocardial Infarction, Nonfatal	65 - 99	0.12	0.11	0.0023%	5052
Mortality					
Mortality, All Cause	30 - 99	2.4	2.2	0.0049%	44766
Notes:					
<ol style="list-style-type: none"> 1. Affected age ranges are shown. Other age ranges are available, but the endpoints and age ranges shown here are the ones used by the USEPA in their health assessments. The age ranges are consistent with the epidemiological study that is the basis of the health function. 2. Health effects are shown in terms of incidences of each health endpoint and how it compares to the base (2035 base year health effect incidences, or "background health incidence") values. Health effects are shown for the Reduced Sacramento 4-km Modeling Domain and the 5-Air-District Region. 3. The percent of background health incidence uses the mean incidence. The background health incidence is an estimate of the average number of people that are affected by the health endpoint in a given population over a given period of time. In this case, the background incidence rates cover the 5-Air-District Region (estimated 2035 population of 3,271,451 persons). Health incidence rates and other health data are typically collected by the government as well as the World Health Organization. The background incidence rates used here are obtained from BenMAP. 4. The total number of health incidences across the 5-Air-District Region is calculated based on the modeling data. The information is presented to assist in providing overall health context. 5. The technical specifications and map for the Reduced Sacramento 4-km Modeling Domain are included in Appendix A, Table A-1 and Appendix B, Figure B-2 of the <i>Guidance to Address the Friant Ranch Ruling for CEQA Projects in the Sac Metro Air District</i>. 					

Table IS-3: Ozone Health Risk Estimates

Ozone Health Endpoint	Age Range ¹	Incidences Across the Reduced Sacramento 4-km Modeling Domain Resulting from Project Emissions (per year) ^{2,5}	Incidences Across the 5-Air-District Region Resulting from Project Emissions (per year) ²	Percent of Background Health Incidences Across the 5-Air-District Region ³	Total Number of Health Incidences Across the 5-Air-District Region (per year) ⁴
		(Mean)	(Mean)		
Respiratory					
Hospital Admissions, All Respiratory	65 - 99	0.090	0.071	0.00036%	19644
Emergency Room Visits, Asthma	0 - 17	0.40	0.34	0.0058%	5859
Emergency Room Visits, Asthma	18 - 99	0.66	0.56	0.0045%	12560
Mortality					
Mortality, Non-Accidental	0 - 99	0.056	0.047	0.00016%	30386
Notes:					
<ol style="list-style-type: none"> 1. Affected age ranges are shown. Other age ranges are available, but the endpoints and age ranges shown here are the ones used by the USEPA in their health assessments. The age ranges are consistent with the epidemiological study that is the basis of the health function. 2. Health effects are shown in terms of incidences of each health endpoint and how it compares to the base (2035 base year health effect incidences, or "background health incidence") values. Health effects are shown for the Reduced Sacramento 4-km Modeling Domain and the 5-Air-District Region. 3. The percent of background health incidence uses the mean incidence. The background health incidence is an estimate of the average number of people that are affected by the health endpoint in a given population over a given period of time. In this case, the background incidence rates cover the 5-Air-District Region (estimated 2035 population of 3,271,451 persons). Health incidence rates and other health data are typically collected by the government as well as the World Health Organization. The background incidence rates used here are obtained from BenMAP. 4. The total number of health incidences across the 5-Air-District Region is calculated based on the modeling data. The information is presented to assist in providing overall health context. 5. The technical specifications and map for the Reduced Sacramento 4-km Modeling Domain are included in Appendix A, Table A-1 and Appendix B, Figure B-2 of the <i>Guidance to Address the Friant Ranch Ruling for CEQA Projects in the Sac Metro Air District</i>. 					

Again, it is important to note that the “model outputs are derived from the numbers of people who would be affected by [the] project due to their geographic proximity and based on average population through the Five-District-Region. The models do not take into account population subgroups with greater vulnerabilities to air pollution, except for ages for certain endpoints” (SMAQMD 2020). Therefore, it would be misleading to correlate the levels of criteria air pollutant and precursor emissions associated with project implementation to specific health outcomes. While the effects noted above could manifest in individuals, actual effects depend on factors specific to each individual, including life stage (e.g., older adults are more sensitive), preexisting cardiovascular or respiratory diseases, and genetic polymorphisms. Even if this specific medical information was known about each individual, there are wide ranges of potential outcomes from exposure to ozone precursors and particulates, from no effect to the effects listed in the tables. Ultimately, the health effects associated with the project, using the SMAQMD guidance “are conservatively estimated, and the actual effects may be zero” (SMAQMD 2020).

Neither SMAQMD nor the County of Sacramento have adopted thresholds of significance for the assessment of health risks related to the emission of criteria pollutants. Furthermore, an industry standard level of significance has not been adopted or proposed. Due to the lack of adopted thresholds of significance for health risks, this data is presented for informational purposes and does not represent an attempt to arrive at any level-of-significance conclusions.

NOISE

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Result in generation of a temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established by the local general plan, noise ordinance or applicable standards of other agencies.
- Result in a substantial temporary increase in ambient noise levels in the project vicinity.

PROJECT IMPACTS

The proposed project would be located adjacent to single-family residential land uses, which are considered sensitive noise receptors. Construction noise is difficult to quantify because of the many variables involved, including the specific equipment types, size of equipment used, percentage of time in use, condition of each piece of equipment, and number of pieces of equipment that will actually operate on site. Construction of the project is expected to include site preparation, grading, paving, building construction, and architectural coating. The construction vehicle assemblage could include standard equipment such as dozers, tractors, loaders, backhoes, excavators, graders, scrapers, trenchers, lifts, paving equipment, rollers, compressors, and miscellaneous trucks. Construction equipment with substantially higher noise-generation characteristics (such as pile drivers, rock drills, blasting equipment) would not be necessary. Specified and

measured noise level ranges for various pieces of construction equipment at a distance of 50 feet are presented in Table IS-4. The noise values presented are used as reference noise data for respective equipment.

Table IS-4: Typical Construction Noise Levels

Equipment Description	Acoustical Use Factor	Measured Lmax @50ft
All Other Equipment > 5 HP	50	85
Auger Drill Rig	20	84
Backhoe	40	78
Compactor (ground)	20	83
Compressor (air)	40	78
Concrete Saw	20	90
Crane	16	81
Dozer	40	82
Dump Truck	40	76
Excavator	40	81
Flat Bed Truck	40	74
Front End Loader	40	79
Generator	50	81
Generator (<25KVA, VMS signs)	50	73
Gradall	40	83
Grader *(spec)	40	85

* (spec) indicates that the Lmax is based on common specifications for this equipment, not measured data.

The construction equipment is expected to be spread out over the entire site, with some equipment operating along the perimeter of the site while the rest of the equipment may be located along the street, farther away from the noise sensitive receptors. Construction of the proposed project would also result in changes to existing noise levels on the project site by developing new stationary sources of noise. Construction is generally expected to occur only during the allowable hours and would therefore be exempt from the sound level standards as detailed in Chapter 6.68 of the Sacramento County Code.

During operation, the primary noise-related effect that most non-industrial projects produce is a potential for on-site and off-site increases in traffic, which is the main source of noise in most urban areas. The proposed project would result in an increase in transportation-associated noise due to traffic from employees, residents, and guests traveling to and from the facility. As discussed in the transportation section, the proposed project would not result in a significant increase in traffic. The Sacramento County Noise Ordinance exempts sound sources typically associated with residential uses. These sound sources include children at play and air conditioners in good working order that do not exceed the maximum dB allowable. Furthermore, sound sources associated with property maintenance such as landscaping maintenance tools are also exempt between the hours of six a.m. and eight p.m. on any day except Saturday or

Sunday, or between the hours of seven a.m. and eight p.m. on Saturday or Sunday. Thus, noise impacts from operation of the proposed project would be ***less than significant***.

HYDROLOGY AND WATER QUALITY

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Create substantial sources of polluted runoff or otherwise substantially degrade ground or surface water quality.
- Create or contribute runoff that would exceed the capacity of existing or planned stormwater drainage systems.

PROJECT IMPACTS

Construction on undeveloped land exposes bare soil, which can be mobilized by rain or wind and displaced into waterways or become an air pollutant. Construction equipment can also track mud and dirt onto roadways, where rains will wash the sediment into storm drains and thence into surface waters. After construction is complete, various other pollutants generated by site use can also be washed into local waterways. These pollutants include, but are not limited to, vehicle fluids, heavy metals deposited by vehicles, and pesticides or fertilizers used in landscaping.

Sacramento County has a National Pollutant Discharge Elimination System (NPDES) Municipal Stormwater Permit issued by Regional Water Board. The Municipal Stormwater Permit requires the County to reduce pollutants in stormwater discharges to the maximum extent practicable and to effectively prohibit non-stormwater discharges. The County complies with this permit in part by developing and enforcing ordinances and requirements to reduce the discharge of sediments and other pollutants in runoff from newly developing and redeveloping areas of the County.

The County has established a Stormwater Ordinance (Sacramento County Code 15.12). The Stormwater Ordinance prohibits the discharge of unauthorized non-stormwater to the County's stormwater conveyance system and local creeks. It applies to all private and public projects in the County, regardless of size or land use type. In addition, Sacramento County Code 16.44 (Land Grading and Erosion Control) requires private construction sites disturbing one or more acres or moving 350 cubic yards or more of earthen material to obtain a grading permit. To obtain a grading permit, project proponents must prepare and submit for approval an Erosion and Sediment Control (ESC) Plan describing erosion and sediment control best management practices (BMPs) that will be implemented during construction to prevent sediment from leaving the site and entering the County's storm drain system or local receiving waters. Construction projects not subject to SCC 16.44 are subject to the Stormwater Ordinance (SCC 15.12) described above.

In addition to complying with the County's ordinances and requirements, construction sites disturbing one or more acres are required to comply with the State's General Stormwater Permit for Construction Activities (CGP). CGP coverage is issued by the State Water Resources Control Board (State Board) http://www.waterboards.ca.gov/water_issues/programs/stormwater/construction.shtml and enforced by the Regional Water Board. Coverage is obtained by submitting a Notice of Intent (NOI) to the State Board prior to construction and verified by receiving a WDID#. The CGP requires preparation and implementation of a site-specific Stormwater Pollution Prevention Plan (SWPPP) that must be kept on site at all times for review by the State inspector.

Applicable projects applying for a County grading permit must show proof that a WDID # has been obtained and must submit a copy of the SWPPP. Although the County has no enforcement authority related to the CGP, the County does have the authority to ensure sediment/pollutants are not discharged and is required by its Municipal Stormwater Permit to verify that SWPPPs include the minimum components.

The project must include an effective combination of erosion, sediment and other pollution control BMPs in compliance with the County ordinances and the State's CGP.

Erosion controls should always be the *first line of defense*, to keep soil from being mobilized in wind and water. Examples include stabilized construction entrances, tackified mulch, 3-step hydroseeding, spray-on soil stabilizers and anchored blankets. Sediment controls are the *second line of defense*; they help to filter sediment out of runoff before it reaches the storm drains and local waterways. Examples include rock bags to protect storm drain inlets, staked or weighted straw wattles/fiber rolls, and silt fences.

In addition to erosion and sediment controls, the project must have BMPs in place to keep other construction-related wastes and pollutants out of the storm drains. Such practices include, but are not limited to: filtering water from dewatering operations, providing proper washout areas for concrete trucks and stucco/paint contractors, containing wastes, managing portable toilets properly, and dry sweeping instead of washing down dirty pavement.

It is the responsibility of the project proponent to verify that the proposed BMPs for the project are appropriate for the unique site conditions, including topography, soil type and anticipated volumes of water entering and leaving the site during the construction phase. In particular, the project proponent should check for the presence of colloidal clay soils on the site. Experience has shown that these soils do not settle out with conventional sedimentation and filtration BMPs. The project proponent may wish to conduct settling column tests in addition to other soils testing on the site, to ascertain whether conventional BMPs will work for the project.

If sediment-laden or otherwise polluted runoff discharges from the construction site are found to impact the County's storm drain system and/or Waters of the State, the property owner will be subject to enforcement action and possible fines by the County

and the Regional Water Board. Project compliance with requirements outlined above, as administered by the County and the Regional Water Board will ensure that project-related erosion and pollution impacts are less than significant.

Development and urbanization can increase pollutant loads, temperature, volume and discharge velocity of runoff over the predevelopment condition. The increased volume, increased velocity, and discharge duration of stormwater runoff from developed areas has the potential to greatly accelerate downstream erosion and impair stream habitat in natural drainage systems. Studies have demonstrated a direct correlation between the degree of imperviousness of an area and the degradation of its receiving waters. These impacts must be mitigated by requiring appropriate runoff reduction and pollution prevention controls to minimize runoff and keep runoff clean for the life of the project.

The County requires that projects include source and/or treatment control measures on selected new development and redevelopment projects. Source control BMPs are intended to keep pollutants from contacting site runoff. Examples include “No Dumping-Drains to Creek/River” stencils/stamps on storm drain inlets to educate the public, and providing roofs over areas likely to contain pollutants, so that rainfall does not contact the pollutants. Treatment control measures are intended to remove pollutants that have already been mobilized in runoff. Examples include vegetated swales and water quality detention basins. These facilities slow water down and allow sediments and pollutants to settle out prior to discharge to receiving waters. Additionally, vegetated facilities provide filtration and pollutant uptake/adsorption. The project proponent should consider the use of “low impact development” techniques to reduce the amount of imperviousness on the site, since this will reduce the volume of runoff and therefore will reduce the size/cost of stormwater quality treatment required. Examples of low impact development techniques include pervious pavement and bioretention facilities.

The County requires developers to utilize the *Stormwater Quality Design Manual for the Sacramento Region, 2018* (Design Manual) in selecting and designing post-construction facilities to treat runoff from the project. Regardless of project type or size, developers are required to implement the minimum source control measures (Chapter 4 of the Design Manual). Low impact development measures and Treatment Control Measures are required of all projects exceeding the impervious surface threshold defined in Table 3-2 and 3-3 of the Design Manual. Further, depending on project size and location, hydromodification control measures may be required (Chapter 5 of the Design Manual).

Updates and background on the County’s requirements for post-construction stormwater quality treatment controls, along with several downloadable publications, can be found at the following websites:

<http://www.waterresources.saccounty.net/stormwater/Pages/default.aspx>

<http://www.beriverfriendly.net/Newdevelopment/>

The final selection and design of post-construction stormwater quality control measures is subject to the approval of the County Department of Water Resources; therefore, they

should be contacted as early as possible in the design process for guidance. Project compliance with requirements outlined above will ensure that project-related stormwater pollution impacts are ***less than significant***.

BIOLOGICAL RESOURCES

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Have a substantial adverse effect on the movement of any native resident or migratory fish or wildlife species.
- Adversely affect or result in the removal of native or landmark trees.
- Conflict with any local policies or ordinances protecting biological resources.

SPECIAL STATUS SPECIES

MIGRATORY BIRDS

The Migratory Bird Treaty Act of 1918, which states “unless and except as permitted by regulations, it shall be unlawful at any time, by any means or in any manner, to pursue, hunt, take, capture, kill, attempt to take, capture, or kill” a migratory bird. Section 3(18) of the Federal Endangered Species Act defines the term “take” means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct. Causing a bird to abandon an active nest may cause harm to egg(s) or chick(s) and is considered “take.”

Large trees on the project site provide potential nesting habitat for migratory birds. To avoid take of nesting migratory birds, mitigation has been included either to require that activities occur outside of the nesting season, or to require that nests be buffered from construction activities until the nesting season is concluded. Impacts to migratory birds are ***less than significant***.

NATIVE AND NON-NATIVE TREES

TREE INVENTORY

An Arborist Report was prepared by California Tree and Landscape Consulting, Inc. on July 12, 2021 (Appendix A). The project site has 11 trees onsite, as well as a number of off-site trees on or near the property boundary. Those trees that meet the inventory requirements are included in Table IS-5 below. Plate IS-5 shows the location of the trees onsite. Note that Plate IS-5 includes some trees that are less than 6 dbh inches and are therefore considered saplings. These trees are not included in the summary table below as they would not be included in mitigation requirements.

Tree Inventory


Tree Number	Species	DBH (inches)	Canopy (sq feet)	Native
9270	Blue Oak, (<i>Quercus douglasii</i>)	26	1,017	Yes
9271	American Sweetgum (<i>Liquidambar styraciflua</i>)	10	314	No
9274	Interior Live Oak (<i>Quercus wislizenii</i>)	13.9	314	Yes
9275	Blue Oak, (<i>Quercus douglasii</i>)	28	2,462	Yes
9283	Valley Oak (<i>Quercus lobate</i>)	20	1,017	Yes
9289	London Plane Tree (<i>Patanus x hispanica</i>)	20	Within canopy of 9290	No
9290	American Elm (<i>Ulmus americana</i>)	14	1,963	No
9291	Modesto Ash (<i>Fraxinus velutina</i> 'Modesto')	26	2,826	No
9292	Italian Cypress (<i>Cupressus Sempervirens</i>)	8	Within canopy of 9291	No
9293	Italian Cypress (<i>Cupressus Sempervirens</i>)	10	Within canopy of 9291	No
9294	Italian Cypress (<i>Cupressus Sempervirens</i>)	8	28	No
Total Tree Canopy (all trees)			9,977 square feet	
Total DBH inches (native trees only)		87.9 inches		

Plate IS-5: Tree Locations

Reliance Village: 5252 & 5304 Jackson Street, North Highlands CA – County of Sacramento

July 8, 2021

APPENDIX 1 – MAP OF THE PROPERTY SHOWING TREE LOCATIONS



Cory Kinley, Arborist

Page 6 of 14

NATIVE TREES

Sacramento County has identified the value of its native and landmark trees and has adopted measures for their preservation. The Tree Ordinance (Chapter 19.04 and 19.12 of the County Code) provides protections for landmark trees and heritage trees. The County Code defines a landmark tree as “an especially prominent or stately tree on any land in Sacramento County, including privately owned land” and a heritage tree as “native oak trees that are at or over 19” diameter at breast height (dbh).” Chapter 19.12 of the County Code, titled Tree Preservation and Protection, defines native oak trees as valley oak (*Quercus lobata*), interior live oak (*Quercus wislizenii*), blue oak (*Quercus douglasii*), or oracle oak (*Quercus morehus*) and states that “it shall be the policy of the County to preserve all trees possible through its development review process.” It should be noted that to be considered a tree, as opposed to a seedling or sapling, the tree must have a diameter at breast height (dbh) of at least 6 inches or, if it has multiple trunks of less than 6 inches each, a combined dbh of 10 inches. The Sacramento County General Plan Conservation Element policies CO-138 and CO-139 also provide protections for native trees:

CO-138. Protect and preserve non-oak native trees along riparian areas if used by Swainson’s Hawk, as well as landmark and native oak trees measuring a minimum of 6 inches in diameter or 10 inches aggregate for multi-trunk trees at 4.5 feet above ground.

CO-139. Native trees other than oaks, which cannot be protected through development, shall be replaced with in-kind species in accordance with established tree planting specifications, the combined diameter of which shall equal the combined diameter of the trees removed.

Native trees other than oaks include Fremont cottonwood (*Populus fremontii*), California sycamore (*Platanus racemosa*), California black walnut (*Juglans californica*), Oregon ash (*Fraxinus latifolia*), western redbud (*Cercis occidentalis*), gray pine (*Pinus sabiniana*), California white alder (*Alnus rhombifolia*), boxelder (*Acer negundo*), California buckeye (*Aesculus californica*), narrowleaf willow (*Salix exigua*), Gooding’s willow (*Salix gooddingii*), red willow (*Salix laevigata*), arroyo willow (*Salix lasiolepis*), shining willow (*Salix lucida*), Pacific willow (*Salix lasiandra*), and dusky willow (*Salix melanopsis*).

Sacramento County General Plan Environmental Justice Element policy EJ-23 further identifies replacement requirements for Environmental Justice communities.

EJ-23. The County will achieve equitable tree canopy in EJ Communities.

Policy EJ-23 was adopted because there is a disproportionate lack of tree canopy cover in identified EJ communities. This policy is guided by an implementation measure which identifies that during California Environmental Quality Act review, project (public and private) tree impacts shall be mitigated by providing an extra 25 percent tree replacement in the same EJ community where the impact occurs (i.e 125 percent).

NATIVE TREE IMPACTS

The project will require removal of all onsite trees, including four inventoried native trees (trees 9270, 9274, 9275, and 9283). The four native trees have a combined dbh total of 87.9 inches, which requires in kind compensation for removal as outline in Mitigation Measure B. Additionally, construction may result in impacts to remaining trees on adjacent properties. In order to maintain the health of remaining trees, mitigation has been included to ensure protective measures are in place during construction, as outlined in Mitigation Measure C. With the implementation of Mitigation Measure B and C, which compensates for the removal of native trees and the protection of native trees not removed, the project would have a less than significant impact.

NON-NATIVE TREES

The Sacramento County General Plan Conservation and Environmental Justice Elements contain several policies aimed at preserving tree canopy within the County. These are:

- CO-145. Removal of non-native tree canopy for development shall be mitigated by creation of new tree canopy equivalent to the acreage of non-native tree canopy removed. New tree canopy acreage shall be calculated using the 15-year shade cover values for tree species.
- CO-146. If new tree canopy cannot be created onsite to mitigate for the non-native tree canopy removed for new development, project proponents (including public agencies) shall contribute to the Greenprint funding in an amount proportional to the tree canopy of the specific project.
- CO-147. Increase the number of trees planted within residential lots and within new and existing parking lots.
- CO-149. Trees planted within new or existing parking lots should utilize pervious cement and structured soils in a radius from the base of the tree necessary to maximize water infiltration sufficient to sustain the tree at full growth.
- EJ-23. The County will achieve equitable tree canopy in EJ Communities.

The 15-year shade cover values for tree species referenced in policy CO-145 are also referenced by the Sacramento County Zoning Code, Chapter 30, Article 4, and the list is maintained by the Sacramento County Department of Transportation, Landscape Planning and Design Division. The list includes more than 70 trees, so is not included here, but it is available at <http://www.planning.saccounty.net/> under the “Environmental Documents CEQA/NEPA Overview” heading. Policy CO-146 references the Greenprint program, which is run by the Sacramento Tree Foundation and has a goal of planting five million trees in the Sacramento region. Policy EJ-23 was adopted because there is a disproportionate lack of tree canopy cover in identified EJ communities. This policy is guided by an implementation measure which identifies that during California Environmental Quality Act review, project (public and private) tree impacts shall be mitigated by providing an extra 25 percent tree replacement in the same EJ community where the impact occurs (i.e 125 percent).

NON-NATIVE AND TREE CANOPY IMPACTS

The arborist report prepared for the project identified 7 onsite non-native trees that would be removed through project implementation. Table IS-5 above outlines the non-native trees onsite, and Plate IS-5 above shows the locations of the trees onsite. While all trees onsite are expected to be removed for the construction of the project, the arborist report evaluated the health and condition of each tree onsite. The report found that one tree had extreme health issues, eight had major health/structure concerns and eight were in fair condition with minor health/structure concerns. Additional non-native trees were evaluated; these trees are offsite within overhanging canopies and are not expected to be removed. The tree canopy calculations are dependent on the presence of overall canopy and not the health of the tree. Additionally, because the project is located within an Environmental Justice community as identified in the General Plan, compliance with EJ-23 is required. As such, tree canopy mitigation is required for both native and non-native trees.

Tree canopy for this project has been calculated as the total area utilizing the canopy radius when the tree is in a stand-alone location. In instances where small trees have canopy that is covered by a larger tree, canopy is not double counted (as indicated in Table-5 above). The project would result in the loss of 9,977 square feet of canopy loss. In accordance with EJ-23, mitigation requirements are the equivalent of 125 percent of canopy removed. Therefore, the project would be required to mitigate for 12,471 square feet of canopy, as outlined in Mitigation Measure D. With the implementation of Mitigation Measure D, which compensates for the removal of both native and non-native tree canopy, the project would have a ***less than significant impact***.

CULTURAL RESOURCES

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Cause a substantial adverse change in the significance of an archaeological or historical resource.
- Disturb any human remains, including those interred outside of formal cemeteries.

Under CEQA, lead agencies must consider the effects of projects on historical resources and archaeological resources. A “historical resource” is defined as a resource listed in, or determined to be eligible for listing in, the California Register of Historical Resources (CRHR), a resource included in a local register of historical resources, and any object, building, structure, site, area, place, record, or manuscript which a lead agency determines to be historically significant (Section 15064.5[a] of the Guidelines). Public Resources Code (PRC) Section 5042.1 requires that any properties that can be expected to be directly or indirectly affected by a proposed project be evaluated for CRHR eligibility. Impacts to historical resources that materially impair those characteristics that convey its historical significance and justify its inclusion or eligibility

for the NRHP or CRHR are considered a significant effect on the environment (CEQA guidelines 15064.5)).

In addition to historically significant resources, an archeological site may meet the definition of a “unique archeological resource” as defined in PRC Section 21083.2(g). If unique archaeological resources cannot be preserved in place or left in an undisturbed state, mitigation measures shall be required (PRC Section 21083.2 (c)).

CEQA Guidelines Section 15064.5 (e) outlines the steps the lead agency shall take in the event of an accidental discovery of human remains in any location other than a dedicated cemetery.

CULTURAL SETTING

A search of records and historical information on file at the North Central Information Center (NCIC) of the California Historical Resources Information System (CHRIS) was conducted on December 7, 2021 for the project area and a 0.25 mile buffer. The records search identified zero previously recorded resources within the project site.

PROJECT IMPACTS

ARCHAEOLOGICAL AND HISTORICAL RESOURCES

A records search was completed for the current Project site and a 0.25-mile radius at the NCIC at Sacramento State University on December 7, 2021 (Appendix B [Confidential]). Results of a NAHC Sacred Lands File search, provided December 7, 2021, were negative for resources within the search area, which included USGS Sections intersecting the Project site and surrounding 0.25-mile buffer. In addition, there are no known archeological resources onsite. The Project site has been subject to past disturbances. Based on observation of present conditions and soil development in the area, there is a potential for unanticipated cultural material or deposits to be encountered during Project implementation and/or future use of the area. In consideration of the presence of a number of archaeological and historic built environment resources in the surrounding area, there is considered to be some potential for the Project to inadvertently impact unanticipated cultural resources. Protection measures for unanticipated discoveries of cultural resources and human remains are recommended and outlined below. With implementation of Mitigation Measure F, impacts to archaeological resources would be less than significant.

HUMAN REMAINS

The Project site does not have any association with a cemetery or mausoleum. No known human remains or burial sites were discovered through the NCIC records search, or NAHC Sacred Lands File search and subsequent tribal outreach. The construction of the Project has a low potential for encountering unknown buried human remains based on the research findings above. However, the potential to encounter human remains still exists during ground-moving construction activities. As such, implementation of Mitigation Measure F would ensure that potential impacts would be

less than significant by providing standard procedures in the event that human remains are encountered during Project construction.

The project is unlikely to impact human remains buried outside of formal cemeteries; however, if human remains are encountered during construction, mitigation is included specifying how to comply with CEQA Guidelines Section 15064.5 (e), Sections 5097.97 and 5097.98 of the State Public Resources Code, and Section 7050.5 of the State Health and Safety Code. Therefore, with mitigation, project impacts to cultural resources will be *less than significant*.

GREENHOUSE GAS EMISSIONS

This section supplements the Initial Study Checklist by analyzing if the proposed project would:

- Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment.

GREENHOUSE GAS EMISSIONS REGULATORY BACKGROUND

California has adopted statewide legislation addressing various aspects of climate change and GHG emissions mitigation. Much of this establishes a broad framework for the State's long-term GHG reduction and climate change adaptation program. Of particular importance is AB 32, which establishes a statewide goal to reduce GHG emissions back to 1990 levels by 2020, and Senate Bill (SB) 375 supports AB 32 through coordinated transportation and land use planning with the goal of more sustainable communities. SB 32 extends the State's GHG policies and establishes a near-term GHG reduction goal of 40% below 1990 emissions levels by 2030. Executive Order (EO) S-03-05 identifies a longer-term goal for 2050.¹

COUNTY OF SACRAMENTO CLIMATE ACTION PLANNING

In November of 2011, Sacramento County approved the Phase 1 Climate Action Plan Strategy and Framework document (Phase 1 CAP), which is the first phase of developing a community-level Climate Action Plan. The Phase 1 CAP provides a framework and overall policy strategy for reducing greenhouse gas emissions and managing our resources in order to comply with AB 32. It also highlights actions already taken to become more efficient, and targets future mitigation and adaptation strategies. This document is available at http://www.green.saccounty.net/Documents/sac_030843.pdf. The CAP contains policies/goals related to agriculture, energy, transportation/land use, waste, and water.

Goals in the section on agriculture focus on promoting the consumption of locally-grown produce, protection of local farmlands, educating the community about the intersection

¹ EO S-03-05 has set forth a reduction target to reduce GHG emissions by 80 percent below 1990 levels by 2050. This target has not been legislatively adopted.

of agriculture and climate change, educating the community about the importance of open space, pursuing sequestration opportunities, and promoting water conservation in agriculture. Actions related to these goals cover topics related to urban forest management, water conservation programs, open space planning, and sustainable agriculture programs.

Goals in the section on energy focus on increasing energy efficiency and increasing the usage of renewable sources. Actions include implementing green building ordinances and programs, community outreach, renewable energy policies, and partnerships with local energy producers.

Goals in the section on transportation/land use cover a wide range of topics but are principally related to reductions in vehicle miles traveled, usage of alternative fuel types, and increases in vehicle efficiency. Actions include programs to increase the efficiency of the County vehicle fleet, and an emphasis on mixed use and higher density development, implementation of technologies and planning strategies that improve non-vehicular mobility.

Goals in the section on waste include reductions in waste generation, maximizing waste diversion, and reducing methane emissions at Kiefer landfill. Actions include solid waste reduction and recycling programs, a regional composting facility, changes in the waste vehicle fleet to use non-petroleum fuels, carbon sequestration at the landfill, and methane capture at the landfill.

Goals in the section on water include reducing water consumption, emphasizing water efficiency, reducing uncertainties in water supply by increasing the flexibility of the water allocation/distribution system, and emphasizing the importance of floodplain and open space protection as a means of providing groundwater recharge. Actions include metering, water recycling programs, water use efficiency policy, water efficiency audits, greywater programs/policies, river-friendly landscape demonstration gardens, participation in the water forum, and many other related measures.

The Phase 1 CAP is a strategy and framework document. The County adopted the Phase 2A CAP (Government Operations) on September 11, 2012. Neither the Phase 1 CAP nor the Phase 2A CAP are “qualified” plans through which subsequent projects may receive CEQA streamlining benefits. The County is currently developing a Communitywide CAP, which will flesh out the strategies involved in the strategy and framework CAP, and will include economic analysis, intensive vetting with all internal departments, community outreach/information sharing, timelines, and detailed performance measures..

The commitment to a Communitywide CAP is identified in General Plan Policy LU-115 and associated Implementation Measures F through J on page 117 of the General Plan Land Use Element. This commitment was made in part due to the County’s General Plan Update process and potential expansion of the Urban Policy Area to accommodate new growth areas. General Plan Policies LU-119 and LU-120 were developed with SACOG to be consistent with smart growth policies in the SACOG Blueprint, which are

intended to reduce VMT and GHG emissions. This second phase CAP is intended to flesh out the strategies involved in the strategy and framework CAP, and will include economic analysis, intensive vetting with all internal departments, community outreach/information sharing, timelines, and detailed performance measures. County Staff prepared a final draft of the CAP, which was heard at the Planning Commission on October 25, 2021. The CAP was brought to the Board of Supervisors (BOS) as a workshop item on March 23, 2022. The CAP was revised based upon input received from the BOS and a final CAP was brought back before the BOS for approval, on September 27, 2022, but was continued to a future hearing date.

GREENHOUSE GAS EMISSIONS THRESHOLDS OF SIGNIFICANCE

In April 2020, SMAQMD adopted an update to their land development project operational GHG threshold, which requires a project to demonstrate consistency with CARB's 2017 Climate Change Scoping Plan. The Sacramento County Board of Supervisors adopted the updated GHG threshold in December 2020. SMAQMD's technical support document, "Greenhouse Gas Thresholds for Sacramento County", identifies operational measures that should be applied to a project to demonstrate consistency.

All projects must implement Tier 1 Best Management Practices to demonstrate consistency with the Climate Change Scoping Plan. After implementation of Tier 1 Best Management Practices, project emissions are compared to the operational land use screening levels table (equivalent to 1,100 metric tons of CO₂e per year). If a project's operational emissions are less than or equal to 1,100 metric tons of CO₂e per year after implementation of Tier 1 Best Management Practices, the project will result in a less than cumulatively considerable contribution and has no further action. Tier 1 Best Management Practices include:

- BMP 1 – no natural gas: projects shall be designed and constructed without natural gas infrastructure.
- BMP 2 – electric vehicle (EV) Ready: projects shall meet the current CalGreen Tier 2 standards.
 - EV Capable requires the installation of "raceway" (the enclosed conduit that forms the physical pathway for electrical wiring to protect it from damage) and adequate panel capacity to accommodate future installation of a dedicated branch circuit and charging station(s)
 - EV Ready requires all EV Capable improvements plus installation of dedicated branch circuit(s) (electrical pre-wiring), circuit breakers, and other electrical components, including a receptacle (240-volt outlet) or blank cover needed to support future installation of one or more charging stations

Projects that implement BMP 1 and BMP 2 can utilize the screening criteria for operation emissions outlined in Table IS-6. Projects that do not exceed 1,100 metric

tons per year are then screened out of further requirements. For projects that exceed 1,100 metric tons per year, compliance with BMP 3 is also required:

- BMP 3 – Reduce applicable project VMT by 15% residential and 15% worker relative to Sacramento County targets, and no net increase in retail VMT. In areas with above-average existing VMT, commit to provide electrical capacity for 100% electric vehicles.

SMAQMD’s GHG construction and operational emissions thresholds for Sacramento County are shown in Table IS-6.

Table IS-6: SMAQMD Thresholds of Significance for Greenhouse Gases

Land Development and Construction Projects		
	Construction Phase	Operational Phase
Greenhouse Gas as CO ₂ e	1,100 metric tons per year	1,100 metric tons per year
Stationary Source Only		
	Construction Phase	Operational Phase
Greenhouse Gas as CO ₂ e	1,100 metric tons per year	10,000 metric tons per year

PROJECT IMPACTS

CONSTRUCTION-GENERATED GREENHOUSE GAS EMISSIONS

GHG emissions associated with the project would occur over the short term from construction activities, consisting primarily of emissions from equipment exhaust. The project is within the SMAQMD identified screening criteria for construction related impacts related to air quality. The SMAQMD Guide includes screening criteria for construction-related particulate matter. Projects that are 35 acres or less in size will generally not exceed the SMAQMD’s construction thresholds of significance provided that the project does not:

- Include buildings more than 4 stories tall;
- Include demolition activities;
- Include significant trenching activities;
- Have a construction schedule that is unusually compact, fast-paced, or involves more than 2 phases (i.e., grading, paving, building construction, and architectural coatings) occurring simultaneously;
- Involve cut-and-fill operations (moving earth with haul trucks and/or flattening or terracing hills); or,

- Require import or export of soil materials that will require a considerable amount of haul truck activity

The project does not include any unusual construction phasing, and meets the criteria outlined in the SMAQMD construction emission screening criteria. Therefore, construction-related GHG impacts are less than significant.

OPERATIONAL PHASE GREENHOUSE GAS EMISSIONS

The project will implement BMP 1 and BMP 2 in its entirety. As such, the project can be compared to the operational screening table. The operational screening table has been prepared by the SMAQMD to identify projects in which the operational emissions associated with the project are less than 1,100 MT of CO₂e per year. Projects that implement BMP 1 and BMP 2, and are within the thresholds identified in the operational screening table will have operational emissions below the 1,100 MT of CO₂e per year significance threshold. Mitigation measures G and H have been included such that the project will implement BMP 1 and BMP 2. The impacts from GHG emissions are ***less than significant with mitigation.***

ENVIRONMENTAL MITIGATION MEASURES

Mitigation Measures A-H are critical to ensure that identified significant impacts of the project are reduced to a level of less than significant. Pursuant to Section 15074.1(b) of the CEQA Guidelines, each of these measures must be adopted exactly as written unless both of the following occur: (1) A public hearing is held on the proposed changes; (2) The hearing body adopts a written finding that the new measure is equivalent or more effective in mitigating or avoiding potential significant effects and that it in itself will not cause any potentially significant effect on the environment.

As the applicant, or applicant's representative, for this project, I acknowledge that project development creates the potential for significant environmental impact and agree to implement the mitigation measures listed below, which are intended to reduce potential impacts to a less than significant level.

Applicant _____ Date: _____

MITIGATION MEASURE A: MIGRATORY BIRD NEST PROTECTION

To avoid impacts to nesting migratory birds the following shall apply:

1. If construction activity (which includes clearing, grubbing, or grading) is to commence within 50 feet of nesting habitat between February 1 and August 31, a survey for active migratory bird nests shall be conducted no more than 14 day prior to construction by a qualified biologist.
2. Trees slated for removal shall be removed during the period of September through January, in order to avoid the nesting season. Any trees that are to be

removed during the nesting season, which is February through August, shall be surveyed by a qualified biologist and will only be removed if no nesting migratory birds are found.

3. If active nest(s) are found in the survey area, a non-disturbance buffer, the size of which has been determined by a qualified biologist, shall be established and maintained around the nest to prevent nest failure. All construction activities shall be avoided within this buffer area until a qualified biologist determines that nestlings have fledged, or until September 1.

MITIGATION MEASURE B: NATIVE TREE REMOVAL

The removal of 87.9 inches dbh of oaks shall be compensated for by planting in-kind native trees equivalent to the dbh inches lost, based on the ratios listed below, at locations that are authorized by the Environmental Coordinator. On-site preservation of oak trees that are less than 6 inches (<6 inches) dbh, may also be used to meet this compensation requirement. Native oaks trees include: valley oak (*Quercus lobata*), interior live oak (*Quercus wislizenii*), and/or blue oak (*Quercus douglasii*).

Replacement tree planting shall be completed prior to approval of grading or improvement plans, whichever comes first. A total of 87.9 inches will require compensation.

Equivalent compensation based on the following ratio is required:

- one preserved native tree < 6 inches dbh on-site = 1 inch dbh
- one D-pot seedling (40 cubic inches or larger) = 1 inch dbh
- one 15-gallon tree = 1 inch dbh
- one 24-inch box tree = 2 inches dbh
- one 36-inch box tree = 3 inches dbh

Prior to the approval of Improvement Plans or Building Permits, whichever occurs first, a Replacement Tree Planting Plan shall be prepared by a certified arborist or licensed landscape architect and shall be submitted to the Environmental Coordinator for approval. The Replacement Tree Planting Plan(s) shall include the following minimum elements:

1. Species, size and locations of all replacement plantings and < 6-inch dbh trees to be preserved
2. Method of irrigation

3. If planting in soils with a hardpan/duripan or claypan layer, include the Sacramento County Standard Tree Planting Detail L-1, including the 10-foot deep boring hole to provide for adequate drainage
4. Planting, irrigation, and maintenance schedules;
5. Identification of the maintenance entity and a written agreement with that entity to provide care and irrigation of the trees for a 3-year establishment period, and to replace any of the replacement trees which do not survive during that period.
6. Designation of 20-foot root zone radius and landscaping to occur within the radius of trees < 6 inches dbh to be preserved on-site.

No replacement tree shall be planted within 15 feet of the driplines of existing native trees or landmark size trees that are retained on-site, or within 15 feet of a building foundation or swimming pool excavation. The minimum spacing for replacement native trees shall be 20 feet on-center. Examples of acceptable planting locations are publicly owned lands, common areas, and landscaped frontages (with adequate spacing). Generally unacceptable locations are utility easements (PUE, sewer, storm drains), under overhead utility lines, private yards of single-family lots (including front yards), and roadway medians.

Native trees <6 inches dbh to be retained on-site shall have at least a 20-foot radius suitable root zone. The suitable root zone shall not have impermeable surfaces, turf/lawn, dense plantings, soil compaction, drainage conditions that create ponding (in the case of oak trees), utility easements, or other overstory tree(s) within 20 feet of the tree to be preserved. Trees to be retained shall be determined to be healthy and structurally sound for future growth, by an ISA Certified Arborist subject to Environmental Coordinator approval.

If tree replacement plantings are demonstrated to the satisfaction of the Environmental Coordinator to be infeasible for any or all trees removed, then compensation shall be through payment into the County Tree Preservation Fund. Payment shall be made at a rate of \$325.00 per dbh inch removed but not otherwise compensated, or at the prevailing rate at the time payment into the fund is made.

MITIGATION MEASURE C: NATIVE TREE CONSTRUCTION PROTECTION

For the purpose of this mitigation measure, a native tree is defined as a Valley Oak (*Quercus lobate*), Interior Live Oak (*Quercus wislizenii*), and Blue Oak, (*Quercus douglasii*) having a diameter at breast height (dbh) of at least 6 inches, or if it has multiple trunks of less than 6 inches each, a combined dbh of at least 10 inches.

With the exception of the trees removed and compensated for through Mitigation Measure B, above, all native trees on the project site, all portions of adjacent off-site native trees which have driplines that extend onto the project site, and all off-site native trees which may be impacted by utility installation and/or improvements associated with this project, shall be preserved and protected as follows:

1. A circle with a radius measurement from the trunk of the tree to the tip of its longest limb shall constitute the dripline protection area of the tree. Limbs must not be cut back in order to change the dripline. The area beneath the dripline is a critical portion of the root zone and defines the minimum protected area of the tree. Removing limbs which make up the dripline does not change the protected area.
2. Chain link fencing or a similar protective barrier shall be installed one foot outside the driplines of the native trees prior to initiating project construction, in order to avoid damage to the trees and their root system.
3. No signs, ropes, cables (except cables which may be installed by a certified arborist to provide limb support) or any other items shall be attached to the native trees.
4. No vehicles, construction equipment, mobile home/office, supplies, materials or facilities shall be driven, parked, stockpiled or located within the driplines of the native trees.
5. Any soil disturbance (scraping, grading, trenching, and excavation) is to be avoided within the driplines of the native trees. Where this is necessary, an ISA Certified Arborist will provide specifications for this work, including methods for root pruning, backfill specifications and irrigation management guidelines.
6. All underground utilities and drain or irrigation lines shall be routed outside the driplines of native trees. Trenching within protected tree driplines is not permitted. If utility or irrigation lines must encroach upon the dripline, they should be tunneled or bored under the tree under the supervision of an ISA Certified Arborist.
7. If temporary haul or access roads must pass within the driplines of oak trees, a roadbed of six inches of mulch or gravel shall be created to protect the root zone. The roadbed shall be installed from outside of the dripline and while the soil is in a dry condition, if possible. The roadbed material shall be replenished as necessary to maintain a six-inch depth.
8. Drainage patterns on the site shall not be modified so that water collects or stands within, or is diverted across, the dripline of oak trees.
9. No sprinkler or irrigation system shall be installed in such a manner that it sprays water within the driplines of the oak trees.
10. Tree pruning that may be required for clearance during construction must be performed by an ISA Certified Arborist or Tree Worker and in accordance with the American National Standards Institute (ANSI) A300 pruning standards and the International Society of Arboriculture (ISA) "Tree Pruning Guidelines".

11. Landscaping beneath the oak trees may include non-plant materials such as boulders, decorative rock, wood chips, organic mulch, non-compacted decomposed granite, etc. Landscape materials shall be kept two (2) feet away from the base of the trunk. The only plant species which shall be planted within the driplines of the oak trees are those which are tolerant of the natural semi-arid environs of the trees. Limited drip irrigation approximately twice per summer is recommended for the understory plants.
12. Any fence/wall that will encroach into the dripline protection area of any protected tree shall be constructed using grade beam wall panels and posts or piers set no closer than 10 feet on center. Posts or piers shall be spaced in such a manner as to maximize the separation between the tree trunks and the posts or piers in order to reduce impacts to the trees.

For a project constructing during the months of June, July, August, and September, deep water trees by using a soaker hose (or a garden hose set to a trickle) that slowly applies water to the soil until water has penetrated at least one foot in depth. Sprinklers may be used to water deeply by watering until water begins to run off, then waiting at least an hour or two to resume watering (provided that the sprinkler is not wetting the tree's trunk. Deep water every 2 weeks and suspend watering 2 weeks between rain events of 1 inch or more.

MITIGATION MEASURE D: TREE CANOPY REPLACEMENT

Removal of 12,471 square feet of native and non-native tree canopy for development shall be mitigated by creation of new tree canopy equivalent to 125% of tree canopy removed in accordance with General Plan policy EJ-23. New tree canopy acreage shall be calculated using the Sacramento County Department of Transportation 15-year shade cover values for tree species. Preference is given to on-site mitigation.

MITIGATION MEASURE E: INADVERTENT DISCOVERY OF CULTURAL RESOURCES

In the event of an inadvertent discovery of cultural resources (excluding human remains) during construction, all work must halt within a 100-foot radius of the discovery. A qualified professional archaeologist, meeting the Secretary of the Interior's Professional Qualification Standards for prehistoric and historic archaeology, shall be retained at the Applicant's expense to evaluate the significance of the find. If it is determined due to the types of deposits discovered that a Native American monitor is required, the Guidelines for Monitors/Consultants of Native American Cultural, Religious, and Burial Sites as established by the Native American Heritage Commission shall be followed, and the monitor shall be retained at the Applicant's expense.

- a. Work cannot continue within the 100-foot radius of the discovery site until the archaeologist and/or tribal monitor conducts sufficient research and data collection to make a determination that the resource is either 1) not

cultural in origin; or 2) not potentially eligible for listing on the National Register of Historic Places or California Register of Historical Resources.

- b. If a potentially-eligible resource is encountered, then the archaeologist and/or tribal monitor, Planning and Environmental Review staff, and project proponent shall arrange for either 1) total avoidance of the resource, if possible; or 2) test excavations or total data recovery as mitigation. The determination shall be formally documented in writing and submitted to the County Environmental Coordinator as verification that the provisions of CEQA for managing unanticipated discoveries have been met.

MITIGATION MEASURE F: UNANTICIPATED HUMAN REMAINS

Pursuant to Sections 5097.97 and 5097.98 of the State Public Resources Code, and Section 7050.5 of the State Health and Safety Code, if a human bone or bone of unknown origin is found during construction, all work is to stop and the County Coroner and the Office of Planning and Environmental Review shall be immediately notified. If the remains are determined to be Native American, the coroner shall notify the Native American Heritage Commission within 24 hours, and the Native American Heritage Commission shall identify the person or persons it believes to be the most likely descendent from the deceased Native American. The most likely descendent may make recommendations to the landowner or the person responsible for the excavation work, for means of treating or disposition of, with appropriate dignity, the human remains and any associated grave goods.

MITIGATION MEASURE G: BASIC CONSTRUCTION EMISSIONS CONTROL PRACTICES

The following Basic Construction Emissions Control Practices are considered feasible for controlling fugitive dust from a construction site. The practices also serve as best management practices (BMPs), allowing the use of the non-zero particulate matter significance thresholds. Control of fugitive dust is required by District Rule 403 and enforced by District staff.

- Water all exposed surfaces two times daily. Exposed surfaces include, but are not limited to soil piles, graded areas, unpaved parking areas, staging areas, and access roads.
- Cover or maintain at least two feet of free board space on haul trucks transporting soil, sand, or other loose material on the site. Any haul trucks that would be traveling along freeways or major roadways should be covered.

- Use wet power vacuum street sweepers to remove any visible trackout mud or dirt onto adjacent public roads at least once a day. Use of dry power sweeping is prohibited.
- Limit vehicle speeds on unpaved roads to 15 miles per hour (mph).
- All roadways, driveways, sidewalks, parking lots to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used.

The following practices describe exhaust emission control from diesel powered fleets working at a construction site. California regulations limit idling from both on-road and off-road diesel-powered equipment. The California Air Resources Board (CARB) enforces idling limitations and compliance with diesel fleet regulations.

- Minimize idling time either by shutting equipment off when not in use or reducing the time of idling to 5 minutes [California Code of Regulations, Title 13, sections 2449(d)(3) and 2485]. Provide clear signage that posts this requirement for workers at the entrances to the site.
- Provide current certificate(s) of compliance for CARB's In-Use Off-Road Diesel-Fueled Fleets Regulation [California Code of Regulations, Title 13, sections 2449 and 2449.1]. For more information contact CARB at 877-593-6677, doors@arb.ca.gov, or www.arb.ca.gov/doors/compliance_cert1.html.
- Maintain all construction equipment in proper working condition according to manufacturer's specifications. The equipment must be checked by a certified mechanic

MITIGATION MEASURE H: GREENHOUSE GASES TIER 1 BMPs

The project is required to incorporate the following Tier 1 Best Management Practices (BMPs)

- BMP 1: No natural gas: Projects shall be designed and constructed without natural gas infrastructure.
- BMP 2: Electric vehicle ready: Projects shall meet the current CalGreen Tier 2 standards, except all EV Capable spaces shall instead be EV Ready.
 - EV Capable requires the installation of "raceway" (the enclosed conduit that forms the physical pathway for electrical wiring to protect it from damage) and adequate panel capacity to accommodate future installation of a dedicated branch circuit and charging station(s)

- EV Ready requires all EV Capable improvements plus installation of dedicated branch circuit(s) (electrical pre-wiring), circuit breakers, and other electrical components, including a receptacle (240-volt outlet) or blank cover needed to support future installation of one or more charging stations

MITIGATION MEASURE COMPLIANCE

Comply with the Mitigation Monitoring and Reporting Program (MMRP) for this project as follows:

1. The proponent shall comply with the MMRP for this project, including the payment of a fee to cover the Office of Planning and Environmental Review staff costs incurred during implementation of the MMRP. The MMRP fee for this project is \$6,600.00. This fee includes administrative costs of \$1,050.00.
2. Until the MMRP has been recorded and the administrative portion of the MMRP fee has been paid, no final parcel map or final subdivision map for the subject property shall be approved. Until the balance of the MMRP fee has been paid, no encroachment, grading, building, sewer connection, water connection or occupancy permit from Sacramento County shall be approved.

INITIAL STUDY CHECKLIST

Appendix G of the California Environmental Quality Act (CEQA) provides guidance for assessing the significance of potential environmental impacts. Based on this guidance, Sacramento County has developed the following Initial Study Checklist. The Checklist identifies a range of potential significant effects by topical area. The words "significant" and "significance" used throughout the following checklist are related to impacts as defined by the California Environmental Quality Act as follows:

- 1 Potentially Significant indicates there is substantial evidence that an effect MAY be significant. If there are one or more "Potentially Significant" entries an Environmental Impact Report (EIR) is required. Further research of a potentially significant impact may reveal that the impact is actually less than significant or less than significant with mitigation.
- 2 Less than Significant with Mitigation applies where an impact could be significant but specific mitigation has been identified that reduces the impact to a less than significant level.
- 3 Less than Significant or No Impact indicates that either a project will have an impact but the impact is considered minor or that a project does not impact the particular resource.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
1. LAND USE - Would the project:					
a. Cause a significant environmental impact due to a conflict with any applicable land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?			X		The project is consistent with environmental policies of the Sacramento County General Plan, North Highlands Community Plan, and Sacramento County Zoning Code.
b. Physically disrupt or divide an established community?			X		The project will not create physical barriers that substantially limit movement within or through the community.
2. POPULATION/HOUSING - Would the project:					
a. Induce substantial unplanned population growth in an area either directly (e.g., by proposing new homes and businesses) or indirectly (e.g., through extension of infrastructure)?			X		The project will neither directly nor indirectly induce substantial unplanned population growth; the proposal will result in some increases in density above existing designations, but is within an area designated for urban growth and uses. Please refer to the Population/Housing section above.
b. Displace substantial amounts of existing people or housing, necessitating the construction of replacement housing elsewhere?			X		The project will not result in the removal of existing housing, and thus will not displace substantial amounts of existing housing.
3. AGRICULTURAL RESOURCES - Would the project:					
a. Convert Prime Farmland, Unique Farmland, Farmland of Statewide Importance or areas containing prime soils to uses not conducive to agricultural production?				X	The project site is not designated as Prime Farmland, Unique Farmland, or Farmland of Statewide Importance on the current Sacramento County Important Farmland Map published by the California Department of Conservation. The site does not contain prime soils.
b. Conflict with any existing Williamson Act contract?				X	No Williamson Act contracts apply to the project site.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
c. Introduce incompatible uses in the vicinity of existing agricultural uses?				X	The project does not occur in an area of agricultural production.
4. AESTHETICS - Would the project:					
a. Substantially alter existing viewsheds such as scenic highways, corridors or vistas?				X	The project does not occur in the vicinity of any scenic highways, corridors, or vistas.
b. In non-urbanized area, substantially degrade the existing visual character or quality of public views of the site and its surroundings?				X	The project is not located in a non-urbanized area and construction will not substantially degrade the visual character or quality of the project site.
c. If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?			X		Construction will not substantially degrade the visual character or quality of the project site. It is acknowledged that aesthetic impacts are subjective and may be perceived differently by various affected individuals. Nonetheless, given the urbanized environment in which the project is proposed, it is concluded that the project would not substantially degrade the visual character or quality of the project site or vicinity
d. Create a new source of substantial light, glare, or shadow that would result in safety hazards or adversely affect day or nighttime views in the area?			X		The project will not result in a new source of substantial light, glare or shadow that would result in safety hazards or adversely affect day or nighttime views in the area.
5. AIRPORTS - Would the project:					
a. Result in a safety hazard for people residing or working in the vicinity of an airport/airstrip?				X	The project occurs outside of any identified public or private airport/airstrip safety zones.
b. Expose people residing or working in the project area to aircraft noise levels in excess of applicable standards?				X	The project occurs outside of any identified public or private airport/airstrip noise zones or contours.
c. Result in a substantial adverse effect upon the safe and efficient use of navigable airspace by aircraft?				X	The project does not affect navigable airspace.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
d. Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?				X	The project does not involve or affect air traffic movement.
6. PUBLIC SERVICES - Would the project:					
a. Have an adequate water supply for full buildout of the project?			X		The water service provider has adequate capacity to serve the water needs of the proposed project.
b. Have adequate wastewater treatment and disposal facilities for full buildout of the project?			X		The Sacramento Regional County Sanitation District has adequate wastewater treatment and disposal capacity to service the proposed project.
c. Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?			X		The Kiefer Landfill has capacity to accommodate solid waste until the year 2050.
d. Result in substantial adverse physical impacts associated with the construction of new water supply or wastewater treatment and disposal facilities or expansion of existing facilities?			X		Minor extension of infrastructure would be necessary to serve the proposed project. Existing service lines are located within existing roadways and other developed areas, and the extension of lines would take place within areas already proposed for development as part of the project. No significant new impacts would result from service line extension.
e. Result in substantial adverse physical impacts associated with the provision of storm water drainage facilities?			X		Minor extension of infrastructure would be necessary to serve the proposed project. Existing stormwater drainage facilities are located within existing roadways and other developed areas, and the extension of facilities would take place within areas already proposed for development as part of the project. No significant new impacts would result from stormwater facility extension.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
f. Result in substantial adverse physical impacts associated with the provision of electric or natural gas service?			X		Minor extension of utility lines would be necessary to serve the proposed project. Existing utility lines are located along existing roadways and other developed areas, and the extension of lines would take place within areas already proposed for development as part of the project. No significant new impacts would result from utility extension.
g. Result in substantial adverse physical impacts associated with the provision of emergency services?			X		The project would incrementally increase demand for emergency services, but would not cause substantial adverse physical impacts as a result of providing adequate service.
h. Result in substantial adverse physical impacts associated with the provision of public school services?				X	The proposed project would construct a facility that would only serve residents that are 55 years or older. The project will not require the use of public school services.
i. Result in substantial adverse physical impacts associated with the provision of park and recreation services?			X		The project will result in increased demand for park and recreation services, but meeting this demand will not result in any substantial physical impacts.
7. TRANSPORTATION - Would the project:					
a. Conflict with or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b) – measuring transportation impacts individually or cumulatively, using a vehicles miles traveled standard established by the County?			X		The proposed project would add population to the project site. However, due to the type of project and the demographic of clientele served, the proposed project would be unlikely to substantially increase VMT planned in association with the project site and is screened out per County traffic guidelines. Therefore, the project would have a less than significant impact. Refer to the Transportation discussion in the Environmental Effects section above.
b. Result in a substantial adverse impact to access and/or circulation?			X		The project will be required to comply with applicable access and circulation requirements of the County Improvement Standards and the Uniform Fire Code. Upon compliance, impacts are less than significant.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
c. Result in a substantial adverse impact to public safety on area roadways?			X		No changes to existing access and/or circulation patterns would occur as a result of the project; therefore no impacts to public safety on area roadways will result. The project will be required to comply with applicable access and circulation requirements of the County Improvement Standards and the Uniform Fire Code. Upon compliance, impacts are less than significant.
d. Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?			X		The project does not conflict with alternative transportation policies of the Sacramento County General Plan, with the Sacramento Regional Transit Master Plan, or other adopted policies, plans or programs supporting alternative transportation.
8. AIR QUALITY - Would the project:					
a. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard?			X		The project does not exceed the screening thresholds established by the Sacramento Metropolitan Air Quality Management District and will not result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment. Compliance with existing dust abatement rules and standard construction mitigation for vehicle particulates will ensure that construction air quality impacts are less than significant. The project is unlikely to result in emissions that exceed standards but the potential exists. Standard mitigation will ensure these impacts are reduced to less than significant levels.
b. Expose sensitive receptors to pollutant concentrations in excess of standards?			X		There are no sensitive receptors (i.e., schools, nursing homes, hospitals, daycare centers, etc.) adjacent to the project site. See Response 8.a.
c. Create objectionable odors affecting a substantial number of people?			X		The project will not generate objectionable odors.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
9. NOISE - Would the project:					
a. Result in generation of a temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established by the local general plan, noise ordinance or applicable standards of other agencies?			X		The project is located adjacent to residential land uses, which are considered sensitive noise receptors. Refer to the Noise discussion in the Environmental Effects section above.
b. Result in a substantial temporary increase in ambient noise levels in the project vicinity?			X		Project construction will result in a temporary increase in ambient noise levels in the project vicinity. This impact is less than significant due to the temporary nature of the these activities, limits on the duration of noise, and evening and nighttime restrictions imposed by the County Noise Ordinance (Chapter 6.68 of the County Code). Refer to the Noise discussion in the Environmental Effects section above.
c. Generate excessive groundborne vibration or groundborne noise levels.			X		The project will not involve the use of pile driving or other methods that would produce excessive groundborne vibration or noise levels at the property boundary.
10. HYDROLOGY AND WATER QUALITY - Would the project:					
a. Substantially deplete groundwater supplies or substantially interfere with groundwater recharge?			X		The project will not rely on groundwater supplies and will not substantially interfere with groundwater recharge.
b. Substantially alter the existing drainage pattern of the project area and/or increase the rate or amount of surface runoff in a manner that would result in flooding on- or off-site?			X		Compliance with applicable requirements of the Sacramento County Floodplain Management Ordinance, Sacramento County Water Agency Code, and Sacramento County Improvement Standards will ensure that impacts are less than significant.
c. Develop within a 100-year floodplain as mapped on a federal Flood Insurance Rate Map or within a local flood hazard area?				X	The project is not within a 100-year floodplain as mapped on a federal Flood Insurance Rate Map, nor is the project within a local flood hazard area.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
d. Place structures that would impede or redirect flood flows within a 100-year floodplain?				X	The project site is not within a 100-year floodplain.
e. Develop in an area that is subject to 200 year urban levels of flood protection (ULOP)?				X	The project is not located in an area subject to 200-year urban levels of flood protection (ULOP).
f. Expose people or structures to a substantial risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?				X	The project will not expose people or structures to a substantial risk of loss, injury, or death involving flooding, including flooding as a result of the failure of a levee or dam.
g. Create or contribute runoff that would exceed the capacity of existing or planned stormwater drainage systems?			X		Adequate on- and/or off-site drainage improvements will be required pursuant to the Sacramento County Floodplain Management Ordinance and Improvement Standards.
h. Create substantial sources of polluted runoff or otherwise substantially degrade ground or surface water quality?			X		Compliance with the Stormwater Ordinance and Land Grading and Erosion Control Ordinance (Chapters 15.12 and 14.44 of the County Code respectively) will ensure that the project will not create substantial sources of polluted runoff or otherwise substantially degrade ground or surface water quality.
11. GEOLOGY AND SOILS - Would the project:					
a. Directly or indirectly cause potential substantial adverse effects, including risk of loss, injury or death involving rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?				X	Sacramento County is not within an Alquist-Priolo Earthquake Fault Zone. Although there are no known active earthquake faults in the project area, the site could be subject to some ground shaking from regional faults. The Uniform Building Code contains applicable construction regulations for earthquake safety that will ensure less than significant impacts.
b. Result in substantial soil erosion, siltation or loss of topsoil?			X		Compliance with the County's Land Grading and Erosion Control Ordinance will reduce the amount of construction site erosion and minimize water quality degradation by providing stabilization and protection of disturbed areas, and by controlling the runoff of sediment and other pollutants during the course of construction.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
c. Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, soil expansion, liquefaction or collapse?				X	The project is not located on an unstable geologic or soil unit.
d. Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available?			X		A public sewer system is available to serve the project.
e. Result in a substantial loss of an important mineral resource?				X	The project is not located within an Aggregate Resource Area as identified by the Sacramento County General Plan Land Use Diagram, nor are any important mineral resources known to be located on the project site.
f. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?				X	No known paleontological resources (e.g. fossil remains) or sites occur at the project location.
12. BIOLOGICAL RESOURCES - Would the project:					
a. Have a substantial adverse effect on any special status species, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, or threaten to eliminate a plant or animal community?			X		No special status species are known to exist on or utilize the project site, nor would the project substantially reduce wildlife habitat or species populations.
b. Have a substantial adverse effect on riparian habitat or other sensitive natural communities?			X		No sensitive natural communities occur on the project site, nor is the project expected to affect natural communities off-site.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
c. Have a substantial adverse effect on streams, wetlands, or other surface waters that are protected by federal, state, or local regulations and policies?				X	No protected surface waters are located on or adjacent to the project site.
d. Have a substantial adverse effect on the movement of any native resident or migratory fish or wildlife species?			X		Resident and/or migratory wildlife may be displaced by project construction; however, impacts are not anticipated to result in significant, long-term effects upon the movement of resident or migratory fish or wildlife species, and no major wildlife corridors would be affected.
e. Adversely affect or result in the removal of native or landmark trees?		X			Native and landmark trees occur on the project site and would be affected by project construction. Mitigation is included to ensure impacts are less than significant. Refer to the Biological Resources discussion in the Environmental Effects section above.
f. Conflict with any local policies or ordinances protecting biological resources?		X			The project is consistent with local policies/ordinances protecting biological resources.
g. Conflict with the provisions of an adopted Habitat Conservation Plan or other approved local, regional, state or federal plan for the conservation of habitat?				X	There are no known conflicts with any approved plan for the conservation of habitat.
13. CULTURAL RESOURCES - Would the project:					
a. Cause a substantial adverse change in the significance of a historical resource?				X	No historical resources would be affected by the proposed project.
b. Have a substantial adverse effect on an archaeological resource?		X			No known archaeological resources occur on-site. The Northern California Information Center was contacted regarding the proposed project. A record search indicated that the project site is not considered sensitive for archaeological resources. Refer to the Cultural Resources discussion in the Environmental Effects section above.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
c. Disturb any human remains, including those interred outside of formal cemeteries?		X			No known human remains exist on the project site. Nonetheless, mitigation has been recommended to ensure appropriate treatment should remains be uncovered during project implementation. Refer to the Cultural Resources discussion in the Environmental Effects section above.
14. TRIBAL CULTURAL RESOURCES - Would the project:					
a. Would the project cause a substantial adverse change in the significance of a tribal cultural resource as defined in Public Resources Code 21074?			X		Notification pursuant to Public Resources Code 21080.3.1(b) was provided to the tribes and request for consultation was not received. Tribal cultural resources have not identified in the project area.
15. HAZARDS AND HAZARDOUS MATERIALS - Would the project:					
a. Create a substantial hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?			X		The project does not involve the transport, use, and/or disposal of hazardous material.
b. Expose the public or the environment to a substantial hazard through reasonably foreseeable upset conditions involving the release of hazardous materials?			X		The project does not involve the transport, use, and/or disposal of hazardous material. The compliance with local, state and federal standards regarding the construction and maintenance of these tanks will provide adequate protection from upset conditions.
c. Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances or waste within one-quarter mile of an existing or proposed school?			X		The project site is not located within ¼ mile of an existing /proposed school and the project does not involve the use or handling of hazardous material above and beyond those expected in a residential land uses setting.
d. Be located on a site that is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5, resulting in a substantial hazard to the public or the environment?			X		The project is not located on a known hazardous materials site.
e. Impair implementation of or physically interfere with an adopted emergency response or emergency evacuation plan?			X		The project would not interfere with any known emergency response or evacuation plan.

	Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No Impact	Comments
f. Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to or intermixed with urbanized areas?			X		The project is within the urbanized area of the unincorporated County. There is no significant risk of loss, injury, or death to people or structures associated with wildland fires.
16. ENERGY – Would the project:					
a. Result in potentially significant environmental impacts due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction?			X		While the project will introduce a new 49-unit facility and increase energy consumption, compliance with Title 24, Green Building Code, will ensure that all project energy efficiency requirements are net resulting in less than significant impacts.
b. Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?			X		The project will comply with Title 24, Green Building Code, for all project efficiency requirements.
17. GREENHOUSE GAS EMISSIONS – Would the project:					
a. Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?		X			The project will fully comply with the SMAQMD GHG Tier 1 BMPs. As such, the project screens out of further analysis and impacts are less than significant. See the GHG discussion above.
b. Conflict with an applicable plan, policy or regulation for the purpose of reducing the emission of greenhouse gases?			X		The project is consistent with County policies adopted for the purpose or reducing the emission of greenhouse gases.

SUPPLEMENTAL INFORMATION

LAND USE CONSISTENCY	Current Land Use Designation	Consistent	Not Consistent	Comments
General Plan	MDR - MEDIUM DENSITY RESIDENTIAL	X		

Community Plan	North Highlands Community Plan Land Use RD-20	X		
Land Use Zone	RD-20 - MULTIPLE FAMILY RESIDENTIAL	X		

INITIAL STUDY PREPARERS

Environmental Coordinator: Julie Newton

Associate Planner : Kimberly Asbury

Office Manager: Belinda Wekesa-Batts

Administrative Support: Justin Maulit

APPENDICES

A- Arborist Report

B- NCIC Search Results [Confidential]

REVIEW:

The Appendices as well as other project documents and details may be reviewed on the internet and/or physical address below:

<https://planningdocuments.saccounty.net/projectdetails.aspx?projectID=7370&communityID=10>

Sacramento County
Planning and Environmental Review
827 7th Street, Room 225
Sacramento, California 95814
(916) 874-6141

REFERENCES

California Air Resources Board (CARB). 2022. Overview: Diesel Exhaust & Health. Accessed April 20, 2022. <https://ww2.arb.ca.gov/resources/overview-diesel-exhaust-and-health>

California Department of Conservation. 2018a. California Important Farmland Finder. Accessed April 20, 2022. <https://maps.conservation.ca.gov/dlrp/ciff/>

California Department of Toxic Substances Control. 2021. EnviroStor. Accessed on April 20, 2022. <https://www.envirostor.dtsc.ca.gov/public/>

California Tree and Landscape Consulting, Inc. 202. Arborist Report. Appendix A.

California Department of Transportation (Caltrans). 2022. Map of Officially Designated Scenic Highways in Sacramento County. April 20, 2022.

<https://dot.ca.gov/programs/design/lap-landscape-architecture-and-communitylivability/lap-liv-i-scenic-highways>

County of Sacramento. 2021. Sacramento County Municipal Code. Available at <https://qcode.us/codes/sacramentocounty/>

County of Sacramento. 2011. Sacramento County 2030 General Plan. Available at <https://planning.saccounty.net/PlansandProjectsIn-Progress/Pages/GeneralPlan.aspx>

County of Sacramento. 1974. North Highlands Community Plan. Available at <https://planning.saccounty.net/Documents/Maps/0%20North%20Highlands%20Foothill%20Farms%20Community%20Plan.pdf>

Office of Environmental Health Hazard Assessment (OEHHA). 2015. Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments. Available at: <https://oehha.ca.gov/air/cnr/notice-adoption-air-toxics-hot-spots-program-guidance-manualpreparation-health-risk-0>.

Sacramento Metropolitan Air Quality Management District (SMAQMD). 2017. Sacramento Regional 2008 NAAQS 8-Hour Ozone Attainment and Reasonable Further Progress Plan. Available at:

[http://www.airquality.org/ProgramCoordination/Documents/Sac%20Regional%202008%20NAA QS%20Attainment%20and%20RFP%20Plan.pdf](http://www.airquality.org/ProgramCoordination/Documents/Sac%20Regional%202008%20NAA%20QS%20Attainment%20and%20RFP%20Plan.pdf).

Sacramento Metropolitan Air Quality Management District (SMAQMD). 2019. Recommendations for Siting New Projects Near Existing Sources that Emit Odors and Toxic Air Contaminants. July. Available at: <https://www.airquality.org/LandUseTransportation/Documents/ExistingOdorsToxicsRecommendationsFinal7-24-19.pdf>.

Sacramento Metropolitan Air Quality Management District (SMAQMD). 2020a. Guide to Air Quality Assessment in Sacramento County. Revised April. Available at: <http://www.airquality.org/Residents/CEQA-Land-Use-Planning/CEQA-Guidance-Tools>.

Sacramento Metropolitan Air Quality Management District (SMAQMD). 2020b. Mobile sources Air Toxics Protocol. Available at: <https://www.airquality.org/Businesses/CEQA-Land-Use-Planning/Mobile-Sources-Air-ToxicsProtocol>.

US Environmental Protection Agency (EPA). 2021. Health Effects of Ozone Pollution. Accessed April 20, 2022. <https://www.epa.gov/ground-level-ozone-pollution/health-effects-ozone-pollution>