

CEQA  
Transmittal Memorandum for 2023

RECEIVED  
KERN COUNTY

NOV 29 2023

AIMEE X. ESPINOZA  
AUDITOR CONTROLLER-COUNTY CLERK  
BY M.H. DEPUTY

Attach one transmittal memorandum to the front of the original CEQA document. Clip copies in back.  
1) If notice requires F&W receipt, you must provide a minimum of 3 copies of the document.  
2) If notice does not require F&W receipt, you must provide a minimum of 2 copies of the document.

TYPE OR PRINT CLEARLY

LEAD AGENCY FRAZIER PARK PUBLIC UTILITY DISTRICT

PROJECT TITLE FRAZIER PARK PUBLIC UTILITY DISTRICT PIPELINE REPLACEMENT PROJECT

PROJECT APPLICANT FRAZIER PARK PUBLIC UTILITY DISTRICT

PHONE NUMBER ( 661 ) 331-2995

PROJECT APPLICANT ADDRESS 4020 PARK DRIVE

CITY FRAZIER PARK STATE CA ZIP CODE 93225

WORK ORDER # \_\_\_\_\_  30-Day Posting  35-Day Posting  45-Day Posting  Other \_\_\_\_\_

CONTACT PERSON IONNIE ALLISON PHONE NUMBER ( 661 ) 331-2995

CHECK DOCUMENT BEING FILED:

- Notice of Availability.....No Fee
- Notice of Intent.....No Fee
- Notice of Preparation.....No Fee
- Notice of Public Hearing.....No Fee
- Other \_\_\_\_\_.....No Fee
- Environmental Impact Report (EIR).....\$3839.25
  - Previously paid F&W (must attach F&W receipt) F&W Receipt Number# \_\_\_\_\_
  - DFG No Effect Determination (F&W letter must be attached).....No Fee
  - County Administrative Fee.....\$50.00
- Mitigated Negative Declaration or Negative Declaration.....\$2764.00
  - Previously paid F&W (must attach F&W receipt) F&W Receipt Number# \_\_\_\_\_
  - DFG No Effect Determination (F&W letter must be attached).....No Fee
  - County Administrative Fee.....\$50.00
- Notice of Exemption.....No Fee
  - County Administrative Fee.....\$50.00

TOTAL \$ \$ 50,-

\*Additional copies to be returned to: DEE JASPAR & ASSOCIATES, INC.

\*Method of return:  Hold for pick-up/Call # 661-393-4796  Interoffice Mail

PAYMENT METHOD: ALL APPLICABLE FEES MUST BE PAID AT THE TIME OF FILING

- JV - Trans Code \_\_\_\_\_ Dept \_\_\_\_\_ Fund \_\_\_\_\_ Expense Key \_\_\_\_\_
  - Money Order
  - Check
- Notice of Environmental Document  
Posted by County Clerk on 11-29-2023  
and for 30 days thereafter, Pursuant to  
Section 21152(C), Public Resources Code

**Notice of Exemption**

To:  Kern County, County Clerk  
1115 Truxtun Avenue  
Bakersfield, CA 93301-4639

From: Frazier Park Public Utility District  
4020 Park Drive (PO Box 1525)  
Frazier Park, CA 93225

**Project Title:** Frazier Park Public Utility District Pipeline Replacement Project

**Project Location S Specific:** The proposed project is located in the community of Frazier Park, a community located just west of Interstate 5 in Kern County at the intersection of three counties: Kern, Los Angeles and Ventura. The Summit area is located north and south of Frazier Mountain Park Road.

**Project Location S City:** Community of Frazier Park in unincorporated territory of Kern County

**Project Location S County:** Kern County

**Description of Project:** The Frazier Park Public Utilities District (District) will consider approval and implementation of the Summit Area Pipeline Replacement Project to replace the existing old, small diameter pipelines with new pipelines that will provide adequate fire flow to the Summit residences. Associated support systems may be modified or updated to support the potable water delivery system.

**Name of Public Agency Approving Project:** Frazier Park Public Utility District

**Name of Person or Agency Carrying Out Project:** Frazier Park Public Utility District

**Exempt Status:** (check one)

- Ministerial (Sections 21080(b)(1); 15268)
- Declared Emergency (Sections 21080(b)(3); 15269(a))
- Emergency Project (Sections 21080(b)(4); 15269(b))
- Categorical Exemption (Sections 21080(b)(9); 21084; 15302, Class 2)

**Reasons why project is exempt:** The State CEQA Guidelines provide a series of Categorical Exemptions for projects that have been deemed to have minimal potential impact on the environment. The proposed replacement of the Summit Area Pipeline Replacement Project to maintain future adequate water delivery to the Summit Area of the Frazier Park Public Utility District has been determined to have no potential to cause significant adverse effects on the environment and will ensure that an adequate water supply will be available to this service area. The Class 2 Categorical Exemption reads: A replacement or reconstruction of existing structures and facilities where the new structure will be located on the same site as the structure replaced and will have substantially the same purpose and capacity of the structure replaced, including but not limited to: (c) Replacement or reconstruction of existing utility systems and/or facilities involving negligible or no expansion of capacity. The proposed action has been determined to fall within the scope of the Class 2 Exemption, Section 15302(c). Therefore, this proposed action qualifies with a Class 2 Categorical Exemption.

**Lead Agency**  
**Contact Person:** Jonnie Allison

**Area Code/**  
**Telephone/Ext:** (661) 331-2995

If filed by applicant:

1. Attach certified document of exemption finding.
2. Has a Notice of Exemption been filed by the public agency approving the project?  Yes  No

**Signature:** Jonnie Allison

**Title:** General Manager

**Date:** 11/15/23