PRELIMINARY EXEMPTION ASSESSMENT

(Certificate of Determination When Attached to Notice of Exemption)

1.	Name or description of project:			Teagarden	of PFAS Treatment Vessels at the Roger D. Ion Exchange Plant oject No. C215079)		
2.	Project Location – Identify street address and cross streets or attach a map showing project site (preferably a USGS 15' or 7 1/2' topographical map identified by quadrangle name):			Treatment and operat	t site is the Roger D. Teagarden Ion Exchange Plant (Teagarden Treatment Facility), which is owned ed by the Jurupa Community Services District (JCSD). t site is located approximately one-quarter mile south of ction of Van Buren Boulevard/Etiwanda Avenue, County e.		
					t is located in the west half of Section 9, Township 2 age 4 West, San Bernardino Base and Meridian.		
3.	Entity or person undertaking project:		Jurupa Community Services District Engineering Department 11201 Harrel Street, Jurupa Valley, CA 91752				
4.	Staff Det	ermina	ermination:				
	The Lead Agency's Staff, having undertaken and completed a preliminary review of this project in accordance with the Lead Agency's "Local Guidelines for Implementing the California Environmental Quality Act (CEQA)" has concluded that this project does not require further environmental assessment because:						
	a. [The proposed action	does not co	nstitute a project under CEQA.		
	b. [The project is a Ministerial Project.				
	c. [The project is an Emergency Project.				
	d. [The project constitutes a feasibility or planning study.				
	e. [\boxtimes	The project is categorically exempt.				
			Applicable Exemption	n Class:	Class 1 – 15301 New Construction of Conversion of Small Structures		
	f. [The project is statutorily exempt.				
			Applicable Exemption	າ:			
	g. [The project is otherwing on the following basis				

h	. 🗆	The project involves another public agency which constitutes the Lead Agency.		
		Name of Lead Agency:		
Date:	2/21/2024	Staff:	Eddie Rhee	
			Jurupa Community Services District	