

## CalEEMod Inputs - Silverado Memory Care Residential Facility, Construction

**Name:** Silverado Memory Care Residential Facility, Construction  
**Project Number:** SSI-01  
**Project Location:** 1975 Cambrianna Dr, San Jose, CA 95124  
**County:** Santa Clara  
**Land Use Setting:** Urban  
**Operational Year:** 2025  
**Utility Company:** PG&E  
**Air Basin:** San Francisco Bay Area Air Basin  
**Air District:** Bay Area Air Quality Management District

Project Site Acreage	1.75
Disturbed Acreage	1.75

New Construction				
	Number of Units	Building Square Feet	Building Footprint	Acres
Memory Care Residential Facility <sup>1</sup>	70	49,063	25,145	0.58
Beds	94	-	-	-
Surface Parking Lot	52	25,106		0.58
Landscaping	--	14,564		0.33
Hardscape		11,183		0.26
Notes				1.74

<sup>1</sup> Facility has 94 beds in 70 units

### CalEEMod Land Use Inputs

Land Use Type	Land Use Subtype	Unit Amount	Size Metric	Lot Acreage	Land Use Square Feet	Landscape Square Feet
Residential	Congregate Care (Assisted Living)	94	Units	0.91	49,063	14,564
Parking Lot	Parking Lot	25,106	1000 BSF	0.5764	25,106	-
Parking Lot	Other Non-Asphalt	11,183	1000 BSF	0.2567	11,183	-
				1.74		

### Soil Haul

Construction Activities	Import Haul Volume (cy) <sup>1</sup>	Haul Truck Capacity (CY) <sup>2</sup>	Haul Distance (miles) <sup>2</sup>	Total Trip Ends	Duration (days)	Trip Ends/ day
Rough Grading	1,450	16	20	181	6	30
Fine Grading	450	16	20	56	6	10

<sup>1</sup> Based on information provided by project applicant.

<sup>2</sup> CalEEMod Version 2022.1.1.14 default value.

### Architectural Coating

Percent Painted	
Interior Painted:	100%
Exterior Painted:	100%
<b>Rule 1113</b>	
Interior Paint VOC content:	50 grams per liter
Exterior Paing VOC content:	50 grams per liter

Land Use	Land Use Square Feet	CalEEMod Factor <sup>1</sup>	Total Paintable Surface Area	Paintable Interior Area <sup>2</sup>	Paintable Exterior Area <sup>3</sup>
Congregate Care (Assisted Living)	49,063	2.7	132,470	99,353	33,118
			132,470	99,353	33,118
Parking Lot	25,106	6%	1,506	0	1,506
			1,506	0	1,506

<sup>1</sup> The program assumes the total surface for painting equals 2 times the floor square footage for non-parking garage nonresidential square footage defined by the user and 5 percent for parking garage square footage. Architectural coatings for the parking lot and the parking stalls of a parking garage is based on CalEEMod methodology applied to a surface parking lot (i.e., striping), in which 6% of surface area is painted.

<sup>2</sup> CalEEMod methodology calculates the paintable interior and exterior areas by multiplying the total paintable surface area by 75 and 25 percent, respectively, for non-parking garage nonresidential structures and 90 and 10 percent, respectively, for parking garages.

### Construction Mitigation

#### BAAQMD Best Management Practices<sup>1</sup>

Water Exposed Area	Frequency:	2	per day
	PM10:	55	% Reduction
	PM25:	55	% Reduction
Unpaved Roads	Vehicle Speed:	25	mph

<sup>1</sup> These two measures from BAAQMD's list of Basic BMPs are applied in the unmitigated modeling scenario per recommendations in the BAAQMD's 2022 CEQA Guidelines.

#### Pacific Gas and Electric Carbon Intensity Factors

CO <sub>2</sub> : <sup>1</sup>	203.98	pounds per megawatt hour
CH <sub>4</sub> : <sup>1</sup>	0.033	pound per megawatt hour
N <sub>2</sub> O: <sup>1</sup>	0.004	pound per megawatt hour

<sup>1</sup> Based on CO<sub>2</sub>e intensity factor of 534 pounds per megawatt hour; Southern California Edison. 2020. 2019 Sustainability Report. <https://www.edison.com/content/dam/eix/documents/sustainability/eix-2019-sustainability-report.pdf>.

<sup>2</sup> Based on Intergovernmental Panel on Climate Change Fourth Assessment Report global warming potentials for CH<sub>4</sub> and N<sub>2</sub>O; Intergovernmental Panel on Climate Change (IPCC). 2007. Fourth Assessment Report: Climate Change 2007.

<sup>3</sup> CalEEMod default values.

### Construction Activities and Schedule Assumptions

\* based on schedule provided by the Applicant, beginning July 2024 until October 2025, approximately 15 months

Default CalEEMod Construction Schedule				
Construction Schedule				
Construction Activities	Phase Type	Start Date	End Date	CalEEMod Duration (Workday)
Site Preparation	Site Preparation	7/15/2024	7/16/2024	2
Rough Grading	Grading	7/17/2024	7/22/2024	4
Fine Grading	Grading	7/23/2024	7/28/2024	4
Building Construction	Building Construction	7/29/2024	5/2/2025	200
Paving	Paving	4/21/2025	5/2/2025	10
Architectural Coating	Architectural Coating	4/21/2025	5/2/2025	10
<b>Total Days</b>				<b>291</b>

#### Normalization Calculations

CalEEMod Defaults Construction Duration	
291	days of construction
0.80	years of construction
9.57	months of construction

Assumed Construction Duration	
7/14/2024	10/15/2025
458	days
15.06	months

Norm Factor: 1.57

Normalized Construction Schedule <sup>1</sup>			
Construction Activities	Start Date	End Date	CalEEMod Duration (Workday)
Site Preparation	7/15/2024	7/17/2024	3
Rough Grading	7/18/2024	7/25/2024	6
Fine Grading	7/26/2024	8/2/2024	6
Building Construction	8/3/2024	10/17/2025	315
Paving	9/26/2025	10/17/2025	16
Architectural Coating	9/26/2025	10/17/2025	16

**CalEEMod Construction Off-Road Equipment Inputs**

Construction Equipment Details					
Equipment	# of Equipment	hr/day	hp	load factor*	total trips per day
<b>Site Preparation</b>					
Graders	1	8	148	0.41	
Rubber Tired Dozers	1	7	367	0.4	
Tractors/Loaders/Backhoes	1	8	84	0.37	
Worker Trips					8
Vendor Trips					0
Hauling Trips					0
Water Trucks		Acres Disturbed:	1.4375		8
		Onsite Travel (mi/day)	1.19		
<b>Rough Grading</b>					
Graders	1	8	148	0.41	
Tractors/Loaders/Backhoes	2	7	84	0.37	
Rubber Tired Dozers	1	8	367	0.4	
Worker Trips					10
Vendor Trips					0
Hauling Trips					30
Water Trucks		Acres Disturbed:	1.875		10
		Onsite Travel (mi/day)	1.55		
<b>Fine Grading</b>					
Graders	1	8	148	0.41	
Tractors/Loaders/Backhoes	2	7	84	0.37	
Rubber Tired Dozers	1	8	367	0.4	
Worker Trips					10
Vendor Trips					0
Hauling Trips					10
Water Trucks		Acres Disturbed:	1.875		10
		Onsite Travel (mi/day)	1.55		
<b>Building Construction</b>					
Cranes	1	6	367	0.29	
Forklifts	1	6	82	0.2	
Generator Sets	1	8	14	0.74	
Tractors/Loaders/Backhoes	1	6	84	0.37	
Welders	3	8	46	0.45	
Worker Trips					68
Vendor Trips					10
Hauling Trips					0
<b>Paving</b>					
Tractors/Loaders/Backhoes	1	8	84	0.37	
Pavers	1	6	81	0.42	
Paving Equipment	1	8	89	0.36	
Rollers	1	7	36	0.38	
Cement and Mortar Mixers	1	6	10	0.56	
Worker Trips					13
Vendor Trips					0
Hauling Trips					0
<b>Architectural Coating</b>					
Air Compressors	1	6	37	0.48	
Worker Trips					14
Vendor Trips					0
Hauling Trips					0

**Water Truck Vendor Trip Calculation**

Amount of Water (gal/acre/day) <sup>1</sup>	Water Truck Capacity (gallons) <sup>2</sup>
10,000	4,000

Notes:

<sup>1</sup> Based on data provided in Guidance for Application for Dust Control Permit  
[https://www.mcllellanindustries.com/documents/mr\\_guidanceforapplicationfordustcontrolpermit.pdf](https://www.mcllellanindustries.com/documents/mr_guidanceforapplicationfordustcontrolpermit.pdf)

<sup>2</sup> Based on standard water truck capacity:  
 McLellan Industries. 2022, January (access). Water Trucks. <https://www.mcllellanindustries.com/trucks/water-trucks/>

<sup>3</sup> Assumes that dozers, tractors/loaders/backhoes, and graders can disturb 0.50 acres per day and scrapers can disturb 1 acre per day.

## CalEEMod Inputs - Silverado Memory Care Residential Facility, Operation

**Name:** Silverado Memory Care Residential Facility, Operations  
**Project Number:** SSI-01  
**Project Location:** 1975 Cambrianna Dr, San Jose, CA 95124  
**County:** Santa Clara  
**Operational Year:** 2025  
**Utility Company:** SJCE  
**Air Basin:** San Francisco Bay Area Air Basin  
**Air District:** Bay Area Air Quality Management District

**Project Site Acreage** 1.75  
**Disturbed Acreage** 1.75

<b>New Construction</b>				
	<b>Number of Units</b>	<b>Building Square Feet</b>	<b>Building Footprint</b>	<b>Acres</b>
Memory Care Residential Facility <sup>1</sup>	70	48,051	25,145	0.58
Beds	94	-	-	-
Surface Parking Lot	52	26,480		0.61
Landscaping	--	14,564		0.33
Hardscape		11,183		0.26
				1.78

## CalEEMod Land Use Inputs

<b>Land Use Type</b>	<b>Land Use Subtype</b>	<b>Unit Amount</b>	<b>Size Metric</b>	<b>Lot Acreage</b>	<b>Land Use Square Feet</b>	<b>Landscape Square Feet</b>
Residential	Congregate Care (Assisted Living)	70	Units	0.91	49,063	14,564
Parking Lot	Parking Lot	25.106	1000 BSF	0.58	25,106	-
Parking Lot	Other Non-Asphalt	11.183	1000 BSF	0.26	11,183	-
				1.74		

## Project Trips CalEEMod Inputs<sup>1</sup>

<b>Land Use</b>	<b>Daily Trips</b>	<b>Daily Trip Rate</b>
Congregate Care (Assisted Living)	222	3.171429

<sup>1</sup> Based on information provided by Hexagon.

**Construction Risk Assessment Emissions Worksheet**

Total Construction Duration:		
2024	169	Calendar days
2025	289	Calendar days

**Onsite Emissions**

Tons/Year										
Year	ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
2024	0.073121257	0.62502854	0.65691411	0.001212	0.025429025	0.02423222	0.0496612	0.023394517	0.010171701	0.03356622
2025	0.465127877	0.97056578	1.10026797	0.002101	0.035838451	0	0.0358385	0.032971375	0	0.03297137

**Pounds/Day**

Year	ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
2024	0.86534	7.39679	7.77413	0.01435	0.30094	0.28677	0.58771	0.27686	0.12038	0.39723
2025	3.21888	6.71672	7.61431	0.01454	0.24802	0.00000	0.24802	0.22818	0.00000	0.22818

**Offsite Emissions**

Tons/Year										
Year	ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
2024	0.01311573	0.0458651	0.15452504	0.000169	0.000385448	0.037005176	0.0373906	0.000332758	0.008937756	0.00927051
2025	0.02383335	0.05705741	0.26682314	0.000193	0.000385469	0.066459432	0.0668449	0.000385469	0.015876684	0.01626215

**Pounds/Day**

Year	ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
2024	0.15522	0.54278	1.82870	0.00200	0.00456	0.43793	0.44249	0.00394	0.10577	0.10971
2025	0.16494	0.39486	1.84653	0.00133	0.00267	0.45993	0.46259	0.00267	0.10987	0.11254

**Maximum Emissions per phase (tons/year)**

Site Preparation (2024)											
		ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
Onsite	<b>2024</b>										
	Off-Road Equipment	0.002144568	0.0205286	0.01939158	2.86E-05	0.000968095		0.0009681	0.000890647		0.00089065
	Dust From Material Movement						0.003664173	0.0036642		0.001757224	0.00175722
	Onsite truck	1.00465E-06	2.904E-05	1.8639E-05	7.24E-08	1.18058E-07	0.000639289	0.0006394	7.8705E-08	6.39032E-05	6.3982E-05
	<b>Total</b>	<b>0.002145573</b>	<b>0.02055764</b>	<b>0.01941022</b>	<b>2.86E-05</b>	<b>0.000968213</b>	<b>0.004303462</b>	<b>0.0052717</b>	<b>0.000890726</b>	<b>0.001821127</b>	<b>0.00271185</b>
Offsite											
	Worker	3.73022E-05	3.4301E-05	0.00041856	0	0	9.22335E-05	9.223E-05	0	2.16075E-05	2.1607E-05
	Vendor	1.16933E-05	0.00045033	0.00021069	2.22E-06	4.44452E-06	8.39671E-05	8.841E-05	4.44452E-06	2.3214E-05	2.7659E-05
	Hauling	0	0	0	0	0	0	0	0	0	0
	<b>Total</b>	<b>4.89955E-05</b>	<b>0.00048463</b>	<b>0.00062925</b>	<b>2.22E-06</b>	<b>4.44452E-06</b>	<b>0.000176201</b>	<b>0.0001806</b>	<b>4.44452E-06</b>	<b>4.48215E-05</b>	<b>4.9266E-05</b>
<b>TOTAL</b>		<b>0.0022</b>	<b>0.0210</b>	<b>0.0200</b>	<b>0.0000</b>	<b>0.0010</b>	<b>0.0045</b>	<b>0.0055</b>	<b>0.0009</b>	<b>0.0019</b>	<b>0.0028</b>

**Rough Grading (2024)**

Rough Grading (2024)											
		ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
Onsite	<b>2024</b>										
	Off-Road Equipment	0.00495107	0.0476538	0.04625146	6.79E-05	0.002229353		0.0022294	0.002051005		0.002051
	Dust From Material Movement						0.00830552	0.0083055		0.004009803	0.0040098
	Onsite truck	2.05691E-06	6.2485E-05	3.9111E-05	1.69E-07	3.07545E-07	0.001665374	0.0016657	2.0503E-07	0.000166471	0.00016668
	<b>Total</b>	<b>0.004953127</b>	<b>0.04771628</b>	<b>0.04629057</b>	<b>6.81E-05</b>	<b>0.00222966</b>	<b>0.009970894</b>	<b>0.0122006</b>	<b>0.00205121</b>	<b>0.004176273</b>	<b>0.00622748</b>
Offsite											
	Worker	9.94726E-05	9.147E-05	0.00111616	0	0	0.000245956	0.000246	0	5.76199E-05	5.762E-05

	Vendor Hauling	2.92333E-05	0.00112581	0.00052673	5.56E-06	1.11113E-05	0.000209918	0.000221	1.11113E-05	5.80351E-05	6.9146E-05
	Total	0.000265128	0.00996033	0.00567937	4.77E-05	0.000131484	0.002132443	0.0022639	9.13596E-05	0.000574921	0.00066628
<b>TOTAL</b>		<b>0.0052</b>	<b>0.0577</b>	<b>0.0520</b>	<b>0.0001</b>	<b>0.0024</b>	<b>0.0121</b>	<b>0.0145</b>	<b>0.0021</b>	<b>0.0048</b>	<b>0.0069</b>

**Fine Grading (2024)**

		ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
Onsite	<b>2024</b>										
	Off-Road Equipment	0.00495107	0.0476538	0.04625146	6.79E-05	0.002229353		0.0022294	0.002051005		0.002051
	Dust From Material Movement						0.00829249	0.0082925		0.00400783	0.00400783
	Onsite truck	2.05691E-06	6.2485E-05	3.9111E-05	1.69E-07	3.07545E-07	0.001665374	0.0016657	2.0503E-07	0.000166471	0.00016668
	Total	<b>0.004953127</b>	<b>0.04771628</b>	<b>0.04629057</b>	<b>6.81E-05</b>	<b>0.00222966</b>	<b>0.009957864</b>	<b>0.0121875</b>	<b>0.00205121</b>	<b>0.0041743</b>	<b>0.00622551</b>
Offsite											
	Worker	9.94726E-05	9.147E-05	0.00111616	0	0	0.000245956	0.000246	0	5.76199E-05	5.762E-05
	Vendor Hauling	2.92333E-05	0.00112581	0.00052673	5.56E-06	1.11113E-05	0.000209918	0.000221	1.11113E-05	5.80351E-05	6.9146E-05
	Total	<b>0.000171431</b>	<b>0.00395549</b>	<b>0.00290706</b>	<b>1.88E-05</b>	<b>4.88103E-05</b>	<b>0.000980953</b>	<b>0.0010298</b>	<b>3.6244E-05</b>	<b>0.000259491</b>	<b>0.00029574</b>
<b>TOTAL</b>		<b>0.0051</b>	<b>0.0517</b>	<b>0.0492</b>	<b>0.0001</b>	<b>0.0023</b>	<b>0.0109</b>	<b>0.0132</b>	<b>0.0021</b>	<b>0.0044</b>	<b>0.0065</b>

**Building Construction (2024 and 2025)**

		ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
Onsite	<b>2024</b>										
	Off-Road Equipment	0.061069431	0.50903834	0.54492275	0.001047	0.020001492		0.0200015	0.018401372		0.01840137
	Onsite Truck	0	0	0	0	0	0	0	0	0	0
	Total	<b>0.061069431</b>	<b>0.50903834</b>	<b>0.54492275</b>	<b>0.001047</b>	<b>0.020001492</b>	<b>0</b>	<b>0.0200015</b>	<b>0.018401372</b>	<b>0</b>	<b>0.01840137</b>
Offsite											
	Worker	0.012102117	0.01112848	0.13579477	0	0	0.029923719	0.0299237	0	0.007010202	0.0070102
	Vendor Hauling	0.000528057	0.02033618	0.00951459	0.0001	0.00020071	0.003791861	0.0039926	0.00020071	0.00104832	0.00124903
	Total	<b>0.012630175</b>	<b>0.03146465</b>	<b>0.14530936</b>	<b>0.0001</b>	<b>0.00020071</b>	<b>0.03371558</b>	<b>0.0339163</b>	<b>0.00020071</b>	<b>0.008058522</b>	<b>0.00825923</b>
<b>TOTAL</b>		<b>0.0737</b>	<b>0.5405</b>	<b>0.6902</b>	<b>0.0011</b>	<b>0.0202</b>	<b>0.0337</b>	<b>0.0539</b>	<b>0.0186</b>	<b>0.0081</b>	<b>0.0267</b>
Onsite	<b>2025</b>										
	Off-Road Equipment	0.11042977	0.92645223	1.03915196	0.002012	0.033995723		0.0339957	0.031276066		0.03127607
	Onsite Truck	0	0	0	0	0	0	0	0	0	0
	Total	<b>0.11042977</b>	<b>0.92645223</b>	<b>1.03915196</b>	<b>0.002012</b>	<b>0.033995723</b>	<b>0</b>	<b>0.0339957</b>	<b>0.031276066</b>	<b>0</b>	<b>0.03127607</b>
Offsite											
	Worker	0.022160713	0.0192554	0.24200611	0	0	0.057469394	0.0574694	0	0.013463303	0.0134633
	Vendor Hauling	0.00101415	0.03722985	0.01762601	0.000193	0.000385469	0.007282381	0.0076679	0.000385469	0.00201333	0.0023988
	Total	<b>0.023174863</b>	<b>0.05648525</b>	<b>0.25963212</b>	<b>0.000193</b>	<b>0.000385469</b>	<b>0.064751776</b>	<b>0.0651372</b>	<b>0.000385469</b>	<b>0.015476632</b>	<b>0.0158621</b>
<b>TOTAL</b>		<b>0.1336</b>	<b>0.9829</b>	<b>1.2988</b>	<b>0.0022</b>	<b>0.0344</b>	<b>0.0648</b>	<b>0.0991</b>	<b>0.0317</b>	<b>0.0155</b>	<b>0.0471</b>

<b>Asphalt Paving</b>			ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
Onsite		<b>2025</b>										
	Off-Road Equipment Paving		0.003951843	0.03705531	0.05199726	7.52E-05	0.001623315		0.0016233	0.00149345		0.00149345
	Onsite Truck		0.000755024	0	0	0	0	0	0	0	0	0
	Total		<b>0.004706868</b>	<b>0.03705531</b>	<b>0.05199726</b>	<b>7.52E-05</b>	<b>0.001623315</b>	<b>0</b>	<b>0.0016233</b>	<b>0.00149345</b>	<b>0</b>	<b>0.00149345</b>
Offsite												
	Worker		0.000316143	0.0002747	0.00345244	0	0	0.000819854	0.0008199	0	0.000192066	0.00019207
	Vendor		0	0	0	0	0	0	0	0	0	0
	Hauling		0	0	0	0	0	0	0	0	0	0
	Total		<b>0.000316143</b>	<b>0.0002747</b>	<b>0.00345244</b>	<b>0</b>	<b>0</b>	<b>0.000819854</b>	<b>0.0008199</b>	<b>0</b>	<b>0.000192066</b>	<b>0.00019207</b>
<b>TOTAL</b>			<b>0.0050</b>	<b>0.0373</b>	<b>0.0554</b>	<b>0.0001</b>	<b>0.0016</b>	<b>0.0008</b>	<b>0.0024</b>	<b>0.0015</b>	<b>0.0002</b>	<b>0.0017</b>
<b>Architectural Coating</b>			ROG	NOx	CO	SO2	Exhaust PM10	Fugitive PM10	PM10 Total	Exhaust PM2.5	Fugitive PM2.5	PM2.5 Total
Onsite		<b>2025</b>										
	Off-Road Equipment Architectural Coatings		0.00102368	0.00705824	0.00911875	1.38E-05	0.000219412		0.0002194	0.000201859		0.00020186
	Onsite truck		0.348967559	0	0	0	0	0	0	0	0	0
	Total		<b>0.349991239</b>	<b>0.00705824</b>	<b>0.00911875</b>	<b>1.38E-05</b>	<b>0.000219412</b>	<b>0</b>	<b>0.0002194</b>	<b>0.000201859</b>	<b>0</b>	<b>0.00020186</b>
Offsite												
	Worker		0.000342345	0.00029746	0.00373858	0	0	0.000887803	0.0008878	0	0.000207985	0.00020798
	Vendor		0	0	0	0	0	0	0	0	0	0
	Hauling		0	0	0	0	0	0	0	0	0	0
	Total		<b>0.000342345</b>	<b>0.00029746</b>	<b>0.00373858</b>	<b>0</b>	<b>0</b>	<b>0.000887803</b>	<b>0.0008878</b>	<b>0</b>	<b>0.000207985</b>	<b>0.00020798</b>
<b>TOTAL</b>			<b>0.3503</b>	<b>0.0074</b>	<b>0.0129</b>	<b>0.0000</b>	<b>0.0002</b>	<b>0.0009</b>	<b>0.0011</b>	<b>0.0002</b>	<b>0.0002</b>	<b>0.0004</b>

# Silverado Memory Care Residential Facility Detailed Report

## Table of Contents

1. Basic Project Information
  - 1.1. Basic Project Information
  - 1.2. Land Use Types
  - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
2. Emissions Summary
  - 2.1. Construction Emissions Compared Against Thresholds
  - 2.2. Construction Emissions by Year, Unmitigated
  - 2.4. Operations Emissions Compared Against Thresholds
  - 2.5. Operations Emissions by Sector, Unmitigated
3. Construction Emissions Details
  - 3.1. Site Preparation (2024) - Unmitigated
  - 3.3. Rough Grading (2024) - Unmitigated
  - 3.5. Fine Grading (2024) - Unmitigated
  - 3.7. Building Construction (2024) - Unmitigated



3.9. Building Construction (2025) - Unmitigated

3.11. Paving (2025) - Unmitigated

3.13. Architectural Coating (2025) - Unmitigated

#### 4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

#### 4.7. Offroad Emissions By Equipment Type

##### 4.7.1. Unmitigated

#### 4.8. Stationary Emissions By Equipment Type

##### 4.8.1. Unmitigated

#### 4.9. User Defined Emissions By Equipment Type

##### 4.9.1. Unmitigated

#### 4.10. Soil Carbon Accumulation By Vegetation Type

##### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

##### 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

##### 4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

### 5. Activity Data

#### 5.1. Construction Schedule

#### 5.2. Off-Road Equipment

##### 5.2.1. Unmitigated

#### 5.3. Construction Vehicles

##### 5.3.1. Unmitigated

#### 5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

# 1. Basic Project Information

## 1.1. Basic Project Information

Data Field	Value
Project Name	Silverado Memory Care Residential Facility
Construction Start Date	7/15/2024
Operational Year	2025
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	3.00
Precipitation (days)	12.8
Location	37.265325075206206, -121.9310484069284
County	Santa Clara
City	San Jose
Air District	Bay Area AQMD
Air Basin	San Francisco Bay Area
TAZ	1915
EDFZ	1
Electric Utility	Pacific Gas & Electric Company
Gas Utility	Pacific Gas & Electric
App Version	2022.1.1.20

## 1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
------------------	------	------	-------------	-----------------------	------------------------	--------------------------------	------------	-------------

Congregate Care (Assisted Living)	70.0	Dwelling Unit	0.91	48,051	14,564	0.00	94.0	—
Parking Lot	26.5	1000sqft	0.61	0.00	0.00	0.00	—	—
Other Non-Asphalt Surfaces	11.2	1000sqft	0.26	0.00	0.00	0.00	—	—

### 1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

## 2. Emissions Summary

### 2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.31	44.8	19.1	20.8	0.04	0.79	4.06	4.85	0.71	1.59	2.30	—	5,036	5,036	0.30	0.42	5.89	5,175
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.28	44.8	15.0	20.4	0.03	0.56	0.66	1.22	0.52	0.16	0.67	—	3,708	3,708	0.14	0.08	0.08	3,735
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.87	2.61	5.55	7.12	0.01	0.20	0.29	0.47	0.18	0.09	0.25	—	1,424	1,424	0.05	0.03	0.56	1,436
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.16	0.48	1.01	1.30	< 0.005	0.04	0.05	0.09	0.03	0.02	0.05	—	236	236	0.01	0.01	0.09	238

### 2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	2.26	1.74	19.1	17.4	0.04	0.79	4.06	4.85	0.71	1.59	2.30	—	5,036	5,036	0.30	0.42	5.89	5,175
2025	2.31	44.8	14.9	20.8	0.03	0.56	0.66	1.22	0.52	0.16	0.67	—	3,754	3,754	0.14	0.08	3.01	3,783
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	1.57	1.31	9.90	12.1	0.02	0.37	0.47	0.84	0.34	0.11	0.46	—	2,414	2,414	0.10	0.06	0.06	2,436
2025	2.28	44.8	15.0	20.4	0.03	0.56	0.66	1.22	0.52	0.16	0.67	—	3,708	3,708	0.14	0.08	0.08	3,735
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.55	0.45	3.63	4.24	0.01	0.14	0.29	0.43	0.13	0.09	0.22	—	875	875	0.04	0.03	0.37	884
2025	0.87	2.61	5.55	7.12	0.01	0.20	0.27	0.47	0.18	0.07	0.25	—	1,424	1,424	0.05	0.03	0.56	1,436
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.10	0.08	0.66	0.77	< 0.005	0.03	0.05	0.08	0.02	0.02	0.04	—	145	145	0.01	< 0.005	0.06	146
2025	0.16	0.48	1.01	1.30	< 0.005	0.04	0.05	0.09	0.03	0.01	0.05	—	236	236	0.01	0.01	0.09	238

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.24	2.34	1.35	9.39	0.02	0.08	1.03	1.11	0.08	0.26	0.34	51.1	2,388	2,439	5.24	0.06	5.06	2,594
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.83	1.95	1.39	5.25	0.02	0.08	1.03	1.11	0.08	0.26	0.34	51.1	2,309	2,360	5.24	0.07	5.16	2,513



Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.93	2.08	0.71	6.73	0.01	0.02	1.02	1.05	0.02	0.26	0.28	51.1	1,468	1,519	5.22	0.07	2.53	1,672
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.17	0.38	0.13	1.23	< 0.005	< 0.005	0.19	0.19	< 0.005	0.05	0.05	8.46	243	252	0.86	0.01	0.42	277

## 2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.77	0.72	0.47	5.07	0.01	0.01	1.03	1.04	0.01	0.26	0.27	—	1,147	1,147	0.05	0.05	4.45	1,167
Area	0.46	1.62	0.73	4.26	< 0.005	0.06	—	0.06	0.06	—	0.06	0.00	888	888	0.02	< 0.005	—	889
Energy	0.02	0.01	0.16	0.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	344	344	0.04	< 0.005	—	346
Water	—	—	—	—	—	—	—	—	—	—	—	4.86	9.71	14.6	0.50	0.01	—	30.7
Waste	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.61	0.61
Total	1.24	2.34	1.35	9.39	0.02	0.08	1.03	1.11	0.08	0.26	0.34	51.1	2,388	2,439	5.24	0.06	5.06	2,594
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.74	0.68	0.55	4.89	0.01	0.01	1.03	1.04	0.01	0.26	0.27	—	1,079	1,079	0.06	0.05	0.12	1,096
Area	0.08	1.26	0.69	0.29	< 0.005	0.06	—	0.06	0.06	—	0.06	0.00	877	877	0.02	< 0.005	—	878
Energy	0.02	0.01	0.16	0.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	344	344	0.04	< 0.005	—	346
Water	—	—	—	—	—	—	—	—	—	—	—	4.86	9.71	14.6	0.50	0.01	—	30.7
Waste	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
Refrig.	—	Appendix A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.61	0.61

Total	0.83	1.95	1.39	5.25	0.02	0.08	1.03	1.11	0.08	0.26	0.34	51.1	2,309	2,360	5.24	0.07	0.73	2,513
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.73	0.67	0.51	4.70	0.01	0.01	1.02	1.03	0.01	0.26	0.27	—	1,088	1,088	0.06	0.05	1.92	1,106
Area	0.19	1.40	0.04	1.96	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	26.9	26.9	< 0.005	< 0.005	—	26.9
Energy	0.02	0.01	0.16	0.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	344	344	0.04	< 0.005	—	346
Water	—	—	—	—	—	—	—	—	—	—	—	4.86	9.71	14.6	0.50	0.01	—	30.7
Waste	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.61	0.61
Total	0.93	2.08	0.71	6.73	0.01	0.02	1.02	1.05	0.02	0.26	0.28	51.1	1,468	1,519	5.22	0.07	2.53	1,672
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.13	0.12	0.09	0.86	< 0.005	< 0.005	0.19	0.19	< 0.005	0.05	0.05	—	180	180	0.01	0.01	0.32	183
Area	0.03	0.25	0.01	0.36	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	4.45	4.45	< 0.005	< 0.005	—	4.45
Energy	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	56.9	56.9	0.01	< 0.005	—	57.3
Water	—	—	—	—	—	—	—	—	—	—	—	0.81	1.61	2.41	0.08	< 0.005	—	5.08
Waste	—	—	—	—	—	—	—	—	—	—	—	7.66	0.00	7.66	0.77	0.00	—	26.8
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.10	0.10
Total	0.17	0.38	0.13	1.23	< 0.005	< 0.005	0.19	0.19	< 0.005	0.05	0.05	8.46	243	252	0.86	0.01	0.42	277

### 3. Construction Emissions Details

#### 3.1. Site Preparation (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	1.70	1.43	13.7	12.9	0.02	0.65	—	0.65	0.59	—	0.59	—	2,064	2,064	0.08	0.02	—	2,071
Dust From Material Movement	—	—	—	—	—	—	2.44	2.44	—	1.17	1.17	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.44	0.44	< 0.005	0.04	0.04	—	5.92	5.92	< 0.005	< 0.005	0.01	6.25
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.11	0.11	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	17.0	17.0	< 0.005	< 0.005	—	17.0
Dust From Material Movement	—	—	—	—	—	—	0.02	0.02	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.05	0.05	< 0.005	< 0.005	< 0.005	0.05
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.81	2.81	< 0.005	< 0.005	—	2.82
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.01	0.01	< 0.005	< 0.005	< 0.005	0.01
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.02	0.33	0.00	0.00	0.06	0.06	0.00	0.01	0.01	—	65.6	65.6	< 0.005	< 0.005	0.28	66.6

Appendix A

Page A-19

Vendor	0.02	0.01	0.29	0.14	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	219	219	0.01	0.03	0.58	230
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.50	0.50	< 0.005	< 0.005	< 0.005	0.51
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.80	1.80	< 0.005	< 0.005	< 0.005	1.89
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.08	0.08	< 0.005	< 0.005	< 0.005	0.08
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.30	0.30	< 0.005	< 0.005	< 0.005	0.31
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.3. Rough Grading (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.96	1.65	15.9	15.4	0.02	0.74	—	0.74	0.68	—	0.68	—	2,454	2,454	0.10	0.02	—	2,462
Dust From Material Movement	—	—	—	—	—	—	2.77	2.77	—	1.34	1.34	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.58	0.58	< 0.005	0.06	0.06	—	7.21	7.21	< 0.005	< 0.005	0.01	7.60

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.26	0.25	< 0.005	0.01	—	0.01	0.01	—	0.01	—	40.3	40.3	< 0.005	< 0.005	—	40.5
Dust From Material Movement	—	—	—	—	—	—	0.05	0.05	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	0.12	0.12	< 0.005	< 0.005	< 0.005	0.12
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	< 0.005	0.05	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.68	6.68	< 0.005	< 0.005	—	6.70
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.02	0.02	< 0.005	< 0.005	< 0.005	0.02
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.03	0.44	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	87.4	87.4	< 0.005	< 0.005	0.37	88.8
Vendor	0.03	0.01	0.36	0.17	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	274	274	0.02	0.04	0.72	287
Hauling	0.23	0.05	2.81	1.35	0.01	0.04	0.56	0.60	0.03	0.15	0.18	—	2,214	2,214	0.18	0.36	4.78	2,329
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.35	1.35	< 0.005	< 0.005	< 0.005	1.37
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.51	4.51	< 0.005	< 0.005	0.01	4.72
Hauling	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	36.4	36.4	< 0.005	0.01	0.03	38.3
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.23
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.75	0.75	< 0.005	< 0.005	< 0.005	0.78
Hauling	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	6.03	6.03	< 0.005	< 0.005	0.01	6.33

### 3.5. Fine Grading (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.96	1.65	15.9	15.4	0.02	0.74	—	0.74	0.68	—	0.68	—	2,454	2,454	0.10	0.02	—	2,462
Dust From Material Movement	—	—	—	—	—	—	2.76	2.76	—	1.34	1.34	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.58	0.58	< 0.005	0.06	0.06	—	7.21	7.21	< 0.005	< 0.005	0.01	7.60
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.26	0.25	< 0.005	0.01	—	0.01	0.01	—	0.01	—	40.3	40.3	< 0.005	< 0.005	—	40.5

Dust From Material Movement:	—	—	—	—	—	—	0.05	0.05	—	0.02	0.02	—	—	—	—	—	—	
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	0.12	0.12	< 0.005	< 0.005	< 0.005	0.12
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Off-Road Equipment	0.01	< 0.005	0.05	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.68	6.68	< 0.005	< 0.005	—	6.70
Dust From Material Movement:	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.02	0.02	< 0.005	< 0.005	< 0.005	0.02
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	0.04	0.03	0.03	0.44	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	87.4	87.4	< 0.005	< 0.005	0.37	88.8
Vendor	0.03	0.01	0.36	0.17	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	274	274	0.02	0.04	0.72	287
Hauling	0.07	0.01	0.88	0.42	< 0.005	0.01	0.18	0.19	0.01	0.05	0.06	—	693	693	0.06	0.11	1.50	730
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.35	1.35	< 0.005	< 0.005	< 0.005	1.37
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.51	4.51	< 0.005	< 0.005	0.01	4.72
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	11.4	11.4	< 0.005	< 0.005	0.01	12.0
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.23
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.75	0.75	< 0.005	< 0.005	< 0.005	0.78

Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.89	1.89	< 0.005	< 0.005	< 0.005	1.98
---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---	------	------	---------	---------	---------	------

### 3.7. Building Construction (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.36	1.13	9.44	10.1	0.02	0.37	—	0.37	0.34	—	0.34	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.36	1.13	9.44	10.1	0.02	0.37	—	0.37	0.34	—	0.34	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.40	0.33	2.79	2.99	0.01	0.11	—	0.11	0.10	—	0.10	—	532	532	0.02	< 0.005	—	534
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.07	0.06	0.51	0.54	< 0.005	0.02	—	0.02	0.02	—	0.02	—	88.1	88.1	< 0.005	< 0.005	—	88.4
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	Appendix A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.19	0.18	0.14	2.21	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	441	441	0.01	0.02	1.88	448
Vendor	0.02	0.01	0.27	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	205	205	0.01	0.03	0.54	215
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.19	0.17	0.17	1.91	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	408	408	0.01	0.02	0.05	414
Vendor	0.02	0.01	0.29	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	205	205	0.01	0.03	0.01	215
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.05	0.05	0.55	0.00	0.00	0.12	0.12	0.00	0.03	0.03	—	122	122	< 0.005	0.01	0.24	124
Vendor	0.01	< 0.005	0.08	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.6	60.6	< 0.005	0.01	0.07	63.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	20.2	20.2	< 0.005	< 0.005	0.04	20.5
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	10.0	10.0	< 0.005	< 0.005	0.01	10.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.9. Building Construction (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Silverado Memory Care Residential Facility Detailed Report, 10/4/2023

Off-Road Equipment	1.28	1.07	8.95	10.0	0.02	0.33	—	0.33	0.30	—	0.30	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	8.95	10.0	0.02	0.33	—	0.33	0.30	—	0.30	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.73	0.61	5.08	5.69	0.01	0.19	—	0.19	0.17	—	0.17	—	1,022	1,022	0.04	0.01	—	1,026
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	0.93	1.04	< 0.005	0.03	—	0.03	0.03	—	0.03	—	169	169	0.01	< 0.005	—	170
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.18	0.17	0.12	2.06	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	432	432	0.01	0.02	1.71	439
Vendor	0.02	0.01	0.26	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	202	202	0.01	0.03	0.54	211
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.16	0.15	1.77	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	400	400	0.01	0.02	0.04	406

Appendix A

Page A-26

Vendor	0.02	0.01	0.27	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	202	202	0.01	0.03	0.01	211
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.09	0.08	0.99	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	230	230	0.01	0.01	0.42	233
Vendor	0.01	< 0.005	0.15	0.07	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	115	115	0.01	0.02	0.13	120
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.01	0.18	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	38.0	38.0	< 0.005	< 0.005	0.07	38.6
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	19.0	19.0	< 0.005	< 0.005	0.02	19.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.11. Paving (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.59	0.49	4.63	6.50	0.01	0.20	—	0.20	0.19	—	0.19	—	992	992	0.04	0.01	—	995
Paving	—	0.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.59	0.49	4.63	6.50	0.01	0.20	—	0.20	0.19	—	0.19	—	992	992	0.04	0.01	—	995
Paving	—	0.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.02	0.20	0.28	< 0.005	0.01	—	0.01	0.01	—	0.01	—	43.5	43.5	< 0.005	< 0.005	—	43.6	
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Off-Road Equipment	< 0.005	< 0.005	0.04	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.20	7.20	< 0.005	< 0.005	—	7.22	
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	0.05	0.04	0.03	0.51	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	107	107	< 0.005	< 0.005	0.42	109	
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	0.04	0.04	0.04	0.44	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	99.2	99.2	< 0.005	< 0.005	0.01	101	
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.40	4.40	< 0.005	< 0.005	0.01	4.46	
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.73	0.73	< 0.005	< 0.005	< 0.005	0.74	
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	

### 3.13. Architectural Coating (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.13	0.88	1.14	< 0.005	0.03	—	0.03	0.03	—	0.03	—	134	134	0.01	< 0.005	—	134
Architectural Coatings	—	42.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.13	0.88	1.14	< 0.005	0.03	—	0.03	0.03	—	0.03	—	134	134	0.01	< 0.005	—	134
Architectural Coatings	—	42.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Appendix A

Off-Road Equipment	0.01	0.01	0.04	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.85	5.85	< 0.005	< 0.005	—	5.87
Architectural Coatings	—	1.87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.97	0.97	< 0.005	< 0.005	—	0.97
Architectural Coatings	—	0.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.02	0.41	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	86.4	86.4	< 0.005	< 0.005	0.34	87.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.35	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	80.0	80.0	< 0.005	< 0.005	0.01	81.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.55	3.55	< 0.005	< 0.005	0.01	3.60
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.59	0.59	< 0.005	< 0.005	< 0.005	0.60	
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	

## 4. Operations Emissions Details

### 4.1. Mobile Emissions by Land Use

#### 4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	0.77	0.72	0.47	5.07	0.01	0.01	1.03	1.04	0.01	0.26	0.27	—	1,147	1,147	0.05	0.05	4.45	1,167
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.77	0.72	0.47	5.07	0.01	0.01	1.03	1.04	0.01	0.26	0.27	—	1,147	1,147	0.05	0.05	4.45	1,167
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Congregate	0.74	0.68	0.55	4.89	0.01	0.01	1.03	1.04	0.01	0.26	0.27	—	1,079	1,079	0.06	0.05	0.12	1,096
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.74	0.68	0.55	4.89	0.01	0.01	1.03	1.04	0.01	0.26	0.27	—	1,079	1,079	0.06	0.05	0.12	1,096
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	0.13	0.12	0.09	0.86	< 0.005	< 0.005	0.19	0.19	< 0.005	0.05	0.05	—	180	180	0.01	0.01	0.32	183
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.13	0.12	0.09	0.86	< 0.005	< 0.005	0.19	0.19	< 0.005	0.05	0.05	—	180	180	0.01	0.01	0.32	183

## 4.2. Energy

### 4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	—	133	133	0.02	< 0.005	—	135
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	13.0	13.0	< 0.005	< 0.005	—	13.1
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	146	146	0.02	< 0.005	—	148
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	—	133	133	0.02	< 0.005	—	135
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	13.0	13.0	< 0.005	< 0.005	—	13.1
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	146	146	0.02	< 0.005	—	148
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	—	22.1	22.1	< 0.005	< 0.005	—	22.3
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	2.15	2.15	< 0.005	< 0.005	—	2.17
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00

Total	—	—	—	—	—	—	—	—	—	—	—	—	24.2	24.2	< 0.005	< 0.005	—	24.5
-------	---	---	---	---	---	---	---	---	---	---	---	---	------	------	---------	---------	---	------

### 4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	0.02	0.01	0.16	0.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	198	198	0.02	< 0.005	—	198
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.02	0.01	0.16	0.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	198	198	0.02	< 0.005	—	198
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	0.02	0.01	0.16	0.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	198	198	0.02	< 0.005	—	198
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.02	0.01	0.16	0.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	198	198	0.02	< 0.005	—	198

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	32.7	32.7	< 0.005	< 0.005	—	32.8
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	32.7	32.7	< 0.005	< 0.005	—	32.8

### 4.3. Area Emissions by Source

#### 4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.08	0.04	0.69	0.29	< 0.005	0.06	—	0.06	0.06	—	0.06	0.00	877	877	0.02	< 0.005	—	878
Consumer Products	—	1.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.38	0.36	0.04	3.96	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	10.6	10.6	< 0.005	< 0.005	—	10.7
Total	0.46	1.62	0.73	4.26	< 0.005	0.06	—	0.06	0.06	—	0.06	0.00	888	888	0.02	< 0.005	—	889

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.08	0.04	0.69	0.29	< 0.005	0.06	—	0.06	0.06	—	0.06	0.00	877	877	0.02	< 0.005	—	878
Consumer Products	—	1.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	0.08	1.26	0.69	0.29	< 0.005	0.06	—	0.06	0.06	—	0.06	0.00	877	877	0.02	< 0.005	—	878
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	3.58	3.58	< 0.005	< 0.005	—	3.58
Consumer Products	—	0.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.03	0.03	< 0.005	0.36	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.87	0.87	< 0.005	< 0.005	—	0.87
Total	0.03	0.25	0.01	0.36	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	4.45	4.45	< 0.005	< 0.005	—	4.45

## 4.4. Water Emissions by Land Use

### 4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	4.86	9.71	14.6	0.50	0.01	—	30.7
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	4.86	9.71	14.6	0.50	0.01	—	30.7
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	4.86	9.71	14.6	0.50	0.01	—	30.7
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	4.86	9.71	14.6	0.50	0.01	—	30.7
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	0.81	1.61	2.41	0.08	< 0.005	—	5.08
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.81	1.61	2.41	0.08	< 0.005	—	5.08

### 4.5. Waste Emissions by Land Use

#### 4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Appendix A

Page A-38

Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	7.66	0.00	7.66	0.77	0.00	—	26.8
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Non-Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	7.66	0.00	7.66	0.77	0.00	—	26.8

## 4.6. Refrigerant Emissions by Land Use

### 4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.61	0.61
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.61	0.61

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.61	0.61
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.61	0.61
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congregate Care (Assisted Living)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.10	0.10
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.10	0.10

### 4.7. Offroad Emissions By Equipment Type

#### 4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

#### 4.8. Stationary Emissions By Equipment Type

##### 4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.9. User Defined Emissions By Equipment Type

##### 4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

### 4.10. Soil Carbon Accumulation By Vegetation Type

#### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	Appendix A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Page A-43	—

Remove	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

## 5. Activity Data

### 5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Site Preparation	Site Preparation	7/15/2024	7/17/2024	5.00	3.00	—
Rough Grading	Grading	7/18/2024	7/25/2024	5.00	6.00	—
Fine Grading	Grading	7/26/2024	8/2/2024	5.00	6.00	—
Building Construction	Building Construction	8/3/2024	10/17/2025	5.00	315	—
Paving	Paving	9/26/2025	10/17/2025	5.00	16.0	—
Architectural Coating	Architectural Coating	9/26/2025	10/17/2025	5.00	16.0	—

### 5.2. Off-Road Equipment

#### 5.2.1. Unmitigated

Appendix A

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation	Graders	Diesel	Average	1.00	8.00	148	0.41
Site Preparation	Rubber Tired Dozers	Diesel	Average	1.00	7.00	367	0.40
Site Preparation	Tractors/Loaders/Backhoes	Diesel	Average	1.00	8.00	84.0	0.37
Rough Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Rough Grading	Tractors/Loaders/Backhoes	Diesel	Average	2.00	7.00	84.0	0.37
Rough Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Fine Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Fine Grading	Tractors/Loaders/Backhoes	Diesel	Average	2.00	7.00	84.0	0.37
Fine Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Building Construction	Cranes	Diesel	Average	1.00	6.00	367	0.29
Building Construction	Forklifts	Diesel	Average	1.00	6.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	1.00	6.00	84.0	0.37
Building Construction	Welders	Diesel	Average	3.00	8.00	46.0	0.45
Paving	Tractors/Loaders/Backhoes	Diesel	Average	1.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	1.00	6.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	1.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	1.00	7.00	36.0	0.38
Paving	Cement and Mortar Mixers	Diesel	Average	1.00	6.00	10.0	0.56
Architectural Coating	Air Compressors	Diesel	Average	1.00	6.00	37.0	0.48

### 5.3. Construction Vehicles

## 5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	—	—	—	—
Site Preparation	Worker	7.50	11.7	LDA,LDT1,LDT2
Site Preparation	Vendor	8.00	8.40	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	1.00	1.19	HHDT
Rough Grading	—	—	—	—
Rough Grading	Worker	10.0	11.7	LDA,LDT1,LDT2
Rough Grading	Vendor	10.0	8.40	HHDT,MHDT
Rough Grading	Hauling	30.3	20.0	HHDT
Rough Grading	Onsite truck	1.00	1.55	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	50.4	11.7	LDA,LDT1,LDT2
Building Construction	Vendor	7.48	8.40	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	0.00	—	HHDT
Paving	—	—	—	—
Paving	Worker	12.5	11.7	LDA,LDT1,LDT2
Paving	Vendor	0.00	8.40	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	0.00	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	10.1	11.7	LDA,LDT1,LDT2
Architectural Coating	Vendor	0.00	8.40	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	0.00	—	HHDT

Fine Grading	—	—	—	—
Fine Grading	Worker	10.0	11.7	LDA,LDT1,LDT2
Fine Grading	Vendor	10.0	8.40	HHDT,MHDT
Fine Grading	Hauling	9.50	20.0	HHDT
Fine Grading	Onsite truck	1.00	1.55	HHDT

## 5.4. Vehicles

### 5.4.1. Construction Vehicle Control Strategies

Control Strategies Applied	PM10 Reduction	PM2.5 Reduction
Water unpaved roads twice daily	55%	55%
Limit vehicle speeds on unpaved roads to 25 mph	44%	44%

## 5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	97,303	32,434	0.00	0.00	1,589

## 5.6. Dust Mitigation

### 5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Site Preparation	0.00	0.00	2.81	0.00	—
Rough Grading	1,450	0.00	6.00	0.00	—
Fine Grading	450	0.00	6.00	0.00	—
Paving	0.00	0.00	0.00	0.00	0.86

## 5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	2	61%	61%

## 5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Congregate Care (Assisted Living)	—	0%
Parking Lot	0.61	100%
Other Non-Asphalt Surfaces	0.26	0%

## 5.8. Construction Electricity Consumption and Emissions Factors

## kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2024	0.00	204	0.03	< 0.005
2025	0.00	204	0.03	< 0.005

## 5.9. Operational Mobile Sources

## 5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Congregate Care (Assisted Living)	222	222	222	81,030	1,464	1,464	1,464	534,421
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00



## 5.10. Operational Area Sources

### 5.10.1. Hearths

#### 5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Congregate Care (Assisted Living)	—
Wood Fireplaces	0
Gas Fireplaces	36
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	34
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

### 5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
97303.275	32,434	0.00	0.00	1,589

### 5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

## 5.11. Operational Energy Consumption

### 5.11.1. Unmitigated

#### Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Congregate Care (Assisted Living)	238,802	204	0.0330	0.0040	616,285
Parking Lot	23,196	204	0.0330	0.0040	0.00
Other Non-Asphalt Surfaces	0.00	204	0.0330	0.0040	0.00

## 5.12. Operational Water and Wastewater Consumption

### 5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Congregate Care (Assisted Living)	2,538,648	190,294
Parking Lot	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00

## 5.13. Operational Waste Generation

### 5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Congregate Care (Assisted Living)	85.8	—
Parking Lot	0.00	—
Other Non-Asphalt Surfaces	0.00	—

## 5.14. Operational Refrigeration and Air Conditioning Equipment

## 5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Congregate Care (Assisted Living)	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Congregate Care (Assisted Living)	Household refrigerators and/or freezers	R-134a	1,430	0.22	0.60	0.00	1.00

## 5.15. Operational Off-Road Equipment

## 5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

## 5.16. Stationary Sources

## 5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
----------------	-----------	----------------	---------------	----------------	------------	-------------

## 5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

## 5.17. User Defined

Equipment Type	Fuel Type
----------------	-----------

## 5.18. Vegetation

## 5.18.1. Land Use Change

## 5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

## 5.18.1. Biomass Cover Type

## 5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

## 5.18.2. Sequestration

## 5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

## 6. Climate Risk Detailed Report

### 6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	12.3	annual days of extreme heat
Extreme Precipitation	4.30	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about  $\frac{3}{4}$  an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

## 6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

## 6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	Appendix A	N/A	N/A	N/A

Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

## 6.4. Climate Risk Reduction Measures

# 7. Health and Equity Details

## 7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	22.2
AQ-PM	17.8
AQ-DPM	26.2
Drinking Water	22.7
Lead Risk Housing	60.6
Pesticides	0.00
Toxic Releases	28.6
Traffic	38.4
Effect Indicators	—
CleanUp Sites	68.9
Groundwater	78.6
Haz Waste Facilities/Generators	63.6
Impaired Water Bodies	23.9

Solid Waste	0.00
Sensitive Population	—
Asthma	18.6
Cardio-vascular	13.9
Low Birth Weights	69.3
Socioeconomic Factor Indicators	—
Education	26.9
Housing	35.8
Linguistic	44.8
Poverty	12.8
Unemployment	36.4

## 7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	89.67021686
Employed	70.02438085
Median HI	80.91877326
Education	—
Bachelor's or higher	73.48902862
High school enrollment	100
Preschool enrollment	66.17477223
Transportation	—
Auto Access	57.21801617
Active commuting	47.87629924
Social	—

2-parent households	85.85910432
Voting	89.79853715
Neighborhood	—
Alcohol availability	41.31913255
Park access	31.86192737
Retail density	45.8488387
Supermarket access	74.00230977
Tree canopy	77.22314898
Housing	—
Homeownership	52.16219684
Housing habitability	63.95483126
Low-inc homeowner severe housing cost burden	91.23572437
Low-inc renter severe housing cost burden	54.20248941
Uncrowded housing	62.10701912
Health Outcomes	—
Insured adults	68.56152958
Arthritis	36.9
Asthma ER Admissions	86.5
High Blood Pressure	50.4
Cancer (excluding skin)	19.8
Asthma	58.2
Coronary Heart Disease	47.4
Chronic Obstructive Pulmonary Disease	56.7
Diagnosed Diabetes	73.9
Life Expectancy at Birth	68.7
Cognitively Disabled	25.4
Physically Disabled	57.4



Heart Attack ER Admissions	84.2
Mental Health Not Good	72.2
Chronic Kidney Disease	64.9
Obesity	70.2
Pedestrian Injuries	78.1
Physical Health Not Good	70.2
Stroke	58.2
Health Risk Behaviors	—
Binge Drinking	48.9
Current Smoker	72.6
No Leisure Time for Physical Activity	73.6
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	41.8
Elderly	55.7
English Speaking	30.2
Foreign-born	48.9
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	50.9
Traffic Density	33.4
Traffic Access	63.2
Other Indices	—
Hardship	25.4
Other Decision Support	—
2016 Voting	89.2

### 7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	23.0
Healthy Places Index Score for Project Location (b)	83.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

### 7.4. Health & Equity Measures

No Health & Equity Measures selected.

### 7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

### 7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

## 8. User Changes to Default Data

Screen	Justification
Land Use	based on information provided by Applicant. Memory care facility has 94 beds in 70 units.
Construction: Construction Phases	based on 15 month duration provided by Applicant, July 2024 - October 2025, normalized over CalEEMod construction schedule
Construction: Architectural Coatings	assumes only striping of parking lot
Operations: Architectural Coatings	assumes only parking area to be striped
Operations: Water and Waste Water	—
Operations: Vehicle Data	Hexagon (2022)

# Silverado Memory Care Residential Facility Mitigated Construction Detailed Report

## Table of Contents

1. Basic Project Information
  - 1.1. Basic Project Information
  - 1.2. Land Use Types
  - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
2. Emissions Summary
  - 2.1. Construction Emissions Compared Against Thresholds
  - 2.2. Construction Emissions by Year, Unmitigated
  - 2.3. Construction Emissions by Year, Mitigated
3. Construction Emissions Details
  - 3.1. Site Preparation (2024) - Unmitigated
  - 3.2. Site Preparation (2024) - Mitigated
  - 3.3. Rough Grading (2024) - Unmitigated
  - 3.4. Rough Grading (2024) - Mitigated

3.5. Fine Grading (2024) - Unmitigated

3.6. Fine Grading (2024) - Mitigated

3.7. Building Construction (2024) - Unmitigated

3.8. Building Construction (2024) - Mitigated

3.9. Building Construction (2025) - Unmitigated

3.10. Building Construction (2025) - Mitigated

3.11. Paving (2025) - Unmitigated

3.12. Paving (2025) - Mitigated

3.13. Architectural Coating (2025) - Unmitigated

3.14. Architectural Coating (2025) - Mitigated

#### 4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.2.2. Mitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.3.2. Mitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

## 5.18. Vegetation

### 5.18.1. Land Use Change

#### 5.18.1.1. Unmitigated

#### 5.18.1.2. Mitigated

### 5.18.1. Biomass Cover Type

#### 5.18.1.1. Unmitigated

#### 5.18.1.2. Mitigated

### 5.18.2. Sequestration

#### 5.18.2.1. Unmitigated

#### 5.18.2.2. Mitigated

## 6. Climate Risk Detailed Report

### 6.1. Climate Risk Summary

### 6.2. Initial Climate Risk Scores

### 6.3. Adjusted Climate Risk Scores

### 6.4. Climate Risk Reduction Measures

## 7. Health and Equity Details

### 7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

# 1. Basic Project Information

## 1.1. Basic Project Information

Data Field	Value
Project Name	Silverado Memory Care Residential Facility Mitigated Construction
Construction Start Date	7/15/2024
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	3.00
Precipitation (days)	12.8
Location	37.265325075206206, -121.9310484069284
County	Santa Clara
City	San Jose
Air District	Bay Area AQMD
Air Basin	San Francisco Bay Area
TAZ	1915
EDFZ	1
Electric Utility	Pacific Gas & Electric Company
Gas Utility	Pacific Gas & Electric
App Version	2022.1.1.19

## 1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Congregate Care (Assisted Living)	70.0	Dwelling Unit	0.91	48,051	14,564	0.00	94.0	—



Parking Lot	26.5	1000sqft	0.61	0.00	0.00	0.00	—	—
Other Non-Asphalt Surfaces	11.2	1000sqft	0.26	0.00	0.00	0.00	—	—

### 1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Construction	C-5	Use Advanced Engine Tiers

## 2. Emissions Summary

### 2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.31	44.8	19.1	20.8	0.04	0.79	4.06	4.85	0.71	1.59	2.30	—	5,036	5,036	0.30	0.42	5.89	5,175
Mit.	0.83	43.6	10.4	22.0	0.04	0.10	4.06	4.15	0.10	1.59	1.66	—	5,036	5,036	0.30	0.42	5.89	5,175
% Reduced	64%	3%	45%	-6%	—	87%	—	14%	87%	—	28%	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.28	44.8	15.0	20.4	0.03	0.56	0.66	1.22	0.52	0.16	0.67	—	3,708	3,708	0.14	0.08	0.08	3,735
Mit.	0.81	43.6	10.5	21.5	0.03	0.10	0.66	0.75	0.10	0.16	0.25	—	3,708	3,708	0.14	0.08	0.08	3,735
% Reduced	65%	3%	30%	-6%	—	82%	—	38%	82%	—	63%	—	—	—	—	—	—	—
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unmit.	0.87	2.61	5.55	7.12	0.01	0.20	0.29	0.47	0.18	0.09	0.25	—	1,424	1,424	0.05	0.03	0.56	1,436
Mit.	0.31	2.16	3.35	7.68	0.01	0.04	0.29	0.31	0.04	0.09	0.12	—	1,424	1,424	0.05	0.03	0.56	1,436
% Reduced	65%	17%	40%	-8%	—	80%	—	34%	79%	—	53%	—	—	—	—	—	—	—
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.16	0.48	1.01	1.30	< 0.005	0.04	0.05	0.09	0.03	0.02	0.05	—	236	236	0.01	0.01	0.09	238
Mit.	0.06	0.39	0.61	1.40	< 0.005	0.01	0.05	0.06	0.01	0.02	0.02	—	236	236	0.01	0.01	0.09	238
% Reduced	65%	17%	40%	-8%	—	80%	—	34%	79%	—	53%	—	—	—	—	—	—	—

### 2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	2.26	1.74	19.1	17.4	0.04	0.79	4.06	4.85	0.71	1.59	2.30	—	5,036	5,036	0.30	0.42	5.89	5,175
2025	2.31	44.8	14.9	20.8	0.03	0.56	0.66	1.22	0.52	0.16	0.67	—	3,754	3,754	0.14	0.08	3.01	3,783
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	1.57	1.31	9.90	12.1	0.02	0.37	0.47	0.84	0.34	0.11	0.46	—	2,414	2,414	0.10	0.06	0.06	2,436
2025	2.28	44.8	15.0	20.4	0.03	0.56	0.66	1.22	0.52	0.16	0.67	—	3,708	3,708	0.14	0.08	0.08	3,735
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.55	0.45	3.63	4.24	0.01	0.14	0.29	0.43	0.13	0.09	0.22	—	875	875	0.04	0.03	0.37	884
2025	0.87	2.61	5.55	7.12	0.01	0.20	0.27	0.47	0.18	0.07	0.25	—	1,424	1,424	0.05	0.03	0.56	1,436
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.10	0.08	0.66	0.77	< 0.005	0.03	0.05	0.08	0.02	0.02	0.04	—	145	145	0.01	< 0.005	0.06	146

2025	0.16	0.48	1.01	1.30	< 0.005	0.04	0.05	0.09	0.03	0.01	0.05	—	236	236	0.01	0.01	0.09	238
------	------	------	------	------	---------	------	------	------	------	------	------	---	-----	-----	------	------	------	-----

### 2.3. Construction Emissions by Year, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.55	0.50	5.52	16.2	0.04	0.09	4.06	4.15	0.08	1.59	1.66	—	5,036	5,036	0.30	0.42	5.89	5,175
2025	0.83	43.6	10.4	22.0	0.03	0.10	0.66	0.75	0.10	0.16	0.25	—	3,754	3,754	0.14	0.08	3.01	3,783
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.54	0.49	5.57	13.0	0.02	0.07	0.47	0.54	0.06	0.11	0.18	—	2,414	2,414	0.10	0.06	0.06	2,436
2025	0.81	43.6	10.5	21.5	0.03	0.10	0.66	0.75	0.10	0.16	0.25	—	3,708	3,708	0.14	0.08	0.08	3,735
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.18	0.16	1.77	4.46	0.01	0.02	0.29	0.31	0.02	0.09	0.12	—	875	875	0.04	0.03	0.37	884
2025	0.31	2.16	3.35	7.68	0.01	0.04	0.27	0.31	0.04	0.07	0.10	—	1,424	1,424	0.05	0.03	0.56	1,436
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.03	0.03	0.32	0.81	< 0.005	< 0.005	0.05	0.06	< 0.005	0.02	0.02	—	145	145	0.01	< 0.005	0.06	146
2025	0.06	0.39	0.61	1.40	< 0.005	0.01	0.05	0.06	0.01	0.01	0.02	—	236	236	0.01	0.01	0.09	238

## 3. Construction Emissions Details

### 3.1. Site Preparation (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	Appendix A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Page A-67	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.70	1.43	13.7	12.9	0.02	0.65	—	0.65	0.59	—	0.59	—	2,064	2,064	0.08	0.02	—	2,071
Dust From Material Movement:	—	—	—	—	—	—	2.44	2.44	—	1.17	1.17	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.44	0.44	< 0.005	0.04	0.04	—	5.92	5.92	< 0.005	< 0.005	0.01	6.25
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.11	0.11	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	17.0	17.0	< 0.005	< 0.005	—	17.0
Dust From Material Movement:	—	—	—	—	—	—	0.02	0.02	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.05	0.05	< 0.005	< 0.005	< 0.005	0.05
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.81	2.81	< 0.005	< 0.005	—	2.82
Dust From Material Movement:	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.01	0.01	< 0.005	< 0.005	< 0.005	0.01
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.02	0.33	0.00	0.00	0.06	0.06	0.00	0.01	0.01	—	65.6	65.6	< 0.005	< 0.005	0.28	66.6
Vendor	0.02	0.01	0.29	0.14	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	219	219	0.01	0.03	0.58	230
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.50	0.50	< 0.005	< 0.005	< 0.005	0.51
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.80	1.80	< 0.005	< 0.005	< 0.005	1.89
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.08	0.08	< 0.005	< 0.005	< 0.005	0.08
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.30	0.30	< 0.005	< 0.005	< 0.005	0.31
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.2. Site Preparation (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.19	1.01	11.9	0.02	0.04	—	0.04	0.04	—	0.04	—	2,064	2,064	0.08	0.02	—	2,071

Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Dust From Material Movement:	—	—	—	—	—	—	2.44	2.44	—	1.17	1.17	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.44	0.44	< 0.005	0.04	0.04	—	5.92	5.92	< 0.005	< 0.005	0.01	6.25
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.10	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	17.0	17.0	< 0.005	< 0.005	—	17.0
Dust From Material Movement:	—	—	—	—	—	—	0.02	0.02	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.05	0.05	< 0.005	< 0.005	< 0.005	0.05
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.81	2.81	< 0.005	< 0.005	—	2.82
Dust From Material Movement:	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.01	0.01	< 0.005	< 0.005	< 0.005	0.01
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.02	0.33	0.00	0.00	0.06	0.06	0.00	0.01	0.01	—	65.6	65.6	< 0.005	< 0.005	0.28	66.6
Vendor	0.02	0.01	0.29	0.14	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	219	219	0.01	0.03	0.58	230
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Appendix A

Page 70

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.50	0.50	< 0.005	< 0.005	< 0.005	0.51
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.80	1.80	< 0.005	< 0.005	< 0.005	1.89
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.08	0.08	< 0.005	< 0.005	< 0.005	0.08
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.30	0.30	< 0.005	< 0.005	< 0.005	0.31
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.3. Rough Grading (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.96	1.65	15.9	15.4	0.02	0.74	—	0.74	0.68	—	0.68	—	2,454	2,454	0.10	0.02	—	2,462
Dust From Material Movement	—	—	—	—	—	—	2.77	2.77	—	1.34	1.34	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.58	0.58	< 0.005	0.06	0.06	—	7.21	7.21	< 0.005	< 0.005	0.01	7.60
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.26	0.25	< 0.005	0.01	—	0.01	0.01	—	0.01	—	40.3	40.3	< 0.005	< 0.005	—	40.5
Dust From Material Movement	—	—	—	—	—	—	0.05	0.05	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	0.12	0.12	< 0.005	< 0.005	< 0.005	0.12
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	< 0.005	0.05	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.68	6.68	< 0.005	< 0.005	—	6.70
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.02	0.02	< 0.005	< 0.005	< 0.005	0.02
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.03	0.44	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	87.4	87.4	< 0.005	< 0.005	0.37	88.8
Vendor	0.03	0.01	0.36	0.17	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	274	274	0.02	0.04	0.72	287
Hauling	0.23	0.05	2.81	1.35	0.01	0.04	0.56	0.60	0.03	0.15	0.18	—	2,214	2,214	0.18	0.36	4.78	2,329
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.35	1.35	< 0.005	< 0.005	< 0.005	1.37
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.51	4.51	< 0.005	< 0.005	0.01	4.72



Hauling	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	36.4	36.4	< 0.005	0.01	0.03	38.3
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.23
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.75	0.75	< 0.005	< 0.005	< 0.005	0.78
Hauling	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	6.03	6.03	< 0.005	< 0.005	0.01	6.33

### 3.4. Rough Grading (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.23	1.20	14.2	0.02	0.05	—	0.05	0.05	—	0.05	—	2,454	2,454	0.10	0.02	—	2,462
Dust From Material Movement	—	—	—	—	—	—	2.77	2.77	—	1.34	1.34	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.58	0.58	< 0.005	0.06	0.06	—	7.21	7.21	< 0.005	< 0.005	0.01	7.60
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.23	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	40.3	40.3	< 0.005	< 0.005	—	40.5
Dust From Material Movement	—	—	—	—	—	—	0.05	0.05	—	0.02	0.02	—	—	—	—	—	—	—

Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	0.12	0.12	< 0.005	< 0.005	< 0.005	0.12
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	0.04	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.68	6.68	< 0.005	< 0.005	—	6.70
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.02	0.02	< 0.005	< 0.005	< 0.005	0.02
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.03	0.44	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	87.4	87.4	< 0.005	< 0.005	0.37	88.8
Vendor	0.03	0.01	0.36	0.17	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	274	274	0.02	0.04	0.72	287
Hauling	0.23	0.05	2.81	1.35	0.01	0.04	0.56	0.60	0.03	0.15	0.18	—	2,214	2,214	0.18	0.36	4.78	2,329
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.35	1.35	< 0.005	< 0.005	< 0.005	1.37
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.51	4.51	< 0.005	< 0.005	0.01	4.72
Hauling	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	36.4	36.4	< 0.005	0.01	0.03	38.3
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.23
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.75	0.75	< 0.005	< 0.005	< 0.005	0.78
Hauling	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	6.03	6.03	< 0.005	< 0.005	0.01	6.33

### 3.5. Fine Grading (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.96	1.65	15.9	15.4	0.02	0.74	—	0.74	0.68	—	0.68	—	2,454	2,454	0.10	0.02	—	2,462
Dust From Material Movement	—	—	—	—	—	—	2.76	2.76	—	1.34	1.34	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.58	0.58	< 0.005	0.06	0.06	—	7.21	7.21	< 0.005	< 0.005	0.01	7.60
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.26	0.25	< 0.005	0.01	—	0.01	0.01	—	0.01	—	40.3	40.3	< 0.005	< 0.005	—	40.5
Dust From Material Movement	—	—	—	—	—	—	0.05	0.05	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	0.12	0.12	< 0.005	< 0.005	< 0.005	0.12
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	< 0.005	0.05	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.68	6.68	< 0.005	< 0.005	—	6.70

Dust From Material Movement:	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.02	0.02	< 0.005	< 0.005	< 0.005	0.02
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.03	0.44	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	87.4	87.4	< 0.005	< 0.005	0.37	88.8
Vendor	0.03	0.01	0.36	0.17	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	274	274	0.02	0.04	0.72	287
Hauling	0.07	0.01	0.88	0.42	< 0.005	0.01	0.18	0.19	0.01	0.05	0.06	—	693	693	0.06	0.11	1.50	730
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.35	1.35	< 0.005	< 0.005	< 0.005	1.37
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.51	4.51	< 0.005	< 0.005	0.01	4.72
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	11.4	11.4	< 0.005	< 0.005	0.01	12.0
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.23
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.75	0.75	< 0.005	< 0.005	< 0.005	0.78
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.89	1.89	< 0.005	< 0.005	< 0.005	1.98

### 3.6. Fine Grading (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.23	1.20	14.2	0.02	0.05	—	0.05	0.05	—	0.05	—	2,454	2,454	0.10	0.02	—	2,462
Dust From Material Movement:	—	—	—	—	—	—	2.76	2.76	—	1.34	1.34	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.58	0.58	< 0.005	0.06	0.06	—	7.21	7.21	< 0.005	< 0.005	0.01	7.60
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.23	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	40.3	40.3	< 0.005	< 0.005	—	40.5
Dust From Material Movement:	—	—	—	—	—	—	0.05	0.05	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	0.12	0.12	< 0.005	< 0.005	< 0.005	0.12
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	0.04	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.68	6.68	< 0.005	< 0.005	—	6.70
Dust From Material Movement:	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.02	0.02	< 0.005	< 0.005	< 0.005	0.02
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.03	0.44	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	87.4	87.4	< 0.005	< 0.005	0.37	88.8
Vendor	0.03	0.01	0.36	0.17	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	274	274	0.02	0.04	0.72	287
Hauling	0.07	0.01	0.88	0.42	< 0.005	0.01	0.18	0.19	0.01	0.05	0.06	—	693	693	0.06	0.11	1.50	730
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.35	1.35	< 0.005	< 0.005	< 0.005	1.37
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.51	4.51	< 0.005	< 0.005	0.01	4.72
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	11.4	11.4	< 0.005	< 0.005	0.01	12.0
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.23
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.75	0.75	< 0.005	< 0.005	< 0.005	0.78
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.89	1.89	< 0.005	< 0.005	< 0.005	1.98

### 3.7. Building Construction (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.36	1.13	9.44	10.1	0.02	0.37	—	0.37	0.34	—	0.34	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.36	1.13	9.44	10.1	0.02	0.37	—	0.37	0.34	—	0.34	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.40	0.33	2.79	2.99	0.01	0.11	—	0.11	0.10	—	0.10	—	532	532	0.02	< 0.005	—	534
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.07	0.06	0.51	0.54	< 0.005	0.02	—	0.02	0.02	—	0.02	—	88.1	88.1	< 0.005	< 0.005	—	88.4
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.19	0.18	0.14	2.21	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	441	441	0.01	0.02	1.88	448
Vendor	0.02	0.01	0.27	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	205	205	0.01	0.03	0.54	215
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.19	0.17	0.17	1.91	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	408	408	0.01	0.02	0.05	414
Vendor	0.02	0.01	0.29	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	205	205	0.01	0.03	0.01	215
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.05	0.05	0.05	0.55	0.00	0.00	0.12	0.12	0.00	0.03	0.03	—	122	122	< 0.005	0.01	0.24	124
Vendor	0.01	< 0.005	0.08	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.6	60.6	< 0.005	0.01	0.07	63.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	20.2	20.2	< 0.005	< 0.005	0.04	20.5
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	10.0	10.0	< 0.005	< 0.005	0.01	10.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.8. Building Construction (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.33	0.31	5.12	11.0	0.02	0.06	—	0.06	0.06	—	0.06	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.33	0.31	5.12	11.0	0.02	0.06	—	0.06	0.06	—	0.06	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.10	0.09	1.51	3.25	0.01	0.02	—	0.02	0.02	—	0.02	—	532	532	0.02	< 0.005	—	534



Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.28	0.59	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	88.1	88.1	< 0.005	< 0.005	—	88.4	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.19	0.18	0.14	2.21	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	441	441	0.01	0.02	1.88	448	
Vendor	0.02	0.01	0.27	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	205	205	0.01	0.03	0.54	215	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.19	0.17	0.17	1.91	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	408	408	0.01	0.02	0.05	414	
Vendor	0.02	0.01	0.29	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	205	205	0.01	0.03	0.01	215	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.05	0.05	0.55	0.00	0.00	0.12	0.12	0.00	0.03	0.03	—	122	122	< 0.005	0.01	0.24	124	
Vendor	0.01	< 0.005	0.08	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.6	60.6	< 0.005	0.01	0.07	63.5	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	20.2	20.2	< 0.005	< 0.005	0.04	20.5	
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	10.0	10.0	< 0.005	< 0.005	0.01	10.5	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	

### 3.9. Building Construction (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	8.95	10.0	0.02	0.33	—	0.33	0.30	—	0.30	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	8.95	10.0	0.02	0.33	—	0.33	0.30	—	0.30	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.73	0.61	5.08	5.69	0.01	0.19	—	0.19	0.17	—	0.17	—	1,022	1,022	0.04	0.01	—	1,026
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	0.93	1.04	< 0.005	0.03	—	0.03	0.03	—	0.03	—	169	169	0.01	< 0.005	—	170
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.18	0.17	0.12	2.06	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	432	432	0.01	0.02	1.71	439
Vendor	0.02	0.01	0.26	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	202	202	0.01	0.03	0.54	211
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.16	0.15	1.77	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	400	400	0.01	0.02	0.04	406
Vendor	0.02	0.01	0.27	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	202	202	0.01	0.03	0.01	211
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.09	0.08	0.99	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	230	230	0.01	0.01	0.42	233
Vendor	0.01	< 0.005	0.15	0.07	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	115	115	0.01	0.02	0.13	120
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.01	0.18	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	38.0	38.0	< 0.005	< 0.005	0.07	38.6
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	19.0	19.0	< 0.005	< 0.005	0.02	19.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.10. Building Construction (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Off-Road Equipment	0.33	0.31	5.11	11.0	0.02	0.06	—	0.06	0.06	—	0.06	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.33	0.31	5.11	11.0	0.02	0.06	—	0.06	0.06	—	0.06	—	1,801	1,801	0.07	0.01	—	1,807
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.18	2.90	6.24	0.01	0.04	—	0.04	0.03	—	0.03	—	1,022	1,022	0.04	0.01	—	1,026
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.53	1.14	< 0.005	0.01	—	0.01	0.01	—	0.01	—	169	169	0.01	< 0.005	—	170
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.18	0.17	0.12	2.06	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	432	432	0.01	0.02	1.71	439
Vendor	0.02	0.01	0.26	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	202	202	0.01	0.03	0.54	211
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.16	0.15	1.77	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	400	400	0.01	0.02	0.04	406

Appendix A

Page A-84

Vendor	0.02	0.01	0.27	0.13	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	202	202	0.01	0.03	0.01	211
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.09	0.08	0.99	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	230	230	0.01	0.01	0.42	233
Vendor	0.01	< 0.005	0.15	0.07	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	115	115	0.01	0.02	0.13	120
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.01	0.18	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	38.0	38.0	< 0.005	< 0.005	0.07	38.6
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	19.0	19.0	< 0.005	< 0.005	0.02	19.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.11. Paving (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.59	0.49	4.63	6.50	0.01	0.20	—	0.20	0.19	—	0.19	—	992	992	0.04	0.01	—	995
Paving	—	0.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.59	0.49	4.63	6.50	0.01	0.20	—	0.20	0.19	—	0.19	—	992	992	0.04	0.01	—	995
Paving	—	0.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.02	0.20	0.28	< 0.005	0.01	—	0.01	0.01	—	0.01	—	43.5	43.5	< 0.005	< 0.005	—	43.6
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.04	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.20	7.20	< 0.005	< 0.005	—	7.22
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.03	0.51	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	107	107	< 0.005	< 0.005	0.42	109
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.04	0.44	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	99.2	99.2	< 0.005	< 0.005	0.01	101
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.40	4.40	< 0.005	< 0.005	0.01	4.46
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.73	0.73	< 0.005	< 0.005	< 0.005	0.74	
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	

### 3.12. Paving (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.19	4.25	6.89	0.01	0.03	—	0.03	0.03	—	0.03	—	992	992	0.04	0.01	—	995
Paving	—	0.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.19	4.25	6.89	0.01	0.03	—	0.03	0.03	—	0.03	—	992	992	0.04	0.01	—	995
Paving	—	0.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.19	0.30	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	43.5	43.5	< 0.005	< 0.005	—	43.6
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.20	7.20	< 0.005	< 0.005	—	7.22
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.03	0.51	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	107	107	< 0.005	< 0.005	0.42	109
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.04	0.44	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	99.2	99.2	< 0.005	< 0.005	0.01	101
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.40	4.40	< 0.005	< 0.005	0.01	4.46
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.73	0.73	< 0.005	< 0.005	< 0.005	0.74
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00



### 3.13. Architectural Coating (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.13	0.88	1.14	< 0.005	0.03	—	0.03	0.03	—	0.03	—	134	134	0.01	< 0.005	—	134
Architectural Coatings	—	42.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.13	0.88	1.14	< 0.005	0.03	—	0.03	0.03	—	0.03	—	134	134	0.01	< 0.005	—	134
Architectural Coatings	—	42.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.04	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.85	5.85	< 0.005	< 0.005	—	5.87
Architectural Coatings	—	1.87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.97	0.97	< 0.005	< 0.005	—	0.97
Architectural Coatings	—	0.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.02	0.41	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	86.4	86.4	< 0.005	< 0.005	0.34	87.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.35	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	80.0	80.0	< 0.005	< 0.005	0.01	81.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.55	3.55	< 0.005	< 0.005	0.01	3.60
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.59	0.59	< 0.005	< 0.005	< 0.005	0.60
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.14. Architectural Coating (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.65	0.96	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	134	134	0.01	< 0.005	—	134
Architectural Coatings	—	42.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.65	0.96	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	134	134	0.01	< 0.005	—	134
Architectural Coatings	—	42.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.04	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.85	5.85	< 0.005	< 0.005	—	5.87
Architectural Coatings	—	1.87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Silverado Memory Care Residential Facility Mitigated Construction Detailed Report, 9/20/2023

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.97	0.97	< 0.005	< 0.005	—	0.97
Architectural Coatings	—	0.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.02	0.41	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	86.4	86.4	< 0.005	< 0.005	0.34	87.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.35	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	80.0	80.0	< 0.005	< 0.005	0.01	81.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.55	3.55	< 0.005	< 0.005	0.01	3.60
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.59	0.59	< 0.005	< 0.005	< 0.005	0.60
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

## 4. Operations Emissions Details

### 4.10. Soil Carbon Accumulation By Vegetation Type

#### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	Appendix A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Page-A-93	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



Sequest	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

## 5. Activity Data

### 5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Site Preparation	Site Preparation	7/15/2024	7/17/2024	5.00	3.00	—
Rough Grading	Grading	7/18/2024	7/25/2024	5.00	6.00	—
Fine Grading	Grading	7/26/2024	8/2/2024	5.00	6.00	—
Building Construction	Building Construction	8/3/2024	10/17/2025	5.00	315	—
Paving	Paving	9/26/2025	10/17/2025	5.00	16.0	—
Architectural Coating	Architectural Coating	9/26/2025	10/17/2025	5.00	16.0	—

## 5.2. Off-Road Equipment

### 5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation	Graders	Diesel	Average	1.00	8.00	148	0.41
Site Preparation	Rubber Tired Dozers	Diesel	Average	1.00	7.00	367	0.40
Site Preparation	Tractors/Loaders/Backhoes	Diesel	Average	1.00	8.00	84.0	0.37
Rough Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Rough Grading	Tractors/Loaders/Backhoes	Diesel	Average	2.00	7.00	84.0	0.37
Rough Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Fine Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Fine Grading	Tractors/Loaders/Backhoes	Diesel	Average	2.00	7.00	84.0	0.37
Fine Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Building Construction	Cranes	Diesel	Average	1.00	6.00	367	0.29
Building Construction	Forklifts	Diesel	Average	1.00	6.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	1.00	6.00	84.0	0.37
Building Construction	Welders	Diesel	Average	3.00	8.00	46.0	0.45
Paving	Tractors/Loaders/Backhoes	Diesel	Average	1.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	1.00	6.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	1.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	1.00	7.00	36.0	0.38
Paving	Cement and Mortar Mixers	Diesel	Average	1.00	6.00	10.0	0.56

Architectural Coating	Air Compressors	Diesel	Average	1.00	6.00	37.0	0.48
-----------------------	-----------------	--------	---------	------	------	------	------

### 5.2.2. Mitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation	Graders	Diesel	Tier 4 Final	1.00	8.00	148	0.41
Site Preparation	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	7.00	367	0.40
Site Preparation	Tractors/Loaders/Backhoes	Diesel	Tier 4 Final	1.00	8.00	84.0	0.37
Rough Grading	Graders	Diesel	Tier 4 Final	1.00	8.00	148	0.41
Rough Grading	Tractors/Loaders/Backhoes	Diesel	Tier 4 Final	2.00	7.00	84.0	0.37
Rough Grading	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	367	0.40
Fine Grading	Graders	Diesel	Tier 4 Final	1.00	8.00	148	0.41
Fine Grading	Tractors/Loaders/Backhoes	Diesel	Tier 4 Final	2.00	7.00	84.0	0.37
Fine Grading	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	367	0.40
Building Construction	Cranes	Diesel	Tier 4 Final	1.00	6.00	367	0.29
Building Construction	Forklifts	Diesel	Tier 4 Final	1.00	6.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	1.00	6.00	84.0	0.37
Building Construction	Welders	Diesel	Tier 4 Final	3.00	8.00	46.0	0.45
Paving	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	1.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Tier 4 Interim	1.00	6.00	81.0	0.42
Paving	Paving Equipment	Diesel	Tier 4 Interim	1.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Tier 4 Final	1.00	7.00	36.0	0.38
Paving	Cement and Mortar Mixers	Diesel	Average	1.00	6.00	10.0	0.56

Architectural Coating	Air Compressors	Diesel	Tier 4 Final	1.00	6.00	37.0	0.48
-----------------------	-----------------	--------	--------------	------	------	------	------

## 5.3. Construction Vehicles

### 5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	—	—	—	—
Site Preparation	Worker	7.50	11.7	LDA,LDT1,LDT2
Site Preparation	Vendor	8.00	8.40	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	1.00	1.19	HHDT
Rough Grading	—	—	—	—
Rough Grading	Worker	10.0	11.7	LDA,LDT1,LDT2
Rough Grading	Vendor	10.0	8.40	HHDT,MHDT
Rough Grading	Hauling	30.3	20.0	HHDT
Rough Grading	Onsite truck	1.00	1.55	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	50.4	11.7	LDA,LDT1,LDT2
Building Construction	Vendor	7.48	8.40	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	0.00	—	HHDT
Paving	—	—	—	—
Paving	Worker	12.5	11.7	LDA,LDT1,LDT2
Paving	Vendor	0.00	8.40	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	0.00	—	HHDT
Architectural Coating	—	—	—	—

Architectural Coating	Worker	10.1	11.7	LDA,LDT1,LDT2
Architectural Coating	Vendor	0.00	8.40	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	0.00	—	HHDT
Fine Grading	—	—	—	—
Fine Grading	Worker	10.0	11.7	LDA,LDT1,LDT2
Fine Grading	Vendor	10.0	8.40	HHDT,MHDT
Fine Grading	Hauling	9.50	20.0	HHDT
Fine Grading	Onsite truck	1.00	1.55	HHDT

### 5.3.2. Mitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	—	—	—	—
Site Preparation	Worker	7.50	11.7	LDA,LDT1,LDT2
Site Preparation	Vendor	8.00	8.40	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	1.00	1.19	HHDT
Rough Grading	—	—	—	—
Rough Grading	Worker	10.0	11.7	LDA,LDT1,LDT2
Rough Grading	Vendor	10.0	8.40	HHDT,MHDT
Rough Grading	Hauling	30.3	20.0	HHDT
Rough Grading	Onsite truck	1.00	1.55	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	50.4	11.7	LDA,LDT1,LDT2
Building Construction	Vendor	7.48	8.40	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	0.00	—	HHDT

Paving	—	—	—	—
Paving	Worker	12.5	11.7	LDA,LDT1,LDT2
Paving	Vendor	0.00	8.40	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	0.00	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	10.1	11.7	LDA,LDT1,LDT2
Architectural Coating	Vendor	0.00	8.40	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	0.00	—	HHDT
Fine Grading	—	—	—	—
Fine Grading	Worker	10.0	11.7	LDA,LDT1,LDT2
Fine Grading	Vendor	10.0	8.40	HHDT,MHDT
Fine Grading	Hauling	9.50	20.0	HHDT
Fine Grading	Onsite truck	1.00	1.55	HHDT

## 5.4. Vehicles

### 5.4.1. Construction Vehicle Control Strategies

Control Strategies Applied	PM10 Reduction	PM2.5 Reduction
Water unpaved roads twice daily	55%	55%
Limit vehicle speeds on unpaved roads to 25 mph	44%	44%

## 5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating Appendix A	97,303	32,434	0.00	0.00	1,589

## 5.6. Dust Mitigation

### 5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Site Preparation	0.00	0.00	2.81	0.00	—
Rough Grading	1,450	0.00	6.00	0.00	—
Fine Grading	450	0.00	6.00	0.00	—
Paving	0.00	0.00	0.00	0.00	0.86

### 5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	2	61%	61%

## 5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Congregate Care (Assisted Living)	—	0%
Parking Lot	0.61	100%
Other Non-Asphalt Surfaces	0.26	0%

## 5.8. Construction Electricity Consumption and Emissions Factors

### kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2024	0.00	204	0.03	< 0.005
2025	0.00	204	0.03	< 0.005

## 5.18. Vegetation

### 5.18.1. Land Use Change

#### 5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

#### 5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

### 5.18.1. Biomass Cover Type

#### 5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

#### 5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

### 5.18.2. Sequestration

#### 5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

#### 5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------



## 6. Climate Risk Detailed Report

### 6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	12.3	annual days of extreme heat
Extreme Precipitation	4.30	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about  $\frac{3}{4}$  an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

### 6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	1	0	0	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A

Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

### 6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	1	1	1	2
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

### 6.4. Climate Risk Reduction Measures

## 7. Health and Equity Details

### 7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Appendix A	Result for Project Census Tract	Page A-106
-----------	------------	---------------------------------	------------

Exposure Indicators	—
AQ-Ozone	22.2
AQ-PM	17.8
AQ-DPM	26.2
Drinking Water	22.7
Lead Risk Housing	60.6
Pesticides	0.00
Toxic Releases	28.6
Traffic	38.4
Effect Indicators	—
CleanUp Sites	68.9
Groundwater	78.6
Haz Waste Facilities/Generators	63.6
Impaired Water Bodies	23.9
Solid Waste	0.00
Sensitive Population	—
Asthma	18.6
Cardio-vascular	13.9
Low Birth Weights	69.3
Socioeconomic Factor Indicators	—
Education	26.9
Housing	35.8
Linguistic	44.8
Poverty	12.8
Unemployment	36.4

## 7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	89.67021686
Employed	70.02438085
Median HI	80.91877326
Education	—
Bachelor's or higher	73.48902862
High school enrollment	100
Preschool enrollment	66.17477223
Transportation	—
Auto Access	57.21801617
Active commuting	47.87629924
Social	—
2-parent households	85.85910432
Voting	89.79853715
Neighborhood	—
Alcohol availability	41.31913255
Park access	31.86192737
Retail density	45.8488387
Supermarket access	74.00230977
Tree canopy	77.22314898
Housing	—
Homeownership	52.16219684
Housing habitability	63.95483126
Low-inc homeowner severe housing cost burden	91.23572437
Low-inc renter severe housing cost burden	54.20248941
Uncrowded housing	62.10701912

Health Outcomes	—
Insured adults	68.56152958
Arthritis	36.9
Asthma ER Admissions	86.5
High Blood Pressure	50.4
Cancer (excluding skin)	19.8
Asthma	58.2
Coronary Heart Disease	47.4
Chronic Obstructive Pulmonary Disease	56.7
Diagnosed Diabetes	73.9
Life Expectancy at Birth	68.7
Cognitively Disabled	25.4
Physically Disabled	57.4
Heart Attack ER Admissions	84.2
Mental Health Not Good	72.2
Chronic Kidney Disease	64.9
Obesity	70.2
Pedestrian Injuries	78.1
Physical Health Not Good	70.2
Stroke	58.2
Health Risk Behaviors	—
Binge Drinking	48.9
Current Smoker	72.6
No Leisure Time for Physical Activity	73.6
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0

Children	41.8
Elderly	55.7
English Speaking	30.2
Foreign-born	48.9
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	50.9
Traffic Density	33.4
Traffic Access	63.2
Other Indices	—
Hardship	25.4
Other Decision Support	—
2016 Voting	89.2

### 7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	23.0
Healthy Places Index Score for Project Location (b)	83.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

### 7.4. Health & Equity Measures

No Health & Equity Measures selected.

### 7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

## 7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

## 8. User Changes to Default Data

Screen	Justification
Land Use	based on information provided by Applicant. Memory care facility has 94 beds in 70 units.
Construction: Construction Phases	based on 15 month duration provided by Applicant, July 2024 - October 2025, normalized over CalEEMod construction schedule
Construction: Architectural Coatings	assumes only striping of parking lot
Operations: Architectural Coatings	assumes only parking area to be striped
Operations: Water and Waste Water	Assumes 100% aerobic treatment.



## DEPARTMENT OF PLANNING, BUILDING AND CODE ENFORCEMENT

### Purpose of the Compliance Checklist

In 2020, the City adopted a Greenhouse Gas Reduction Strategy (GHGRS) that outlines the actions the City will undertake to achieve its proportional share of State greenhouse gas (GHG) emission reductions for the interim target year 2030. The purpose of the Greenhouse Gas Reduction Strategy Compliance Checklist (Checklist) is to:

- Implement GHG reduction strategies from the 2030 GHGRS to new development projects.
- Provide a streamlined review process for proposed new development projects that are subject to discretionary review and trigger environmental review pursuant to the California Environmental Quality Act (CEQA).

The 2030 GHGRS presents the City's comprehensive path to reduce GHG emissions to achieve the 2030 reduction target, based on SB 32, BAAQMD, and OPR. Additionally, the 2030 GHGRS leverages other important City plans and policies; including the General Plan, Climate Smart San José, and the City Municipal Code in identifying reductions strategies that achieve the City's target. CEQA Guidelines Section 15183.5 allows for public agencies to analyze and mitigate GHG emissions as part of a larger plan for the reduction of greenhouse gases. Accordingly, the City of San José's 2030 GHGRS represents San José's qualified climate action plan in compliance with CEQA.

As described in the 2030 GHGRS, these GHG reductions will occur through a combination of City initiatives in various plans and policies and will provide reductions from both existing and new developments. This Compliance Checklist specifically applies to proposed discretionary projects that require environmental review pursuant to CEQA. Therefore, the Checklist is a critical implementation tool in the City's overall strategy to reduce GHG emissions. Implementation of applicable reduction actions in new development projects will help the City achieve incremental reductions toward its target. Per the 2030 GHGRS, the City will monitor strategy implementation and make updates, as necessary, to maintain an appropriate trajectory to the 2030 GHG target.

Pursuant to CEQA Guidelines Sections 15064(h)(3), 15130(d), and 15183(b), a project's incremental contribution to a cumulative GHG emissions effect may be determined not to be cumulatively considerable if it complies with the requirements of the GHGRS.



# Instructions for Compliance Checklist

Applicants shall complete the following sections to demonstrate conformance with the City of San José 2030 Greenhouse Gas Reduction Strategy for the proposed project. All projects must complete Section A. General Plan Policy Conformance and Section B. Greenhouse Gas Reduction Strategies. Projects that propose alternative GHG mitigation measures must also complete Section C. Alternative Project Measures and Additional GHG Reductions.

## A. General Plan Policy Compliance

Projects need to demonstrate consistency with the Envision San José 2040 General Plan’s relevant policies for Land Use & Design, Transportation, Green Building, and Water Conservation, enumerated in Table A. All applicants shall complete the following steps.

1. Complete Table A, Item #1 to demonstrate the project’s consistency with the General Plan Land Use and Circulation Diagram.
2. Complete Table A, Items #2 through #4 to demonstrate the project’s consistency with General Plan policies<sup>1</sup> related to green building; pedestrian, bicycle & transit site design; and water conservation and urban forestry, as applicable. For each policy listed, mark the relevant yes/no check boxes to indicate project consistency, and provide a qualitative description of how the policy is implemented in the proposed project or why the policy is not applicable to the proposed project. Qualitative descriptions can be included in Table A or provided as separate attachments. This explanation will provide the basis for analysis in the CEQA document.

## B. Greenhouse Gas Reduction Strategies

Table B identifies the GHGRS strategies and recommended consistency options. Projects need to demonstrate consistency with the GHGRS reduction strategies listed in Table B or document why the strategies are not applicable or are infeasible. The corresponding GHGRS strategies are indicated in the table to provide additional context, with the full text of the strategies preceding Table B.

Residential projects must complete Table B, Part 1 and 2; Non-residential projects must complete Table B, Part 2 only. All applicants shall complete the following steps for Table B.

1. Review the project consistency options described in the column titled ‘GHGRS Strategy and Consistency Options’.
2. Use the check boxes in the column titled “Project Conformance” to indicate if the strategy is ‘Proposed’, ‘Not Applicable’, ‘Not Feasible’, or if there is an ‘Alternative Measure Proposed’.

---

<sup>1</sup> The lists in items # 2-4 do not represent all General Plan policies but allow projects to demonstrate consistency and achievement of policies that are related to quantified reduction estimates in the 2030 GHGRS.

3. Provide a qualitative analysis of the proposed project's compliance with the GHGRS strategies in the column titled "Description of Project Measure". This will be the basis for CEQA analysis to demonstrate compliance with the 2030 GHGRS and by extension, with SB 32. The qualitative analysis should provide:
  - a. A description of which consistency options are included as part of the proposed project, or
  - b. A description of why the strategy is not applicable to the proposed project, or
  - c. A description of why the consistency options are infeasible. If applicants select 'Not Feasible' or 'Alternative Measure Proposed', they must complete Table C to document what alternative project measures will be implemented to achieve a similar level of greenhouse gas reduction and how those reduction estimates were calculated.

### **C. Alternative Project Measures and Additional GHG Reductions**

Projects that propose alternative GHG mitigation measures to those identified in Table B or propose to include additional GHG mitigation measures beyond those described in Tables A and B, shall provide a summary explanation of the proposed measures and demonstrate efficiency or greenhouse gas reductions achievable through the proposed measures. Documentation for these alternative or additional project measures shall be documented in Table C. Any applicants who select 'Not Feasible' or 'Alternative Measure Proposed' in Table B must complete the following steps for Table C.

1. In the column titled "Description of Proposed Measure" provide a qualitative description of what measure will be implemented, why it is proposed, and how it will reduce GHG emissions.
2. In the column titled "Description of GHG Reduction Estimate" demonstrate how the alternative project measure would achieve the same or greater level of greenhouse gas reductions as the GHGRS strategy it replaces. Documentation or calculation files can be attached separately.
3. In the column titled "Proposed Measure Implementation" identify how the measure will be implemented: incorporated as part of the project design or as an additional measure that is not part of the project (e.g., purchase of carbon offsets).

# Compliance Checklist

## Evaluation of Project Conformance with the 2030 Greenhouse Gas Reduction Strategy

### Table A: General Plan Consistency

**Development Type:**  Commercial  Residential  Office  Other: Specify

<b>1) Consistency with the Land Use/Transportation Diagram (Land Use and Density)</b>	<b>Yes</b>	<b>No</b>
<i>Is the proposed Project consistent with the Land Use/Transportation Diagram?</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>If not, and the proposed project includes a General Plan Amendment, does the proposed amendment decrease GHG emissions (in absolute terms or per capita, per employee, per service population) below the level assumed in the GHGRS based on the existing planned land use? (The project could have a higher density, mix of uses, or other features that would reduce GHG emissions compared to the planned land use).<sup>2</sup></i>	<input type="checkbox"/>	<input type="checkbox"/>
<i>If not, would the proposed project and the General Plan Amendment increase GHG emissions (in absolute terms or per capita, per employee, per service population)? Project is not consistent with GHGRS and further modeling will be required to determine if additional mitigation measures are necessary.</i>	<input type="checkbox"/>	<input type="checkbox"/>

**Response documentation:**

The project site is zoned as Single-Family Residential. As part of the project, the zoning designation of the western half of the parcel would change to match the current land use designation of Public/Quasi Public seen in the Land Use/Transportation Diagram of the Envision San Jose 2040 General Plan.

<sup>2</sup> For example, a General Plan Amendment to change use from single-family residential to multi-family residential or a General Plan Amendment to change the use from regional-serving commercial to mixed-use urban in a transit-served area might reduce travel demand, and therefore GHG emissions from mobile sources.

<b>2) Implementation of Green Building Measures</b>	<b>Yes</b>	<b>No</b>
<b>MS-2.2:</b> Encourage maximized use of on-site generation of renewable energy for all new and existing buildings.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Not applicable	<input type="checkbox"/>	<input type="checkbox"/>
Describe how the project is consistent or why the measure is not applicable. In compliance with the most current Building Energy Efficiency Standards and CALGreen, the proposed project would be solar ready and would include electric vehicle capable charging spaces.		
<b>MS-2.3:</b> Encourage consideration of solar orientation, including building placement, landscaping, design and construction techniques for new construction to minimize energy consumption.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Not applicable	<input type="checkbox"/>	<input type="checkbox"/>
Describe how the project is consistent or why the measure is not applicable. In compliance with the most current Building Energy Efficiency Standards and CALGreen, the proposed project would need to consider passive lighting, lighting controls, insulation performance, water efficiency, and other design considerations that take into account solar orientation, building placement, and other techniques to minimize energy consumption.		
<b>MS-2.7:</b> Encourage the installation of solar panels or other clean energy power generation sources over parking areas.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Not applicable	<input type="checkbox"/>	<input type="checkbox"/>
Describe how the project is consistent or why the measure is not applicable. In compliance with the most current Building Energy Efficiency Standards and CALGreen, the proposed building would be solar ready.		
<b>MS-2.11:</b> Require new development to incorporate green building practices, including those required by the Green Building Ordinance. Specifically, target reduced energy use through construction techniques (e.g., design of building envelopes and systems to maximize energy performance), through architectural design (e.g., design to maximize cross ventilation and interior daylight) and through site design techniques (e.g., orienting buildings on sites to maximize the effectiveness of passive solar design).	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Not applicable	<input type="checkbox"/>	<input type="checkbox"/>
Describe how the project is consistent or why the measure is not applicable. The project would implement the City's General Plan Measurable Environmental Sustainability (MS) Policy MS-1.1, which would require that the proposed project be consistent with or exceed the City's Green Building Ordinance and City Council Policies as well as State and/or regional policies which require that projects incorporate various green building principles into their design and construction.		
<b>MS-16.2:</b> Promote neighborhood-based distributed clean/renewable energy generation to improve local energy security and to reduce the amount of energy wasted in transmitting electricity over long distances.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Not applicable	<input type="checkbox"/>	<input type="checkbox"/>
Describe how the project is consistent or why the measure is not applicable.		

In compliance with the most current Building Energy Efficiency Standards and CALGreen, the proposed building would be solar ready, facilitating the future installation of on-site electricity generation technology.

<b>3) Pedestrian, Bicycle &amp; Transit Site Design Measures</b>	<b>Yes</b>	<b>No</b>
<b>CD-2.1: Promote the Circulation Goals and Policies in the Envision San José 2040 General Plan. Create streets that promote pedestrian and bicycle transportation by following applicable goals and policies in the Circulation section of the Envision San José 2040 General Plan.</b>		
a) Design the street network for its safe shared use by pedestrians, bicyclists, and vehicles. Include elements that increase driver awareness.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Create a comfortable and safe pedestrian environment by implementing wider sidewalks, shade structures, attractive street furniture, street trees, reduced traffic speeds, pedestrian-oriented lighting, mid-block pedestrian crossings, pedestrian-activated crossing lights, bulb-outs and curb extensions at intersections, and on-street parking that buffers pedestrians from vehicles.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Consider support for reduced parking requirements, alternative parking arrangements, and Transportation Demand Management strategies to reduce area dedicated to parking and increase area dedicated to employment, housing, parks, public art, or other amenities. Encourage de-coupled parking to ensure that the value and cost of parking are considered in real estate and business transactions.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Not applicable	<input type="checkbox"/>	<input type="checkbox"/>
<p><i>Describe how the project is consistent or why the measure is not applicable.</i></p> <p>The proposed project would expand the total sidewalk footprint 5 feet outwards from existing condition and would include a 6-foot Class IV separated bike lane, 5-foot parkstrips with street trees, and a reduced sidewalk return radii to slow vehicles turning onto Byron Way and Cambrianna Drive. These measures would encourage alternative transportation, which would allow for a reduction in parking at the project site. Furthermore, as the proposed project would be consistent with the City’s General Plan, it would be consistent with the Circulation Element’s Policy TR-8.4, which would discourage provision of parking spaces significantly over the number of spaces required by code for a given use.</p>		
<b>CD-2.5: Integrate Green Building Goals and Policies of the Envision San José 2040 General Plan into site design to create healthful environments. Consider factors such as shaded parking areas, pedestrian connections, minimization of impervious surfaces, incorporation of stormwater treatment measures, appropriate building orientations, etc.</b>		
Not applicable	<input type="checkbox"/>	<input type="checkbox"/>
<p><i>Describe how the project is consistent or why the measure is not applicable.</i></p> <p>The project would be consistent with the City’s General Plan Measurable Environmental Sustainability (MS) Policy MS-1.1, which would require that the project be consistent with or exceed the City’s Green Building Ordinance and City Council Policies as well as State and/or regional policies which require that projects incorporate various green building principles into their design and construction. The project would expand the sidewalk footprint and add a bike lane, and the project would include a park strip with street trees and use a bioretention area along the perimeter of the project site that will be used as the main treatment system for stormwater.</p>		

	Yes	No
<p><b>CD-2.11:</b> Within the Downtown and Urban Village Overlay areas, consistent with the minimum density requirements of the pertaining Land Use/Transportation Diagram designation, avoid the construction of surface parking lots except as an interim use, so that long-term development of the site will result in a cohesive urban form. In these areas, whenever possible, use structured parking, rather than surface parking, to fulfill parking requirements. Encourage the incorporation of alternative uses, such as parks, above parking structures.</p>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Not applicable</p>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>Describe how the project is consistent or why the measure is not applicable.</p> <p>The project site is not within the Downtown or Urban Village Overlay Areas.</p>		
<p><b>CD-3.2:</b> Prioritize pedestrian and bicycle connections to transit, community facilities (including schools), commercial areas, and other areas serving daily needs. Ensure that the design of new facilities can accommodate significant anticipated future increases in bicycle and pedestrian activity.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p>Not applicable</p>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Describe how the project is consistent or why the measure is not applicable.</p> <p>The project would provide an 8-foot width sidewalk plus a 6-foot Class IV separated sidewalk along a full block of Union Avenue, which would support pedestrian and bicycle travel to and from the project site.</p>		
<p><b>CD-3.4:</b> Encourage pedestrian cross-access connections between adjacent properties and require pedestrian and bicycle connections to streets and other public spaces, with particular attention and priority given to providing convenient access to transit facilities. Provide pedestrian and vehicular connections with cross-access easements within and between new and existing developments to encourage walking and minimize interruptions by parking areas and curb cuts.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p>Not applicable</p>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Describe how the project is consistent or why the measure is not applicable.</p> <p>The proposed project would expand the total sidewalk footprint 5 feet outwards from existing condition to a total of 8 feet and would include a 6-foot Class IV separated bike lane. This expansion of the sidewalk would encourage pedestrian and bicycle connections between the proposed project site and other sites within the region.</p>		
<p><b>LU-3.5:</b> Balance the need for parking to support a thriving Downtown with the need to minimize the impacts of parking upon a vibrant pedestrian and transit oriented urban environment. Provide for the needs of bicyclists and pedestrians, including adequate bicycle parking areas and design measures to promote bicyclist and pedestrian safety.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p>Not applicable</p>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Describe how the project is consistent or why the measure is not applicable.</p> <p>While the project site is not within the Downtown Areas, the project would support pedestrian and bicycle travel by providing pedestrian cross-access on a wider sidewalk and bicycle connections to streets and other public spaces with a designated bike lane.</p>		
	Yes	No
<p><b>TR-2.8:</b> Require new development to provide on-site facilities such as bicycle storage and showers, provide connections to existing and planned facilities, dedicate land to expand existing facilities or provide new facilities such as sidewalks and/or bicycle lanes/paths, or share in the cost of improvements.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<i>Not applicable</i>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Describe how the project is consistent or why the measure is not applicable.</i>		
Development of the proposed project would expand the existing sidewalk and add a 2-foot public sidewalk dedication on the Union Avenue frontage. In addition, the project would also include construction of a designated bike lane and include bicycle storage on the project site.		
<b>TR-7.1:</b> <i>Require large employers to develop TDM programs to reduce the vehicle trips and vehicle miles generated by their employees through the use of shuttles, provision for car-sharing, bicycle sharing, carpool, parking strategies, transit incentives and other measures.</i>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Not applicable</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Describe how the project is consistent or why the measure is not applicable.</i>		
The project would not involve employment of a large number of people. This measure is not applicable.		
<b>TR-8.5:</b> <i>Promote participation in car share programs to minimize the need for parking spaces in new and existing development.</i>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Not applicable</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Describe how the project is consistent or why the measure is not applicable.</i>		
The proposed project would not involve employment of a large number of people and would not require participation in a car share program. This measure is not applicable.		
<b>4) Water Conservation and Urban Forestry Measures</b>	<b>Yes</b>	<b>No</b>
<b>MS-3.1:</b> <i>Require water-efficient landscaping, which conforms to the State’s Model Water Efficient Landscape Ordinance, for all new commercial, institutional, industrial and developer-installed residential development unless for recreation needs or other area functions.</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Not applicable</i>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Describe how the project is consistent or why the measure is not applicable.</i>		
As the proposed project would be required to be compliant with CALGreen, which includes the State’s Model Water Efficient Landscape Ordinance, the proposed project would use water-efficient landscaping.		
	<b>Yes</b>	<b>No</b>
<b>MS-3.2:</b> <i>Promote the use of green building technology or techniques that can help reduce the depletion of the City’s potable water supply, as building codes permit. For example, promote the use of captured rainwater, graywater, or recycled water as the preferred source for non-potable water needs such as irrigation and building cooling, consistent with Building Codes or other regulations.</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Not applicable</i>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Describe how the project is consistent or why the measure is not applicable.</i>		
The proposed project would be required to use green building technology or techniques as they pertain to the mandatory standards of CALGreen.		
<b>MS-19.4:</b> <i>Require the use of recycled water wherever feasible and cost-effective to serve existing and new development.</i>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Not applicable</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<i>Describe how the project is consistent or why the measure is not applicable.</i>		

<p>Recycled water is not plumbed to the project site. According to the City’s online Recycled Water Pipeline System map (2022), the closest recycled water plumbing is over 4 miles from the project site.</p>		
<p><b>MS-21.3:</b> <i>Ensure that San José’s Community Forest is comprised of species that have low water requirements and are well adapted to its Mediterranean climate. Select and plant diverse species to prevent monocultures that are vulnerable to pest invasions. Furthermore, consider the appropriate placement of tree species and their lifespan to ensure the perpetuation of the Community Forest.</i></p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><i>Not applicable</i></p>	<input type="checkbox"/>	<input type="checkbox"/>
<p><i>Describe how the project is consistent or why the measure is not applicable.</i></p> <p>As the proposed project would be required to be compliant with the State’s Model Water Efficient Landscape Ordinance, the proposed project would use plant species that allow for water-efficient landscaping.</p>		
<p><b>MS-26.1:</b> <i>As a condition of new development, require the planting and maintenance of both street trees and trees on private property to achieve a level of tree coverage in compliance with and that implements City laws, policies or guidelines.</i></p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><i>Not applicable</i></p>	<input type="checkbox"/>	<input type="checkbox"/>
<p><i>Describe how the project is consistent or why the measure is not applicable.</i></p> <p>The proposed project would include a park strip with street trees to provide coverage over the sidewalk.</p>		
	<b>Yes</b>	<b>No</b>
<p><b>ER-8.7:</b> <i>Encourage stormwater reuse for beneficial uses in existing infrastructure and future development through the installation of rain barrels, cisterns, or other water storage and reuse facilities.</i></p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><i>Not applicable</i></p>	<input type="checkbox"/>	<input type="checkbox"/>
<p><i>Describe how the project is consistent or why the measure is not applicable.</i></p> <p>The proposed project would use a bioretention area along the perimeter of the project site that will be used as the main treatment system for stormwater.</p>		

## GHGRS Strategies

**GHGRS #1:** The City will implement the San José Clean Energy program to provide residents and businesses access to cleaner energy at competitive rates.

**GHGRS #2:** The City will implement its building reach code ordinance (adopted September 2019) and its prohibition of natural gas infrastructure ordinance (adopted October 2019) to guide the city’s new construction toward zero net carbon (ZNC) buildings.

**GHGRS #3:** The City will expand development of rooftop solar energy through the provision of technical assistance and supportive financial incentives to make progress toward the Climate Smart San José goal of becoming a one-gigawatt solar city.

**GHGRS #4:** The City will support a transition to building decarbonization through increased efficiency improvements in the existing building stock and reduced use of natural gas appliances and equipment.

**GHGRS #5:** As an expansion to Climate Smart San José, the City will update its Zero Waste Strategic Plan and reassess zero waste strategies. Throughout the development of the update, the City will continue to divert



90 percent of waste away from landfills through source reduction, recycling, food recovery and composting, and other strategies.

**GHGRS #6:** The City will continue to be a partner in the Caltrain Modernization Project to enhance local transit opportunities while simultaneously improving the city’s air quality.

**GHGRS #7:** The City will expand its water conservation efforts to achieve and sustain long-term per capita reductions that ensure a reliable water supply with a changing climate, through regional partnerships, sustainable landscape designs, green infrastructure, and water-efficient technology and systems.

**Table B: 2030 Greenhouse Gas Reduction Strategy Compliance**

GHGRS Strategy and Consistency Options	Description of Project Measure	Project Conformance
<b>PART 1: RESIDENTIAL PROJECTS ONLY</b>		
<p><b>Zero Net Carbon Residential Construction</b></p> <ol style="list-style-type: none"> <li>1. Achieve/exceed the City’s Reach Code, and</li> <li>2. Exclude natural gas infrastructure in new construction, or</li> <li>3. Install on-site renewable energy systems or participate in a community solar program to offset 100% of the project’s estimated energy demand, or</li> <li>4. Participate in San José Clean Energy at the Total Green level (i.e., 100% carbon-free electricity) for electricity accounts associated with the project until which time SJCE achieves 100% carbon-free electricity for all accounts.</li> </ol> <p><b>Supports Strategies:</b> GHGRS #1, GHGRS #2, GHGRS #3</p>	<p>While the project includes senior dwelling units, the development is commercial in operational nature (e.g., employee vehicle trips).</p>	<p> <input type="checkbox"/> Proposed  <input checked="" type="checkbox"/> Not Applicable  <input type="checkbox"/> Not Feasible*  <input type="checkbox"/> Alternative Measure Proposed                 </p> <p><i>* The 2030 GHGRS assumed this strategy would be feasible for 50% of residential units constructed between 2020 and 2030.</i></p>

GHGRS Strategy and Consistency Options	Description of Project Measure	Project Conformance
<b>PART 2: RESIDENTIAL AND NON-RESIDENTIAL PROJECTS</b>		
<p><b>Renewable Energy Development</b></p> <ol style="list-style-type: none"> <li>1. Install solar panels, solar hot water, or other clean energy power generation sources on development sites, or</li> <li>2. Participate in community solar programs to support development of renewable energy in the community, or</li> <li>3. Participate in San José Clean Energy at the Total Green level (i.e., 100% carbon-free electricity) for electricity accounts associated with the project.</li> </ol> <p><b>Supports Strategies:</b> GHGRS #1, GHGRS #3</p>	<p>In compliance with the most current Building Energy Efficiency Standards and CALGreen, the proposed project would be solar ready and would include electric vehicle capable charging spaces. The project would also be automatically enrolled in a San Jose Clean Energy electricity service.</p>	<p><input type="checkbox"/> See Part 1 (Residential projects only)</p> <p><input checked="" type="checkbox"/> Proposed</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Not Feasible</p> <p><input type="checkbox"/> Alternative Measure Proposed</p>
<p><b>Building Retrofits – Natural Gas<sup>3</sup></b></p> <p>This strategy only applies to projects that include a retrofit of an existing building. If the proposed project does not include a retrofit, select “Not Applicable” in the Project Conformance column.</p> <ol style="list-style-type: none"> <li>1. Replace an existing natural gas appliance with an electric alternative (e.g., space heater, water heater, clothes dryer), or</li> <li>2. Replace an existing natural gas appliance with a high-efficiency model</li> </ol> <p><b>Supports Strategies:</b> GHGRS #4</p>	<p>The project is a new development and does not involve the retrofit of an existing building.</p>	<p><input type="checkbox"/> Proposed</p> <p><input checked="" type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Not Feasible</p> <p><input type="checkbox"/> Alternative Measure Proposed</p>

<sup>3</sup> GHGRS Strategy #4 applies to existing building retrofits and not to new construction; Strategy #2 applies to new construction to reduce natural gas related GHG emissions

GHGRS Strategy and Consistency Options	Description of Project Measure	Project Conformance
<p><b>Zero Waste Goal</b></p> <ol style="list-style-type: none"> <li>1. Provide space for organic waste (e.g., food scraps, yard waste) collection containers, and/or</li> <li>2. Exceed the City’s construction &amp; demolition waste diversion requirement.</li> </ol> <p><b>Supports Strategies:</b> GHGRS #5</p>	<p>The project includes organic waste collection containers.</p>	<p><input checked="" type="checkbox"/> Proposed</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Not Feasible</p> <p><input type="checkbox"/> Alternative Measure Proposed</p>
<p><b>Caltrain Modernization</b></p> <ol style="list-style-type: none"> <li>1. For projects located within ½ mile of a Caltrain station, establish a program through which to provide project tenants and/or residents with free or reduced Caltrain passes or</li> <li>2. Develop a program that provides project tenants and/or residents with options to reduce their vehicle miles traveled (e.g., a TDM program), which could include transit passes, bike lockers and showers, or other strategies to reduce project related VMT.</li> </ol> <p><b>Supports Strategies:</b> GHGRS #6</p>	<p>The project will include a TDM program to reduce VMT. Please refer to the Transportation Analysis prepared by Hexagon.</p>	<p><input checked="" type="checkbox"/> Proposed</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Not Feasible</p> <p><input type="checkbox"/> Alternative Measure Proposed</p>
<p><b>Water Conservation</b></p> <ol style="list-style-type: none"> <li>1. Install high-efficiency appliances/fixtures to reduce water use, and/or include water-sensitive landscape design, and/or</li> <li>2. Provide access to reclaimed water for outdoor water use on the project site.</li> </ol> <p><b>Supports Strategies:</b> GHGRS #7</p>	<p>The project will comply with Part 6 of Title 24 for energy efficiency design for water use and Title 20 for energy efficient appliances, including those that use water.</p>	<p><input checked="" type="checkbox"/> Proposed</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Not Feasible</p> <p><input type="checkbox"/> Alternative Measure Proposed</p>

**Table C: Applicant Proposed Greenhouse Gas Reduction Measures**

Description of Proposed Measure	Description of GHG Reduction Estimate	Proposed Measure Implementation
<p><i>[Describe the proposed project measure and why it is proposed]</i></p> <p><b>Supports Strategies/Sectors:</b> GHGRS #</p>	<p><i>[Demonstrate the effectiveness of the proposed measure to reduce the project’s GHG emissions.</i></p> <p><i>Include a description of how your measure will reduce emissions and provide supporting quantification documentation/assumptions.]</i></p>	<p><input type="checkbox"/> Part of Design</p> <p><input type="checkbox"/> Additional Measure</p>
<p><i>[Describe the proposed project measure and why it is proposed]</i></p> <p><b>Supports Strategies/Sectors:</b> GHGRS #</p>	<p><i>[Demonstrate the effectiveness of the proposed measure to reduce the project’s GHG emissions.</i></p> <p><i>Include a description of how your measure will reduce emissions and provide supporting quantification documentation/assumptions.]</i></p>	<p><input type="checkbox"/> Part of Design</p> <p><input type="checkbox"/> Additional Measure</p>
<p><i>[Describe the proposed project measure and why it is proposed]</i></p> <p><b>Supports Strategies/Sectors:</b> GHGRS #</p>	<p><i>[Demonstrate the effectiveness of the proposed measure to reduce the project’s GHG emissions.</i></p> <p><i>Include a description of how your measure will reduce emissions and provide supporting quantification documentation/assumptions.]</i></p>	<p><input type="checkbox"/> Part of Design</p> <p><input type="checkbox"/> Additional Measure</p>
<p><i>[Describe the proposed project measure and why it is proposed]</i></p> <p><b>Supports Strategies/Sectors:</b> GHGRS #</p>	<p><i>[Demonstrate the effectiveness of the proposed measure to reduce the project’s GHG emissions.</i></p> <p><i>Include a description of how your measure will reduce emissions and provide supporting quantification documentation/assumptions.]</i></p>	<p><input type="checkbox"/> Part of Design</p> <p><input type="checkbox"/> Additional Measure</p>