

Notice of Determination

Appendix D

To:

Office of Planning and Research
 U.S. Mail: _____ Street Address: _____
 P.O. Box 3044 1400 Tenth St., Rm 113
 Sacramento, CA 95812-3044 Sacramento, CA 95814

County Clerk
 County of: Riverside
 Address: 2724 Gateway Drive
Riverside, CA 92507

From:

Public Agency: Idyllwild Water District
 Address: 25945 Highway 243
Idyllwild, CA 92549
 Contact: Bill Rojas - General Manager
 Phone: 951-659-2143

Lead Agency (if different from above): _____
 Address: _____
 Contact: _____
 Phone: _____

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2024051129

Project Title: Idyllwild Wastewater Treatment Plan Improvement Project

Project Applicant: Idyllwild Water District

Project Location (include county): 52335 Apela Drive Idyllwild, Riverside County, CA

Project Description: The proposed project would improve the Idyllwild WWTP to meet existing and future discharge requirements efficiently and consistently for the Idyllwild community. The proposed project consists of the following improvements: Headworks to include new flume and splitter box; additional equalization for heavy precipitation events/two new secondary treatment bioreactors; new sludge holding tank and new sludge handling system; new supervisory control and data acquisition (SCADA) system to integrate controls for plant; new blowers and associated controls in existing blower room; and, new generator and automatic transfer for standby power.

This is to advise that the Idyllwild Water District has approved the above
 Lead Agency or Responsible Agency

described project on July 17, 2024 and has made the following determinations regarding the above
 (date)
 described project.

1. The project [will will not] have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
 A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [were were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [was was not] adopted for this project.
5. A statement of Overriding Considerations [was was not] adopted for this project.
6. Findings [were were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

Idyllwild Water District 25945 Highway 243 Idyllwild, CA 92549

Signature (Public Agency):  Title: General Manager

Date: July 17, 2024 Date Received for filing at OPR: _____