

NOTICE OF EXEMPTION

TO: Mail Stop: A-33
ARCC-Recorder
Attn: CEQA Postings
1600 Pacific Highway
San Diego, CA 92101

FROM: Mail Stop: 029
County of San Diego,
Department of Parks and Recreation
Attn: Crystal Benham
5500 Overland Avenue, Suite 410
San Diego, CA 92123

State Clearinghouse
Sacramento, CA 95812-3044
P.O. Box 3044

SUBJECT: FILING OF NOTICE OF EXEMPTION IN COMPLIANCE WITH PUBLIC RESOURCES CODE SECTION 21108 OR 21152

Project Name: Lonny Brewer County Park Improvements

Project Location: 10925 Fury Lane, El Cajon, CA 92019

Project Applicant: County of San Diego Department of Parks and Recreation, 5500 Overland Avenue, Suite 410, San Diego, CA 92123 (858) 565-3600

Project Description: The proposed project consists of replacing elements of the existing water supply infrastructure at Lonny Brewer County Park including, the installation of a new water meter, and connecting the water supply to an existing drinking fountain.

Agency Approving Project: County of San Diego

Date Form Completed: 6/10/2024

County Contact Person: Aaron Leon

Telephone: (858) 287-1580

This is to advise that the County of San Diego Director of Department of General Services as approved the above described project on **June 6, 2024** and found the project to be exempt from the CEQA under the following criteria:

Exempt status and applicable section of the CEQA ("C") and/or State CEQA Guidelines ("G"): (check only one)

- Declared Emergency [C 21080(b)(3); G 15269(a)]
- Emergency Project [C 21080(b)(4); G 15269(b)(c)]
- Statutory Exemption. C Section:
- Categorical Exemption. G Section(s): 15301, 15302, 15304
- G 15182 – Residential Projects Pursuant to a Specific Plan
- Activity is exempt from the CEQA because it is not a project as defined in Section 15378.
- G 15061(b)(3) - It can be seen with certainty that there is no possibility that the activity in question may have a significant effect on the environment and the activity is not subject to the CEQA.

Statement of reasons why project is exempt: Section 15301 (Existing Facilities) is applicable because the proposed project consists of replacing elements of the existing water supply infrastructure at Lonny Brewer County Park, involving negligible or no expansion of existing or former use. Section 15302 (Replacement or Reconstruction) is applicable because the proposed project involves replacing elements of the existing water supply infrastructure that would substantially serve the same purpose and capacity of the structure being replaced. Section 15304 (Minor Alterations to Land) is applicable because minor ground disturbance such as trenching would be required for the proposed project which would not involve the removal of healthy, mature, scenic trees.

Additionally, the project would not impact environmental resources of hazardous or critical concern that are designated, precisely mapped and officially adopted by government agencies; does not contribute to cumulative environmental impact; would not have a significant impact on the environment due to unusual circumstances; does not damage scenic resources within a designated state scenic highway; is not on the list of Hazardous Waste and Substance Sites pursuant to Section 65962.5 of the Government Code; and does not cause adverse change in the significance of a historical resource.

The following is to be filled in only upon formal project approval by the appropriate County of San Diego decision-making body.

Signature: _____ Telephone: (619) 539-4155

Name (Print): Crystal Benham Title: Resource Management Division Chief

This Notice of Exemption has been signed and filed by the County of San Diego.

This notice must be filed with the Recorder/County Clerk as soon as possible after project approval by the decision-making body. The Recorder/County Clerk must post this notice within 24 hours of receipt and for a period of not less than 30 days. At the termination of the posting period, the Recorder/County Clerk must return this notice to the Department address listed above along with evidence of the posting period. The originating Department must then retain the returned notice for a period of not less than twelve months. Reference: CEQA Guidelines Section 15062.