



**CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION  
DETERMINATION FORM (rev. 06/2022)**

**Project Information**

**Project Name (if applicable):** Maintenance Station Fence Replacement

**DIST-CO-RTE:** 10-TUO-108

**PM/PM:** R17.7

**EA:** 10-1Q810

**Federal-Aid Project Number:** N/A

**Project Description**

The California Department of Transportation (Caltrans) proposes to replace the chain linked fences with wrought iron fence and install automatic security gate at Caltrans Long Barn Maintenance Station in Tuolumne County on State Route 108 at postmile R17.7. All work will be within Caltrans Right of Way. The purpose of the project is to enhance security for the maintenance station. The project is needed to prevent unauthorized access and make the station more secure.

**Caltrans CEQA Determination** (Check one)

- Not Applicable** – Caltrans is not the CEQA Lead Agency
- Not Applicable** – Caltrans has prepared an IS or EIR under CEQA

Based on an examination of this proposal and supporting information, the project is:

- Exempt by Statute.** (PRC 21080[b]; 14 CCR 15260 et seq.)
- Categorically Exempt. Class 1.** (PRC 21084; 14 CCR 15300 et seq.)
  - No exceptions apply that would bar the use of a categorical exemption (PRC 21084 and 14 CCR 15300.2). See the [SER Chapter 34](#) for exceptions.
- Covered by the Common Sense Exemption.** This project does not fall within an exempt class, but it can be seen with certainty that there is no possibility that the activity may have a significant effect on the environment (14 CCR 15061[b][3].)

**Senior Environmental Planner or Environmental Branch Chief**

Elizabeth Hummel

06/12/2024

Print Name

Signature

Date

**Project Manager**

Jason B. Miller

6/12/24

Print Name

Signature

Date



CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

Caltrans NEPA Determination (Check one)

[X] Not Applicable

Caltrans has determined that this project has no significant impacts on the environment as defined by NEPA, and that there are no unusual circumstances as described in 23 CFR 771.117(b). See SER Chapter 30 for unusual circumstances. As such, the project is categorically excluded from the requirements to prepare an EA or EIS under NEPA and is included under the following:

[ ] 23 USC 326: Caltrans has been assigned, and hereby certifies that it has carried out the responsibility to make this determination pursuant to 23 USC 326 and the Memorandum of Understanding dated April 18, 2022, executed between FHWA and Caltrans. Caltrans has determined that the project is a Categorical Exclusion under:

- [ ] 23 CFR 771.117(c): activity (c)()
[ ] 23 CFR 771.117(d): activity (d)(Enter activity number)
[ ] Activity Enter activity number listed in Appendix A of the MOU between FHWA and Caltrans

[ ] 23 USC 327: Based on an examination of this proposal and supporting information, Caltrans has determined that the project is a Categorical Exclusion under 23 USC 327. The environmental review, consultation, and any other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by Caltrans pursuant to 23 USC 327 and the Memorandum of Understanding dated May 27, 2022, and executed by FHWA and Caltrans.

Senior Environmental Planner or Environmental Branch Chief

Print Name Signature Date

Project Manager/ DLA Engineer

Print Name Signature Date

Date of Categorical Exclusion Checklist completion (if applicable): N/A
Date of Environmental Commitment Record or equivalent: 5/28/2024

Briefly list environmental commitments on continuation sheet if needed (i.e., not necessary if included on an attached ECR). Reference additional information, as appropriate (e.g., additional studies and design conditions).



## CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

### Continuation sheet:

#### **General:**

- Environmental reevaluation will be required if the scope of the project changes to include additional areas or activities, or if previously unknown cultural or other sensitive resources are discovered. Contact the Environmental Office if project changes occur or sensitive resources are discovered.
- Contact the Environmental Office to attend the pre-construction meeting.

#### **Cultural:**

- If cultural materials are discovered at the job site, do not disturb the resources and immediately:
  1. Stop all work within a 60foot radius of discovery
  2. Protect the discovery area
  3. Notify the Engineer
  4. The Department Investigates. Do not move cultural materials or take them from the job site. Retain a qualified archaeologist to assess the significance of the find. Do not resume work within the discovery area until authorized.
- If human remains are discovered, State Health and Safety Code Section 7050.5 states that further disturbances and activities shall cease in any area or nearby area suspected to overlie remains, and the County coroner contacted. Pursuant to Public Resources Code Section 5097.98. If the remains are thought to be Native American, the coroner will notify the Native American Heritage Commission (NAHC) who will then notify the Most Likely Descendent (MLD). At the same time the landowner will work with the MLD on the respectful treatment and disposition of the remains. Further provisions of PRC 5097.98 are to be followed as applicable.

#### **Biology:**

- Include Caltrans Standard Special Provision 14-6.03A in the construction contract. If construction activities occur during the migratory bird nesting season (February 1 – September 30), preconstruction surveys must be conducted by a qualified Caltrans biologist within 14 days prior to the start of any construction activities. Contact the Caltrans District 10 Environmental Office to schedule a preconstruction survey. If active nests are observed, protective buffers shall be established around each nest until the young have fledged, per California Department of Fish and Wildlife (CDFW) guidelines. If construction activities do not commence within 14 days after Environmental clearance, or stop for more



## CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

than 14 days, a subsequent bird survey may be required. Work shall not commence or recommence until authorized by the Environmental Office.

### **Hazardous Waste:**

- The Caltrans Standard Special Provision 7-1.02K(6)(j)(iii), which pertains to Earth Material Containing Lead, shall be added to the construction contract. A Lead Compliance Plan prepared by a Certified Industrial Hygienist (CIH) is required and all soil must remain on-site.

No Permits Required