

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: Aspan Well Rehabilitation and Treatment Project

Lead Agency: City of Azusa

Contact Name: Melissa Barbosa

Email: mbarbosa@azusaca.gov

Phone Number: (626) 812-5063

Project Location: Azusa
City

Los Angeles
County

Project Description (Proposed actions, location, and/or consequences).

The proposed project consists of the rehabilitation of the Aspan Well which is currently inactive and has experienced deterioration of the well casing. As part of the rehabilitation, ALW will install a new well casing liner to preserve the well's integrity and will remove the existing welded steel tank and booster pump station from the site.

The current water quality issue for the Aspan Well is the presence of 1,1-DCE in excess of the maximum contaminant level (MCL), the concentration allowed in drinking water by the California State Water Resources Control Board – Division of Drinking Water, which requires the installation of a Liquid Phase Granular Activated Carbon (LGAC) treatment system. The proposed LGAC treatment system will be designed for a flow of approximately 1,800 gallons per minute (gpm) and will include two pairs of 12-foot diameter filtration vessels. In addition, Nitrate has been detected in the past in the Aspan Well, although Nitrate concentrations were recently shown to be below the MCL. If treatment for nitrates is needed, the IX treatment system will be installed downstream of the LGAC system and will feature three vessels working in parallel.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

N/A

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

N/A

Provide a list of the responsible or trustee agencies for the project.

Los Angeles County Flood Control District, Los Angeles County Sanitation District, RWQCB DDW, and Watermaster