

Air and Radiation

http://epa.gov/air/criteria.html Last updated on Tuesday, October 21, 2014

You are here: EPA Home Air and Radiation Nationa Ambient Air Quality Standards (NAAQS)

National Ambient Air Quality Standards (NAAQS)

The Clean Air Act, which was last amended in 1990, requires EPA to set National Ambient Air Quality Standards (40 CFR part 50) for pollutants considered harmful to public health and the environment. The Clean Air Act identifies two types of national ambient air quality standards. **Primary standards** provide public health protection, including protecting the health of "sensitive" populations such as asthmatics, children, and the elderly. Secondary standards provide public welfare protection, including protection against decreased visibility and damage to animals, crops, vegetation, and buildings.

EPA has set National Ambient Air Quality Standards for six principal pollutants, which are called "criteria" pollutants. They are listed below. Units of measure for the standards are parts per million (ppm) by volume, parts per billion (ppb) by volume, and micrograms per cubic meter of air ($\mu g/m^3$).

Pollutant [final rule cite]		Primary/ Secondary	Averaging Time	Level	Form
Carbon Monoxide		nrimonu	8-hour	9 ppm	Not to be exceeded more than once per year
[<u>76 FR 54294, Aug</u> 31, 2011]		primary	1-hour	35 ppm	
<u>Lead</u> [73 FR 66964, Nov 12, 2008]		primary and secondary	Rolling 3 month average	0.15 µg/m ^{3 <u>(1)</u>}	Not to be exceeded
Nitrogen Dioxide [75 FR 6474, Feb 9, 2010]		primary	1-hour	100 ppb	98th percentile of 1-hour daily maximum concentrations, averaged over 3 years
[61 FR 52852, Oct 8, [996]		primary and secondary	Annual	53 ppb (2)	Annual Mean
Ozone [73 FR 16436, Mar 27, 2008]		primary and secondary	8-hour	0.075 ppm <u>(3)</u>	Annual fourth-highest daily maximum 8- hr concentration, averaged over 3 years
Particle Pollution Dec 14, 2012	PM _{2.5}	primary	Annual	12 µg/m ³	annual mean, averaged over 3 years
		secondary	Annual	15 µg/m ³	annual mean, averaged over 3 years
		primary and secondary	24-hour	35 µg/m ³	98th percentile, averaged over 3 years
	PM ₁₀	primary and secondary	24-hour	150 µg/m ³	Not to be exceeded more than once per year on average over 3 years
<u>Sulfur Dioxide</u> [75 FR 35520, Jun 22, 2010] [38 FR 25678, Sept 14, 1973]		primary	1-hour	75 ppb (4)	99th percentile of 1-hour daily maximum concentrations, averaged over 3 years
		secondary	3-hour	0.5 ppm	Not to be exceeded more than once per year

as of October 2011

(1) Final rule signed October 15, 2008. The 1978 lead standard (1.5 µg/m3 as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.

(2) The official level of the annual NO2 standard is 0.053 ppm, equal to 53 ppb, which is shown here for the purpose of clearer comparison to the 1-hour standard.

(3) Final rule signed March 12, 2008. The 1997 ozone standard (0.08 ppm, annual fourth-highest daily maximum 8-hour concentration, averaged over 3 years) and related implementation rules remain in place. In 1997, EPA revoked the 1-hour ozone standard (0.12 ppm, not to be exceeded more than once per year) in all areas, although some areas have continued obligations under that standard ("anti-backsliding"). The 1-hour ozone standard is attained when the expected number of days per calendar year with maximum hourly average concentrations above 0.12 ppm is less than or equal to 1.

(4) Final rule signed June 2, 2010. The 1971 annual and 24-hour SOZ standards were revoked in that same rulemaking.

However, these standards remain in effect until one year after an area is designated for the 2010 standard, except in areas designated nonattainment for the 1971 standards, where the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standard are approved.

See historical tables of NAAQS standards

- Carbon Monoxide
- Lead
- Nitrogen Dioxide
- Ozone
- Particle Pollution
- Sulfur Dioxide

Menu of Control Measures for NAAQS Implementation

The Menu of Control Measures (MCM) provides state, local and tribal air agencies with the existing emission reduction measures as well as relevant information concerning the efficiency and cost effectiveness of the measures. State, local and tribal agencies will be able to use this information in developing emission reduction strategies, plans and programs to assure they attain and maintain the National Ambient Air Quality Standards (NAAQS). The MCM is a living document that can be updated with newly available or more current data as it becomes available.

- Menu of Control Measures (PDF) (66pp, 999k).
- Menu of Control Measures (Excel) : (80k)

South Coast Air Quality Management District 21865 Copley Drive, Diamond Bar, CA 91765-4178

AQMD (909) 396-2000 · www.aqmd.gov

South Coast AQMD Air Quality Significance Thresholds

	Mass Daily Thresholds ^a			
Pollutant	Construction	Operation		
NO _x	100 lbs/day	55 lbs/day		
VOC	75 lbs/day	55 lbs/day		
PM10	150 lbs/day	150 lbs/day		
PM _{2.5}	55 lbs/day	55 lbs/day		
SOx	150 lbs/day	150 lbs/day		
СО	550 lbs/day	550 lbs/day		
Lead	3 lbs/day	3 lbs/day		
Toxic Air Cont	aminants (TACs), Odor, and C	GHG Thresholds		
TACs (including carcinogens and non- carcinogens)	Maximum Incremental Cancer Risk ≥ 10 in 1 million Cancer Burden > 0.5 excess cancer cases (in areas ≥ 1 in 1 million) Chronic & Acute Hazard Index ≥ 1.0 (project increment)			
Odor	Project creates an odor nuisance pursuant to South Coast AQMD Rule 402			
GHG	10,000 MT/yr CO2eq for industrial facilities			
Ambient Air	Quality Standards for Criteri	ia Pollutants ^b		
NO2 1-hour average annual arithmetic mean	South Coast AQMD is in attainment; project is significant if it causes or contributes to an exceedance of the following attainment standards: 0.18 ppm (state) 0.03 ppm (state) and 0.0534 ppm (federal)			
PM ₁₀ 24-hour average annual average	10.4 μ g/m ³ (construction) ^c & 2.5 μ g/m ³ (operation) 1.0 μ g/m ³			
PM _{2.5} 24-hour average	10.4 μ g/m ³ (construction) ^c & 2.5 μ g/m ³ (operation)			
SO2 1-hour average 24-hour average	0.25 ppm (state) & 0.075 ppm (federal – 99 th percentile) 0.04 ppm (state)			
Sulfate 24-hour average	25 μ g/m ³ (state)			
CO 1-hour average 8-hour average	South Coast AQMD is in attainment; project is significant if it causes or contributes to an exceedance of the following attainment standards: 20 ppm (state) and 35 ppm (federal) 9.0 ppm (state/federal)			
Lead 30-day Average Rolling 3-month average	1.5 μ g/m ³ (state) 0.15 μ g/m ³ (federal)			

Source: South Coast AQMD CEQA Handbook (South Coast AQMD, 1993) л

b Ambient air quality thresholds for criteria pollutants based on South Coast AQMD Rule 1303, Table A-2 unless otherwise stated. ç Ambient air quality threshold based on South Coast AQMD Rule 403.

ppm = parts per million KEY: lbs/day = pounds per day $\mu g/m^3 = microgram per cubic meter$ \geq = greater than or equal to MT/yr CO2eq = metric tons per year of CO2 equivalents > = greater than