



---

## Central Valley Regional Water Quality Control Board

### **California Environmental Quality Act Notice of Determination in compliance with Section 21008 or 21152 of the Public Resources Code**

**To:** Office of Planning and Research  
P.O. Box 3044  
Sacramento, CA 95812-3044

**From:** California Regional Water Quality Control Board  
Central Valley Region, Redding Office  
364 Knollcrest Drive, Suite 205  
Redding, CA 96002

**Date:** 23 January 2025

**State Clearinghouse Number:**

2024080916

**Project Title:**

Canter Court Sewer Project (WDID 5A45CR00667)

**Project Location - Specific:**

The project coordinates are as follows: Latitude: 40.552698° and Longitude: -122.342549°

**Project Location - County:**

Shasta County

**Name of Applicant:**

Amber Kelley  
City of Redding  
777 Cypress Avenue  
Redding, CA 96001

**Description of Nature, Purpose, and Beneficiaries of Project:**

The project will consist of the removal and replacement of the two existing 348-foot-long, 6-inch diameter concrete-encased sewer siphons across Churn Creek. The siphons will be excavated and replaced in the same alignment. An open-trench method requiring a work area approximately 20 feet wide and an excavation depth of approximately 12 feet will be used along the entire length of pipe to be replaced. New pipe sections will be placed in the trench, fused together, and connected to manholes on both ends of the pipeline. When completed, the trench will be backfilled with slurry and a concrete cap to prevent erosion during high winter flows. Trench fill will include cobble, native fill per City

of Redding standards, and concrete. The disturbed stream channel bed and bank will be returned to its original contours and elevation and seeded with a native seed mix.

**Name of Public Agency Approving Project:**

This is to advise that the Central Valley Regional Water Quality Control Board, as a Responsible Agency, has approved the above-described project on 23 January 2025 and has made the following determinations regarding the above described project:

1. The Central Valley Regional Water Quality Control Board considered the Initial Study/Mitigated Negative Declaration as prepared by the City of Redding.
2. The Project will not have a significant effect on the environment.
3. Mitigation measures were made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan was adopted for this project.
5. A Statement of Overriding Considerations was not adopted for this project.
6. Findings were made pursuant to the provisions of CEQA.

The Initial Study/Mitigated Negative Declaration is available to the general public at: City of Redding Public Works Department, 777 Cypress Avenue, Redding, CA 96001.

The record of project approval is available to the general public at: [Central Valley Regional Water Quality Control Board's Adopted Orders Web page](https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/401_wq_certs/) (https://www.waterboards.ca.gov/centralvalley/board\_decisions/adopted\_orders/401\_wq\_certs/).

**State Responsible Agency Contact Person:**

Lynn Coster, Senior Environmental Scientist  
Chief Storm Water and Water Quality Certification Unit  
Central Valley Regional Water Quality Control Board  
Redding Branch Office  
(530) 224-2437

---

Lynn Coster  
Senior Environmental Scientist  
Central Valley Regional Water Quality Control Board, Redding

cc: Amber Kelley, City of Redding, Redding  
Tiffany Durette, City of Redding, Redding  
Gabriel Leggieri, U.S. Army Corps of Engineers, Sacramento District  
Kate Blanchard, California Department of Fish and Wildlife, Redding