

**NOTICE OF DETERMINATION**

**To:** X **Office of Planning and Research**  
P.O. Box 3044  
Sacramento, CA 95812-3044

**From:** **Riverside County Flood Control  
and Water Conservation District**  
1995 Market Street  
Riverside, CA 92501  
Contact: Jason Swenson, 951.955.8082

X **Riverside County Clerk**  
County of Riverside  
2724 Gateway Drive  
Riverside, CA 92507

**Lead Agency:** Same as above.

**Subject:** Filing of Notice of Determination in compliance with Section 21152 of the Public Resources Code

**State Clearinghouse Number:** 2024081408

**Project Title:** Good Hope – Olive Avenue Storm Drain, Stages 1 and 2 Project

**Project Location:** The Project area is generally bounded by Mountain Avenue to the north, Eucalyptus Avenue to the south, Read Street to the west, Theda Street to the east and State Route (SR) 74 to the southeast. The Project area includes Assessor's Parcel Numbers (APN) 343-201-002, 343-100-006, 343-180-009, 343-230-001, 345-080-070, 345-080-071, 345-080-072 and 345-080-067. The Project is located in the U.S. Geological Survey (USGS) Steele Peak, California 7.5-minute topographic quadrangle. The Project area is located just west of SR-74 and is surrounded by rural residential homes and open fields. The elevation within the Project area ranges from 1,560 to 1,605 feet above mean sea level (amsl).


**Project Description:** The Project consists of the construction, operation and maintenance of approximately 12,500 feet of storm drains ranging in diameter from 18"–84", a detention basin, three (3) inlet structures, multiple catch basins, an outlet structure and rock riprap energy dissipators in the Project area. Storm drains are proposed in the rights of way (ROW) of existing roads, providing 100-year flood protection to the properties between Quail Drive and Spring Street and properties east of Spring Street and west of Theda Street between Olive Avenue and Eucalyptus Avenue. The District has also partnered with the Riverside County Transportation Department (RCTD) to provide road improvements to a portion of the project area in conjunction with the installation of the underground facilities. Collectively, these improvements will safely convey stormwater flows to the existing box culvert located near the intersection of SR-74 and Theda Street, thereby eliminating significant surface drainage from meandering through existing residential properties during large storm events.

The Project will also construct three (3) inlet structures at the northwest corner of Read Street and Mountain Avenue, the northwest corner of Olympia Avenue and Read Street, and northwest of Eucalyptus Avenue and Quail Road to collect storm flows from within the Project area and convey them to a detention basin at the northwest corner of Spring Street and Olive Avenue, which will then drain to the existing culvert and cross underneath SR-74. The Project will also repair and replace the existing outlet structure and riprap located at the southeast side of SR-74.

**CEQA Determination:** This is to advise that the District (Lead Agency) has approved the above-described project on April 1, 2025, pursuant to the California Environmental Quality Act (CEQA) and has made the following determinations:

1. The project will not have a significant effect on the environment.
2. A Mitigated Negative Declaration (MND) was adopted for this Project pursuant to the provisions of CEQA.
3. Mitigation measures were made a condition of the approval of the project.
4. A Mitigation Monitoring Program was adopted for the project.
5. A Statement of Overriding Considerations was not adopted for this project.
6. Findings were not made pursuant to the provisions of CEQA.

**Public Access to Environmental Document:** The MND is available to the General Public at the Office of the Clerk of the Board, County Administrative Center, 4080 Lemon Street, Riverside, CA 92501. The MND is also available at the District office located at 1995 Market Street, Riverside, CA 92501.

  
Signature (Public Agency)

  
Title

03/06/2025  
Date

4/01/25  
Date Received for Filing at OPR