

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: RCTA Williams Drive Electric Bus Charging InfrastructureLead Agency: Redwood Coast Transit AuthorityContact Name: Jeff SchweinEmail: Jeff@greendottransportation.com Phone Number: 530-781-2499Project Location: Assessor Parcel Number 118020033000, Crescent City, Del Norte County
City *County*

Project Description (Proposed actions, location, and/or consequences).

The proposed project is the redevelopment of an existing bus maintenance and operations facility to add electric bus charging infrastructure. The project area is cumulatively 1.23 acres of an 84.77-acre lot, situated on the north end of the Del Norte County Fairgrounds. The project area is currently used as a maintenance vehicle parking area with a bus wash bay. Development of the proposed project includes upgrade electrical service equipment, paved driveways for access and circulation, an asphalt parking lot with car and transit vehicle parking aisles separated by concrete electric vehicle (EV) charging islands, EV charging infrastructure, fence upgrades, access gates, backup generator pad, solar arrays, lighting, and landscaping. The new transit center will serve 6 EV Star+ model, fully electric buses, each with a battery capacity of 118 kWh, a range of 150 miles, and a fuel economy of 48 miles ~~per-gallon~~.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

There are no significant or potentially significant effects. Therefore, no mitigation measures have been proposed.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

Provide a list of the responsible or trustee agencies for the project.

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: RCTA Williams Drive Electric Bus Charging Infrastructure

Lead Agency: Redwood Coast Transit Authority

Contact Name: Jeff Schwein

Email: Jeff@greendottransportation.com

Phone Number: 530-781-2499

Project Location: Assessor Parcel Number 118020033000, Crescent City, Del Norte County

City

County

Project Description (Proposed actions, location, and/or consequences).

The proposed project is the redevelopment of an existing bus maintenance and operations facility to add electric bus charging infrastructure. The project area is cumulatively 1.23 acres of an 84.77-acre lot, situated on the north end of the Del Norte County Fairgrounds. The project area is currently used as a maintenance vehicle parking area with a bus wash bay. Development of the proposed project includes upgrade electrical service equipment, paved driveways for access and circulation, an asphalt parking lot with car and transit vehicle parking aisles separated by concrete electric vehicle (EV) charging islands, EV charging infrastructure, fence upgrades, access gates, backup generator pad, solar arrays, lighting, and landscaping. The new transit center will serve 6 EV Star+ model, fully electric buses, each with a battery capacity of 118 kWh, a range of 150 miles, and a fuel economy of 48 miles per gallon.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

There are no significant or potentially significant effects. Therefore, no mitigation measures have been proposed.