

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: Sewer Line Relocation - Clay Street to Locust Avenue Project

Lead Agency: City of Placerville

Contact Name: A. Cory Schiestel

Email: cschiestel@cityofplacerville.org

Phone Number: 530.642.5250

Project Location: City of Placerville
City

El Dorado County
County

Project Description (Proposed actions, location, and/or consequences).

The City would relocate a 16-inch sanitary sewer trunk line (Trunk) from a current alignment within Hangtown Creek between Locust Avenue and Clay Street to reduce stormwater inflow, to minimize potential sewer overflows, to improve access for maintenance, and to increase resiliency during wet weather. The Trunk would be intercepted in Locust Avenue between Main Street and the El Dorado Trail and then routed within the El Dorado Trail to a connection to the existing 24-inch Trunk east of Clay Street. Rerouting the Trunk to the El Dorado Trail would require a bore and jack crossing of Hangtown Creek at Locust Avenue. The relocation of the Trunk would trigger replacement of the sewer laterals serving commercial properties along Main Street with new connections to the Trunk in the El Dorado Trail. The proposed project also includes the rerouting of an existing 4-inch sanitary sewer along Locust Avenue, north of the El Dorado Trail. Following completion of the Trunk relocation, the existing 16-inch pipeline and manholes would be removed from Hangtown Creek, and the creek bottom would be restored. Work within Hangtown Creek would necessitate construction of a temporary cofferdam and rerouting of creek flows around the construction area.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

Once mitigation measures (MM) are implemented, the proposed project would have a less-than-significant impact on biological resources, cultural resources, hazards and hazardous materials, noise, and tribal cultural resources. A summary of MM BIO-1, 2 and 3, CUL-1 and 2, HAZ-1, 2, and 3, and NOI-1, are as follows: In-water work will occur when flows in Hangtown Creek are lowest. A qualified biologist will monitor installation of cofferdams and relocate trapped aquatic wildlife if necessary. The pump filter screen mesh for the bypass pipe pump will be 3/32 inch or smaller. Prior to ground disturbance, surface water and sediment will be sampled in Hangtown Creek and a work plan, prepared by a qualified professional will be submitted and implemented prior to any construction activity. A California-licensed abatement contractor will sample and test a sample of road pavement on Locust Avenue within the project site for hazardous levels of lead containing paint (LCP) and at several locations in the project site for hazardous levels of aerially deposited lead (ADL). Additional measures for LCP and ADL would be required based on survey results. An Archaeological monitor will be on site during construction activities of native soil. Additional measures for cultural resources would be required if subsurface deposits believed to be cultural or human in origin are discovered during construction. An Environmentally Sensitive Area (ESA) will be established in consultation of the City and qualified archaeologist consultant along the north bank of Hangtown Creek. Construction activities will be limited to daytime hours, avoiding Sundays or holidays. No substantial evidence exists that the proposed project would have a significant negative or adverse effect on the environment.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

Resources analyzed in the IS/MND that are of standard concern include biological resources, cultural and tribal cultural resources, hydrology, noise, and recreation (El Dorado Trail).

Provide a list of the responsible or trustee agencies for the project.

U.S. Army Corps of Engineers - Section 404 Nationwide Permit

Central Valley Regional Water Quality Control Board (RWQCB) - Section 401 Water Quality Certification, State Waste Discharge Requirements, National Pollutant Discharge Elimination System (NPDES) Permit -- Construction General Permit.

California Department of Fish and Wildlife (CDFW) - Section 1602 Streambed Alteration Agreement

City of Placerville - Approval of CEQA IS/MND and the Project

Occupational Safety and Health Administration (OSHA) - Tunnel Classification Permit