

**Notice of Availability &
Intent to Adopt a Mitigated Negative Declaration
for the Central Basin Municipal Water District Proposition 1 Recycled Water
Customer Conversion for Disadvantaged Communities Project**

Central Basin Municipal Water District (District) has prepared an Initial Study for the Central Basin Municipal Water District Proposition 1 Recycled Water Customer Conversion for Disadvantaged Communities Project, which recommends that a Mitigated Negative Declaration (MND) be issued, and the District has authorized the release of the proposed Initial Study (IS)/MND for public review and comment for the above project.

The proposed project involves the installation of new recycled water (RW) pipeline through installation of distinct recycled water segments within public rights-of-way and internally at the seven public sites that will be connected to the District's new recycled water transmission system, as follows:

- Bellflower City Hall, City of Bellflower
 - RW Pipeline (external): 0 lineal feet (LF)
 - RW Pipeline (internal): 175 LF
- Maywood Academy High School, City of Maywood
 - RW Pipeline (external): 600 LF
 - RW Pipeline (internal): 0 LF
- San Antonio Elementary School, City of Huntington Park
 - RW Pipeline (external): 45 LF
 - RW Pipeline (internal): 40 LF
- Tanner Elementary School, City of Paramount
 - RW Pipeline (external): 20 LF
 - RW Pipeline (internal): 500 LF
- Tweedy Elementary School, City of South Gate
 - RW Pipeline (external): 50 LF
 - RW Pipeline (internal): 80 LF
- Bloomfield Park, City of Lakewood
 - RW Pipeline (external): 100 LF
 - RW Pipeline (internal): 225 LF
- Fedde Middle School, City of Hawaiian Gardens
 - RW Pipeline (external): 6,000 LF
 - RW Pipeline (internal): 300 LF

The RW pipeline will be installed beginning over a 6 month period beginning in 2025.

A copy of the IS/MND can be reviewed at the District's website at <https://www.centralbasin.org/home>. The 30-day period of review will be from begins December 31, 2024 and ends on January 30, 2025 (30-days). Written comments on the Initial Study should be submitted to Mr. Braden Yu at the mailing address listed below no later than January 30, 2025 by 5:00 PM.

The District has not scheduled a specific date for this matter to go before the District's Board of Directors to discuss and possibly adopt the Mitigated Negative Declaration and approve the project. The technical and environmental issues related to this project may be discussed at this meeting. Please contact Mr. Braden Yu by mail at P.O. Box 911579, Los Angeles, CA 90091; email at bradeny@centralbasin.org; or, by phone at 323-621-0749 if you have questions regarding the District's review process for considering the Mitigated Negative Declaration.