

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: _____

Project Title: Willow County Water District Water Line Replacement Project

Lead Agency: Willow County Water District

Contact Name: Jared Walker, General Manager

Email: jwalker@willowc wd.org Phone Number: (707) 462-2666

Project Location: Ukiah, Mendocino

City

County

Project Description (Proposed actions, location, and/or consequences).

The Willow County Water District (District) is proposing to replace three sections of water main located at Laws Avenue (1,000 linear feet), Pomo Lane (550 linear feet), and Canyon Drive (1,000 linear feet) (Project) located south and west of the City of Ukiah, Mendocino County, California. These proposed improvements would occur within existing road rights-of-way. The Project is anticipated to start construction in late 2024 and take approximately three (3) months to complete. The water mains will be constructed using open trench excavation. Construction includes the following phases: trenching, installation of piping, backfill, and pavement restoration. The purpose of the Project is to support water conservation efforts through the replacement of existing steel water mains that have reached the end of life and pose consistent system maintenance issues. The District has received funding from the Integrated Regional Water management Program (IRWM) through the North Coast Resources Partnership (NCRP) to design and implement water main replacements to support water conservation projects.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

While the project is not anticipated to impact cultural resources, two mitigation measures were included should any inadvertent discovery occur during project implementation. The mitigation measures require work to halt immediately and an archaeologist and Native American representative be present on site to evaluate the discovery and recommend next steps to minimize potential impacts.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

N/A

Provide a list of the responsible or trustee agencies for the project.

N/A