



**CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION
DETERMINATION FORM (rev. 06/2022)**

Project Information

Project Name (if applicable): Placer 80 Douglas Tunnel

DIST-CO-RTE: 03-PLA-80

PM/PM: 1.940

EA: 03-0L200

Federal-Aid Project Number: 03240000061

Project Description

The California Department of Transportation (Caltrans) initiated a District Director's Order for an Emergency Force Account project with the purpose to facilitate the repair of a failed fire system in the Douglas Tunnel on Interstate 80, near postmile 1.94, in Placer County. In addition, this project was needed to develop an Emergency Response Plan (ERP), as per the request of Sunrise Region Maintenance. Proposed scope of work includes site preparation, repair/replace fire alarm panel and obsoleted communication system, replace heat detectors, electrical work, permitting, traffic control, develop emergency response plan, and incidental work.

Caltrans CEQA Determination (Check one)

Not Applicable – Caltrans is not the CEQA Lead Agency

Not Applicable – Caltrans has prepared an IS or EIR under CEQA

Based on an examination of this proposal and supporting information, the project is:

Exempt by Statute. (PRC 21080[b]; 14 CCR 15260 et seq.)

Categorically Exempt. Class 1(d). (PRC 21084; 14 CCR 15300 et seq.)

No exceptions apply that would bar the use of a categorical exemption (PRC 21084 and 14 CCR 15300.2). See the [SER Chapter 34](#) for exceptions.

Covered by the Common Sense Exemption. This project does not fall within an exempt class, but it can be seen with certainty that there is no possibility that the activity may have a significant effect on the environment (14 CCR 15061[b][3].)

Senior Environmental Planner or Environmental Branch Chief

Jeff Swindle

12/05/2024

Print Name

Signature

Date

Project Manager

Anthony Thurman

12/05/2024

Print Name

Signature

Date



CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

Caltrans NEPA Determination (Check one)

[X] Not Applicable

Caltrans has determined that this project has no significant impacts on the environment as defined by NEPA, and that there are no unusual circumstances as described in 23 CFR 771.117(b). See SER Chapter 30 for unusual circumstances. As such, the project is categorically excluded from the requirements to prepare an EA or EIS under NEPA and is included under the following:

[] 23 USC 326: Caltrans has been assigned, and hereby certifies that it has carried out the responsibility to make this determination pursuant to 23 USC 326 and the Memorandum of Understanding dated April 18, 2022, executed between FHWA and Caltrans. Caltrans has determined that the project is a Categorical Exclusion under:

- [] 23 CFR 771.117(c): activity (c)(Enter activity number)
[] 23 CFR 771.117(d): activity (d)(Enter activity number)
[] Activity Enter activity number listed in Appendix A of the MOU between FHWA and Caltrans

[] 23 USC 327: Based on an examination of this proposal and supporting information, Caltrans has determined that the project is a Categorical Exclusion under 23 USC 327. The environmental review, consultation, and any other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by Caltrans pursuant to 23 USC 327 and the Memorandum of Understanding dated May 27, 2022, and executed by FHWA and Caltrans.

Senior Environmental Planner or Environmental Branch Chief

N/A

Print Name

Signature

Date

Project Manager/ DLA Engineer

N/A

Print Name

Signature

Date

Date of Categorical Exclusion Checklist completion (if applicable): N/A

Date of Environmental Commitment Record or equivalent: N/A

Briefly list environmental commitments on continuation sheet if needed (i.e., not necessary if included on an attached ECR). Reference additional information, as appropriate (e.g., additional studies and design conditions).



**CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION
DETERMINATION FORM**

Continuation sheet:

Right-of-Way

All staging occurred within Caltrans Right-of-Way.

Disposal/Borrow

Based on the scope of work, there was no disposal that required a borrow site.

Consultation/Coordination

Based on the scope of work and due to the nature of the project, consultation or coordination was not required.

Permits

Based on the scope of work, regulatory permits were not required.









03-0L200 CE

Final Audit Report

2024-12-05

Created:	2024-12-05
By:	Junior Magana (s146862@dot.ca.gov)
Status:	Signed
Transaction ID:	CBJCHBCAABAA7BMBdcf_f859nBxhII0LsZbvN1Hae3OZ

"03-0L200 CE" History

-  Document created by Junior Magana (s146862@dot.ca.gov)
2024-12-05 - 4:42:07 PM GMT- IP address: 149.136.17.251
-  Document emailed to Jeff Swindle (s126108@dot.ca.gov) for signature
2024-12-05 - 4:42:45 PM GMT
-  Email viewed by Jeff Swindle (s126108@dot.ca.gov)
2024-12-05 - 4:48:01 PM GMT- IP address: 149.136.17.248
-  Document e-signed by Jeff Swindle (s126108@dot.ca.gov)
Signature Date: 2024-12-05 - 4:50:14 PM GMT - Time Source: server- IP address: 149.136.17.248
-  Document emailed to Anthony Thurman (s122168@dot.ca.gov) for signature
2024-12-05 - 4:50:16 PM GMT
-  Email viewed by Anthony Thurman (s122168@dot.ca.gov)
2024-12-05 - 6:30:38 PM GMT- IP address: 174.208.160.77
-  Document e-signed by Anthony Thurman (s122168@dot.ca.gov)
Signature Date: 2024-12-05 - 6:30:50 PM GMT - Time Source: server- IP address: 174.208.160.77
-  Agreement completed.
2024-12-05 - 6:30:50 PM GMT

