



**CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION
DETERMINATION FORM (rev. 06/2022)**

<u>Project Information</u>	
Project Name (if applicable): Snow Damaged Tree Removal	
DIST-CO-RTE: 03-VAR-VAR	PM/PM: VAR/VAR
EA: 03-4J510	EFIS: 0323000181
<u>Project Description</u>	
The California Department of Transportation (Caltrans) proposes site preparation, remove debris and trees damaged from storms, traffic control, and incidental work on State Route 20 from post mile (PM) R11.00 to 46.00 in Nevada County, on State Route 49 from PM 2.00 to R32.60 in Nevada County, on State Route 174 from PM 0.00 to 10.00 in Nevada County, on State Route 174 from PM 0.00 to 2.80 in Placer County, on State Route 49 from PM 0.00 to 42.00 in Sierra County, and on State Route 49 from PM R0.00 to 9.37 in Yuba County.	

Caltrans CEQA Determination (Check one)

Not Applicable – Caltrans is not the CEQA Lead Agency

Not Applicable – Caltrans has prepared an IS or EIR under CEQA

Based on an examination of this proposal and supporting information, the project is:


Exempt by Statute. (PRC 21080[b]; 14 CCR 15260 et seq.)

Categorically Exempt. Class 1(d). (PRC 21084; 14 CCR 15300 et seq.)

No exceptions apply that would bar the use of a categorical exemption (PRC 21084 and 14 CCR 15300.2). See the [SER Chapter 34](#) for exceptions.

Covered by the Common Sense Exemption. This project does not fall within an exempt class, but it can be seen with certainty that there is no possibility that the activity may have a significant effect on the environment (14 CCR 15061[b][3].)

Senior Environmental Planner or Environmental Branch Chief

Jeff Swindle	 <small>Jeff Swindle (Feb 13, 2025 11:56 PST)</small>	02/13/2025
Print Name	Signature	Date

Project Manager

Cameron A. Haymore		02/13/2025
Print Name	Signature	Date



CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

Caltrans NEPA Determination (Check one)

[X] Not Applicable

Caltrans has determined that this project has no significant impacts on the environment as defined by NEPA, and that there are no unusual circumstances as described in 23 CFR 771.117(b). See SER Chapter 30 for unusual circumstances. As such, the project is categorically excluded from the requirements to prepare an EA or EIS under NEPA and is included under the following:

[] 23 USC 326: Caltrans has been assigned, and hereby certifies that it has carried out the responsibility to make this determination pursuant to 23 USC 326 and the Memorandum of Understanding dated April 18, 2022, executed between FHWA and Caltrans. Caltrans has determined that the project is a Categorical Exclusion under:

[] 23 CFR 771.117(c): activity (c)()

[] 23 CFR 771.117(d): activity (d)()

[] Activity listed in Appendix A of the MOU between FHWA and Caltrans

[] 23 USC 327: Based on an examination of this proposal and supporting information, Caltrans has determined that the project is a Categorical Exclusion under 23 USC 327. The environmental review, consultation, and any other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by Caltrans pursuant to 23 USC 327 and the Memorandum of Understanding dated May 27, 2022, and executed by FHWA and Caltrans.

Senior Environmental Planner or Environmental Branch Chief

N/A

Print Name

Signature

Date

Project Manager/ DLA Engineer

N/A

Print Name

Signature

Date

Date of Categorical Exclusion Checklist completion (if applicable): N/A

Date of Environmental Commitment Record or equivalent: N/A

Briefly list environmental commitments on continuation sheet if needed (i.e., not necessary if included on an attached ECR). Reference additional information, as appropriate (e.g., additional studies and design conditions).



CEQA EXEMPTION / NEPA CATEGORICAL EXCLUSION DETERMINATION FORM

Continuation sheet:

Staging

If required, all staging would occur within the Caltrans right-of-way on existing pullouts.

Disposal/Borrow

Based on the proposed scope of work, no borrow or disposal is required for this project.

Right-of-Way

This project would be completed within the operational right-of-way.

Consultation/Agency Coordination

Based on the proposed scope of work and due to the nature of the project, consultation and agency coordination are not required for this project.

Permits

Based on the proposed scope of work, no regulatory permits are required.

CE for EA 03-4J510

Final Audit Report

2025-02-13

Created:	2025-02-13
By:	Jason Ammerman (s162717@dot.ca.gov)
Status:	Signed
Transaction ID:	CBJCHBCAABAAXw8w-7gJNYPGgq1qA9daaoQMXI73ljinm

"CE for EA 03-4J510" History

-  Document created by Jason Ammerman (s162717@dot.ca.gov)
2025-02-13 - 6:55:32 PM GMT- IP address: 149.136.17.251
-  Document emailed to Jeff Swindle (jeff.swindle@dot.ca.gov) for signature
2025-02-13 - 6:56:48 PM GMT
-  Email viewed by Jeff Swindle (jeff.swindle@dot.ca.gov)
2025-02-13 - 7:55:45 PM GMT- IP address: 149.136.17.249
-  Document e-signed by Jeff Swindle (jeff.swindle@dot.ca.gov)
Signature Date: 2025-02-13 - 7:56:20 PM GMT - Time Source: server- IP address: 149.136.17.249
-  Document emailed to Cameron Haymore (cameron.haymore@dot.ca.gov) for signature
2025-02-13 - 7:56:22 PM GMT
-  Email viewed by Cameron Haymore (cameron.haymore@dot.ca.gov)
2025-02-13 - 8:06:56 PM GMT- IP address: 149.136.17.253
-  Document e-signed by Cameron Haymore (cameron.haymore@dot.ca.gov)
Signature Date: 2025-02-13 - 8:07:03 PM GMT - Time Source: server- IP address: 149.136.17.253
-  Agreement completed.
2025-02-13 - 8:07:03 PM GMT



Powered by
Adobe
Acrobat Sign