



ORANGE COUNTY  
CLERK-RECORDER  
CEQA FILING COVER SHEET

30-03/14/2025-0144

202585000192

**FILED**

March 14, 2025

HUGH NGUYEN  
CLERK - RECORDER

By [Signature]  
Deputy clerk

Complete and attach this form to each CEQA Notice filed with the County Clerk-Recorder

TYPE OR PRINT CLEARLY

Project Title

CLARA BARTON ELEMENTARY SCHOOL MULTI-PURPOSE ROOM BUILDING  
PROJECT

**Check Document being Filed:**

- Environmental Impact Report (EIR)
- Mitigated Negative Declaration (MND) or Negative Declaration (ND)
- Notice of Exemption (NOE)
- Other (Please fill in type):

**FILED IN THE OFFICE OF THE ORANGE  
COUNTY CLERK-RECORDER ON 03/14/2025**  
Posted 03/14/2025 Removed \_\_\_\_\_  
Returned to agency on \_\_\_\_\_  
DEPUTY 483

Filing fees are due at the time a Notice of Determination/Exemption is filed with our office. For more information on filing fees and No Effect Determinations, please refer to California Code of Regulations, Title 14, section 753.5.



landscaping. The three of the 13 trees on-site will be removed as part of the proposed project. These three trees include one Crape Myrtles (*Lagerstroemia indica*) and two Camphor Trees (*Cinnamomum camphora*).

The proposed project will increase student enrollment capacity by 50 students, from a student enrollment capacity of 650 students to 700 students. The proposed project will serve students within Clara Barton ES's existing enrollment boundary. The proposed project would benefit the existing students and staff of the Clara Barton ES by providing a new MPR and outdoor facilities.

Construction is expected to occur in August 2025. Construction is expected to occur over 16 months and be completed in December 2026. Once construction begins, all construction equipment and workers will be located within the boundaries of the project site and contractors will adhere to construction noise regulations to avoid disruption to campus operations and surrounding residences.

Description of Nature, Purpose, and Beneficiaries of Project

Anaheim Elementary School District  
Name of Public Agency Approving Project

Anaheim Elementary School District  
Name of Person or Agency Carrying Out Project

FILED

MAR 14 2025

HUGH NGUYEN, CLERK-RECORDER

BY:  DEPUTY

Exempt Status: (check one below)

- Ministerial (Sec. 21080(b)(1); 15268);
- Declared Emergency (Sec. 21080(b)(3); 15269(a));
- Emergency Project (Sec. 21080(b)(4); 15269(b)(c));
- Categorical Exemption. State type and section number: §15301. Class 1, Existing Facilities ;§15302. Class 2, Replacement or Reconstruction; §15303. Class 3, New Construction or Conversion of Small Structures; §15314. Class 14, Minor Additions to Schools.
- Statutory Exemptions. State code number:

The proposed project will require removal of existing playground apparatus and its associated footings, landscaping, storage units; demolition of the school blacktop; restriping the parking lot area; and installation of landscaping, fencing and gates, concrete paving (i.e., walkways) and infrastructure improvements are exempt CEQA under Class 1, Existing Facilities (Section 15301). The removal of existing facilities to construct the proposed project are minor alterations of existing public structures. The installation of fencing and gates, landscaping, paving, and restriping of the parking lot are components of the proposed project are minor alterations of existing school facilities on campus that improve the safety and access to the campus. The project will be constructed completely within the boundaries of the existing campus and will not require or result in the expansion of use beyond the campus. The proposed project will support the existing campus. Therefore, the proposed project satisfies the requirements of CEQA Guidelines Section 15301.

The proposed project will replace the multi-use play field, school blacktop with painted hardtop athletic courts, and play area with play structures which are exempt from CEQA under Class 2, Replacement or Reconstruction (Section 15302). The proposed project will replace the basketball, handball, four tetherballs, and four foursquare courts within the campus. The existing fences and gates at the project site will be replaced with new metal fencing and gates. The proposed project will not result in an increase or alteration of the current use or function of the existing Campus. Therefore, the proposed project fulfills the requirements of CEQA Guidelines Section 15302.

The proposed construction of the service loading area; installation of the parking lot signage, basketball post, and fencing are exempt from CEQA under Class 3, New Construction or Conversion of Small Structures (Section 15303). The proposed service loading area, parking lot signage, basketball post, and fencing are small new structures that will be located within the school campus boundaries. The proposed project is exempt from CEQA under Section 15303.

The new MPR building is exempt from CEQA under Class 14, Minor Additions to Schools (Section 15314). The new MPR building will be located within the school campus and will increase the total number of classrooms by two, a music classroom and a flex classroom. The new classrooms will result in an increase in capacity of 50 students, which represents an approximately eight percent increase in enrollment capacity, from 650 students to 700 students. Consequently, the proposed project will not increase student capacity by more than 25 percent. Since the new buildings will be located within the same campus and will not increase the school classrooms by ten nor increase student capacity by 25 percent, the proposed project is exempt from CEQA under Section 15314.

See Attachment to Notice of Exemption for further explanation of the evaluation, which is available at the Anaheim Elementary School District, 1001 S. East St., Anaheim, CA 92805.

Reasons why project is exempt

Jerome Cygan, Supervisor of Construction Projects  
Contact Person:


(714) 517-7549, extension 4311  
Area Code/Telephone/Extension:

If filed by applicant:

1. Attach certified document of exemption findings
2. Has a Notice of Exemption been filed by the public agency approving the project  Yes  No

Date  
Received for  
Filing:

Signature:



Title:

Director 03/14/2025

**FILED**

MAR 14 2025

HUGH NGUYEN, CLERK-RECORDER

BY:  DEPUTY

## Attachment to Notice of Exemption

Clara Barton Elementary School Multi-Purpose Room Building Project MAR 14 2025

Anaheim Elementary School District

SUPPLEMENTAL INFORMATION

HUGH NGUYEN, CLERK-RECORDER

BY:           KD           DEPUTY

Clara Barton Elementary School (ES) is one of 24 elementary schools in the Anaheim Elementary School District (AESD or District) that serves the City of Anaheim. Clara Barton ES serves grades Transitional Kindergarten (TK) through 6<sup>th</sup> grade. This supplemental information provides justification for the Categorical Exemption pursuant to the California Environmental Quality Act (CEQA) Guidelines under California Code of Regulations, Title 14, Section 15301, Section 15302, Section 15303, and Section 15314.

## 1. EXISTING CONDITIONS

### PROJECT LOCATION

The Clara Barton ES campus (campus) site is located at 1926 Clearbrook Lane in the City of Anaheim, in Orange County. The campus is located on Assessor Parcel Number (APN) 128-213-17 (Anaheim 2025a). The city of Anaheim is surrounded by the cities of Yorba Linda, Placentia, Fullerton to the north, the cities of Buena Park and Cypress to the west, unincorporated Orange County to the east, and the cities of Stanton, Garden Grove, Orange and unincorporated Orange County to the south. The Clara Barton ES campus is approximately 0.90 miles south of Interstate 5 (I-5) (see Figure 1, *Regional Location*). The campus has a General Plan Land Use designation of School (School) and is zoned as Transition (T) (Anaheim 2024a; 2024b). Clara Barton ES is bordered by residential uses to the north, east and west; and recreational uses (Barton Park) to the south (Figure 2, *Local Vicinity*).

The project site includes approximately 1.8 acres of the western side of the Clara Barton ES campus (see Figure 3, *Aerial Photograph with Photograph Locations*) (project site). The project site is surrounded by residential uses to the north, residential uses across S Agate Street to the west, Clara Barton ES campus and Barton Park to the south, and Clara Barton ES campus to the east.

### SURROUNDING LAND USES

The properties surrounding the campus have a General Plan land use designation of Residential-Low (R-L) to the north, west, and east, and Parks (OS-P) to the south (Anaheim 2024b). Additionally, the associated zoning designations include Residential-Low (RS-2) to the north and west and to the east, and across S Nutwood St, some of the residential uses to the east of campus are zoned as Transition (T) and Public Recreational (PR) to the south (City of Anaheim 2024a).

### EXISTING CONDITIONS

Clara Barton ES is a transitional kindergarten (TK) through 6th-grade elementary school with a 2024 enrollment of 577 students (CDE 2024). Clara Barton ES consist of three permanent buildings (including administrative office), 14 modular classrooms, a pick-up and drop off driveway; a parking lot to the northeastern portion of the campus; a TK-K playground with play structures; a multi-purpose field with various play structures and a school blacktop with painted athletic courts (i.e., basketball, foursquare, handball and tether ball courts); a grass lawn; and various ornamental trees and landscaping throughout campus. Vehicular access to the campus is currently provided by W Clearbrook Lane via an ingress-egress driveway providing access to the parking lot and pick-up and drop off area and leads to an egress only driveway on S Nutwood Street (see Figure 3, *Aerial Photograph with Photo Locations*).

The project site is developed with a school blacktop with painted athletic courts (two basketball; three four square, nine tether ball courts), a playground with play structures, the multi-purpose field, 13 trees, five storage containers,



- » **Class 1, Existing Facilities (CEQA Guidelines § 15301)** consists of the operation, repair, maintenance, permitting, leasing, licensing, or minor alteration of existing public or private structures, facilities, mechanical equipment, or topographical features, involving negligible or no expansion of existing or former use.

The proposed project will require removal of existing playground apparatus and its associated footings, landscaping, storage units; demolition of the school blacktop; restriping the parking lot area; and installation of landscaping, fencing and gates, concrete paving (i.e., walkways) and infrastructure improvements are exempt CEQA under Class 1, Existing Facilities (Section 15301). The removal of existing facilities to construct the proposed project are minor alterations of existing public structures. The installation of fencing and gates, landscaping, paving, and restriping of the parking lot are components of the proposed project are minor alterations of existing school facilities on campus that improve the safety and access to the campus. The project will be constructed completely within the boundaries of the existing campus and will not require or result in the expansion of use beyond the campus. The proposed project will support the existing campus. Therefore, the proposed project satisfies the requirements of CEQA Guidelines Section 15301.

- » **Class 2, Replacement or Reconstruction (CEQA Guidelines § 15302)** consists of replacement or reconstruction of existing structures and facilities where the new structure will be located on the same site as the structure replaced and will have substantially the same purpose and capacity as the structure replaced,

The proposed project will replace the multi-use play field, school blacktop with painted hardtop athletic courts, and play area with play structures which are exempt from CEQA under Class 2, *Replacement or Reconstruction* (Section 15302). The proposed project will replace the basketball, handball, four tetherballs, and four foursquare courts within the campus. The existing fences and gates at the project site will be replaced with new metal fencing and gates. The proposed project will not result in an increase or alteration of the current use or function of the existing Campus. Therefore, the proposed project fulfills the requirements of CEQA Guidelines Section 15302.

- » **Class 3, New Construction or Conversion of Small Structures (CEQA Guidelines § 15303)** consists of the construction and location of limited numbers of new, small facilities or structures; installation of small new equipment and facilities in small structures; and the conversion of existing small structures from one use to another where only minor modifications are made in the exterior of the structure.

The proposed construction of the service loading area; installation of the parking lot signage, basketball post, and fencing are exempt from CEQA under Class 3, New Construction or Conversion of Small Structures (Section 15303). The proposed service loading area, parking lot signage, basketball post, and fencing are small new structures that will be located within the school campus boundaries. The proposed project is exempt from CEQA under Section 15303.

- » **Class 14, Minor Additions to Schools (CEQA Guidelines § 15314)** consists of minor additions to existing schools within existing school grounds where the addition does not increase original student capacity by more than 25% or ten classrooms, whichever is less. The addition of portable classrooms is included in this exemption.

The new MPR building is exempt from CEQA under Class 14, Minor Additions to Schools (Section 15314). The new MPR building will be located within the school campus and will increase the total number of classrooms by two, a music classroom and a flex classroom. The new classrooms will result in an increase in capacity of 50 students, which represents an approximately eight percent increase in enrollment capacity<sup>1</sup>, from 650 students to 700 students. Consequently, the proposed project will not increase student capacity by more than 25 percent. Since the new buildings will be located within the same campus and will not increase the school classrooms by ten nor increase student capacity by 25 percent, the proposed project is exempt from CEQA under Section 15314.

---

<sup>1</sup>  $(700 \text{ students} - 650 \text{ students}) / 650 * 100 = 7.69\%$  increase in enrollment capacity

#### 4. REVIEW OF EXCEPTIONS TO THE CATEGORICAL EXEMPTION

The proposed project has been reviewed under CEQA Guidelines § 15300.2 - Exceptions, for any characteristics or circumstances that might invalidate findings that the proposed project is exempt from CEQA. Each exception is listed below followed by an assessment of whether that exception applies to the proposed project.

- (a) **Location.** Classes 1,2,3 and 14 are qualified by consideration of where the project would be located—a project that is ordinarily insignificant in its impact on the environment may in a particularly sensitive environment be significant. Therefore, these classes are considered to apply all instances, except where the project may have an impact on an environmental resource of hazardous or critical concern where designated, precisely mapped and officially adopted pursuant to law by federal, state, or local agencies.

The project site is completely within the Clara Barton ES campus, which is surrounded by residential uses and park land uses. The campus has classroom and educational buildings, school blacktop, a parking lot, concrete walkways, a multi-use field with playground structures, and ornamental landscaping. Similarly, the project site is entirely developed. There are no critical habitats identified on the project site, campus, nor in the immediate vicinity of campus (FWS 2024a). Additionally, due to the campus and project site's being fully developed and operational, the campus and project site do not contain any sensitive biological species or habitat; the nearest critical habitat is approximately 5.30 miles north of the project site. No mapped wetlands exist on site, the nearest wetlands is a riverine habitat (R4SBCr) within the Barber City Channel approximately 1.10 miles southeast of the project site (FWS 2024b). Additionally, as further discussed under the "Hazardous Waste Sites" exception below, the project site is not included on a hazardous waste list. Therefore, this exception does not apply to the proposed project.

- (b) **Cumulative Impacts.** All exemptions for these classes are inapplicable when the cumulative impact of successive projects of the same type in the same place, over time is significant.

The proposed project is the only known and planned improvements to the campus. The project site is generally flat as it has been previously developed, and the proposed project does not include subterranean levels nor extensive earthwork. Other projects within the District include MPR building project at Benjamin Franklin Elementary School and Loara Elementary School. The closest project to the proposed project is the MPR building project at Loara ES approximately 0.90 miles northeast.

The project sites for the proposed project and the MPR building project at Loara ES are generally flat, as they have been previously developed and projects do not include subterranean levels nor extensive earthwork. The project at Loara ES is expected to begin in Summer 2025 and is anticipated to last 12 months, and construction of the proposed project will begin in August 2025 and is anticipated to last 16 months. While construction timeline for the proposed project and the MPR building project at Loara ES would overlap, each project would be in different stages of construction and construction of each project would be executed individually. Additionally, construction of the proposed project and the MPR building project at Loara ES would be limited to their respective project sites. Construction work would be scheduled to have minimal impacts on students and surrounding community to the extent possible. The projects within the District will not combine to create a cumulative impact during construction. Therefore, this exception does not apply to the proposed project.

- (c) **Significant Effects.** A categorical exemption shall not be used for an activity where there is a reasonable possibility that the activity will have a significant effect on the environment due to unusual circumstances.

A categorical exemption shall not be used for an activity where there is a reasonable possibility that the activity will have a significant effect on the environment due to unusual circumstances. The determination whether this



exception applies involves two distinct questions: (1) whether the project presents unusual circumstances, and (2) whether there is a reasonable possibility that a significant environmental impact will result from the unusual circumstances. The lead agency considers the second prong of this test only if it finds that some circumstance of the project is unusual. *Berkeley Hillside Preservation v City of Berkeley (2015) 60 C4th 1086, 1104.*

There is no reasonable possibility that the proposed project will have a significant effect on the environment due to unusual circumstances. The project site currently operates as a TK through 6th-grade elementary school and will continue to operate as an elementary school. The construction manager will execute construction activities per current local, state, and federal laws, regulations, construction Best Management Practices (BMPs), District standards, and guidelines. Also, the proposed project would support the existing campus and operation of the proposed project will be similar to the existing uses of at the Clara Barton ES campus.

The proposed project will require the removal of three trees on-site: two Camphor Trees (*Cinnamomum camphora*), and one Crape Myrtles (*Lagerstroemia indica*) (See tree numbers 4, 10 and 11 in Appendix A, *Tree Identification*). None of the thirteen trees, including the three trees that would be removed, are not special-status species within the State and Federally Listed Endangered, Threatened, and Rare Plants of California list, or the Special Vascular Plants, Bryophytes, and Lichens List (CDFW 2024a; 2024b). Therefore, the proposed project will not result in impacts to special-status species.

Nesting birds are protected by the Migratory Bird Treaty Act (MBTA), which governs the taking, killing, possession, transportation, and importation of migratory birds, their eggs, parts, and nests (US Code, Title 16, Sections 703–712). The MBTA prohibits the take, possession, import, export, transport, sale, purchase, barter, or offering of these activities, except under a valid permit or as permitted in the implementing regulations. Construction of the proposed project will be required to comply with applicable local, state, and federal regulations, such as the MBTA. As part of the construction process, and as standard practice, the District will implement a preconstruction nesting bird survey if ground disturbance and tree removal activities occur during the nesting season.

- (d) Scenic Highways.** A categorical exemption shall not be used for a project which may result in damage to scenic resources, including but not limited to, trees, historic buildings, rock outcroppings or similar resources, within a highway officially designated as a state scenic highway.

There are no designated state scenic highways near Clara Barton ES. According to the California Department of Transportation (Caltrans) California Scenic Highway Mapping System, the closest officially designated state scenic highway is State Route 91, approximately 7.30 miles to the east of the project site (Caltrans 2024). Additionally, the nearest highway that is eligible for a state scenic highway designation is a segment of State Route 57 (SR-57), approximately 7.25 miles northeast of the project site. Due to the distance between the project site and these highways, the proposed project will not result in damage to scenic resources, including but not limited to, trees, historic buildings, rock outcroppings or similar resources, within a highway officially designated as a state scenic highway. Therefore, this exception does not apply to the proposed project.

- (e) Hazardous Waste Sites.** A categorical exemption shall not be used for a project located on a site which is included on any list compiled pursuant to Government Code § 65962.5.

California Government Code Section 65962.5 requires the compiling of lists of the following types of hazardous materials sites: hazardous waste facilities subject to corrective action; hazardous waste discharges for which the State Water Quality Control Board has issued certain types of orders; public drinking water wells containing detectable levels of organic contaminants; underground storage tanks with reported unauthorized releases; and solid waste disposal facilities from which hazardous waste has migrated.

Six environmental databases were searched for hazardous materials listings on the project site and within a quarter mile radius:

- » EnviroStor. Department of Toxic Substances Control (DTSC 2024a)
- » GeoTracker. State Water Resources Control Board (SWRCB 2024)
- » EJScreen. US Environmental Protection Agency (USEPA 2024a)
- » EnviroMapper. US Environmental Protection Agency (USEPA 2024b)
- » Solid Waste Information System. California Department of Resources Recycling and Recovery (CalRecycle 2024)
- » Cortese List. Department of Toxic Substances Control (DTSC 2024b)

**Table 1 Hazardous Waste Sites within 0.25 miles**

Site Address	Database	Identifier	Cleanup Status	Proximity to Site
645 S Hacienda Anaheim, CA 92804	EnviroMapper	NA2212, Asbestos, 9, PG III, RQ (CAC003000060)	Inactive (expired: 5/9/2019)	0.21 miles east
2103 W Nlove Avenue Anaheim, CA 92804	EnviroMapper	N/A (CAC003020649)	Inactive (expired: 9/19/2019)	0.21 miles west
2020 W Orange Anaheim, CA 92804	EnviroMapper	1. NA2212, Asbestos, 9, PG III, RQ(CAC00299080)	Inactive (expired: 2/27/2019)	0.22 miles north

Source: SWRCB 2024, USEPA 2024b

No active hazardous materials sites are identified at on the project site nor on the Clara Barton ES campus. A total of three hazardous waste sites were identified within 0.25 miles of Clara Barton ES and project site (see Table 1, *Hazardous Waste Sites within 0.25 miles*). All of the sites are considered "Inactive" or "Expired," and therefore do not have the potential to impact the project site. The project site nor any other hazardous materials site were identified as an active hazardous waste site in the six databases. The project site has not been identified as a hazardous materials site pursuant to Government Code Section 65962.5, and therefore, the proposed project at Clara Barton ES campus will not create a hazard to the public. This exception does not apply to the proposed project.

- (f) **Historical Resources.** A categorical exemption shall not be used for a project which may cause a substantial adverse change in the significance of historical resources. Under Public Resource Code § 21084.1, a historical resource is a resource listed in or determined to be eligible for listing in the California Register of Historical Resources. Additionally, historical resources included in a local register of historical resources are presumed to be historically or culturally significant, and a lead agency can determine whether the resource may be an historical resource.

Clara Barton ES is not listed on the National Register of Historic Places, a California Historical Landmark, California Point of Historical Interest nor is a listed historic resource within a 0.25-mile radius of the project site (NPS 2024; OHP 2024a). The nearest historic resource is the Phillip Ackley Stanton House approximately 1.85 miles north of the project site (OHP 2024b). Additionally, based on the City of Anaheim Historic Structures Mapper, the campus, including the project site, is not listed as historic resources or potential historic resources by the City (Anaheim 2025b). No historical resources have been identified on-site during preparation of this Notice of Exemption, and the historical sites exception will not apply to the proposed project.

## 5. CONCLUSION

The proposed project at the Clara Barton ES is exempt from CEQA review pursuant to CEQA Guidelines Section 15301, Section 15302, Section 15303 and Section 15314. As substantiated in this document, the proposed project will not meet the conditions specified in § 15300.2, Exceptions, of the CEQA Guidelines, and the proposed project is categorically exempt under Class 1, Class 2, Class 3, and Class 14.

## 6. REFERENCES

- Anaheim, City of. 2024a, October 26 (accessed). Zoning Map . [https://data-anaheim.opendata.arcgis.com/datasets/cdccbb378b044230882d629bad8373b8\\_2/explore?location=33.827874%2C-117.919456%2C17.81](https://data-anaheim.opendata.arcgis.com/datasets/cdccbb378b044230882d629bad8373b8_2/explore?location=33.827874%2C-117.919456%2C17.81)
- \_\_\_\_\_. 2024b, October 26 (accessed). General Plan Land Use Map. <https://data-anaheim.opendata.arcgis.com/datasets/anaheim::general-plan-land-use/explore?location=33.828700%2C-117.919566%2C17.63>
- \_\_\_\_\_. 2025a, January 8 (accessed). Property Info. <https://gis.anaheim.net/portal/apps/experiencebuilder/experience/?id=d4deefb190eb407dacf7f84680c8ea21>.
- \_\_\_\_\_. 2025b, January 8 (accessed). Historic Properties in Anaheim. <https://data-anaheim.opendata.arcgis.com/datasets/52297656fc41442aac0679bcd2f37a88/explore?location=33.828981%2C-117.917993%2C17.59>.
- Anaheim Elementary Unified School District (AESD). 2021, March. Long-Range Facility Master Plan Update. <https://drive.google.com/file/d/1eHcTMFXMYVu2Fkxc4DmXlmE5acumm8Qr/view>
- California Department of Resources Recycling and Recovery (CalRecycle). 2024, November 13 (accessed). SWIS Facility/Site Search. <https://www2.calrecycle.ca.gov/SolidWaste/Site/Search>
- California Department of Education (CDE). 2024, November 13 (accessed). 2024 Enrollment – Clara Barton Elementary. <https://www.caschooldashboard.org/reports/30664236027288/2024>
- California Department of Fish and Wildlife (CDFW). 2024a, December 17 (accessed). State and Federally Listed Endangered, Threatened, and Rare Plants of California. <https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=109390&inline>.
- \_\_\_\_\_. 2024b, December 17 (accessed). Special Vascular Plants, Bryophytes, and Lichens List. <https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=109383&inline>
- California Department of Transportation (Caltrans). 2024, November 13 (accessed). California Highway System. <https://caltrans.maps.arcgis.com/apps/webappviewer/index.html?id=465dfd3d807c46cc8e8057116f1aaca>
- Department of Toxic Substances Control. 2024a, November 13 (accessed). EnviroStor. <https://www.envirostor.dtsc.ca.gov/public/map/>
- \_\_\_\_\_. 2024b, November 13 (accessed). Hazardous Waste and Substances Site List - Cortese. [https://www.envirostor.dtsc.ca.gov/public/search?cmd=search&reporttype=CORTESE&site\\_type=CSITES,FUDS&status=ACT,BKLG,COM&reporttitle=HAZARDOUS+WASTE+AND+SUBSTANCES+SITE+LIST+%28CORTESE%29](https://www.envirostor.dtsc.ca.gov/public/search?cmd=search&reporttype=CORTESE&site_type=CSITES,FUDS&status=ACT,BKLG,COM&reporttitle=HAZARDOUS+WASTE+AND+SUBSTANCES+SITE+LIST+%28CORTESE%29)
- National Park Service (NPS). 2024, November 13 (accessed). National Register of Historic Places. <https://www.nps.gov/maps/full.html?mapId=7ad17cc9-b808-4ff8-a2f9-a99909164466>
- Office of Historic Preservation (OHP). 2024, November 13 (accessed). California Historical Resources. <https://ohp.parks.ca.gov/ListedResources/?view=county&criteria=19>



State of California - Department of Fish and Wildlife  
**2025 ENVIRONMENTAL DOCUMENT FILING FEE**  
**CASH RECEIPT**  
 DFW 753.5a (REV. 01/01/25) Previously DFG 753.5a

**Print**      **StartOver**      **Save**

RECEIPT NUMBER:  
 30-03/14/2025-0144  
 STATE CLEARINGHOUSE NUMBER (If applicable)

**SEE INSTRUCTIONS ON REVERSE. TYPE OR PRINT CLEARLY.**

LEAD AGENCY ANAHEIM ELEMENTARY SCHOOL DISTRICT	LEAD AGENCY EMAIL	DATE 03/14/2025
COUNTY/STATE AGENCY OF FILING ORANGE COUNTY	DOCUMENT NUMBER 202585000192	

PROJECT TITLE  
  
 CLARA BARTON ELEMENTARY SCHOOL MULTI-PURPOSE ROOM BUILDING PROJECT

PROJECT APPLICANT NAME ANAHEIM ELEMENTARY SCHOOL DISTRICT	PROJECT APPLICANT EMAIL	PHONE NUMBER (714) 517-7549
PROJECT APPLICANT ADDRESS 1001 S. EAST ST.	CITY ANAHEIM	STATE CA
		ZIP CODE 92805

**PROJECT APPLICANT** (Check appropriate box)

Local Public Agency       School District       Other Special District       State Agency       Private Entity

**CHECK APPLICABLE FEES:**

- Environmental Impact Report (EIR)      \$ 4,123.50 \$ \_\_\_\_\_
- Mitigated/Negative Declaration (MND)(ND)      \$ 2,968.75 \$ \_\_\_\_\_
- Certified Regulatory Program (CRP) document - payment due directly to CDFW      \$ 1,401.75 \$ \_\_\_\_\_

- Exempt from fee
  - Notice of Exemption (attach)
  - CDFW No Effect Determination (attach)
- Fee previously paid (attach previously issued cash receipt copy)

- Water Right Application or Petition Fee (State Water Resources Control Board only)      \$ 850.00 \$ \_\_\_\_\_
- County documentary handling fee      \$ 50.00 \$ \_\_\_\_\_
- Other      \$ \_\_\_\_\_

**PAYMENT METHOD:**

- Cash     Credit     Check     Other      **TOTAL RECEIVED**    \$ \_\_\_\_\_ **0.00**

SIGNATURE  X	AGENCY OF FILING PRINTED NAME AND TITLE  Kalci Do Deputy Clerk
--------------------	--