



Yana Garcia
Secretary for
Environmental Protection



Department of Toxic Substances Control

Katherine M. Butler, MPH, Director
8800 Cal Center Drive
Sacramento, California 95826-3200
dtsc.ca.gov



Gavin Newsom
Governor

SENT VIA ELECTRONIC MAIL

April 4, 2025

Erica DiCioccio
Facilities Planning Coordinator
Newport-Mesa Unified School District
2985 Bear Street, Building E
Costa Mesa, CA 92626
Edicioccio@nmusd.us

RE: MITIGATED NEGATIVE DECLARATION FOR THE COSTA MESA HIGH SCHOOL STADIUM EXPANSION PROJECT DATED MARCH 27, 2025, STATE CLEARINGHOUSE NUMBER [2025031277](#)

Dear Erica DiCioccio,

The Department of Toxic Substances Control (DTSC) received a Mitigated Negative Declaration (MND) for the Costa Mesa High School Stadium Expansion Project (Project). The proposed Project would include construction of a new building, expanding two existing buildings, installing new permanent home and visitor bleachers, track improvements, various improvements to the existing tennis courts on campus, a new fire lane, and landscaping. After reviewing the Project, DTSC recommends and requests consideration of the following comments:

1. If the district plans to use California Department of Education (CDE) State funds for the project, then the district shall comply with the requirements of Education Code (EDC), [§17210](#), [§17213.1](#), and [§17213.2](#), unless otherwise specifically exempted under section [§17268](#). If the district is not using CDE State funds for the project, or is otherwise specifically exempt under section [§17268](#), DTSC recommends the district continue to investigate, clean up the Site under the oversight of Orange County and in concurrence with all

applicable DTSC guidance documents, if necessary. For more information on the CDE State funding, please visit the [Office of Public-School Construction](#) webpage.

A local education agency may also voluntarily request the CDE site/plan approval for locally funded site acquisitions and new construction projects. In these cases, CDE will require DTSC to review and approve prior to its final approval, except when exempt under section 17268.

2. If buildings or other structures are to be demolished on any Project sites included in the proposed Project, surveys should be conducted for the presence of lead-based paints or products, mercury, asbestos containing materials, and polychlorinated biphenyl caulk. Removal, demolition, and disposal of any above-mentioned chemicals should be conducted in compliance with California environmental regulations and policies. In addition, sampling near current and/or former buildings should be conducted in accordance with [DTSC's Preliminary Endangerment Assessment \(PEA\) Guidance Manual](#).
3. DTSC recommends that all imported soil and fill material should be tested to assess any contaminants of concern meet screening levels as outlined in [DTSC's PEA Guidance Manual](#). Additionally, DTSC advises referencing the [DTSC Information Advisory Clean Imported Fill Material Fact Sheet](#) if importing fill is necessary. To minimize the possibility of introducing contaminated soil and fill material there should be documentation of the origins of the soil or fill material and, if applicable, sampling be conducted to ensure that the imported soil and fill material are suitable for the intended land use. The soil sampling should include analysis based on the source of the fill and knowledge of the prior land use. Additional information can be found by visiting [DTSC's Human and Ecological Risk Office \(HERO\) webpage](#).

DTSC appreciates the opportunity to comment on the MND for the Costa Mesa High School Stadium Expansion Project. If you would like to proceed with DTSC's school

Erica DiCioccio

April 4, 2025

Page 3

environmental review process, please visit [DTSC's Evaluating & Clean-up School 3-Step Process to begin a Phase I Environmental Site Assessment.](#)

Thank you for your assistance in protecting California's people and environment from the harmful effects of toxic substances. If you have any questions or would like clarification on DTSC's comments, please respond to this letter or via [CEQA Review email](#) for additional guidance.

Sincerely,

Tamara Purvis

Tamara Purvis

Associate Environmental Planner

HWMP - Permitting Division – CEQA Unit

Department of Toxic Substances Control

Tamara.Purvis@dtsc.ca.gov

cc: (via email)

Governor's Office of Land Use and Climate Innovation

State Clearinghouse

State.Clearinghouse@opr.ca.gov

Alen Estrada-Rodas

Senior Associate

PlaceWorks, Inc. / Consulting Firm

Aestradarodas@placeworks.com

Dave Kereazis

Associate Environmental Planner

HWMP-Permitting Division – CEQA Unit

Department of Toxic Substances Control

Dave.Kereazis@dtsc.ca.gov

Scott Wiley

Associate Governmental Program Analyst

HWMP - Permitting Division – CEQA Unit

Department of Toxic Substances Control

Scott.Wiley@dtsc.ca.gov