

**Notice of Exemption**

**Appendix E**

**To:** Office of Planning and Research  
 P.O. Box 3044, Room 113  
 Sacramento, CA 95812-3044  
 County Clerk  
 County of: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**From: (Public Agency):** Department of Water Resources  
715 P Street, 8th Floor  
Sacramento, CA 95814  
 \_\_\_\_\_  
 \_\_\_\_\_ (Address)

**Project Title:** Groundwater Sustainability Plan Assessment - Upper Santa Ana Valley - Riverside-Arlington Subbasin April 2025

**Project Applicant:** Western Municipal Water District GSA

**Project Location - Specific:**  
Upper Santa Ana Valley - Riverside-Arlington Subbasin

**Project Location - City:** \_\_\_\_\_ **Project Location - County:** San Bernardino, Riverside

**Description of Nature, Purpose and Beneficiaries of Project:**

The Sustainable Groundwater Management Act (SGMA), Water Code 10720 et seq., requires local groundwater sustainability agencies (GSAs) to develop and implement groundwater sustainability plans (GSPs) to meet the sustainability goal established pursuant to SGMA. (Water Code 10727) The Department of Water Resources (DWR) is required to review GSPs to evaluate whether they comply with provisions of SGMA, are likely to achieve the sustainability goal for the basin, and whether they adversely affect the ability of adjacent basins to implement their groundwater sustainability plans. (Water Code 10733) DWR is required to evaluate a GSP and issue an assessment within two years of its submission by a GSA. (Water Code 10733.4) Accordingly, DWR evaluated the Riverside-Arlington Subbasin GSP and has issued its assessment of that GSP, which determines the GSP is "incomplete," as defined in DWR's GSP Regulations (23 Cal. Code Regs. 355.2)

**Name of Public Agency Approving Project:** Department of Water Resources (but see explanation below)

**Name of Person or Agency Carrying Out Project:** Western Municipal Water District GSA

**Exempt Status: (check one):**

- Ministerial (Sec. 21080(b)(1); 15268);
- Declared Emergency (Sec. 21080(b)(3); 15269(a));
- Emergency Project (Sec. 21080(b)(4); 15269(b)(c));
- Categorical Exemption. State type and section number: Guidelines 15061 [common sense]
- Statutory Exemptions. State code number: Water Code 10728.6 (see additional reasons below)

**Reasons why project is exempt:**

CEQA does not apply to the preparation and adoption of GSPs. (Water Code § 10728.6); DWR's issuance of the assessment does not represent an "approval" or "carrying out" of a "project" under CEQA. (Public Resources Code 21065, 21080, 21081); A GSA is not prohibited from implementing its GSP prior to evaluation and assessment by DWR. (Water Code 10733.4(d)); There is no possibility that DWR's issuance of the assessment may have a significant effect on the environment. (CEQA Guidelines 15061(b)(3)); Even if CEQA applied to the issuance of the assessment or to the GSP itself, DWR believes several other exemptions likely apply to issuance of the assessment. Furthermore, DWR could not presently conduct meaningful environmental review under CEQA because it would require speculation and conjecture; however, SGMA does not exempt projects that would implement actions taken pursuant to a GSP, and DWR therefore expects GSAs will satisfy any applicable CEQA obligations when approving or carrying out projects as part of GSP implementation.

**Lead Agency**  
**Contact Person:** Paul Gosselin **Area Code/Telephone/Extension:** 916-902-6690

**If filed by applicant:**

1. Attach certified document of exemption finding.
2. Has a Notice of Exemption been filed by the public agency approving the project? Yes No

**Signature:** Paul Gosselin **Date:** 4/14/2025 **Title:** Deputy Director

Signed by Lead Agency Signed by Applicant

**Authority cited:** Sections 21083 and 21110, Public Resources Code. **Date Received for filing at OPR:** \_\_\_\_\_  
**Reference:** Sections 21108, 21152, and 21152.1, Public Resources Code.