

2 ALTERNATIVES

Since publication of the Draft Environmental Impact Report (EIR)/Environmental Impact Statement (EIS), the following substantive changes have been made to this chapter:

- Revisions were implemented throughout the chapter to reflect that due to Caltrain's closure of the Atherton Caltrain Station and removal of the center platform in 2020, the Authority no longer intends to modify the platforms at the Atherton Caltrain Station to remove the hold-out rule, which does not apply to closed stations.
- Section 2.1, Introduction, was updated to add a footnote stating that repositories that received the Final EIR/EIS for public review may have reduced open days/hours to comply with coronavirus public health and safety directives. This section was also updated to add a new appendix—Appendix 2-K, Light Maintenance Facility Site Selection Evaluation—to the list of relevant appendices.
- Section 2.4, High-Speed Rail System Infrastructure, was updated to add clarifying information regarding lighting and glare associated with high-speed rail (HSR) system infrastructure.
- Section 2.4.8, Maintenance Facilities, was updated to add additional information about the operations of the light maintenance facility (LMF).
- A footnote was added to Section 2.5.1, High-Speed Rail Project-Level Alternatives Development Process, clarifying the Council on Environmental Quality (CEQ) regulations applicable to this environmental document.
- Section 2.5.2.1, Initial Tier 2 Planning for Four-Track System (2009–2011), was revised to add additional information about the California High-Speed Rail Authority's (Authority) consideration of a covered trench/tunnel structure at the Millbrae Station as part of the *Preliminary Alternatives Analysis Report for the San Francisco to San Jose Section (PAA)* (Authority and Federal Railroad Administration [FRA] 2010a). In addition, information about the Authority's reevaluation of 11 LMF sites in 2020 was moved from Section 2.5.2.1 to Section 2.5.2.3, Tier 2 Planning for Predominantly Two-Track Blended System (2013–2019).
- Section 2.6.1, No Project Alternative—Planned Improvements, was updated to reflect changes to the status of various projects and plans, to revise the description of Caltrain's Peninsula Corridor Electrification Project (PCEP), to clarify the limits of the Downtown Rail Extension (DTX) project, to reflect that the Google campus is 85 acres within the 250-acre Diridon Station Area Plan area, to reflect that the Stockton Avenue seven-story development is under construction and nearly completed, and to clarify anticipated future freight levels and capacity on the Caltrain corridor.
- Section 2.6.2.4, Alternative A, was revised to clarify the San Francisco to San Jose Project Section (Project Section, or project) design at Visitacion Creek, to remove the discussion of the roadway extension connecting Valley Drive to Old County Road, to reflect the updated design for the Bayshore Caltrain Station, to incorporate information about the Diridon Design Variant (DDV), and to clarify replacement parking locations at the San Jose Diridon Station. Figure 2-32 was updated to reflect the revised project footprint and modifications to the Bayshore Caltrain Station since publication of the Draft EIR/EIS. Figure 2-41 was updated to show the San Jose Diridon Station design to match the November 2021 engineering drawings in Volume 3, Preliminary Engineering Plans.
- Section 2.6.2.4 was revised to incorporate a description and figures (Figures 2-37 and 2-38) of the Millbrae Station Reduced Site Plan Design Variant.
- Section 2.6.2.5, Alternative B, was revised to remove the discussion of the roadway extension connecting Valley Drive to Old County Road, to incorporate information about the DDV, and to clarify replacement parking locations at the San Jose Diridon Station. Figure 2-43 was updated to reflect the revised project footprint since publication of the Draft EIR/EIS.

- Section 2.7.1, Travel Demand and Ridership Forecasts, was revised to provide the current status of the Authority's 2020 Business Plan and to summarize the latest ridership forecasts.
- Section 2.7.4, Ridership and Station Area Parking, was revised to correct statements regarding the Authority's approach to establishing the amount of station parking for the purposes of the EIR/EIS.
- Table 2-20 was updated to reflect the acreage of temporary construction easements (TCE) and permanent right-of-way acquisitions required for the project, reflecting updated project footprints.
- Section 2.9.3, High-Speed Rail Development within the San Francisco Bay Conservation and Development Commission Jurisdictional Areas, was revised to clarify the San Francisco Bay Conservation and Development Commission (BCDC) jurisdiction. Figure 2-50 was also revised to reflect the updated project footprints in relation to BCDC jurisdictional areas.
- A footnote was added to Table 2-24 to clarify the duration required for installation of the four-quadrant gates at at-grade crossings.
- Section 2.10.3.4, Brisbane Light Maintenance Facility, was revised to provide additional information or refined information (see Table 2-25) about construction activities and assumptions for the Brisbane LMF, including earthwork volumes, truck trips, and material disposal.
- Section 2.11, Permits, was revised to clarify that local permits may include but are not limited to major encroachment permits, grading and drainage permits, and major improvement permits. In addition, Table 2-26 was revised to remove several federal and state agencies that are not anticipated to provide major environmental permits and approvals, and to add the State Lands Commission, Peninsula Corridor Joint Powers Board (PCJPB), and Bay Area Rapid Transit (BART) as agencies that may require permits or approvals.

2.1 Introduction

This chapter describes the two action alternatives for the project and the No Project Alternative that the Authority is considering in this Final EIR/EIS. The chapter addresses the following topics:

- The background and development of the California HSR System and the Project Section
- A general description of blended system and dedicated HSR system infrastructure
- Potential alternatives considered during the alternatives screening process and not carried forward for full evaluation in this Final EIR/EIS
- The No Project Alternative and the project alternatives
- Travel demand and ridership forecasts
- Operations and service plan
- Construction plan
- Permits and approvals required

More detailed information on characteristics of the project is provided in the following appendices in Volume 2, Technical Appendices:

- Appendix 2-A, Roadway Crossings, Modifications, and Closures
- Appendix 2-B, Railroad Crossings
- Appendix 2-C, Operations and Service Plan Summary
- Appendix 2-D, Applicable Design Standards
- Appendix 2-E, Project Impact Avoidance and Minimization Features
- Appendix 2-F, Summary of Requirements for Operations and Maintenance Facilities
- Appendix 2-G, Emergency and Safety Plans

- Appendix 2-H, Constructability Assessment Report
- Appendix 2-I, Regional and Local Plans and Policies
- Appendix 2-J, Policy Consistency Analysis
- Appendix 2-K, Light Maintenance Facility Site Selection Evaluation

The two project alternatives discussed in this chapter are consistent with and build from the train technology, alignment corridor, and station locations selected by the Authority and FRA at the conclusion of the Tier 1 EIR/EIS processes for the HSR system (see Section 1.1.2, The Decision to Develop a Statewide High-Speed Rail System). The alternatives are the result of the Authority’s consideration of an array of potential alternatives, with the benefit of public, stakeholder, and agency input. The design drawings that support the descriptions of the alternatives are provided in Volume 3 of this Final EIR/EIS. Figure 2-1 illustrates the alternatives considered in this Final EIR/EIS. These alternatives are designed to a preliminary level of engineering sufficient to identify and analyze potential environmental impacts. Alternative A is the California Environmental Quality Act (CEQA) Proposed Project pursuant to CEQA Guidelines Section 15124 and the National Environmental Policy Act (NEPA) Preferred Alternative.

The Project Section would provide HSR service between stations in San Francisco, Millbrae, and San Jose as part of Phase 1 of the HSR system. The Project Section includes approximately 43 to 49 miles of blended system infrastructure (depending on the alternative and viaduct option), with Caltrain and HSR service sharing tracks; 0 to 6 miles of dedicated HSR infrastructure (depending on the alternative and viaduct option); stations at 4th and King Street,¹ Millbrae, and San Jose Diridon; an LMF in Brisbane; and an additional passing track option. Two project alternatives—Alternative A and Alternative B—are evaluated.

The project alternatives are divided into the following geographic subsections: San Francisco to South San Francisco, San Bruno to San Mateo, San Mateo to Palo Alto, Mountain View to Santa Clara, and San Jose Diridon Station Approach (Figure 2-1). The San Jose Diridon Station Approach Subsection was fully analyzed as part of the San Jose to Merced Project Section Final EIR/EIS and corresponding technical reports. The analysis of this subsection has been incorporated into this Final EIR/EIS to support a station-to-station analysis with logical termini for the San Francisco to San Jose Project Section. However, the decision on selection of alternatives between Scott Boulevard in Santa Clara and West Alma Avenue in San Jose is proposed to occur as part of the environmental approvals process for the San Jose to Merced Project Section.

San Francisco to San Jose Project Section Subsections

- **San Francisco to South San Francisco**—10 miles from 4th and King Street Station in San Francisco to Linden Avenue in South San Francisco
 - **San Bruno to San Mateo**—8 miles from Linden Avenue in South San Francisco to Ninth Avenue in San Mateo
 - **San Mateo to Palo Alto**—16 miles from Ninth Avenue in San Mateo to San Antonio Road in Palo Alto
 - **Mountain View to Santa Clara**—9 miles from San Antonio Road in Palo Alto to Scott Boulevard in Santa Clara
 - **San Jose Diridon Station Approach**—6 miles from Scott Boulevard in Santa Clara to West Alma Avenue in San Jose
-

¹ The 4th and King Street Station would serve as an interim HSR station until completion of the proposed Downtown Rail Extension (DTX) project. The DTX would extend the electrified peninsula rail corridor in San Francisco from Mariposa Street (south of the 4th and King Street Station) to the Salesforce Transit Center (SFTC). HSR would utilize the track built for the DTX to reach the SFTC. Environmental impacts of the DTX and SFTC projects were reviewed pursuant to NEPA and CEQA in the *Transbay Terminal/Caltrain Downtown Extension/Redevelopment Project Final Environmental Impact Statement/Environmental Impact Report* (USDOT et al. 2004). Caltrain intends to use the new underground 4th and Townsend Street Station as well as continue to use the existing 4th and King Street Station once the DTX is completed.



Sources: Authority 2019a, 2019b

NOVEMBER 2019

Figure 2-1 Proposed San Francisco to San Jose Project Section

This Final EIR/EIS analyzes the environmental impacts—direct, indirect, and cumulative—of implementing the Project Section and mitigation measures to reduce significant impacts. Visit the Authority website (www.hsr.ca.gov) to view and download the Final EIR/EIS. You may also request a copy of the Final EIR/EIS by calling (800) 435-8670. Printed and/or electronic copies of the Final EIR/EIS will be available at the following libraries, during hours the facilities are open: San Francisco, Brisbane, South San Francisco, San Bruno, Millbrae, Burlingame, San Mateo, Belmont, San Carlos, Redwood City, Atherton, Menlo Park, Palo Alto, Mountain View, Sunnyvale, Santa Clara, and San Jose.² Printed and/or electronic copies of the Final EIR/EIS are also available for review during business hours at the Authority’s Northern California Regional Office at 100 Paseo de San Antonio, Suite 300, San Jose, CA 95113 and the Authority’s Headquarters at 770 L Street, Suite 620 MS-1, Sacramento, CA 95814. The following documents are also available on request via the Authority’s website (www.hsr.ca.gov) or by calling (800) 435-8670: alternative analyses preceding preparation of the Final EIR/EIS; materials prepared for coordination with the U.S. Army Corps of Engineers (USACE) and U.S. Environmental Protection Agency (USEPA) in compliance with Clean Water Act (CWA) Section 404(b)(1) requirements; and technical reports developed for the environmental analyses presented in Chapter 3, Affected Environment, Environmental Consequences, and Mitigation Measures.

Portions of the Project Section with blended Caltrain and HSR operations would be implemented on facilities owned by the PCJPB.³ While the alternative descriptions have been developed based on planning assumptions and preliminary engineering conducted by the Authority for the purposes of environmental analysis, the ultimate implementation of the project (both physical infrastructure and service operations) on PCJPB-owned facilities would be subject to further joint blended system planning and agreement with PCJPB as governed through existing and future interagency agreements. The ongoing multi-agency Diridon Integrated Station Concept planning process is a separate planning process and decisions about future changes to the San Jose Diridon Station and the surrounding PCJPB-owned rail infrastructure and corridor are the subject of multiple planning and agreement processes that are proceeding independently from this environmental process.

2.2 Independent Utility

As discussed in Chapter 1, Project Purpose, Need, and Objectives, the Authority and FRA divided the HSR system originally established with Tier 1 decisions into individual project sections for Tier 2 planning, environmental review, and decision making (see Figure 1-2). The FRA considers three criteria when determining the scope of a project to be considered in an EIS: (1) whether it connects “logical termini” and has “sufficient length to address environmental matters on a broad scope”; (2) whether it has “independent utility or independent significance,” meaning it would “be usable and be a reasonable expenditure even if no additional transportation improvements in the area are made”; and (3) whether it would “restrict consideration of alternatives for other reasonably foreseeable transportation improvements” (23 Code of Federal Regulations [C.F.R.] § 771.111(f)).⁴ The Federal Highway Administration (FHWA) defines *logical termini* as the rational starting and ending points for a transportation improvement project and for

² The COVID-19 pandemic resulted in widespread closure of government and public facilities, including local libraries the Authority identified as repositories where the public would have the opportunity to review the Draft EIR/EIS, Revised/Supplemental Draft EIR/EIS, and Final EIR/EIS. These facilities received the Final EIR/EIS for public review; however, open days/hours may be reduced for compliance with coronavirus public health and safety directives.

³ PCJPB is the owner and managing authority for the Peninsula Corridor.

⁴ While these regulations do not apply to this project because it was initiated prior to November 28, 2018 (the effective date of the regulations (23 C.F.R. § 771.109(a)(4))), these criteria were used to determine the scope of the Project Section.

review of the environmental impacts of the project (FHWA 1993).⁵ The Project Section connects logical termini at planned passenger stations in San Francisco and San Jose where HSR service could be provided. If other project sections of the HSR system are not completed, the infrastructure could be used by regional and intercity services to improve their capacity, reliability, and performance (Leavitt 2009).

2.3 Background

This Project Section would be a critical link in the Phase 1 HSR system connecting the San Francisco Bay Area (Bay Area) to Los Angeles and Anaheim. The Authority relied on program EIR/EIS documents (see Section 1.1.2) to select the alternatives for further study between the Bay Area and the Central Valley. The project-level environmental review process and alternatives considered in this document are consistent with the decisions made during the Tier 1 review process and are discussed further in Section 2.5, Alternatives Considered during Alternatives Screening Process.

2.4 High-Speed Rail System Infrastructure

General information about the performance criteria, infrastructure components and systems, and function of the Project Section, which is predominantly a blended system, is provided in Section 2.4.1, System Design Performance, Safety and Security, through Section 2.4.8. The limited amount of dedicated HSR infrastructure, which would be part of the project under Alternative B, is described in Section 2.4.9, Dedicated High-Speed Rail Infrastructure. Detailed information on the project alternatives, including modifications to the existing rail system and stations, an LMF, signaling and train-control elements, and safety and security modifications, is provided in Section 2.6, Alignments, Station Sites, and Maintenance Facilities Evaluated in this Final EIR/EIS.

What does “blended” mean?

Blended refers to operating the HSR trains with existing intercity and commuter and regional rail trains on common infrastructure (blended operations).

The project’s alignment, design options, and operational facilities, such as the LMF, are presented in this Final EIR/EIS geographically from 4th and King Street Station in San Francisco to West Alma Avenue south of the San Jose Diridon Station in San Jose. The Preliminary Engineering Plans design drawings—showing track alignments, vertical profiles, typical sections, construction use areas, and other preliminary design information—are provided in Volume 3 of this Final EIR/EIS, which is available on the Authority’s website (www.hsr.ca.gov). You may also request a copy of the Final EIR/EIS, which includes Volume 3, by calling (800) 435-8670. Printed and/or electronic copies of Volume 3 are also available for review, at the repository locations, the Authority’s Northern California Regional Office at 100 Paseo de San Antonio, Suite 300, San Jose, CA 95113, and the Authority’s Headquarters at 770 L Street, Suite 620 MS-1, Sacramento, CA 95814, during hours the facilities are open.

The project would operate on a predominantly two-track system primarily within the existing Caltrain right-of-way, utilizing existing and in-progress infrastructure improvements developed by Caltrain for its Caltrain Modernization Program, including electrification of the Caltrain corridor between San Francisco and San Jose as part of the PCEP. Operation of the blended system would require additional infrastructure improvements and project elements beyond the Caltrain Modernization Program to accommodate HSR service, which are described in detail in Section 2.6.2, High-Speed Rail Alternatives for the San Francisco to San Jose Project Section.

⁵ The criteria for determining project scope, as established in 23 C.F.R. Section 771.111(f), do not specifically address the scope of individual projects considered in the second tier of a tiered NEPA process. With the tiered NEPA process, the same general principles apply, but they are applied in the context of the decisions made in Tier 1—in this case, the decision to build the HSR system as a whole. Therefore, in determining the scope of individual project sections for Tier 2 studies, the Authority and FRA focused primarily on determining whether each project section could serve a useful transportation purpose on its own such that a decision in one project section does not limit consideration of reasonable alternatives for completing the HSR system in an adjacent project section for which the NEPA process has not yet been completed.

In the blended portions of the system, HSR and Caltrain would operate at speeds of up to 110 miles per hour (mph) and would have a coordinated schedule to allow both services to efficiently serve their respective stations. HSR trains would be able to pass Caltrain trains in existing four-track segments, at the Millbrae Station under both project alternatives, and along a new passing track under Alternative B.

Limited freight service (approximately three round trips per day) operates between San Francisco and San Jose using the same tracks as Caltrain; this service would continue to operate with PCEP and with HSR using the same tracks as Caltrain and HSR.

The blended system includes HSR trains, station and platform modifications to accommodate HSR trains passing through or stopping at existing stations; track modifications to support higher speeds while maintaining passenger comfort; modifications to the overhead contact system (OCS) (a series of wires strung above the tracks on poles); and potential equipment upgrades at traction power facilities (TPF) installed by Caltrain as part of the PCEP. The project would include safety improvements at existing at-grade roadway crossings and Caltrain stations and platforms, as well as security modifications such as installing perimeter fencing along the right-of-way. The project would also build an LMF to accommodate planned operational needs for high-capacity rail movement and install communication radio towers at approximately 2.5-mile intervals. Additional passing tracks would be provided under Alternative B.

2.4.1 System Design Performance, Safety, and Security

The blended system has been designed as a partially grade-separated, limited access guideway for optimal performance in conformance with industry standards and federal and state safety regulations (Table 2-1). Speeds in the blended portions of the alternatives would be up to 110 mph. At-grade roadway crossings would be controlled by four-quadrant gates and roadway channelization. Continuous fencing would deter access to the right-of-way outside of station platforms and at-grade roadway crossings.

Table 2-1 Blended System Rail Performance Criteria

Category	Criteria
System design criteria	<ul style="list-style-type: none"> ▪ Electric propulsion system ▪ Partially grade-separated guideway ▪ Limited-access guideway ▪ Track geometry to maintain passenger comfort criteria
System capabilities	<ul style="list-style-type: none"> ▪ Designed to achieve maximum nonstop service times of 30 minutes between San Francisco and San Jose ▪ All-weather/all-season operation ▪ Capable of sustained vertical gradient of 2.5% without considerable degradation in performance ▪ Capable of operating parcel and special freight service as a secondary use ▪ Capable of safe, comfortable, and efficient operation at speeds of up to 110 miles per hour ▪ Capable of maintaining operations at 3-minute headways ▪ Equipped with high-capacity and redundant communications systems capable of supporting fully automatic train control
System capacity	<ul style="list-style-type: none"> ▪ Mixed track configuration ▪ Capable of accommodating a wide range of passenger demand (up to 20,000 passengers per hour per direction) ▪ Capable of accommodating normal maintenance activities without disruption to daily operations
Level of service	<ul style="list-style-type: none"> ▪ Capable of accommodating a range of service types (express, semi-express/limited stop, and local)

The ends of the HSR trainsets (train cars) would include a collision response management system to minimize the impacts of a collision. All aspects of the HSR system would conform to the latest federal requirements regarding transportation security. The HSR trainsets would be pressure-sealed to maintain passenger comfort regardless of aerodynamic change, much like an airplane body. Additional information regarding system safety and security is provided in Section 3.11, Safety and Security.

HSR operations would follow safety and security plans developed by the Authority in cooperation with FRA that include the following:

- A safety and security management plan (Authority 2016a), including a safety and security certification program, has been developed to address safety, security, and emergency response as they relate to the day-to-day operation of the system.
- A threat and vulnerability assessment for security, a preliminary hazard analysis, and a vehicle hazard analysis produced comprehensive design criteria for safety and security requirements mandated by local, state, and federal regulations and industry best practices.
- A fire and life safety and security program (Authority 2012a) has been developed, and a system security plan is in development. Under federal and state guidelines and criteria, the fire and life safety plan would address the safety of passengers and employees as it relates to emergency response. The system security plan would address HSR design features intended to maintain security at stations, within the trackwork right-of-way, and onboard trains.

Design criteria address FRA safety standards and requirements as well as a possible Petition for Rule of Particular Applicability that addresses specifications for key design elements for the system. The FRA is currently developing safety requirements for HSR systems for use in the United States. The FRA would require that the HSR safety regulations be met prior to revenue service operations.

2.4.2 Vehicles

Although the exact vehicle type has not yet been selected, the environmental analyses considered the impacts associated with HSR vehicles produced in the world that meet the Authority's safety and operational criteria. All HSR systems in operation today use electric propulsion with power supplied by an OCS. These systems include, among many others, the Train à Grande Vitesse in France, the Shinkansen in Japan and Taiwan, and the InterCity Express in Germany. Figure 2-2 and Figure 2-3 illustrate examples of typical HSR trains.



Source: Authority and FRA 2017a

Figure 2-2 Example of an At-Grade Profile Showing Overhead Contact System and Vertical Arms of the Pantograph Power Pickups



Source: Authority and FRA 2017a

Figure 2-3 Examples of Japanese Shinkansen High-Speed Trains

The Authority is considering an electric multiple unit (EMU) concept, in which several train cars (including both end cars) would contain traction motors, rather than a locomotive-hauled train (i.e., one engine in the front and one in the rear). Each train car would have an active suspension, and each powered car would have an independent regenerative braking system (which returns power to the power system). The body would be made of strong but lightweight materials and would have an aerodynamic shape to minimize air resistance, much like a curved airplane body.

A typical train would be 9 to 11 feet wide, consisting of two approximately 660-foot-long trainsets (each comprised of eight cars). A train with two trainsets (i.e., 16 cars) would seat up to 1,000 passengers. Power would be distributed to each train car via the OCS through a pair of pantographs extending like antennae above the train (Figure 2-2). Each trainset would have a train control system that could be independently monitored with override control, while also communicating with the systemwide operations control center. Phase 1 HSR service is expected to need up to 78 trainsets in 2040, depending on the HSR fares charged and ridership levels (Authority and FRA 2017a). Vehicle lighting would comply with applicable rail safety, security, and operational requirements.

Trainset windows would be provided with tinted glazing. All windows in the passenger seating areas would be equipped with passenger-operated blinds or side curtains to provide protection against the glare of the sun. The trainset exterior would be painted in accordance with the color schemes developed by the contractor and approved by the Authority. The exterior of the trainset would be coated with a gloss finish. The coating systems would be selected based on its ultraviolet damage stability, its ability to withstand deterioration due to abrasion of particulates while operating at high speeds, weather, and its ability to be cleaned. For trainset exterior lighting, two white headlights (also known as headlamps), each producing a peak intensity of no less than 200,000 candelas,⁶ would be provided at the front end of each cab vehicle. Two white auxiliary lights, each producing a peak intensity of no less than 200,000 candelas, would be provided at the front end of each cab vehicle to form the points of a triangle with the headlights. The auxiliary lights would be arranged to burn steadily or flash. The flashing feature would be activated automatically but would also accommodate manual activation and deactivation by the operator.

2.4.3 Stations

Stations would be sized for projected HSR ridership and designed to provide flexibility to accommodate future growth. Station facilities would include public and nonpublic areas, station site improvements to facilitate intermodal connectivity and station accessibility, and ancillary facilities. For existing stations modified for HSR service, public areas and station site improvements would be shared with other rail operators serving the station.

⁶ Candela is the base unit of luminous intensity in the International System of Units; that is, luminous power per unit solid angle emitted by a point light source in a particular direction.

The station design is developed at a conceptual level—Preliminary Engineering for Project Definition—for project-level environmental analysis and documentation and is sufficient for disclosing the environmental impacts of building and operating a station. Figure 2-4 illustrates an example of station components from an existing overseas system and the Anaheim Regional Transportation Center.⁷ The functional station is a basic design that could be more elaborate with cooperation from the local jurisdiction; accordingly, each actual station has the potential to be an iconic building that would enhance the identity of the city and the surrounding downtown environment in which it is located. Final station design would involve Authority collaboration with rail operators, local stakeholders, and land partners to complement transit-oriented and other station-supportive development.



Source: Volume 2, Appendix 2-H


Figure 2-4 Examples of Existing Stations

Preliminary station planning and design are based on Chapter 14, Stations, of the *Design Criteria Manual* (Authority 2016b) and principles from the Authority's *HST Station Area Development: General Principles and Guidelines* (Authority 2011a). Stations would be designed in accordance with Americans with Disabilities Act accessibility guidelines. The project would modify three existing stations as part of the blended system, rather than build new stations. HSR trains would stop at the 4th and King Street Station in San Francisco (which would serve as an interim station until completion of the DTX), the Millbrae BART/Caltrain intermodal station, and the San Jose Diridon Station, requiring the reconfiguration of platforms and the accommodation of passenger services at these stations, as described in detail in Section 2.6.2.

2.4.3.1 Station Platforms and Trackway (Station Box)


Stations would provide a sheltered area and platforms for passenger waiting as well as circulation elements (e.g., stairs, elevators, escalators). In the Project Section, station platforms and trackways vary among the 4th and King Street Station, Millbrae Station, and San Jose Diridon Station (see specific descriptions later in this chapter). Figure 2-5 and Figure 2-6 illustrate cross sections of two- and four-train station platforms. The two-train station platform illustration is representative of the platform configuration that would occur under Alternative B at the existing Hayward Park, Belmont, and San Carlos Stations, while the four-train station platform illustration is representative of the platform configuration that would occur under Alternative B at the existing Hillsdale Station.

⁷ The Anaheim Regional Transportation Center would serve as the HSR station in Anaheim.



Source: Authority 2010

Figure 2-5 Two-Train Station Platform Cross Section



Source: Authority 2010

Figure 2-6 Four-Train Station Platform Cross Section

2.4.3.2 Station Facilities Building

Station public areas typically include entry plazas and building entrances; ticketing; wayfinding/signage; publicly accessible restrooms; concessionaire-provided amenities such as food service, rental car counters, and retail; vertical circulation; concourse or mezzanine areas with passenger waiting areas; fare gates; controlled paid areas; and platforms. Pedestrian over-track bridges and under-track passageways enable public access across the rail right-of-way at stations. Nonpublic station areas include administrative, maintenance, operations, safety/security, loading, and back-of-house circulation areas. Stations and station sites including parking facilities, roadways, and walkways would have interior and exterior lighting. Fixed lighting

sources at HSR stations would be designed to direct lighting downward, minimizing light spillover. Flood lighting of public HSR station facilities would be generally limited to hours of HSR operation at the station, but may be required for maintenance during off hours. Continuous lighting may be provided at emergency access and egress points and for security.


Station site improvements provide safe and efficient access for pedestrians, bicycles, transit, and vehicles to and from the station. Pick-up and drop-off zones offer direct and convenient access for taxis, ride hailing/sharing services, shuttles, transit, and private and commercial vehicles. Parking supply estimates are based on projected parking demand and local conditions. Station site plans are configured to support transit-oriented development (TOD). Ancillary facilities are unoccupied back-of-house spaces required for station operations and maintenance (O&M), including normal, back-up, and emergency power systems.

2.4.4 Infrastructure Components

The blended system from 4th and King Street Station in San Francisco to West Alma Avenue in San Jose (Alternative A), to Interstate (I-) 880 (Alternative B [Viaduct to I-880]), or to Scott Boulevard in Santa Clara (Alternative B [Viaduct to Scott Boulevard]) would consist of predominantly two-track ballasted track of varying profiles. Low, near-the-ground tracks would be at grade, higher tracks would be elevated on embankment (earthen fill graded to a slope on either side or supported by retaining walls) and structure (viaduct), and below-grade tracks would extend through four existing short tunnels in San Francisco. The dedicated HSR system from I-880 (Alternative B [Viaduct to I-880]) or Scott Boulevard (Alternative B [Viaduct to Scott Boulevard]) to West Alma Avenue would be on viaduct. The following sections describe the various track profiles.


2.4.4.1 At-Grade Profile

Most of the Project Section blended system would be two-track at-grade profile, with a minimum of 15 feet between track centerlines (Figure 2-7). The at-grade railbed would consist of compacted soil and ballast materials (crushed rock) to prevent subsidence or changes in the track surface from soil movement. The height of the at-grade profile would vary to accommodate changes in topography and provide clearance for ditches and stormwater culverts to facilitate drainage. Existing four-track at-grade tracks occur in Brisbane, North Fair Oaks, and Lawrence. Additionally, under Alternative A, there would be a stretch of three-track at-grade alignment in San Jose where a new Union Pacific Railroad (UPRR) track would parallel the blended system track (Figure 2-8).



FEBRUARY 2017

Figure 2-7 Typical At-Grade Cross Section for Blended System




MARCH 2019

Figure 2-8 Typical At-Grade Cross Section for Blended System in San Jose (Alternative A Only)

2.4.4.2 Embankment Profile

Portions of the blended system would be on embankment profile, where earthen fill exceeds 5 feet in height. Depending upon native ground stability and space available, embankment of earthen fill is built with or without fill-retaining structures. Retained-fill profiles (Figure 2-9) are used when it is necessary to narrow the right-of-way within a constrained corridor to minimize property acquisition or to accommodate roadway undercrossings. In locations with retained-fill profile, the guideway would be raised off the existing ground on compacted earthen fill supported by vertical walls that retain the fill within the guideway. Short retaining walls would protect adjacent properties from a slope extending beyond the rail guideway. Embankment profile would occur for the Brisbane LMF lead tracks, for an approximately 0.7-mile portion of alignment in San Bruno south of I-380, at Hillcrest Boulevard in Millbrae, and for an approximately 0.3-mile portion of alignment south of East Poplar Avenue in San Mateo for both alternatives. Embankment profile would also occur along most of the length of the passing track in San Mateo, Belmont, and San Carlos under Alternative B.



FEBRUARY 2017


Figure 2-9 Typical Retained-Fill Cross Section

2.4.4.3 Tunnel Profile

Tunnel profiles are used where the rail alignment traverses highly variable topography or highly constrained, densely developed urban situations. Tunnels reduce track distance and curvature needed to maintain acceptable vertical and horizontal grades in mountainous terrain. There are four existing short tunnels along the alignment in San Francisco that extend through Potrero Hill, Hunter's Point, and the ridge at Candlestick Point. These tunnels are being modified as part of the PCEP to accommodate HSR and Caltrain trains, and no further modifications are proposed as part of the HSR project.

2.4.4.4 Elevated Profile

Elevated guideway track profiles or viaducts (Figure 2-10) can be used in urban areas where extensive road networks must be maintained. An elevated guideway must have a minimum clearance of approximately 16.5 feet over roadways and approximately 24 feet over railroads. Pier supports are typically approximately 10 feet in diameter at the ground. Such structures could also be used to cross waterbodies; even though the trackway might be at grade on either side, the width of the water channel could require that a bridge be built to support a track contiguous with the at-grade guideway on either bank. Viaduct would be used for the flyover⁸ that carries the tracks connecting the mainline tracks to the north end of the Brisbane LMF and would be used through downtown San Jose under Alternative B.



FEBRUARY 2017

Figure 2-10 Two-Track Viaduct


2.4.4.5 Straddle Bents

Where an HSR elevated track profile crosses over a roadway or railway on a very sharp skew (degree of difference from the perpendicular), a straddle bent is used to place the piers outside the functional or operational limit of the roadway or railway.

As illustrated on Figure 2-11, a straddle bent is a pier structure that spans (or straddles) the functional or operational limit of a roadway, highway, or railway. Typical roadway and highway crossings that have a smaller skew angle (i.e., approaching the perpendicular) generally use intermediate piers in medians and span the functional right-of-way. However, for larger skew-angle crossing conditions, median piers would result in excessively long spans that are not feasible. Straddle bents that clear the functional right-of-way can be spaced as needed (typically 110 feet apart) to provide feasible span lengths for bridge crossings at larger skew angles.

⁸ A flyover is an elevated structure that carries one rail alignment over another.

Straddle bents are used extensively within the San Jose Diridon Station Approach Subsection under Alternative B, where viaduct structures would be located above existing roadway and railway.



FEBRUARY 2017

Figure 2-11 Typical Straddle Bent Cross Section


2.4.5 Safety and Security Modifications

2.4.5.1 At-Grade Crossing Improvements


Consistent with FRA safety guidelines for HSR systems with operating speeds of up to 110 mph, the blended system would install safety improvements at the existing at-grade crossings to create a “sealed corridor” that would reduce conflicts with automobiles and pedestrians. Safety improvements would include four-quadrant gates extending across all lanes of travel and median separators to channelize and regulate paths of travel. These gates would prevent drivers from traveling in opposing lanes to avoid the lowered gate arms. Pedestrian crossing gates would be built parallel to the tracks and aligned with the vehicle gates on either side of the roadway. Lighting at at-grade intersections would comply with roadway standards as well as safety standards for the four-quadrant gates.

Depending on the existing at-grade crossing configurations, one of six four-quadrant gate applications (illustrated on Figure 2-12, Figure 2-13, and Figure 2-14) would be installed at at-grade crossings along the Project Section. These applications would specify the improvements at each at-grade crossing, including the number of vehicle and pedestrian gates, and the need for channelization or raised medians.

Application A




Application B




MAY 2019

Figure 2-12 Applications of Four-Quadrant Gates (Applications A and B)

Application B1




Application C




MAY 2019

Figure 2-13 Applications of Four-Quadrant Gates (Applications B1 and C)

Application D



Application E



MAY 2019

Figure 2-14 Applications of Four-Quadrant Gates (Applications D and E)

2.4.5.2 Caltrain Station Safety Improvements


Depending on the alternative selected, between 8 and 11 of the existing 27 Caltrain stations between Fourth and King Street in San Francisco and West Alma Avenue in San Jose would require varying degrees of modifications to accommodate HSR trains passing through or stopping at the stations (illustrated on). Station modifications would occur at proposed HSR station locations, at locations where substantial track modifications may be required, and at existing Caltrain stations where safety improvements would be required to accommodate HSR trains passing through stations.

Major safety improvements would be required at the Broadway Caltrain Station (Alternatives A and B) and College Park Caltrain Station (Alternative A only). At these stations, new northbound outboard platforms would be built to eliminate the need for passengers to board and alight from the train between the active tracks. This would improve the safety of passengers during train operations and eliminate the hold-out rule, which requires oncoming trains to stop outside the station zone until the passengers are safely clear. Figure 2-16 illustrates the required modifications to eliminate the hold-out rule at these existing stations.

The safety of passengers waiting on Caltrain platforms when HSR and Caltrain trains pass through existing stations at speeds of up to 110 mph would be maintained through additional safety improvements at station platforms that warn passengers to move away from the edge of the platforms prior to the approach of HSR and Caltrain trains. These safety improvements could include increasing the width of the tactile platform strips that are currently installed at Caltrain stations, modifying the tactile platform strips to use raised bars instead of raised dots, and providing additional visual and audible warnings of approaching HSR trains. PCJPB, as the owner and operator of the Caltrain stations, would be responsible for design and implementation of safety improvements at Caltrain station platforms. These modifications would be subject to further review and analysis based on the Authority's ultimate vehicle procurement and would be the subject of future blended system planning and agreement between the Authority and PCJPB.


Definition of Hold-Out Rule

Hold-out rule is the rule enforced at Caltrain stations that require passengers to board and alight the train from between the active tracks. An oncoming train is detained outside the station until the passengers are clear of the active tracks.



JANUARY 2022

Figure 2-15 Proposed Caltrain Station Modifications



MAY 2019

Figure 2-16 Illustration of Hold-Out Rule Stations

2.4.5.3 Perimeter Fencing of the Right-of-Way

The Authority would install fencing at the at-grade crossings and along the perimeter of the Caltrain right-of-way where it does not already exist. Consistent with Caltrain's design standards, existing fencing would be extended to adjacent structures to close any gaps. Figure 2-17 illustrates existing perimeter fencing of railroad rights-of-way.



Figure 2-17 Photograph of Perimeter Fencing of Right-of-Way

2.4.6 Traction Power Distribution

The blended system would use the traction power distribution system installed by Caltrain as part of the PCEP for the distribution of electric power to the trains. This system would provide 130 to 140 single-track miles of OCS between San Francisco and San Jose. The OCS would consist of a series of mast poles approximately 23.5 feet higher than the top of the rail, with contact wires suspended from the mast poles. The train would have an arm, called a pantograph, to maintain contact with this wire, providing power to the train. Typical OCS configurations are illustrated in the typical cross sections (Figures 2-5 through 2-11). The OCS would be powered from a 25-kilovolt, 60-Hertz, single-phase, alternating current supply system consisting of traction power substations (TPSS), one switching station, and paralleling stations.⁹

Relocation of the OCS poles and wires installed by Caltrain as part of the PCEP would be required as part of the HSR project where track modifications would shift tracks more than 1 foot horizontally. Additionally, the project would build new OCS poles and wires for dedicated HSR infrastructure associated with the Brisbane LMF or the viaduct structures in the San Jose Diridon Station Approach Subsection under Alternative B.

Beyond the infrastructure installed as part of the PCEP, HSR trains may require additional equipment (e.g., transformers) to handle HSR electrical loads at the PCEP TPFs. Any

⁹ Traction power substations are typically 150 feet by 200 feet in size and include transformers that step down the voltage of power provided by the utility to that needed for the OCS. Switching stations are typically 80 feet by 160 feet in size and would be installed at the midpoint between traction power substations as a phase break to ensure power supplies from each traction power substation are isolated from each other. Paralleling stations are typically 40 feet by 80 feet and would be installed between traction power substations and switching stations to maintain the autotransformer system and system operating voltages. Traction power substations, switching stations, and paralleling stations would be equipped with circuit breakers, switching equipment, and oil-filled transformers.

additional equipment installed at these facilities would be similar in terms of size and capacity to the Caltrain equipment.

In addition to the traction power provided through the PCEP infrastructure, a single TPSS would be built in the San Jose Diridon Station Approach Subsection on the east side of the Caltrain corridor under Alternative B. The TPSS would encompass approximately 32,000 square feet (200 feet by 160 feet). All TPSSs would be lit 24 hours per day for security, and lighting would incorporate motion sensors, height limits, shielding, and downward-facing orientation where feasible.

Permanent emergency standby generators for the Project Section would be located at stations and the LMF. These standby generators must be tested (typically once a month) in accordance with National Fire Protection Association 110/111 to maintain their readiness for backup and emergency use. If needed, portable generators could also be transported to other trackside facilities to reduce the potential impacts of power failures on system operations.

2.4.7 Signaling, Train-Control Elements, and Communication Facilities

HSR would install a radio-based communications network to maintain communications and share data between the HSR trains and the operations control center. Each communications radio tower would consist of an 8- by 10-foot communications equipment shelter and a 6- to 8-foot-diameter communications tower extending 100 feet above top-of-rail at approximately 2.5-mile intervals. Where possible, these facilities would be co-located at an existing Caltrain TPSS, switching station, paralleling station, or Caltrain station as illustrated on Figure 2-18. Where communications towers cannot be co-located with other Caltrain facilities, the communications facilities would be sited in an approximately 20- by 15-foot fenced area near the Caltrain corridor. For the purposes of environmental review, some of the standalone locations have two identified site options but only one would ultimately be implemented. Lighting at standalone communication radio towers would incorporate motion sensors, height limits, shielding, and downward-facing orientation where feasible while still meeting safety, security, and operational criteria.




Figure 2-18 Typical Cross Section of At-Grade Profile with Traction Power, Signaling, and Train Control Features

2.4.8 Maintenance Facilities

The California HSR System includes four types of maintenance facilities: heavy maintenance facility, LMF, maintenance of infrastructure siding, and maintenance of way facility. Most HSR project sections would have maintenance of way facilities. A number of overnight layover and servicing facilities (maintenance of infrastructure sidings) also would be distributed throughout the HSR system. In addition, the system would have a single heavy maintenance facility in the Central Valley, as well as two LMFs statewide. More information on the heavy maintenance facility sites considered can be found in the *Merced to Fresno Section Final Environmental Impact Report/Environmental Impact Statement* and *Fresno to Bakersfield Section Final Environmental Impact Report/Environmental Impact Statement* (Authority and FRA 2012, 2014).

Within the Project Section, an LMF would be necessary to support the San Francisco terminal station operations by dispatching freshly inspected and serviced trains and crews to begin revenue service throughout the day, along with providing daily, monthly, and quarterly maintenance of HSR trainsets. Maintenance activities would include train washing, interior cleaning, wheel truing, testing, and inspections. These activities may occur between runs or as a pre-departure service at the start of the revenue day. Additionally, the LMF would be used as a service point for any trains in need of emergency services.


The LMF would occupy a site adjacent to the mainline tracks with an estimated length of about 7,500 feet and footprint of approximately 100 to 110 acres. The optimal LMF layout includes direct main track access using double-ended yard leads, grade-separated flyovers, interlockings, design speeds of 60 mph, and universal crossovers at the main tracks. Yard tracks would need to hold two trainsets and two runaround/transfer tracks to move trains from one end of the facility to the other. Optimal design would also include 1,400-foot transition tracks to allow trains to reduce or increase speed as necessary upon entering or exiting the LMF and transition to the automatic train control (ATC) system.

The LMF would be designed, constructed, and operated with LEED platinum certification—it would be energy efficient and environmentally sensitive. With three overlapping work shifts, activities would occur 24 hours a day. Most maintenance activities would take place overnight, between 10:00 p.m. and 6:00 a.m. Fixed lighting sources at HSR facilities would be designed to direct light downward, minimizing light spillover, but the 24-hour operation of the LMF would require a minimum level of lighting for worker safety and security.

2.4.9 Dedicated High-Speed Rail Infrastructure

Under Alternative B, 3 to 6 miles of the southernmost portion of the Project Section would entail dedicated HSR track on a fully grade-separated and access-controlled guideway designed to accommodate higher speeds than those allowable in the blended system. HSR design and operations in this portion of the project would include protection barriers (fences and walls) and state-of-the-art communication, access control, and monitoring and detection systems to keep people, animals, and obstructions off the tracks.

Dedicated HSR track as part of Alternative B would ascend to viaduct north of the San Jose Diridon Station and continue on viaduct south of the station to West Alma Avenue. In instances where it is necessary to keep the profile of the elevated HSR guideway beneath certain height requirements, existing roadways would be moderately depressed to maintain vertical clearance requirements for vehicles, as illustrated on Figure 2-19.



FEBRUARY 2017

Figure 2-19 Typical Cross Section of Roadway Grade-Separated Beneath HSR Guideway

2.5 Alternatives Considered during Alternatives Screening Process

Following the Tier 1 decisions in 2005 and 2008 based on the programmatic documents, the Authority, in cooperation with the FRA, began the environmental review process for the Project Section. This process began in December 2008 with the publication of a NEPA Notice of Intent (NOI) and CEQA Notice of Preparation (NOP) to evaluate a fully grade-separated four-track system along the Caltrain corridor between San Francisco and San Jose. The Authority subsequently issued a revised NOP in January 2009. In 2009, the Authority and FRA completed project scoping and in 2010 made the alternatives screening documents for the corridor publicly available. The proposed four-track system generated concerns from communities along the Caltrain corridor because of the perceived magnitude of impacts on environmental and community resources. In response to these concerns, the Authority and FRA suspended further work on the Project Section EIR/EIS in mid-2011 so that it could consider the potential to blend HSR and Caltrain operations within a smaller project footprint. In November 2011, in the Draft 2012 Business Plan, the Authority proposed blended operations for the Project Section north of Scott Boulevard, which would provide HSR service between San Francisco and San Jose on a predominantly two-track system shared with Caltrain.

In 2012, the Authority adopted the *California High-Speed Rail Program Revised 2012 Business Plan: Building California's Future* (2012 Business Plan), which concluded that, as allowed by law, the HSR project to be studied north of Scott Boulevard in the Project Section would operate as a blended system (Authority 2012b). Other actions establishing the framework for blended operations along the Caltrain corridor included adoption of the *MTC Resolution No. 4056 Memorandum of Understanding: High-Speed Rail Early Investment Strategy for a Blended System on the Peninsula*

Corridor (MOU)¹⁰ (Metropolitan Transportation Commission [MTC] 2012) and passage of Senate Bills (SB) 1029¹¹ and 557.¹² In May 2016, FRA rescinded the prior 2008 NOI and the Authority rescinded the revised 2009 NOP for the Project Section, and FRA and the Authority issued a new NOI and NOP, respectively, to evaluate a predominantly two-track blended system.

The alternatives development and consideration process was iterative from 2009 to 2019 as illustrated on Figure 2-20. The Authority and FRA solicited public and agency comments on the range of alternatives that should be studied in the EIR/EIS multiple times, including the initial EIR/EIS scoping period in 2009 and during alternatives analysis and supplemental alternatives analysis document preparation in 2010. After the blended system framework was established in 2012–2013, the Authority engaged the public again in 2015, the Authority and FRA reinitiated EIR/EIS scoping for the blended system in 2016, and the Authority continued alternatives refinement from 2016 to 2018. Interagency coordination also informed the development of alternatives for consideration. After identifying the initial group of potential alternatives, plans, concepts, and cross sections were developed as necessary to support early consideration. The initial alternatives were developed and screened in coordination with the NEPA/404/408 Integration process.

NEPA/404/408 Integration is a formal process by which the FRA, Authority, USACE, and USEPA coordinate on the identification, preliminary technical evaluation, and evaluation of alternatives in a NEPA document for consistency between NEPA requirements and the requirements of CWA Section 404 (concerning waters/wetlands) and Rivers and Harbors Act Section 408 (concerning federally authorized flood control projects). The FRA, Authority, USACE, and USEPA signed an MOU that established a three-step “checkpoint” process to govern interagency coordination for the integration process (see text box). The following summarizes the alternatives development and analysis process and results.

NEPA/404/408 Integration Process

The MOU between the FRA, the Authority, USACE, and USEPA establishes a three-part “checkpoint” process for integrating NEPA and the requirements of CWA Section 404 and Rivers and Harbors Act Section 408:

- **Checkpoint A**—The USACE and USEPA review the Authority and FRA’s identification of the project’s Purpose and Need and concur that it is fully described.
- **Checkpoint B**—The USACE and USEPA review the Authority’s identification of alternatives for full evaluation in the EIR/EIS and concur that the range of alternatives is reasonable prior to release of the Final EIR/EIS.
- **Checkpoint C**—The USACE and USEPA review the Authority’s identification of the least environmentally damaging practicable alternative and concur that it meets Section 404 and Section 408 requirements.


2.5.1 High-Speed Rail Project-Level Alternatives Development Process

An EIR/EIS is required to analyze the potential impacts of a range of reasonable alternatives (14 California Code of Regulations [Cal. Code Regs.] § 15126.6; 40 C.F.R. § 1502.14(a)). Under CEQA, the alternatives are to include a No Project Alternative and a range of potentially feasible alternatives that could (1) meet most of the project’s basic objectives and (2) avoid or substantially lessen one or more of the project’s significant adverse impacts (14 Cal Code Regs. § 15126.6(c)). The lead agency must describe its reasons for excluding other potential alternatives when considering alternatives for evaluation in the environmental document. Under the “rule of reason,” an EIR is required to study a sufficient range of alternatives to permit a reasoned choice (14 Cal. Code Regs. § 15126.6(f)). CEQA does not require that all possible alternatives be studied.

¹⁰ A nine-party agreement adopted in March 2012 to establish a funding framework for a blended system on the Caltrain corridor. Signatories include the Authority, MTC, PCJPB, San Francisco County Transportation Authority, San Mateo County Transportation Authority, Santa Clara Valley Transportation Authority, City of San Jose, City and County of San Francisco, and Transbay Joint Powers Authority.

¹¹ SB 1029, approved July 2012, amended the Budget Act of 2012 to appropriate funds for HSR projects in the San Francisco to San Jose corridor, consistent with the blended system strategy identified in the Authority’s 2012 Business Plan, and the MTC MOU.

¹² SB 557, passed by the Legislature and signed by the Governor in 2013, provided that any bond funds appropriated pursuant to SB 1029 would be used solely to implement a blended system approach.



SEPTEMBER 2019

Figure 2-20 Project Alternatives Development and Screening Process

Under NEPA, the alternatives analysis is “the heart of the environmental impact statement” (40 C.F.R. § 1502.14). Under CEQ regulations, an EIS is required to examine “all reasonable alternatives” to the proposed action, as well as the no-action alternative. CEQ guidance also allows, when the number of potentially reasonable alternatives is very large, the lead agency to examine “a reasonable number of examples, covering the full spectrum of alternatives” (46 *Federal Register* [Fed. Reg.] 18026). Pursuant to Section 10(b) of the FRA’s *Procedures for Considering Environmental Impacts*, “It is entirely proper that the number of alternatives being considered should decrease as the environmental consideration process proceeds and as analysis reveals that certain alternatives would in fact be unreasonable” (64 Fed. Reg. 28546, 28550).¹³ The Authority and FRA considered the input of the public and interested resource agencies when developing the reasonable range of alternatives. Pursuant to CEQA and NEPA, the Authority and FRA held scoping meetings to invite public participation in defining the scope of the analysis, including the range of reasonable alternatives.


2.5.2 Alternatives Consideration Process and Chronology

The Authority and FRA used a tiered environmental review process to support tiered decisions for the HSR system. Tiering of environmental documents means addressing a broad program in a “Tier 1” environmental document, then analyzing the details of individual projects within the larger program in subsequent project-specific or “Tier 2” environmental documents. The Authority and FRA began the Tier 1 environmental review process with the *Final Program Environmental Impact Report/Environmental Impact Statement (EIR/EIS) for the Proposed California High-Speed Train System* (Statewide Final Program EIR/EIS) (Authority and FRA 2005), which deferred selection of a corridor between the Bay Area and Central Valley until completion of a second, more focused Program EIR/EIS.

The Authority and FRA completed the *Final Bay Area to Central Valley High-Speed Train (HST) Program Environmental Impact Report/Environmental Impact Statement (EIR/EIS)* (Bay Area to Central Valley Program EIR/EIS) (Authority and FRA 2008), which evaluated two network alternatives for linking the Bay Area and Central Valley—the Pacheco Pass and the Altamont Pass—and four alignment alternatives between San Francisco and San Jose—I-280, U.S. Highway (US) 101, and the Caltrain corridor (exclusive or shared guideway). The Caltrain corridor alternatives were a four-track system that would be fully grade separated. Figure 2-21 illustrates the range of alternatives considered in the Bay Area to Central Valley Program EIR/EIS.

In 2008, the Authority and FRA selected the Pacheco Pass network alternative, which used existing rail and transportation rights-of-way to the greatest extent feasible, minimizing impacts on wetlands and aquatic resources, other environmental resources, and communities (FRA 2008). Additionally, the Authority and FRA advanced shared HSR and Caltrain use of the Caltrain corridor between San Francisco and San Jose for further study in a Tier 2 project-level EIR/EIS, illustrated on Figure 2-22. The station locations advanced for Tier 2 study included a station in downtown San Francisco, a San Francisco International Airport (SFO) Station at Millbrae, a potential mid-Peninsula station in either Redwood City or Palo Alto, and a station at the San Jose Diridon Station. As a result of litigation, the Authority prepared the *Bay Area to Central Valley High-Speed Train Partially Revised Final Program Environmental Impact Report* (Bay Area to Central Valley Partially Revised Final Program EIR) (Authority 2012c) and made a new decision selecting the Pacheco Pass network alternative with the Caltrain corridor between San Francisco and San Jose (Authority 2012d, 2012e).

¹³ The CEQ issued new regulations, effective September 14, 2020, updating the NEPA implementing procedures at 40 C.F.R. Parts 1500–1508. However, because this project initiated the NEPA process before September 14, 2020, it is not subject to the new regulations. The Authority is relying on the regulations as they existed prior to September 14, 2020. Therefore, all citations to CEQ regulations in this environmental document refer to the 1978 regulations, pursuant to 40 C.F.R. Section 1506.13 (2020) and the preamble at 85 Fed. Reg. 43340.



JUNE 2019

Figure 2-21 Alignment Alternatives Considered and Eliminated in Tier 1 Planning



Figure 2-22 Tier 1 Decision as Foundation for Range of Alternatives in Tier 2 EIR/EIS—San Francisco to San Jose Project Section

2.5.2.1 Initial Tier 2 Planning for Four-Track System (2009–2011)

The Authority issued an NOP on December 22, 2008, followed by a revised NOP clarifying the duration of the comment period on January 8, 2009 (State Clearinghouse No. 2008122079), and the FRA published an NOI (73 Fed. Reg. 79541) on December 29, 2008, to begin the Tier 2 project-level environmental review process. The proposed project was a fully grade-separated four-track system between San Francisco and San Jose with HSR sharing the corridor with Caltrain express commuter trains and accommodating continued UPRR freight train use of the corridor. Scoping meetings were held in 2009 and approximately 950 comment submissions were received during the scoping period. The feedback received during the scoping period informed the initial range of alternatives for the Project Section, as documented in the PAA in April 2010 and the *Supplemental Alternatives Analysis Report for the San Francisco to San Jose Section* (SAA) in August 2010 (Authority and FRA 2010a, 2010b). The Authority held community workshops and open houses to share information about the alternatives under consideration for the Project Section at that time.

Preliminary Alternatives Analysis (April 2010)

The PAA reconfirmed the decision to carry forward a four-track, grade-separated shared-use alignment between San Francisco and San Jose. The alternatives analysis primarily addressed the potential vertical configurations of the alignment alternatives within the Caltrain shared-use corridor. The vertical options considered in alternatives development included aerial viaduct; berm; at grade (existing Caltrain grade); trench; covered trench or tunnel; and deep tunnel.¹⁴ These options were assessed based on their ability to meet Purpose and Need and project objectives, constructability, and environmental considerations. Additionally, public and agency engagement informed the evaluation of alignment alternatives; as a result of this engagement, the Authority evaluated tunnel options throughout the corridor and limited the use of high berms in commercial or residential areas where they would reduce connectivity and mobility or where a strong local opposition to this type of structure was expressed.

Illustrated on Figure 2-23, the PAA recommended carrying forward for further evaluation a variety of vertical design options between San Francisco and San Jose. One of the vertical design options identified in the PAA was a potential alternative configuration at the Millbrae Station that would have placed one or two tracks below the existing Caltrain and BART tracks in a covered trench/tunnel structure, with the station structure either below grade or split with one platform at grade and one platform below grade. This configuration was intended to avoid the need to acquire new right-of-way at the Millbrae Station and thus minimize the potential for conflicts with TOD around the station.

The PAA also recommended further evaluation of stations in downtown San Francisco, Millbrae, and San Jose Diridon Station, as well as a potential mid-Peninsula station in Redwood City, Palo Alto, or Mountain View. The Authority considered the current Mountain View Caltrain Station (which was not identified in the program-level documents) as an additional potential mid-Peninsula station at the request of the City of Mountain View.

¹⁴ An aerial viaduct consists of concrete structures supported by columns. A berm consists of earthen fill with 2:1 side slopes or within retaining walls. At-grade track is typically at the level of the surrounding ground surface or is sometimes elevated or below grade if that is the configuration of the existing Caltrain tracks; along much of its alignment, the existing Caltrain track is on a low berm several feet off the ground. A covered trench or tunnel is an excavated trench covered partially or fully with a deck to allow streets or other uses above the track. A deep tunnel is typically a bored tunnel with ventilation shafts.



JUNE 2019

Figure 2-23 Alignment Alternatives and Station Locations Carried Forward from the Preliminary Alternatives Analysis

Supplemental Alternatives Analysis (August 2010)

The SAA modified the recommendations presented in the PAA based on consultation with local cities and agencies, constructability factors, cost, and the goals of minimizing displacements and impacts on communities and construction-related disruption to Caltrain. Based on these considerations, the report identified three basic design options for the alignment alternatives. Design Option A relied predominantly on at-grade and aerial structure solutions to travel the length of the San Francisco to San Jose corridor. Design Options B and B1 relied on at-grade, aerial, trench, and tunnel design solutions. All three design options included a new two-track covered trench or tunnel in San Francisco parallel to the existing Caltrain track.

Figure 2-24 depicts the alignment alternatives and station locations carried forward for further evaluation as a result of the SAA. These include the Design Options A, B, and B1 alignment alternatives and station locations in downtown San Francisco, Millbrae, and San Jose Diridon Station, as well as a potential mid-Peninsula station in Redwood City, Palo Alto, or Mountain View.

The proposed four-track system generated concerns from communities along the highly urbanized Caltrain rail corridor. The communities, including the potential mid-Peninsula station cities, expressed concerns about the magnitude of potential impacts on environmental and community resources due to the need for additional right-of-way acquisitions to accommodate the four-track system along the Project Section and the proximity of the corridor to sensitive residential land uses. Increased traffic generated by the HSR station and parking requirements were also local concerns. Additionally, the proposed four-track system would have required the construction of new at-grade and aerial tracks within jurisdictional areas of the BCDC, which are described in Section 2.9.3. In November 2010, the City of Palo Alto formally requested removal from consideration as a mid-Peninsula station.

Potential Light Maintenance Facility Sites

The SAA also evaluated potential LMF sites. Sites were identified in accordance with the Authority's preliminary siting criteria for maintenance facilities, which described the facility design and locational criteria to meet the functional requirements for an LMF between San Francisco and San Jose (Authority 2009), including:

- **Site size**—The site must be large enough (approximately 100 acres) to accommodate storage and maintenance operations.
- **Proximity to the mainline tracks**—It is important that the LMF be immediately adjacent to the mainline tracks, to minimize the length of the lead track. Long lead tracks have the potential to disrupt communities and have noise and visual impacts.
- **Double-ended lead tracks**—The LMF should be a double-ended facility (i.e., capable of dispatching and receiving trains from both ends of the facility). Double-ended facilities increase operational flexibility and allow for efficient dispatch of track maintenance equipment in the event there is an issue with one of the lead tracks. A stub-ended track is a high-risk design and should be avoided when a double-ended facility is feasible.

Identifying potentially suitable sites between San Francisco and San Jose proved challenging in light of the dense urban development throughout the Project Section. Sites that could potentially accommodate an LMF were subjected to an initial screening process, which focused on the capacity of the sites to meet engineering and design guidelines established through the Authority's Technical Memoranda. This assessment resulted in the identification of four sites that were analyzed in the 2010 SAA (Authority and FRA 2010b) (Figure 2-25):

- Port of San Francisco (Piers 90–94)
- SFO
- West Brisbane
- East Brisbane



JUNE 2019

Figure 2-24 Alignment Alternatives, Station Locations, and Light Maintenance Facilities Carried Forward from the Supplemental Alternatives Analysis



MARCH 2019

Figure 2-25 Light Maintenance Facility Sites—San Francisco to San Jose Project Section

Light Maintenance Facility Alternatives Carried Forward as a Result of the Supplemental Alternatives Analysis

The SAA evaluation focused on operational features of the potential LMF sites. Based on that assessment, the Port of San Francisco and SFO sites were withdrawn and the West Brisbane and East Brisbane sites were advanced for further evaluation.

The Port of San Francisco site was found to be operationally deficient because of its size, distance from the mainline tracks, and need to be “stub-ended” (i.e., single access and egress), which would constrict operations. Acquiring the right-of-way to build the necessary lead tracks from this site to the Caltrain mainline tracks would be costly, and running trains along the lead tracks would be disruptive to the adjacent dense urban neighborhoods. This site was therefore not recommended for further study.

The SFO site was adequately sized (100 acres), but operationally deficient because of its distance from the mainline track and need to be “stub-ended.” Providing the necessary lead tracks from the SFO site to the Caltrain mainline tracks would be costly and require modifications to the US 101 Interchange. Furthermore, the SFO site was determined to be not available because the lease to the site had been renewed with the current tenants. This site was therefore not recommended for further study.

The East and West Brisbane sites provided adequate space (100 acres) to provide operational flexibility desired for a double-ended LMF. They are adjacent to the Caltrain mainline track, providing convenient and close connections to the HSR mainline tracks for both southbound and northbound access. Providing northbound and southbound access would support timely provision of trainsets to the San Francisco terminal station and would facilitate switching trainsets out during normal operations. For these reasons, the two options at the Brisbane Baylands site were recommended to be carried forward for further study.

The Authority conducted additional assessment of these four sites as part of the *San Francisco to San Jose Project Section Checkpoint B Summary Report* (Authority 2019c), to consider the environmental impacts that would likely result from the development of each site and to identify potential practicability constraints associated with the sites. This assessment is summarized in Section 2.5.2.3.¹⁵

2.5.2.2 Transition to a Predominantly Two-Track Blended System (2011–2012)

As stated earlier in Section 2.5, the Authority and FRA suspended further work on the Project Section EIR/EIS in mid-2011 to consider blended operations for the two services (Caltrain and HSR) within a smaller project footprint and determine the HSR service to be studied in the Tier 2 EIR/EIS. Several important legislative actions and implementation decisions followed the Authority’s proposal for blended operations for the Project Section in 2011. The framework for blended operations along the San Francisco Peninsula was memorialized in 2012 through four separate but related actions: Authority adoption of the 2012 Business Plan (Authority 2012b); MTC and MOU party adoption of MTC Resolution No. 4056 MOU¹⁶ (MTC 2012); and passage of SB 1029 and SB 557, which are described in more detail as follows:

- The 2012 Business Plan (Authority 2012b) proposed a blended system for the Peninsula, described as primarily a two-track system that would be shared by Caltrain and HSR service and other current passenger and freight rail tenants. The key improvements identified for the blended system included an upgraded signal system, electrification, and infrastructure

¹⁵ The Authority recently reviewed and reassessed the 11 sites it considered during its initial screening process (refer to Appendix 2-K, Light Maintenance Facility Site Selection Evaluation). As part of that process, the Authority evaluated these sites with respect to their capacity to meet key design, engineering, and operational criteria and to their feasibility in light of roadway circulation impacts, cost, and other factors. This assessment confirmed that only the two Brisbane sites met both the design and engineering criteria for the LMF and would be feasible sites for development of this facility.

¹⁶ The Authority and eight other Bay Area agencies (PCJPB, City and County of San Francisco, San Francisco County Transportation Authority, Transbay Joint Powers Authority, San Mateo County Transportation Authority, Santa Clara Valley Transportation Authority, City of San Jose, and MTC) approved the MOU in March 2012.

upgrades that would be implemented by Caltrain. The 2012 Business Plan (Authority 2012b) further concluded that the HSR project to be studied in the Project Section EIR/EIS would be the blended system.¹⁷

- MTC Resolution No. 4056 MOU (MTC 2012) is a nine-party agreement to establish a *Funding Framework for a High-Speed Rail Early Investment Strategy for a Blended System in the Peninsula Corridor*. The early investment strategy identifies an interrelated program of projects to upgrade existing commuter rail service and prepare for a future HSR project with infrastructure that remains substantially within the existing Caltrain right-of-way. It would primarily utilize the existing track configuration on the Peninsula. The two interrelated projects funded by the early investment strategy are the installation of electric traction power infrastructure and purchase of electric passenger train equipment for commuter services.
- SB 1029 further defined the blended system by mandating that any funds appropriated for projects in the San Francisco to San Jose corridor, consistent with the blended system strategy identified in the 2012 Business Plan (Authority 2012b), would not be used to expand the blended system to an independently dedicated four-track system (SB 1029 § 1 and § 2).
- SB 557 provides that any bond funds appropriated pursuant to SB 1029 would be used solely to implement a primarily two-track blended system substantially within the existing Caltrain right-of-way and that any track expansion beyond the blended system approach would require the approval of all nine parties to MTC Resolution No. 4056 (MTC 2012).

2.5.2.3 Tier 2 Planning for Predominantly Two-Track Blended System (2013–2019)

The framework for pursuing a blended system in the Project Section provided the foundation for a new Tier 2 planning effort focusing on a predominantly two-track blended system utilizing existing Caltrain track and remaining substantially within the existing Caltrain right-of-way. This framework, combined with the spatial constraints of integrating with existing passenger and freight rail in an existing right-of-way, limited the range of potential alignment alternatives for the Project Section. For example, while the PAA had identified a potential alternative configuration at the Millbrae Station that would have placed one or two tracks below the existing Caltrain and BART tracks in a covered trench/tunnel structure, the Authority concluded that with the transition to the blended system and adoption of blended system design criteria, this reconfiguration of the Millbrae Station would not be necessary and would be infeasible due to conflicts with Caltrain and BART operations during construction and the increased cost of constructing a trench/tunnel structure that would extend several miles north and south of the existing station.

Consequently, the alternatives development process for the blended system focused largely on blended system operations and achieving the objectives of predictable and consistent operational service travel times for both HSR and Caltrain service, while also providing consistency with the Proposition 1A, The Safe, Reliable, High-Speed Passenger Train Bond Act (Prop 1A) time requirements for system design. After establishing the framework for blended system operations in 2012, the Authority and PCJPB studied the feasibility of different blended system operations scenarios, including the utility of passing tracks (PCJPB 2012, 2013). Passing tracks allow for faster-moving trains to bypass slower-moving trains, and have the potential to provide operational benefits associated with faster recovery from incidents or perturbations (disruption events) on the railway. Figure 2-26 illustrates the locations of the passing track options evaluated between 2013 and 2016.

2013 Passing Track Evaluation

The PCJPB conducted a study in 2013 that assessed the feasibility of different blended system operations scenarios and passing track options (PCJPB 2013). The results of the analysis on

¹⁷ The 2012 Business Plan was preceded by a conceptual analysis prepared for the PCJPB that determined that a blended system in the Caltrain corridor would be operationally viable and merited continued investigation (PCJPB 2012).

average HSR and Caltrain operational service times¹⁸ from the 4th and King Street Station to the San Jose Diridon Station, relative to the No Project Alternative (baseline), are shown in Table 2-2. Based on this operational analysis, the Authority withdrew the North Four-Track and the South Four-Track Passing Track Options. The Short Middle Four-Track, Long Middle Four-Track, and Long Middle Three-Track Passing Track Options were retained for further evaluation in 2016.

Table 2-2 2013 Evaluation of Passing Track Options

Measure	Average Operational Service Times (minutes) ¹					
	No Project Alternative (Baseline) ²	Short Middle Four-Track (6 mi)	Long Middle Four-Track (8 mi)	Long Middle Three-Track (16 mi)	North Four-Track (10 mi)	South Four-Track (8 mi)
HSR operational service time	N/A	45.6	44.9	45.3	47.8	46.1
Caltrain operational service time	59.9	61.0	60.6	60.2	61.8	60.6
Determination	N/A	Carried forward	Carried forward	Carried forward	Withdrawn	Withdrawn

Source: PCJPB 2013

mi = miles

mph = miles per hour

N/A = not applicable

¹ Average operational service times are for peak hour operations from 4th and King Street Station to San Jose Diridon Station, and assume 5-minute headways/separation for the corridor and 4-minute headways/separation at diverging and merging at junctions.

² The No Project Alternative (baseline) assumes a fully electrified Caltrain service operating up to six trains per hour per direction and speeds of up to 79 mph. Under the No Project Alternative, Caltrain would use existing areas of more than two tracks for passing operations. For blended conditions with the passing track options, Caltrain and HSR trains would be operating at 110 mph along the corridor.

¹⁸ The blended service study evaluated the average service time, including station stops, for HSR and for Caltrain during peak hour operations. This report refers to peak hour average service time as *average operational service time*.



JUNE 2019

Figure 2-26 Passing Track Options Considered

North Four-Track Passing Track Option

This option would entail a 10.2-mile-long four-track segment from the Bayshore Station to just north of Broadway Avenue in Burlingame, requiring track expansion alongside the Brisbane Lagoon. Based on the PCJPB blended operations analysis, the average operational service time from San Jose to San Francisco would be approximately 61.8 minutes for Caltrain and 47.75 minutes for HSR (PCJPB 2013). Compared to the other passing track options, this option would result in the slowest average Caltrain and HSR operational service times (approximately 1.5 to 3 minutes slower). The PCJPB blended operations analysis further reported that this option would have difficulty supporting operational service time differences for overtakes, would result in long Caltrain operational service times, and would produce a high level of signal congestion. For these reasons, the Authority withdrew the North Four-Track Passing Track Option from further consideration. Additionally, this passing track would have required the construction of new at-grade tracks within BCDC jurisdictional areas, which are described in Section 2.9.3.

South Four-Track Passing Track Option

This option would construct a 7.8-mile-long four-track segment from just north of San Antonio Avenue in Palo Alto to south of the Lawrence Station in Santa Clara. Based on the PCJPB blended operations analysis, the average operational service time from San Jose to San Francisco would be approximately 60.6 minutes for Caltrain and 46.1 minutes for HSR (PCJPB 2013). Compared to other passing track options, this option would result in the second slowest average HSR operational service times (approximately 1.5 minutes slower than the fastest passing track option) and the third fastest Caltrain average operational service time (approximately 0.7 minute slower than the fastest passing track option), comparable to the Long Middle Four-Track Option. For these reasons, the Authority withdrew the South Four-Track Passing Track Option from further consideration.

2016 Passing Track Evaluation

To assess the capacity and operational flexibility of the Caltrain corridor between San Francisco and San Jose on HSR and Caltrain, the Authority conducted an evaluation of a No Passing Track option and further evaluation of the three passing track options not eliminated because of the 2013 operational analysis—Short Middle Four-Track, Long Middle Four-Track, and the Long Middle Three-Track. While the 2016 operational analysis is a useful tool for comparison between passing track options, the *average operational service times* are not directly comparable to the previous 2013 analysis due to changes in assumptions with regard to headways. The operational analysis was accompanied by a preliminary evaluation of community impacts to determine the level of community disruption generated by each option. As shown in Table 2-3, the different options provide different average operational service times for HSR and Caltrain, with varying levels of disruption to the local communities.

This section provides a more detailed discussion of the factors affecting the determination of passing track options recommended for further consideration in the Draft EIR/EIS. Primary considerations included avoiding and minimizing community and environmental resource impacts and minimizing impacts on the existing passenger and freight rail systems operating within the Caltrain corridor. The Authority balanced these considerations with the objectives of predictable and consistent average operational service travel times, as well as consistency with Prop 1A travel time requirements for system design.¹⁹ Based on this balancing approach, the Authority chose not to carry forward the Long Middle Four-Track Passing Track and Long Middle Three-Track Passing Track options because of their substantially greater level of community disruption and right-of-way acquisition, with comparatively little to no advantage in terms of average operational service times. The Authority carried forward the No Passing Track and Short

¹⁹ Prop 1A requires the HSR system to be designed to have maximum non-stop service times of 30 minutes between San Francisco and San Jose and 2 hours and 40 minutes between San Francisco and Los Angeles Union Station. The Prop 1A time requirements are related to the physical design of the system and the capabilities of HSR trains, but are different than average operational service times discussed in this chapter, which are estimates of average peak hour service times, including station stops.

Middle Four-Track Passing Track Options as part of the two blended system alternatives because these options would have fewer impacts on adjacent communities than the Long Middle Four-Track and Long Middle Three-Track Options, while still being consistent overall with the project purpose and objectives.

Table 2-3 2016 Evaluation of Passing Track Options

Measure	No Project Alternative (Baseline) ²	Passing Track Option			
		No Passing Track	Short Middle Four-Track (6 mi)	Long Middle Four-Track (8 mi)	Long Middle Three-Track (16 mi)
Operational Analysis					
HSR average operational service time (minutes) ¹	N/A	47.1	44.7	44.2	42.7
Caltrain average operational service time (minutes) ¹	62.2	62.5	65.0	60.9	58.6
Community Considerations					
Communities affected	N/A	None	San Mateo Belmont San Carlos Redwood City	San Mateo Belmont San Carlos Redwood City	San Mateo Belmont San Carlos Redwood City North Fair Oaks Atherton Menlo Park Palo Alto
Length of passing track adjacent to residential land uses (miles)	N/A	0	1.8	2.3	8.3
Potential number of affected at-grade crossings	N/A	0	0	6	16
Determination	N/A	Carried forward (Alternative A)	Carried forward (Alternative B)	Withdrawn	Withdrawn

Sources: Authority 2017a, 2019a, 2019b; City of Belmont 2017; City of Menlo Park 2016; City of Palo Alto 2017; City of Redwood City 2010; City of San Carlos 2009; City of San Mateo 2015

HSR = high-speed rail

mi = miles

N/A = not applicable

¹ Average operational service travel times are for peak hour operations from 4th and King Street Station to San Jose Diridon Station, and assume 3-minute headways/separation along the corridor and 2-minute headways/separation at junctions.

² The No Project Alternative (baseline) assumes a fully electrified Caltrain service operating up to six trains per hour per direction and speeds of up to 79 miles per hour. Under the No Project Alternative, Caltrain would use existing areas of more than two tracks for passing operations.

No Passing Track Option

Under the No Passing Track Option, new passing tracks would not be built. Rather, HSR and Caltrain would use existing areas along the Caltrain corridor that have more than two tracks (South Terminal, Lawrence, North Fair Oaks, and Brisbane) to allow faster-moving trains to bypass slower-moving trains. The Millbrae Station would be expanded to a four-track station with dedicated HSR tracks, which would allow for new passing opportunities.

As shown in Table 2-3, the average Caltrain operational service time from San Jose to San Francisco (4th and King Street Station) with the No Passing Track Option would be approximately 62.5 minutes, approximately 0.3 minute (18 seconds) slower than under the baseline conditions associated with the No Project Alternative (Authority 2017a). The No Passing Track Option would be slower for HSR than the options with passing tracks, but the difference would be relatively small, and the comparatively slower HSR time than with passing tracks would not undermine the project purpose or objectives, and also would avoid right-of-way acquisition, temporary construction disruption, aesthetic impacts associated with new areas of passing track, and environmental and community impacts associated with construction of passing tracks. For these reasons, the No Passing Track Option was carried forward and is evaluated in the Draft and Final EIR/EIS as part of Alternative A.

Short Middle Four-Track Passing Track Option

The Short Middle Four-Track Passing Track Option would be approximately 6 miles long between Ninth Avenue in San Mateo and north of Whipple Avenue in Redwood City. Most of this portion of the alignment is already grade separated, except for roadway crossings at 25th Street, 28th Street, and 31st Street in San Mateo. These crossings would be grade separated prior to construction of the passing track as part of the 25th Avenue Grade-Separation Project. This passing track option would reconstruct the raised San Carlos and Belmont Caltrain Stations and the at-grade Hillsdale and Hayward Park Stations.

As shown in Table 2-3, the average Caltrain operational service time for the Short Middle Four-Track Passing Track Option would be approximately 65.0 minutes compared to 62.2 minutes under baseline conditions and 62.5 minutes with the No Passing Track Option (Authority 2017a). Caltrain operational service times would be longer for the Short Middle Four-Track Passing Track Option than the No Passing Track Option because the passing track section is not long enough to avoid Caltrain trains needing to stop at stations to allow adequate time for the HSR trains to pass them. Average HSR operational service times for the Short Middle Four-Track Passing Track Option would be 44.7 minutes compared to 47.1 minutes with the No Passing Track Option. HSR average operational service times would be better with the Short Middle Four-Track Passing Track Option because HSR trains would be able to pass Caltrain trains between southern San Mateo and northern Redwood City.

The Short Middle Four-Track Passing Track Option would provide more track capacity between southern San Mateo and northern Redwood City, providing greater operational flexibility than the No Passing Track Option. This additional track capacity would allow the system to recover faster from delays and incidents. For example, if a train were delayed or a track were out of service along the segment between southern San Mateo and northern Redwood City, there would be greater ability to route trains around the incident and faster recovery.

The Short Middle Four-Track Passing Track Option is the shortest of the four passing track options shown in the table and would have the least impact on adjacent residential land uses. Because the 6-mile-long passing track would be grade separated prior to construction of the passing track, this option would cause the least amount of temporary construction disturbance in adjacent communities associated with track construction and roadway modifications. Further, the temporary and permanent aesthetic impacts associated with construction and operation of this passing track option would be substantially less than the other options considered.

The Short Middle Four-Track Passing Track Option is included for evaluation in the Draft and Final EIR/EIS as part of Alternative B because it would allow for shorter HSR average operational service times (although at the expense of slower Caltrain operational service times) and because it has the potential to provide operational benefits associated with faster recovery from perturbations to railway operations. Additionally, this option would be constructed within an already grade-separated track section, thereby having less community disruption and displacements associated with expanding the existing right-of-way, as would be required with the other passing track options.

Long Middle Four-Track Passing Track Option

The Long Middle Four-Track Passing Track Option would be an approximately 8-mile passing track section from south of Ninth Avenue in San Mateo to south of State Route (SR) 84 (Woodside Road) in Redwood City (an additional 2 miles of passing track south of the Short Middle Four-Track Passing Track Option). This option would require reconstruction of the aerial San Carlos and Belmont Caltrain Stations, the at-grade Hillsdale and Hayward Park Caltrain Stations, and the Redwood City Caltrain Station, as well as additional right-of-way through downtown Redwood City.

As shown in Table 2-3, average operational service time from San Jose to San Francisco (4th and King Street Station) under this option would be approximately 60.9 minutes for Caltrain and 44.2 minutes for HSR. This option would improve Caltrain average service by 1.3 minutes compared to baseline conditions and by 1.6 minutes compared to the No Passing Track Option, and would improve HSR average operational service times by 2.9 minutes compared to the No Passing Track Option (Authority 2017a). Construction of the Long Middle Four-Track Passing Track Option would disrupt several cities and require right-of-way acquisition in San Mateo, Belmont, San Carlos, and northern and downtown Redwood City. Downtown Redwood City currently has five at-grade crossings, which would need to be reconstructed or modified to accommodate this passing track option. Temporary road closures, detours, and reduced access to property during construction at the at-grade crossings would substantially disrupt downtown Redwood City. This passing track option would have greater aesthetic impacts than the Short Middle Four-Track Passing Track Option due to additional elevated segments passing through adjacent communities.

The Long Middle Four-Track Passing Track Option was not advanced for further analysis in the Draft EIR/EIS. Although it would have average HSR operational service times similar to the Short Middle Four-Track Passing Track Option and would improve Caltrain service compared to both the baseline conditions and the No Passing Track Option, it would require more construction along a longer extent of track, resulting in greater community impacts. The limited gain to HSR and Caltrain operational service times considering the additional environmental and community impacts was the primary reason this option was withdrawn from further consideration.

Long Middle Three-Track Passing Track Option

The Long Middle Three-Track Passing Track Option would be a 16-mile section from San Mateo (south of Ninth Avenue) to north of San Antonio Avenue in Palo Alto (an additional 10 miles of passing track south of the Short Middle Four-Track Passing Track Option). This option entails one additional track in existing two-track areas and would use the existing four-track area at Redwood Junction in Redwood City. The third track would be used bidirectionally for both northbound and southbound trains, requiring precise coordination of HSR and Caltrain operations to provide for safe use of the passing track.

The Long Middle Three-Track Passing Track Option is the longest passing track option, and would extend adjacent to residential land uses for approximately half its length (8 miles). Construction of this passing track option could require reconstructing some or all of the existing 16 at-grade crossings, resulting in construction disruption in San Mateo, Belmont, San Carlos, Redwood City, Atherton, Menlo Park, and Palo Alto. The width of new right-of-way acquisition in San Mateo, Belmont, San Carlos, and Redwood City would, however, be less than under the Short Middle Four-Track and Long Middle Four-Track Passing Track Options due to the three-track rather than four-track configuration.

As shown in Table 2-3, average operational service time from San Jose to San Francisco would be approximately 58.6 minutes for Caltrain and 42.7 minutes for HSR, assuming bidirectional use of the Long Middle Three-Track Passing Track Option. This option would have the shortest average operational service times for both Caltrain and HSR. Operation of this option would, however, be more challenging than the four-track options because of the need for precision dispatching, and it is possible that this option could result in slower recovery from delays or disruption events.

Although the Long Middle Three-Track Passing Track Option would result in the best Caltrain and HSR average operational service times of the options evaluated, it would require construction along the longest extent of track, resulting in more widespread community impacts. Further, the operational challenges associated with the bidirectional use of this option could be considerable. For these reasons, the Long Middle Three-Track Passing Track Option was withdrawn from further consideration.

Blended System Scoping (2016)

On May 9, 2016, the Authority and FRA distributed an NOP and NOI, respectively, to reinstate scoping for the Project Section EIR/EIS. The 2016 NOP and NOI rescinded the revised 2009 NOP and 2008 NOI, respectively, and presented the blended system for the Project Section, which implements the strategy identified by the Authority’s 2012 Business Plan and subsequent *Connecting California: 2014 Business Plan* and *Connecting and Transforming California: 2016 Business Plan* (2016 Business Plan) (Authority 2016c), and is further consistent with the *2018 Business Plan: Connecting California, Expanding Economy, Transforming Travel* (2018 Business Plan) (Authority 2018a) and the *2020 Business Plan: Recovery and Transformation* (2020 Business Plan) (Authority 2021). Public scoping activities were conducted between May 9 and July 20, 2016, and included three scoping meetings, approximately 30 meetings with business and community groups, early agency coordination, and elected official briefings.

The NOP and NOI introduced blended system alternatives proposed for study in the EIR/EIS consistent with the blended system framework and the overall project’s Purpose and Need. Primary considerations when developing the alternatives included avoiding and minimizing community and environmental resource impacts and minimizing impacts on the existing passenger and freight rail systems operating within the Caltrain corridor. These considerations were balanced with the objectives of predictable and consistent travel times and consistency with Prop 1A. Based on feedback from the Peninsula communities, the mid-Peninsula station was removed from the 2016 Business Plan. The two alternatives proposed for detailed analysis in the Project Section EIR/EIS would predominantly utilize existing Caltrain track, remain substantially within the existing Caltrain right-of-way, and be designed to achieve operating speeds of up to 110 mph. A potential passing track option also was introduced. HSR stations would be at 4th and King Street Station in San Francisco, Millbrae, and San Jose Diridon.

Checkpoint B Light Maintenance Facility Evaluation (2016–2019)

As part of the Checkpoint B analysis, an additional assessment of the four LMF sites considered in the 2010 SAA (Port of San Francisco, SFO, West Brisbane, and East Brisbane sites) was conducted to determine the environmental impacts that would likely result from the development of each site and to identify practicability constraints associated with the sites. This evaluation was based on the preliminary engineering designs evaluated in the 2010 SAA, which were subsequently refined during the alternatives development process for the predominantly two-track blended system. Consistent with the LMF functional criteria, the evaluation assumed that each site would be 100 acres. Table 2-4 summarizes the performance of the LMF sites evaluated relative to the siting and evaluation criteria.

The development of each of the four sites for an LMF would result in impacts on aquatic resources, with West Brisbane having the greatest impacts and East Brisbane the least. As a potentially practicable option with the least aquatic resource impacts and no impacts on listed species, the East Brisbane site was carried forward and evaluated in the Draft and Final EIR/EIS. The West Brisbane site also was carried forward and evaluated in the Draft and Final EIR/EIS. Although development of an LMF at the Port of San Francisco or SFO sites would result in fewer impacts on aquatic resources than at the West Brisbane site, neither site would serve as a practicable option because of their operational constrictions and lack of availability. Because the Port of San Francisco and SFO options would not be practicable for an LMF, they were not advanced for consideration in the Draft EIR/EIS.

Table 2-4 Summary of Light Maintenance Facility Sites Evaluation¹

Site Options	Performance Relative to Siting Criteria and Environmental Evaluation	Decision	
		Carried Forward	Withdrawn
Port of San Francisco	<ul style="list-style-type: none"> ▪ Size—100 acres ▪ Operational considerations—stub-ended facility ▪ Not available—site is part of San Francisco Maritime Eco-Industrial Center ▪ Wetlands and waters impact—5.1 acres ▪ Biological resources—no special-status species or riparian habitat. ▪ Traffic circulation—would block road connection from Cesar Chavez Street to commercial/industrial development and would require reconstruction of a section of I-280 		X
West Brisbane	<ul style="list-style-type: none"> ▪ Size—100 acres ▪ Operational considerations—double-ended facility ▪ Site is available, but reduces land available for planned development (mixed use/residential permitted and commercial) at Brisbane Baylands ▪ Wetlands and waters impact—10.2 acres ▪ Biological resources—no special-status species or riparian habitat 	X	
East Brisbane	<ul style="list-style-type: none"> ▪ Size—100 acres ▪ Operational considerations—double-ended facility ▪ Site is available, but reduces land available for planned development (commercial/residential prohibited) at Brisbane Baylands ▪ Wetlands and waters impact—1.4 acres ▪ Biological resources—no special-status species or riparian habitat 	X	
SFO	<ul style="list-style-type: none"> ▪ Size—100 acres ▪ Operational considerations—stub-ended facility ▪ Not available—site is in long-term lease for critical airport-related operations ▪ Wetlands and waters impact—1.8 acres ▪ Biological resources—0.6 acre of habitat for salt marsh harvest mouse, California Ridgway's rail and California black rail 		X

EIR = environmental impact report

EIS = environmental impact statement

I = Interstate

LMF = light maintenance facility

SFO = San Francisco International Airport

¹ This analysis was based on project footprints from the 2010 Supplemental Alternatives Analysis. The design of the East and West Brisbane LMF sites has been refined since 2010; therefore, the current project footprints reported elsewhere in this Final EIR/EIS have slightly different acreages and impacts on aquatic and biological resources than shown in this table.

In 2020, after completing the Checkpoint B process, the Authority reviewed and reassessed 11 potential LMF sites that it had considered during its initial screening process for the Project Section. As part of that process, the Authority evaluated these sites with respect to their capacity to meet key design, engineering, and operational criteria and to their feasibility in light of roadway circulation impacts, cost, and other factors. This assessment confirmed that only the two Brisbane sites met both the design and engineering criteria for the LMF and would be feasible sites for development of this facility. Refer to Volume 2, Appendix 2-K for additional information about this LMF site assessment.

2.5.2.4 Alternatives Considered for the San Jose Diridon Station Approach Subsection

The San Francisco to San Jose Project Section includes the San Jose Diridon Station Approach Subsection, which extends south from Scott Boulevard in Santa Clara to West Alma Avenue in San Jose. This subsection also forms the northern extent of the San Jose to Merced Project Section, and the alternatives development process for this subsection was conducted as part of the San Jose to Merced Project Section.

Alternatives Development Process

The Authority and FRA solicited input from the public and agencies through the project-level environmental review process from 2009 through 2018. Table 2-5 summarizes the alternatives development process for the San Jose Diridon Station Approach Subsection.

Table 2-5 Alternatives Refinement Process for the San Jose Diridon Station Approach Subsection

Process	Considerations
San Jose to Merced NEPA/CEQA Scoping (2009)	Major issues raised during scoping included alignment options and alternatives for routes, stations, and maintenance facilities; design options for grade crossing and separations; and considerations for alternative elevated, trenched, or tunneled alignments, parking locations, and other facilities. Additional alignment alternatives suggested for this subsection included several options for an underground tunnel or at-grade and alignment design options along SR 87, south of I-280, between the Diridon and Tamien Caltrain Stations to avoid potential impacts on the Greater Gardner neighborhood.
San Jose to Merced Preliminary and Supplemental Alternatives Analyses (2010–2011)	The San Jose to Merced PAA (Authority and FRA 2010c) and the two San Jose to Merced SAA reports (Authority and FRA 2011a, 2011b) evaluated and considered a wide range of alternatives. In this subsection, the PAA/SAA reports recommended inclusion of the SR 87/I-280 aerial alignment.
San Jose to Merced Checkpoint B Summary Report (2013)	The Authority and FRA developed a <i>Checkpoint B Summary Report</i> for the San Jose to Merced Project Section (Authority and FRA 2013), largely drawn from the work completed for the PAA and SAAs, for review by USACE and USEPA. In this subsection, the Checkpoint B Summary Report recommended inclusion of the SR 87/I-280 aerial alignment. USACE and USEPA concurred in August and September 2014, respectively, with the alternatives recommended for inclusion in the EIR/EIS.
2016 Business Plan	In the 2016 Business Plan (Authority 2016c), the Authority identified certain new alternatives, including a viaduct option between San Jose and Gilroy and blended operations north of Diridon Station, and also reconsidered the formerly dismissed dedicated at-grade alignment for this subsection.
Consultation, and Alternatives Refinement (2016–2017)	The Authority and FRA conducted community outreach and engineering along the corridor in this subsection. ¹ This additional outreach led to development of two different viaduct design options for this subsection: (1) Viaduct from West Alma Ave to I-880 and (2) Viaduct from West Alma Ave to Scott Blvd.
San Jose to Merced Checkpoint B Summary Report Addendum 3 (2017)	The Authority and FRA developed a Checkpoint B Summary Report Addendum 3 (Authority and FRA 2017b) to review prior design options and new design options developed during 2016 and 2017. In this subsection, the Checkpoint B Summary Report recommended inclusion of the two viaduct options developed in 2016–2017 in the EIR/EIS. USACE and USEPA concurred with the range of alternatives on October 20, 2017.
2018 Business Plan	In the 2018 Business Plan (Authority 2018a), the Authority considered a blended at-grade alignment for this subsection.

Process	Considerations
San Jose to Merced Checkpoint B Summary Report Addendum 4 (2018)	The Authority and FRA developed a <i>Checkpoint B Summary Report Addendum 4</i> (Authority and FRA 2018) to review the preliminary effects of the blended at-grade alternative identified in the 2018 Business Plan and assess whether to evaluate this new alternative in the EIR/EIS. USACE and USEPA concurred with adding the blended at-grade alternative on January 22 and February 1, 2019, respectively.

Authority = California High-Speed Rail Authority
 CEQA = California Environmental Quality Act
 EIR = environmental impact report
 EIS = environmental impact statement
 FRA = Federal Railroad Administration
 I- = Interstate

NEPA = National Environmental Policy Act
 PAA = Preliminary Alternatives Analysis
 SAA = Supplemental Alternatives Analysis
 SR = State Route
 USACE = U.S. Army Corps of Engineers
 USEPA = U.S. Environmental Protection Agency


Alternatives Considered and Findings (2009–2018)

This section discusses the range of potential design options for the San Jose Diridon Station Approach Subsection that were considered by the Authority and FRA during the alternatives development process (the San Jose to Merced PAA, the two SAA reports, the 2011 “Modified Tunnel” Option Evaluation [Authority 2011b], the 2013 Checkpoint B Report, the 2017 Checkpoint B Summary Report Addendum 3, and the 2018 Checkpoint B Summary Report Addendum 4). Most of the design options are illustrated on Figure 2-27.²⁰ Table 2-6 shows the rationale for advancing alternatives into the EIR/EIS or for withdrawing alternatives, and greater detail is provided in the PAA, SAAs, 2013 Checkpoint B Summary Report, 2017 San Jose to Merced Checkpoint B Summary Report Addendum 3, and 2018 San Jose to Merced Checkpoint B Summary Report Addendum 4.

The Authority and FRA screened design options for the subsection to determine which would be advanced to EIR/EIS evaluation. Two broad themes characterize design options in this subsection: (1) whether HSR would remain within the Caltrain corridor and (2) whether the HSR vertical profile would be at grade, aerial, or tunnel. Several design options generally follow the Caltrain corridor alignment: Refined Program Alignment, Three-Track, South of Caltrain Tracks, and At-Grade Alignment options, but they also include areas outside (and parallel to) the Caltrain corridor. The Blended, At-Grade option would be entirely within the Caltrain right-of-way. Other design options would not follow the Caltrain corridor south of Diridon Station (such as the SR 87/I-280 Aerial, Downtown Aerial, and Downtown Tunnel options). The second theme is vertical alignment. Many of the design options along the Caltrain corridor use extensive at-grade profile rather than aerial and tunnel options. Three design options (Viaduct to Scott Boulevard, Viaduct to I-880, and Downtown Aerial) entail aerial structures through downtown. The Blended, At-Grade option is entirely at grade through downtown. The Authority and FRA considered and evaluated several tunnel design options.

The San Jose to Merced PAA (Authority and FRA 2010c) and the two San Jose to Merced SAA reports (Authority and FRA 2011a, 2011b) evaluated and considered a wide range of alternatives, with multiple tunnel options, including the “Deep Tunnel”, “Shallow Tunnel”, “Thread the Needle”, and “5100-Meter Tunnel” options. In this subsection, the PAA/SAA reports recommended inclusion of the SR 87/I-280 aerial alignment and dismissed the other alternatives, including tunnel alternatives, for the reasons noted in Table 2-6. A “Modified Tunnel” option, which would be at a more moderate depth than the “Deep Tunnel” option, was considered outside the PAA and SAA processes in 2011 and withdrawn due to constructability issues associated with a mined station, concerns about interaction with the future BART station, and constraints on future development (Authority 2011b).

²⁰ Three tunnel options (the “Thread the Needle”, the “5100-Meter Tunnel”, and the “Modified Tunnel” options) are not illustrated on Figure 2-27, but an alignment description is provided in the rationale for dismissal in Table 2-6.



Sources: Authority and FRA 2013; Authority 2016c

MARCH 2019

Figure 2-27 Design Options Considered in the San Jose Diridon Station Approach Subsection

Table 2-6 San Jose Diridon Station Approach Subsection: Design Options Considered in the San Jose to Merced Project Section Alternatives Analyses, Checkpoint B, and Other Alternatives Development Processes

Design Option	Description	Determination	Rationale
Design options evaluated in detail in the EIR/EIS			
Viaduct to Scott Boulevard	Viaduct from south of Tamien Station to SR 87/I-280, Diridon Station arrival and departure, and then north to Scott Boulevard	Evaluated in detail in EIR/EIS	This option is potentially practicable and was carried forward for further analysis in the EIR/EIS because it meets the project's Purpose and Need; minimizes impacts by staying predominantly within existing transportation corridor rights-of-way; and does not have the logistical, feasibility, and cost issues associated with the alignment options being withdrawn.
Viaduct to I-880	Viaduct from south of Tamien Station to SR 87/I-280, Diridon Station arrival and departure, and then north to I-880 and at grade to Scott Boulevard	Evaluated in detail in EIR/EIS	This option is potentially practicable and was carried forward for further analysis in the EIR/EIS because it meets the project's Purpose and Need; minimizes impacts by staying predominantly within existing transportation corridor rights-of-way; and does not have the logistical, feasibility, and cost issues associated with the alignment options being withdrawn. This option would entail a shorter viaduct than the Viaduct to Scott Boulevard option, which would reduce visual impacts but would require other changes in construction.
Blended, At Grade	Blended, at grade from south of Tamien Station to Scott Boulevard	Evaluated in detail in EIR/EIS	This option is potentially practicable and was carried forward for further analysis in the EIR/EIS because it meets the project's Purpose and Need; minimizes impacts by staying predominantly within existing railroad rights-of-way; and does not have the logistical, feasibility, and cost issues associated with the alignment options being withdrawn. This option would entail blended at-grade operation, which would be a least-cost option.
Design options withdrawn from further consideration			
RPA	Aerial structure from Diridon Station to south of West Virginia Street, then at-grade alignment along Caltrain corridor with two additional tracks for HSR, then to an elevated structure crossing SR 87, continuing south within the SR 87 and Caltrain right-of-way	Withdrawn in the San Jose to Merced PAA and the 2013 San Jose to Merced Checkpoint B document	Withdrawn from further analysis because of greater impacts on historic properties than the design options carried forward, and because it could also affect additional residential properties. In addition, comparatively greater significant community impacts could result from substantial noise, visual, vibration, traffic congestion and circulation, property value, and construction disruption impacts.

Design Option	Description	Determination	Rationale
Three Track	Same as the RPA option with the exception that Caltrain and UPRR would share one track through the Greater Gardner neighborhood south of Diridon Station	Withdrawn in the San Jose to Merced PAA and the 2013 San Jose to Merced Checkpoint B document	Withdrawn from further analysis because it would be impracticable due to operational conflicts with existing rail and transit and would not meet the project's Purpose and Need.
South of Caltrain Tracks	Same as the RPA except the HSR tracks would be south of the existing Caltrain/UPRR tracks through the Greater Gardner neighborhood	Withdrawn in the San Jose to Merced PAA and the 2013 San Jose to Merced Checkpoint B document	Withdrawn from further analysis because of substantial impacts on aesthetic/visual resources, residential displacements, and more severe impacts on historic properties than the options carried forward.
Downtown Aerial	Aerial through downtown San Jose bypassing Diridon Station	Withdrawn in the San Jose to Merced PAA and the 2013 San Jose to Merced Checkpoint B document	Withdrawn from further analysis because it was found to be impracticable due to major constructability issues, the comparatively high number of residential displacements, potential inconsistency with existing plans and policies, aesthetic/visual impacts, and more severe impacts on historic properties than the options carried forward.
Deep Tunnel/ Underground Station	Tunnel through downtown San Jose and underground San Jose HSR station	Withdrawn in the San Jose to Merced PAA and the 2013 San Jose to Merced Checkpoint B document	Withdrawn from further analysis because it was found to be impracticable as a result of geologic conditions (constructability and operational challenges of a mined underground station in an area of high groundwater); this design option would also have a capital cost approximately four times that of the options carried forward.
Shallow Tunnel/ Underground Station	Tunnel through downtown San Jose	Withdrawn in the San Jose to Merced PAA and the 2013 San Jose to Merced Checkpoint B document	Withdrawn from further analysis because it was determined to be impracticable due to constructability logistics and a capital cost nearly three times that of the alignment options carried forward; further, the shallow tunnel design could result in additional cost and disruption to both existing and future heavy and commuter rail service caused by possible settlement from tunnel construction where tunnels would cross under those facilities. This design option would result in substantial biological impacts resulting from cut-and-cover activities under Los Gatos Creek.
"Thread the Needle" /Underground Station	Tunnel and aerial through downtown San Jose and underground San Jose HSR station	Withdrawn in the San Jose to Merced PAA	The "Thread the Needle" tunnel option would include an underground station and a tunnel from the station to south of I-280 and then would ascend to an aerial structure to pass over SR 87. This option would have increased travel time compared to the Deep Tunnel option and would face constructability issues because of limited portal space in the SR 87/I-280 interchange.

Design Option	Description	Determination	Rationale
5100-Meter Tunnel/ Underground Station	Tunnel through downtown San Jose and underground San Jose HSR station	Withdrawn in the San Jose to Merced PAA	The “5100-Meter Tunnel” option would have a similar alignment to the “Thread the Needle” tunnel option, but would remain in tunnel until south of the Tamien Station. This option would face constructability issues associated with building a station beneath active rail lines and stations, as well as increased travel time compared to the Deep Tunnel option.
Modified Tunnel/Underground Station	Tunnel through downtown San Jose and underground San Jose HSR station	Considered and withdrawn in separate 2011 process (Authority 2011b)	The “Modified Tunnel” option would be along the same alignment as the “Deep Tunnel” option, but at a more moderate depth. This option was withdrawn from further analysis because it was found to be impracticable as a result of geologic conditions (constructability and operational challenges of a mined underground station in an area of high groundwater), and this design option would also have a capital cost approximately four times that of the options carried forward.
At-Grade Alignment	Follows Caltrain corridor with additional dedicated tracks for HSR with three station variants: shared platforms with Caltrain and other services, HSR station west of Diridon Station platforms, HSR station east of Diridon Station platforms	Evaluated in 2017 and withdrawn	Withdrawn from further analysis due to substantial community disruption to neighborhoods south of downtown San Jose from at-grade alignment through North Gardner neighborhood. Sharing of platform option with Caltrain and other rail services would create substantial operational delays to all services. An HSR station east of the existing station tracks would require moving the existing historic Diridon Station structure, require using extensive portions of city parking lots around the SAP Center for tracks, and require other displacements in downtown. An HSR station west of the existing station tracks would eliminate access to Caltrain’s Centralized Equipment Maintenance and Operations Facility, require relocation of the Santa Clara Valley Transportation Authority station, and require the demolition of multistory residential units west of the existing rail station.

HSR = high-speed rail

I = Interstate

PAA = Preliminary Alternatives Analysis

RPA = Refined Program Alignment

SR = State Route

UPRR = Union Pacific Railroad

In the San Jose to Merced 2013 Checkpoint B Summary Report, all the design options, except the SR 87/I-280 aerial option, were withdrawn from further consideration due to a variety of practicability, feasibility, and environmental effect reasons. The downtown tunnel options considered in the Checkpoint B process (Deep Tunnel and Shallow Tunnel) were withdrawn due to constructability constraints of a mined underground station and the substantially higher cost than an aerial option.

Additional modified tunnel options were evaluated leading into the San Jose to Merced Checkpoint B Summary Report Addendum 3 process as a result of community interest. An additional Blended, At-Grade option was evaluated in the 2018 San Jose to Merced Checkpoint B Summary Report Addendum 4.

The Authority Board of Directors, as part of the 2016 Business Plan, directed further consideration of an at-grade alignment for the San Jose Diridon Station Approach Subsection. Authority staff evaluated an at-grade option and determined that shared use of the existing San Jose Diridon Station platforms and tracks with other passenger railroads would result in substantial delays because of insufficient capacity at Diridon Station for HSR and all other passenger rail services, unless the Caltrain Centralized Equipment Maintenance and Operations Facility (CEMOF) is relocated to allow operational use by HSR and the passenger rail services (Authority 2016d). The Authority and FRA also reaffirmed that an at-grade alignment would have substantial community impacts on the North Gardner neighborhood south of downtown, as originally identified in the San Jose to Merced PAA, SAAs, and 2013 Checkpoint B Summary Report. The Blended, At-Grade option was added in response to the Authority's 2018 Business Plan and input received from the public advocating an at-grade station at San Jose Diridon and staying within the existing railroad right-of-way. The option was evaluated in the San Jose to Merced Checkpoint B Summary Report Addendum 4 after development and consideration in 2017 and 2018.

Variations of the at-grade alignment, with exclusive HSR platforms east or west of the existing Diridon Station and platforms, were evaluated by the Authority in response to public concerns raised in 2016 and 2017 about the aesthetic and displacement impacts of an aerial design option on downtown San Jose. An HSR station east of the existing station tracks would require moving the existing historic Diridon Station, using extensive portions of City parking lots around the SAP Center for tracks, and necessitating other displacements in downtown, in addition to the community impacts on the North Gardner neighborhood. An HSR station west of the existing station tracks would eliminate access to CEMOF, require relocation of the Santa Clara Valley Transportation Authority (VTA) light rail station, necessitate the demolition of multistory residential units west of the existing station, and lead to the aforementioned impacts on the North Gardner neighborhood. In consideration of these factors, the Authority and FRA dismissed all permutations of an at-grade design option for this subsection, confirming the prior 2013 San Jose to Merced Checkpoint B Summary Report determination.

In 2016 and 2017, local community residents expressed concern about visual and noise impacts of an aerial alignment north of I-880 next to the College Park neighborhood. In response to these comments, the Authority developed a variant of the aerial design option that would entail an at-grade profile between Scott Boulevard and I-880, rather than an aerial profile. In response to the Authority's 2018 Business Plan and input received from the public about developing an at-grade station at San Jose Diridon and staying within the existing railroad right-of-way, the Authority developed and considered a Blended, At-Grade option that would use a blended alignment from the San Jose Diridon Station to the Downtown Gilroy Station. This option was subsequently evaluated in the San Jose to Merced Checkpoint B Summary Report Addendum 4.

Table 2-7 shows the design options considered for this subsection and the rationale for inclusion or withdrawal from further consideration in the EIR/EIS. With elimination of the other design options, three design options for the San Jose Diridon Station Approach Subsection are evaluated in the Draft and Final EIR/EIS: Alternative A (blended, at grade), Alternative B (Viaduct to Scott Boulevard), and Alternative B (Viaduct to I-880). These design options are described in greater detail in Section 2.6.

Table 2-7 San Jose Diridon Station Approach Subsection: Design Options Considered for the Draft and Final EIR/EIS

Design Option	Decision		Reasons for Elimination (P = Primary; S = Secondary)							Environmental / Other Concerns
	Carried Forward	Withdrawn	Constructability	Cost	Community Impacts (Displacement, noise, visual, etc.)	Waters/Wetlands	Park Resources (Section 4(f))	Other Natural or Cultural Resources	Incompatibility with Other Rail	
1. Alternative B (Viaduct to Scott Boulevard)	X									Business displacement; biological, cultural, and parkland resources; visual impacts
2. Alternative B (Viaduct to I-880)	X									Business displacement; biological, cultural, and parkland resources; visual impacts
3. Refined Program Alignment		X			P	S	S	S		Community impacts: residential displacement, nonprofit (house of worship) displacement; noise; biological, cultural, visual, and park resources
4. Three Track		X			P				P	Inconsistent with Caltrain Operating Plan
5. South of Caltrain Tracks		X			P	S	S	S		Property impacts; community impacts; residential displacement; nonprofit (house of worship) displacement; noise/vibration; biological, cultural, visual, and park resources
6. Downtown Aerial		X	P		S			S		Residential/business displacement; biological, cultural, and visual resources; community concerns; constructability issues
7. Deep Tunnel/Underground Station		X	P	S				S		Major constructability issues (poor soils, high groundwater, potential settlement); business displacement; cultural resources; construction impacts; substantial costs
8. Shallow Tunnel/Underground Station		X	P	S		S		S	S	Relocation (lowering) of proposed BART station under high-speed rail station in poor soils/high groundwater; lowering of BART tunnels; impacts on Los Gatos Creek from cut-and-cover construction; business displacement; cultural resources; construction impacts; substantial costs
9. "Thread the Needle"/Underground Station		X	P	S						Increased travel time compared to the Deep Tunnel; constructability issues because of limited portal space in the SR 87/I-280 interchange
10. 5100-Meter Tunnel/Underground Station		X	P	S						Constructability issues associated with building a station beneath active rail lines and stations; increased travel time compared to the Deep Tunnel

Design Option	Decision		Reasons for Elimination (P = Primary; S = Secondary)							Environmental / Other Concerns
	Carried Forward	Withdrawn	Constructability	Cost	Community Impacts (Displacement, noise, visual, etc.)	Waters/Wetlands	Park Resources (Section 4(f))	Other Natural or Cultural Resources	Incompatibility with Other Rail	
11. Modified Tunnel/ Underground Station		X	P	S						Impracticable as a result of geologic conditions (constructability and operational challenges of a mined underground station in an area of high groundwater); capital cost approximately four times that of the options carried forward
12. Blended, At Grade (Alternative A)	X									Disruption and noise impacts; biological, cultural, and parkland resources

BART = Bay Area Rapid Transit
 I- = Interstate
 SR = State Route

2.6 Alignments, Station Sites, and Maintenance Facilities Evaluated in this Final EIR/EIS

This section describes the No Project Alternative and the two end-to-end project alternatives.

2.6.1 No Project Alternative—Planned Improvements

NEPA requires the evaluation of a “no action” alternative in an EIS (40 C.F.R. § 1502.14(d)). Similarly, CEQA requires that an EIR include the evaluation of a “no project” alternative (CEQA Guidelines § 15126.6(e)). The No Project Alternative (synonymous with the NEPA No Action Alternative) considers the impacts of conditions forecast by current plans for land use and transportation in the vicinity of the Project Section, including planned improvements to the highway, aviation, conventional passenger rail, freight rail, and port systems through the 2040 planning horizon for the environmental analysis if the proposed project is not built. Under the No Project Alternative, the Caltrain PCEP would be built and DTX would extend existing Caltrain commuter service to the Salesforce Transit Center (SFTC).

2.6.1.1 Projections Used in Planning

The Project Section would travel through San Francisco, San Mateo, and Santa Clara Counties, where population is projected to increase between 2015 and 2040 by about 20 percent, 15 percent, and 22 percent, respectively (Table 2-8). As shown in the table, most of the region’s job growth would concentrate in San Francisco and Santa Clara Counties, consistent with the region’s current spatial distribution of jobs. The projections show that San Mateo County employment would grow at the lowest rate of the three counties, adding about 91,400 projected new jobs between 2015 and 2040. San Francisco and Santa Clara Counties would add approximately 155,300 and 241,300 net new jobs, respectively. The region overall is expected to experience an annual average job growth rate that is slightly lower than the statewide average over the next 25 years.

Table 2-8 Regional Projected Population and Employment, 2015 and 2040

	2015	2040 Projections	Percent Change
Population			
State of California	38,907,642	47,233,240	21.4
San Francisco City/County	857,508	1,027,004	19.8
San Mateo County	759,155	874,626	15.2
Santa Clara County	1,903,974	2,331,887	22.5
Regional Total	3,520,637	4,233,517	20.2
Employment			
State of California	16,474,800	20,895,900	26.8
San Francisco City/County	668,900	824,200	23.2
San Mateo County	384,100	475,500	23.8
Santa Clara County	1,032,200	1,273,500	23.4
Regional Total	2,085,200	2,573,200	23.4

Sources: CDOF 2014, 2016; CEDD 2016; Caltrans 2015

2.6.1.2 *Planned Land Use*

The evaluation of the No Project Alternative considers planned transportation, housing, commercial, and other development projects through the planning horizon year 2040. Volume 2, Appendix 3.18-A, Cumulative Nontransportation Plans and Projects List, and Appendix 3.18-B, Cumulative Transportation Plans and Projects Lists, describe foreseeable future development projects—shopping centers, large residential developments, and planned transportation projects defined in the various regional transportation plans (RTP) for each of the three counties. The following discussion focuses on the larger projects in the three counties along the Project Section during the 25-year planning horizon from 2015 to 2040.

The land use plans for San Francisco, San Mateo, and Santa Clara Counties encourage infill and higher-density development in urban areas and concentration of uses around transit corridors to accommodate the projected regional population growth through 2040. Thus, many of the planned and other reasonably foreseeable future residential or mixed-use projects propose infill development. The Bay Area's RTP—*Plan Bay Area 2040* (ABAG and MTC 2017)—further this goal by encouraging compact development and a greater investment in local transit modes.

Planned land uses in the San Francisco to South San Francisco Subsection in the City and County of San Francisco include the recently adopted Central South of Market (SoMa) Plan, which would allow an additional 8,800 housing units in the existing high-density urban environment around the 4th and King Street Station (City and County of San Francisco 2018). This increased density would be complemented by transportation improvements, such as the Central Subway Project (anticipated start of revenue service in 2022), which will extend the San Francisco Municipal Railway (MUNI) Metro T Third Line through SoMa, Union Square, and Chinatown. The Schlage Lock project currently under construction in Visitacion Valley will develop 1,679 residential units and 46,700 square feet of retail on a site near the existing Bayshore Caltrain Station. In November 2018, the City of Brisbane and the city's voters approved a General Plan Amendment that allows up to 2,200 dwelling units, 6.5 million square feet of new commercial development, and up to 500,000 square feet of hotel development in the Brisbane Baylands area.²¹

In the San Bruno to San Mateo Subsection, the City of Millbrae has adopted zoning and specific plans that affect and shape development in the Millbrae Station vicinity. The Millbrae Station Area Specific Plan proposes higher-density mixed-use residential and commercial uses in the areas closest to the Millbrae Station, including at the location of the current BART parking lots, to take advantage of station proximity and connect the station to adjacent neighborhoods and the downtown area. Development applications have been approved for two projects on these sites—the Millbrae Serra Station Project and the Gateway at Millbrae Station. The Millbrae Serra Station Project would be a 3.53-acre mixed-use TOD combining residential, office, retail, and public parking uses west of the Millbrae Station along Serra Avenue and El Camino Real. The project would include 488 multifamily residential units, 290,100 square feet of office, and 13,200 square feet of retail in three buildings. The Gateway at Millbrae Station will be on an 11-acre BART-owned site immediately east of the Millbrae Station, and will include office, retail, market-rate and affordable multifamily residential apartments, and hotel uses. The project will consist of 400 residential units, 151,583 square feet of office, 44,123 square feet of retail, and a 164-room hotel.

Planned land uses in the San Mateo to Palo Alto Subsection include mixed-use development, office space, commercial and retail development, and residential buildings. In San Mateo, development near the Hillsdale and Hayward Park Caltrain Stations is guided by the *San Mateo Rail Corridor Transit Oriented Development Plan* and the *Hillsdale Station Area Plan*. Mixed-use development, commercial development projects, and a 96-room hotel are under construction in Belmont, while the 6.26-acre mixed-use San Carlos Transit Village and associated San Carlos

²¹ A revised Specific Plan is under preparation to reflect the approved General Plan Amendment. As a decision on a Specific Plan is still pending and it has not yet been approved, it has not been included in the analysis under the No Project Alternative in this Final EIR/EIS.

Multi-Modal Transit Center Project are under construction near the San Carlos Station. Planned development projects in Redwood City, Menlo Park, and Palo Alto consist of mixed-use development, senior housing, residential, office, commercial, and hotel uses; many of these planned projects are along El Camino Real.

In the Mountain View to Santa Clara Subsection, proposed development in Mountain View includes a new 28.7-acre LinkedIn corporate campus along Middlefield Road and other multifamily housing, office space, community and hotel facilities, and mixed-use developments. Approved projects in Sunnyvale include a 36-acre mixed-use project (CityLine Sunnyvale [formerly Town Center]). One of the region's largest development projects—the 240-acre (9.2 million gross square feet) CityPlace mixed-use development near Levi's Stadium—was approved in Santa Clara. Mixed-use development plans for the area surrounding the Lawrence Caltrain Station in Sunnyvale and Santa Clara are guided by the Lawrence Station Area Plan.

Planned projects in the San Jose Diridon Station Approach Subsection in San Jose include medical office, hotel, residential, and mixed-use development; an office/data center; and shopping center expansion. In May 2021, the City of San Jose approved a proposed development by Google of an 80-acre downtown campus (the Downtown West Project) with up to 7.3 million square feet of office space, up to 5,900 residential units, up to 300 hotel rooms, and up to 800 rooms of short-term corporate housing; additional amenities would include open space, entertainment, and retail. North of Diridon Station, a seven-story mixed-use development is under construction and nearly complete on Stockton Avenue. Other pending development projects include 785–807 Alameda, City Place Project in Santa Clara, and the VTA Transit-Oriented Joint Development at the San Jose, Santa Clara, and Tamien Stations. A four- to five-story mixed-use development is planned at the intersection of Delmas and Park Avenues and 120 condominiums are proposed for Delmas Avenue between West San Carlos Street and Auzerais Avenue, south of the station. A substantial amount of development is proposed east and north of the junction of SR 87 and I-280 as well as south of I-280.

2.6.1.3 Planned Highway Improvements

The highway and roadway component of the No Project Alternative includes the planned efforts of the California Department of Transportation (Caltrans) and the three counties through which the Project Section passes (San Francisco, San Mateo, and Santa Clara) to address the anticipated growth in vehicle miles traveled and resulting congestion on the roadway system. Analysis of the No Project Alternative considers the funded and programmed improvements on the intercity highway and roadway network based on financially constrained RTPs developed by regional transportation planning agencies. Many of the planned highway improvements are directly related to Caltrans' plans for the improvement of US 101, the primary north-south highway in the corridor and a major state priority. Other planned highway improvements would be undertaken by Caltrans on other regional highways, including SR 237, SR 85, SR 92, I-280, I-680 and I-880. SR 237 express lanes and Central, Montague, and San Tomas Expressway improvements are planned in Santa Clara County. The improvements in Santa Clara County primarily entail construction of an express lane network on the highway system—individual interchange upgrades, conversion of high-occupancy vehicle (HOV) lanes to express lanes, and construction of new express lanes (Table 2-9). These improvements would not cumulatively add substantial capacity to the existing highway system, but they would provide enhanced efficiency of existing highways.

Table 2-9 Planned Highway Improvements—No Project Alternative

Project Name	Type of Project
City/County of San Francisco	
Harney Way widening	Reconstruct and widen Harney Way to 8 lanes to accommodate the additional BRT and auto lanes and improve bicycle lanes and sidewalks
Geneva Avenue extension—Bayshore Blvd to US 101	Extension of Geneva Avenue from its current terminus at Bayshore Boulevard to Harney Way with a new interchange at US 101
County of San Mateo	
Improve SR 92 from San Mateo Bridge to I-280	Widen SR 92 and add an uphill passing lane from US 101 to I-280
US 101 auxiliary lanes from Sierra Point to SF County Line	Construction of auxiliary lanes
Reconstruct US 101/Sierra Point Pkwy interchange (includes extension of Lagoon Way to US 101)	Interchange reconstruction and road extension
US 101 express lane conversion from San Mateo/Santa Clara County line to Whipple Ave	Conversion of HOV lanes to express lanes
US 101 widening, Whipple Ave to Millbrae	Road widening to add an express lane in each direction
US 101 auxiliary lanes, Marsh Rd to Embarcadero Rd	Construction of auxiliary lanes (one in each direction)
US 101 auxiliary lanes, San Bruno Ave to Grand Ave	Construction of auxiliary lanes (one in each direction)
City of Brisbane	
US 101/Candlestick Point interchange project	Interchange reconfiguration
City of South San Francisco	
US 101 ramp improvements project	Ramp improvements
US 101/Produce Ave interchange	Construct a local interchange on US 101 from Utah Ave on the east to the vicinity of Produce Ave on the west
City of Millbrae	
US 101 Millbrae Ave bike/pedestrian bridge	Construction of new 10-foot-wide Class 1 bike/pedestrian overcrossing across US 101 north of and adjacent to the existing Millbrae Ave bridge
City of Burlingame	
US 101/Broadway interchange reconstruction project	Interchange reconfiguration; bridge replacement and widening
City of San Mateo	
US 101/Peninsula Ave interchange	Addition of ramps for southbound US 101 at Peninsula and closure of ramps at Poplar
Poplar/US 101 traffic safety improvements	Construction of median island and traffic calming improvements
SR 92/El Camino Real ramp modifications	Interchange improvements and modifications to existing ramps

Project Name	Type of Project
City of San Carlos	
US 101/Holly St interchange modification project	Interchange modification. Widen eastbound to northbound ramp to two lanes and eliminate northbound to westbound loop
US 101/Holly St pedestrian overcrossing	Pedestrian improvements
City of Redwood City	
US 101/Woodside interchange	Reconstruct and reconfigure interchange
City of Menlo Park	
US 101/Willow Rd interchange reconstruction	Interchange improvements
City of Palo Alto	
Adobe Creek/US 101 bicycle/pedestrian bridge	New bicycle/pedestrian overcrossing across US 101 at Adobe Creek
Dumbarton Bridge to US 101 connection study	Transportation study
City of Sunnyvale	
SR 237/US 101/Mathilda interchange modifications	Modify US 101/Mathilda and SR 237/Mathilda interchanges to relieve congestion and improve local circulation
Santa Clara County/San Jose	
Central Expy widening and auxiliary lanes, Lawrence Expy to Mary Ave	Road widening to provide auxiliary lanes
Central Expressway widening from 4 to 6 Lanes, Lawrence Expy to San Tomas Expy	Road widening
Construct interchange at Lawrence Expy and Arques Ave	New interchange
Construct local roadway improvements overcrossing US 101 (includes local circulation improvements to Zanker Rd, Old Bayshore Hwy, North 4th St and Skyport Dr)	Highway overcrossing improvements
HOV lane conversion to general purpose lane, Central Expressway between San Tomas and De La Cruz	Lane conversion
I-880/I-280/Stevens Creek Blvd interchange improvements	Interchange and off-ramp reconfiguration
Improve intersection at Lawrence Expy and Prospect Rd by adding a second left-turn lane and modifying the existing traffic signals	Intersection reconfiguration
Improve SR 237 westbound to SR 85 southbound connector ramp widening and improvements and southbound auxiliary lane construction, SR 237 to SR 85/El Camino Real interchange	Ramp improvements and auxiliary lane construction
Realign Wildwood Ave to connect with Lawrence Expy	Road reconfiguration
San Tomas Expy widening to 8 Lanes, El Camino Real (SR 82) to Williams Rd	Road widening
Santa Clara County—US 101 express lanes, Great America Pkwy to Lawrence Expy	Conversion of HOV lane to express lane and addition of express lane and SB auxiliary lanes
SR 237 express lane conversion, I-880 to Mathilda Ave	Conversion of HOV lanes to express lanes

Project Name	Type of Project
SR 237 express lanes: Mathilda Ave to SR 85	Construction of new HOV/express lanes
SR 237 express lanes: Zanker Rd to Mathilda Ave	Implement roadway pricing on SR 237 carpool lane
SR 237 westbound to northbound US 101 on-ramp widening and auxiliary lane	On-ramp widening and auxiliary lane construction
SR 85 express lane conversion, US 101 in Mountain View to US 101 in South San Jose	Conversion of HOV lanes to express lanes
SR 85 express lanes and auxiliary lane, I-280 to SR 87	Express lane and auxiliary lane construction
SR 85 northbound to SR 237 eastbound connector ramp improvements and eastbound SR 237 auxiliary lane construction, SR 85 to Middlefield Rd	Ramp improvements and auxiliary lane construction
US 101/Capitol Expy interchange improvements	Interchange modification and new on-ramp construction
US 101/Montague Expy interchange	New interchange construction
Widen Montague Expy to 8 lanes between Trade Zone Blvd and I-680 and to 6 lanes between I-680 and Park Victoria Dr for HOV lanes	Road widening and HOV lane construction
SR 87 HOV conversion, SR 85 to US 101	Conversion of HOV lanes to express lanes with interchange modifications
US 101 express lane conversion, San Mateo/ Santa Clara County Line to SR 25	Conversion of HOV lanes to express lanes and construction of express lanes with interchange modifications
I-280 express lanes, Leland Ave to US 101	Conversion of HOV lanes to express lanes and construction of express lanes with interchange modifications
I-680 express lanes, Alameda County line to US 101	Conversion of HOV lanes to express lanes and construction of express lanes with interchange modifications
I-880 express lanes, Alameda County line to US 101	Conversion of HOV lanes to express lanes and construction of express lanes with interchange modifications
Widen Coleman Ave from 4 to 6 lanes from I-880 to Taylor St	Road widening
Diridon Area parking and multimodal improvements	Parking and transit improvements

BRT = bus rapid transit
 HOV = high-occupancy vehicle
 I- = interstate
 SR = State Route
 UPRR = Union Pacific Railroad
 US = U.S. Highway

2.6.1.4 *Planned Aviation Improvements*

SFO and Norman Y. Mineta San Jose International Airport (SJC) are the large- and medium-hub commercial service airports that serve the cities and counties near the Project Section. One federal airport—Moffett Federal Airfield—is off US 101 in Mountain View. Two general aviation airports are also near the corridor—San Carlos Airport and Palo Alto Airport.

San Francisco International Airport

Improvement plans for SFO are documented in the 1992 San Francisco Airport Master Plan. For SFO, the Final Noise Exposure Map Report provides updated forecasts from the 1992 San

San Francisco Airport Master Plan, projecting 37.4 million passengers by 2033. The master plan identifies planned improvements, including the replacement of Boarding Area B in Terminal 1, renovation of Boarding Area C in Terminal 1, and consolidation of cargo facilities in the North and West Field areas to accommodate these additional passengers. The 2012 *Comprehensive Airport Land Use Compatibility Plan for the Environs of San Francisco International Airport* includes an updated Future Airport Layout Plan that reflects planned enhancements to runway safety areas to comply with Federal Aviation Administration standards (City/County Association of Governments of San Mateo County 2012). In addition, the *San Francisco International Airport Development Plan* from 2016 details recommended projects for improvements in several areas throughout the airport (City and County of San Francisco 2016).

San Carlos Airport

San Carlos Airport is a public airport in San Mateo County, owned and operated by the county, that accommodates 400 based aircraft (City/County Association of Governments of San Mateo County 2015). The *Comprehensive Airport Land Use Compatibility Plan for the Environs of San Carlos Airport* identifies no major planned improvements.

Moffett Federal Airfield

Improvements to Moffett Federal Airfield are documented in the 2016 *Comprehensive Land Use Plan Santa Clara County Moffett Federal Airfield* (County of Santa Clara 2016a). It indicates that there are no planned aviation improvements at Moffett Federal Airfield.

Palo Alto Airport

Palo Alto Airport is a public airport in Santa Clara County. Improvements are documented in the 2008 *Comprehensive Land Use Plan Santa Clara County Palo Alto Airport*, which was updated in 2016. Future airport facilities include a potential of 29 aircraft hangars, new helipad, general aviation terminal building and parking lot, and reconfiguration of a taxiway (County of Santa Clara 2016b).

Norman Y. Mineta San Jose International Airport

SJC is served by 12 commercial airlines with approximately 130 daily departures to 30 nonstop destinations. In November 2005, the San Jose City Council approved a comprehensive plan for replacing and upgrading the terminal facilities at SJC. The Terminal Area Improvement Program was planned in two phases. Phase 1 was completed in 2010. Phase 2, expansion to add 10 more aircraft gates, would begin when the airport reaches specific levels of passenger activity or flights in the future (City of San Jose Airport Department 2018).

The first phase of the Terminal Area Improvement Program included the comprehensive modernization of the airport. Elements included a new Terminal B and Concourse, upgrades for Terminal A, expanded restaurant and retail concessions, expanded roadway capacity, an on-site consolidated rental car center and public parking garage, and public art. Construction of Terminal B and the new Terminal B Concourse began in 2004 as the first major element of the new airport facilities. Located between Terminal A and Terminal B, the new concourse has 12 aircraft gates, waiting lounges, and new shops and restaurants. Southwest Airlines activated the first six gates in the new concourse for interim service in July 2009. The remainder of the concourse opened with completion of Terminal B facilities in June 2010.

Phase 2 includes the second half of Terminal B with a South Concourse mirroring the North Concourse, adding 10 new aircraft gates. This addition would bring the total number of gates to the 40 allowed under the 2018 Airport Master Plan to serve 17 million annual passengers (City of San Jose Airport Department 2018).

2.6.1.5 Planned Intercity Transit Improvements

The 2040 No Project Alternative transit service levels include all planned bus and rail service upgrades to accommodate regional growth, including the Caltrain Modernization Program, BART and MUNI extensions, and new or expanded bus facilities. These services have been planned assuming the potential for future feed into HSR, but they would provide increased transit service levels without the introduction of HSR.

Conventional Passenger Rail

Caltrain, BART, MUNI, Altamont Corridor Express (ACE), Amtrak, and VTA provide existing passenger train services in the project vicinity. Caltrain provides passenger rail service on the San Francisco Peninsula between San Francisco and downtown San Jose with stops in San Mateo County and Santa Clara County. Caltrain is operated under the jurisdiction of the PCJPB and is managed by San Mateo County Transit District (SamTrans). The Caltrain system includes 77 miles of track and has 39 at-grade crossings between San Francisco and Santa Clara and 32 at-grade crossings between San Jose and Gilroy. As of 2018, Caltrain operates 92 weekday trains, including Baby Bullets (express), limited, and local services. The average weekday Caltrain ridership in 2018 was approximately 65,100; of this, approximately 97 percent (63,170 riders) traveled between San Francisco and San Jose, including approximately 15,420 riders at the 4th and King Street Station and 3,340 riders at the Millbrae Station (Caltrain 2018).

In January 2015, the PCJPB certified and adopted the PCEP EIR (PCJPB 2015) as part of a program to electrify and upgrade the performance, operating efficiency, capacity, safety, and reliability of the Caltrain rail corridor between San Jose and San Francisco. The approximately 51-mile project will include the installation of electrification infrastructure including TPFs, poles, and OCS. Approximately 75 percent of the existing diesel locomotive-hauled fleet will be replaced with EMU trains. The project is anticipated to be completed in 2024. The delivery of the PCEP constitutes an “early investment” in the future shared operation of Caltrain and HSR in the corridor in a blended system that offers both intercity HSR and regional commuter rail service. Prior to HSR’s anticipated arrival, additional system upgrades will be made. In addition, the rail tracks from Mariposa Street (south of the 4th and King Street Station) will be extended to the new SFTC in downtown San Francisco. Known as the DTX, the project is currently only partially funded.

BART provides passenger rail transit service to downtown San Francisco from cities in the northern portion of the San Francisco Peninsula, Oakland, Berkeley, Fremont, Walnut Creek, Dublin/Pleasanton, and other cities in the East Bay. The BART system comprises five lines and 50 stations. The average weekday ridership for fiscal year 2016 was approximately 431,000 (BART 2018). The only proposed HSR stations that would have a direct connection to BART are the Millbrae Station, which serves the Richmond and Antioch BART lines, and the San Jose Diridon Station, which will serve the Warm Springs/South Fremont line upon completion of the BART Silicon Valley Phase 2 Extension from Berryessa/North San Jose through downtown San Jose to Santa Clara.

MUNI, which is operated by the San Francisco Municipal Transportation Agency, provides various transit services within San Francisco. The MUNI Metro system, a mixture of above- and below-ground light rail service, consists of nine routes serving residential areas and the financial district.

Amtrak provides intercity passenger rail service in California on four principal corridors covering more than 1,300 linear route miles and spanning most of the state. The existing passenger rail network in the Project Section includes portions of two corridors: the Coast Starlight follows the UPRR coast route between San Jose and Gilroy; and the Capitol Corridor, which terminates in San Jose, provides service north to Oakland and eventually to Sacramento and Auburn.

ACE provides four daily round-trip trains from Stockton to San Jose Diridon Station via Tracy and Livermore, with intermediate stops. ACE is working with the Authority to study an enhanced regional rail service between Stockton, Modesto, and San Jose and plans to expand service to six round trips in the short term and 10 round trips in the long term.

VTA provides bus, light rail, and paratransit within Santa Clara County. VTA operates a light rail system (Line 901, the Alum Rock—Santa Teresa line) serving San Jose and surrounding suburban areas south and east of Diridon Station.

The No Project Alternative includes passenger rail system improvements identified in the State Transportation Improvement Program and Caltrans’ California State Rail Plan for implementation before 2040 (Caltrans 2013). Table 2-10 shows these improvements, in addition to other passenger rail improvements identified by Caltrain, BART, MUNI, and Capitol Corridor.

Table 2-10 Planned Passenger Rail Projects—No Project Alternative

Jurisdiction	Project Name	Type of Project
City and County of San Francisco, San Mateo and Santa Clara Counties	Caltrain Peninsula Corridor Electrification Project	Installation of electrification infrastructure (traction power facilities, poles and OCS, and EMUs) along 51 miles of the Caltrain corridor between San Francisco and San Jose. An upgraded signal system will increase operational safety and establish PTC; approximately 75 percent of the existing diesel locomotive-hauled fleet will be replaced with EMUs.
City and County of San Francisco	Downtown Rail Extension Project	Extension of Caltrain commuter rail from its current terminus at 4th and King Streets to the new Salesforce Transit Center.
City and County of San Francisco	Central Subway Project	Extension of the MUNI Metro T Third Line through SoMa, Union Square, and Chinatown will provide a direct rapid transit link between downtown San Francisco and the existing T Third Line route on 3rd Street. When the Central Subway is completed, T Third Line trains will travel mostly underground along a 1.7-mile alignment from the 4th and King Street Station to Chinatown.
City and County of San Francisco	T-Line Extension	Extension of MUNI Metro T Line to relocated Bayshore Caltrain Station in proximity to future Geneva BRT terminus.
County of Santa Clara	BART to Silicon Valley Project	The 16-mile extension from Warm Springs Station in Fremont to Santa Clara. Phase I, the Berryessa Extension Project, connects Warm Springs to new stations in Milpitas and Berryessa; Phase II would connect Berryessa Station to new stations in Alum Rock, downtown San Jose, San Jose Diridon Station, and Santa Clara.
County of Santa Clara	Capitol Expressway LRT Extension Phase 2	The VTA Capitol Expressway Transit Improvement Project would transform Capitol Expressway into a multimodal boulevard offering BRT, LRT, and safe connections to the regional transit system.
County of Santa Clara	LRT Extension Winchester Station to Vasona Junction	A 1.6-mile extension of the existing Mountain View to Winchester line from the Winchester Station in Campbell to Los Gatos. The project would be implemented in two phases based on funding and projected ridership. Phase 1 would include construction of a double set of light rail tracks at the existing Winchester Station, expansion of parking capacity at the Winchester Station, construction of a new Vasona Junction Station with a Park & Ride lot and end-of-the-line facilities, and lengthening of six existing station platforms along the Vasona Corridor alignment (Winchester, Campbell, Hamilton, Bascom, Fruitdale, and Race) to accommodate longer trains. Phase 2 would consist of construction of a new Hacienda Light Rail Station with an optional Park & Ride lot.
City of San Jose	Mineta San Jose International Airport People Mover	Dedicated guideway connection from the Norman Y. Mineta San Jose International Airport to the Caltrain, BRT, and future BART stations at the Santa Clara Transit Center and the VTA LRT on North First Street.
County of Alameda and County of Santa Clara	Capitol Corridor Joint Powers Authority Oakland to San Jose Phase 2 Double Track	Construct a second mainline track, platforms, and modifications to existing tracks between the cities of Oakland and San Jose, on the Union Pacific Railroad.

Jurisdiction	Project Name	Type of Project
Counties of Monterey, San Benito, and Santa Clara	Monterey County Rail Extension	Extension of passenger rail service from Santa Clara County south to Salinas with two daily round trips initially and up to six daily round trips at buildout between San Jose and Salinas. Kick-start phase includes a downsized Salinas Station, track improvements in Gilroy to allow through-service, and minor station improvements in Morgan Hill, Gilroy, and Tamien Stations.

BART = Bay Area Rapid Transit
 BRT = bus rapid transit
 EMU = electrical multiple units
 LRT = light rail transit
 MUNI = San Francisco Municipal Railway
 OCS = overhead contact system
 PTC = positive train control
 SoMa = South of Market
 VTA = Santa Clara Valley Transportation Authority

Passenger Bus Service

The No Project Alternative would include implementation of bus transit projects identified and funded in *Plan Bay Area 2040* (ABAG and MTC 2017). These projects include new or enhanced bus facilities to expand transit capacity and performance in the Project Section (Table 2-11). These improvements would primarily affect the 4th and King Street Station.

Table 2-11 Planned Passenger Bus Improvements—No Project Alternative

Jurisdiction	Project Name	Type of Project
City and County of San Francisco	16th Street Improvement Project	Improve transit reliability and travel time along 2.3 miles of 16th Street by providing transit-only median lanes, transit bulbs, new traffic and pedestrian signals, and streetscape amenities. The project will allow for zero-emission transit service into Mission Bay by extending the OCS that powers trolley buses from Kansas Street to 3rd Street.
City and County of San Francisco	Van Ness BRT Project	Provide dedicated bus lanes along 2 miles of Van Ness and South Van Ness Avenues from Lombard to Mission Streets. The project will also provide for low-floor boarding, high-quality shelters, pedestrian safety enhancements, and transit signal priority.
City and County of San Francisco	Geary BRT Project	Provide dedicated transit lanes, utility upgrades, and streetscape improvements from Stanyan Street to Market Street.
City and County of San Francisco	Geneva-Harney BRT Project	Extend Geneva Avenue from Brisbane to Candlestick Point and institute BRT service, including relocation of the Bayshore Caltrain Station to just north of the Geneva BRT terminus.
County of San Mateo	SamTrans El Camino Real Express Rapid Bus Project	Complements El Camino Real bus service by providing additional rapid bus service during commute periods between the Daly City BART station and the Redwood City Transit Center. Interim stops are located at the Colma, South San Francisco, San Bruno, and Millbrae BART Stations as well as the Hillsdale, Belmont, and San Carlos Caltrain Stations.
County of Santa Clara	El Camino Real BRT improvements	Upgrade the 522 Rapid Bus Route on El Camino Real to BRT status through roadway modifications; upgrade existing stations to more substantial, rail-like stations; and install bicycle lanes on El Camino Real in areas where there are dedicated BRT lanes.

Jurisdiction	Project Name	Type of Project
County of Santa Clara	Stevens Creek Corridor BRT improvements	Provision of BRT service, in addition to the existing local route, for 8.5 miles from De Anza College to the Transit Mall in downtown San Jose using San Carlos Avenue and Stevens Creek Boulevard.

BART = Bay Area Rapid Transit

BRT = bus rapid transit

OCS = overhead contact system

SamTrans = San Mateo County Transit District

2.6.1.6 Planned Freight Rail Improvements

Two Class 1 freight railroads operate in the Bay Area—UPRR and BNSF Railway (BNSF). Freight flow by rail accounted for 3 percent of tonnage and 2 percent of value moved in the Bay Area in 2012. Between San Francisco and San Jose, freight trains operate daily along the Caltrain corridor, making up less than 5 percent of train traffic on the Peninsula (MTC 2016). Along the Caltrain corridor, UPRR is the freight carrier. While freight levels vary over time, as explained in greater detail in Section 3.2, Transportation, there is capacity along the Caltrain corridor to accommodate current and forecasted freight levels out to 2040.

Development projects to accommodate projected population growth and economic growth, including shopping centers, industrial parks, transportation projects, and residential developments, would continue under the No Project Alternative and could result in increased demands for transport of freight by rail and the resulting need to expand freight services. Freight levels depend on not only the overall level of economic activity but also the specific demand for bulk and oversize commodities that dominate freight carried by rail. The estimates for future freight levels for the freight line from San Francisco to San Jose and from San Jose to Gilroy are based on the freight forecast in the most recent California State Rail Plan from 2018, which includes annual growth per annum of 2.6 percent between Santa Clara and San Francisco, 1.5 percent between San Jose and Santa Clara, and 2.6 percent south of San Jose (Caltrans 2018). Table 2-12 shows existing and assumed future freight levels along different parts of the Project Section under the No Project Alternative.

Table 2-12 Existing and Assumed Future Freight Train Operations—No Project Alternative

Year	Total Daily Number of Trains (Both Directions) Per Segment				
	San Francisco to South San Francisco	South San Francisco to Redwood City	Redwood City to Santa Clara	Santa Clara to Diridon	Diridon to Tamien
2019	2	4	4	8	4
2040	3	7	7	15	7

Source: PCJPB 2019, Caltrans 2018

2.6.1.7 Planned Port Improvements

Ports in the region can influence goods movement and regional circulation. The primary port in the project vicinity is the Port of San Francisco. Cruise ships, ferries, and cargo ships dock at the various piers in the San Francisco Bay. Ferry service is operated by the Golden Gate Ferry service and by the San Francisco Bay Area Water Emergency Transportation Authority (WETA). Golden Gate Ferry provides service between the San Francisco Ferry Building, Larkspur, Sausalito, and Tiburon, with limited service to Oracle Park (formerly AT&T Park). There were approximately 8,500 estimated daily riders on weekdays (as of 2018) on the Golden Gate Ferry system (Golden Gate Bridge, Highway, and Transit District 2019). The San Francisco Bay Area Water Emergency Transportation Authority provides service under the San Francisco Bay Ferry brand between San Francisco Pier 41, the Ferry Building, Oracle Park (formerly AT&T Park), Chase Center, and South Francisco to locations across the bay such as Mare Island, Vallejo, Richmond, Alameda, Oakland, and Harbor Bay. There were approximately 10,000 estimated daily riders (as of 2016) of the San Francisco Bay Ferry system (WETA 2016).

The *Port of San Francisco Strategic Plan 2016–2021* and the *San Francisco Bay Area Water Emergency Transportation Authority Strategic Plan 2016* aim to expand cargo and ferry service in the Bay Area (Port of San Francisco 2016; WETA 2016). Under this expanded service, estimated daily riders are projected to increase to 40,760, new ferry terminals would be built (one in Redwood City), and existing ferry terminals (such as the Downtown San Francisco Ferry Terminal) would be expanded. Table 2-13 shows the planned port projects near the Project Section.

Table 2-13 Planned Port Improvements—No Project Alternative

Jurisdiction	Project Name	Type of Project
City and County of San Francisco	Port of San Francisco Downtown Ferry Terminal Improvements	Transit improvements including new intermodal transfer areas, ferry facilities, bike/pedestrian improvements, passenger amenities
City and County of San Francisco	Port of San Francisco Fisherman’s Wharf Ferry Terminal Improvements	Transit improvements including structural improvements, new intermodal transfer areas, ferry facilities, bike/pedestrian improvements
City and County of San Francisco	Mixed use and industrial development on Port of San Francisco property (various projects)	The Port has permitted numerous development projects including Mission Rock, Pier 70, and plans for other commercial and industrial development in the waterfront area.
City of South San Francisco	Implement ferry service between South San Francisco and Alameda/Oakland	Transit improvement
City of Redwood City	Redwood City Ferry Terminal	Construct ferry terminal at Redwood City

2.6.2 High-Speed Rail Alternatives for the San Francisco to San Jose Project Section

This section presents detailed descriptions of the two end-to-end project alternatives identified as Alternative A and Alternative B. Because the two alternatives contain many common elements, these are described first, followed by a more detailed description of each alternative by subsection. Volume 3 of this Final EIR/EIS contains the preliminary design drawings. Figure 2-1 illustrates the two project alternatives.

2.6.2.1 Preferred Alternative

On September 17, 2019, the Authority Board of Directors reviewed a staff recommendation on the Preferred Alternative and a summary of key identified outreach concerns. The Board confirmed that Alternative A is the Preferred Alternative for evaluation in the Draft and Final EIR/EIS. The process for considering and the rationale for selecting the Preferred Alternative are presented in Chapter 8, Preferred Alternative, of this Final EIR/EIS.

2.6.2.2 Common Design Features

The project would extend approximately 49 miles from the San Francisco 4th and King Street Station to West Alma Avenue in San Jose, sharing tracks with Caltrain using blended system infrastructure for its entirety under Alternative A, for 46 miles under Alternative B (Viaduct to I-880), or for 43 miles under Alternative B (Viaduct to Scott Boulevard). Stations providing HSR service would be located in San Francisco, Millbrae, and San Jose, and an LMF would be built in the Brisbane Baylands area. The Project Section would follow the existing Caltrain right-of-way through urban cities and communities in San Francisco, San Mateo, and Santa Clara Counties, including San Francisco, Brisbane, South San Francisco, San Bruno, Millbrae, Burlingame, San

Mateo, Belmont, San Carlos, Redwood City, North Fair Oaks, Atherton, Menlo Park, Palo Alto, Mountain View, and Sunnyvale. Alternative A would continue along the Caltrain right-of-way in Santa Clara and San Jose, while Alternative B would depart from the Caltrain right-of-way south of I-880 (Viaduct to I-880) or south of Scott Boulevard (Viaduct to Scott Boulevard). The Project Section would be comprised of the following five geographic subsections: San Francisco to South San Francisco, San Bruno to San Mateo, San Mateo to Palo Alto, Mountain View to Santa Clara, and San Jose Diridon Station Approach (Figure 2-1).

Operating on the two-track system primarily within the existing Caltrain right-of-way, the project would use existing and in-progress infrastructure improvements developed by Caltrain for its Caltrain Modernization Program, including electrification of the Caltrain corridor between San Francisco and San Jose as part of the PCEP and PTC. These improvements would provide consistent and predictable travel between San Francisco and San Jose. The blended system would accommodate operating speeds of up to 110 mph for up to four HSR trains and six Caltrain trains per hour per direction in the peak period.

Operation of the blended system would require additional infrastructure improvements and project elements beyond the Caltrain Modernization Program to accommodate HSR service. Design elements common to both alternatives include track modifications to support higher speeds while maintaining passenger comfort; station and platform modifications to accommodate HSR trains passing through or stopping at existing stations; and modifications to the OCS and TPFs installed by Caltrain as part of the PCEP. The project alternatives would include safety improvements at existing at-grade roadway crossings and at Caltrain stations and platforms, as well as security modifications such as installing perimeter fencing along the right-of-way. The project would also include an LMF to accommodate planned operational needs for high-capacity rail movement and communication radio towers at approximately 2.5-mile intervals.

HSR and Caltrain are the only passenger rail services that would operate in the blended system. North of the Santa Clara Caltrain Station, freight would use the same tracks as HSR and Caltrain, but would operate with temporal separation to avoid conflicting with HSR and Caltrain operations. South of the Santa Clara Caltrain Station, freight and other passenger rail services (including ACE, Amtrak, and Capitol Corridor) operate presently and would continue to operate on separate UPRR-owned tracks.

Track and Station Modifications

Depending on the alternative selected, between 8 and 11 of the existing 27 Caltrain stations between 4th and King Street in San Francisco and West Alma Avenue in San Jose would require varying degrees of modifications to accommodate HSR trains passing through or stopping at the stations. HSR trains would stop at the 4th and King Street, Millbrae, and San Jose Diridon Stations, requiring dedicated HSR platforms and associated passenger services to be provided at these stations. Other stations would also be modified to accommodate track adjustments, remove the hold-out rule, and build project features such as the Brisbane LMF and passing track.

The blended system would require curve straightening, track center modifications, and superelevation²² of existing Caltrain tracks along approximately 36 to 44 percent of the project corridor (depending on the alternative) to support higher speeds of up to 110 mph. These track modifications are described under Section 2.6.2.4 and Section 2.6.2.5, and illustrated on Figures 2-28, 2-33, 2-37, 2-38, 2-39, 2-40, 2-42, and 2-44. Where horizontal track modifications would be greater than 1 foot, the OCS poles and wires would require relocation. Where track modifications would be made at existing Caltrain stations, adjustments to existing platforms would be required. Track modifications at San Bruno Station and Hayward Park Station under Alternatives A and B would require modifying or realigning the existing station platforms.

²² *Superelevation* is the vertical distance between the height of the inner and outer rails at a curve. Superelevation is used to partially or fully counteract the centrifugal force acting radially outward on a train when it is traveling along the curve.

Broadway Station(both alternatives) and the College Park Station (Alternative A only) would be modified as part of the blended system improvements to remove the existing hold-out rule. As illustrated on Figure 2-16, new outboard platforms would be built at these stations to eliminate the need for passengers to cross between the tracks. The Brisbane LMF would require modifications to the Bayshore Station in Brisbane.

Safety and Security Modifications to the Right-of-Way

Consistent with FRA safety guidelines for HSR systems with operating speeds of up to 110 mph, the blended system would include safety improvements at the at-grade crossings to create a “sealed corridor” that would reduce conflicts with automobiles and pedestrians. Depending on the configuration of the existing at-grade crossing, one of six different four-quadrant gate applications (illustrated on Figures 2-12, 2-13, and 2-14) would be installed at each of the 38 to 40 at-grade crossings (currently without four-quadrant gates) along the Project Section. Table 2-14 shows the number and locations of four-quadrant gate applications. These applications specify the improvements for each at-grade crossing, including the number of vehicle and pedestrian gates and the use of channelization or raised medians.

Table 2-14 Number and Locations of Four-Quadrant Gate Applications within the Project Section

Application	Number of At-Grade Crossings	Location of At-Grade Crossings
A	7 to 9	Mission Bay Drive and 16th Street (San Francisco); 4th Avenue, 5th Avenue, and 9th Avenue (San Mateo); Oak Grove Avenue and Ravenswood Avenue (Menlo Park); Mary Avenue (Sunnyvale); Auzerais Avenue and West Virginia Street (San Jose, Alternative A only)
B	11	Center Street (Millbrae); Oak Grove Avenue, North Lane, Howard Avenue, Bayswater Avenue, and Peninsula Avenue (Burlingame); Villa Terrace and Bellevue Avenue (San Mateo); Chestnut Street (Redwood City); Encinal Avenue (Menlo Park); Alma Street (Palo Alto)
B1	2	Scott Street (San Bruno); Watkins Avenue (Atherton)
C	4	Broadway (Burlingame); Whipple Avenue (Redwood City); Rengstorff and Castro Street (Mountain View)
D	7	Linden Avenue (South San Francisco); Brewster Avenue and Broadway (Redwood City); Churchill Avenue, Meadow Drive and Charleston Road (Palo Alto); Sunnyvale Avenue (Sunnyvale)
E	7	1st Avenue, 2nd Avenue, and 3rd Avenue (San Mateo); Maple Street, Main Street (Redwood City); and Glenwood Avenue (Menlo Park)
Total	38 to 40	Alternative A: 40 crossings; Alternative B: 38 crossings

Sources: Authority 2019a, 2019b

In addition to four-quadrant gates, the Authority would install fencing at the at-grade crossings and along the perimeter of the Caltrain corridor. Consistent with Caltrain’s design standards, existing fencing would be extended to adjacent structures to close any gaps. Figure 2-17 illustrates existing perimeter fencing of railroad rights-of-way.

Train Control and Communication Facilities

HSR would require the installation of a radio-based communications network to maintain communications and share data between the trains and the operations control center. These facilities are described in Section 2.4.7, Signaling, Train-Control Elements, and Communication Facilities, and illustrated on Figure 2-18.

Light Maintenance Facility

The Project Section would include an approximately 100- to 110-acre LMF in Brisbane. Designed to accommodate projected system growth to 2040, it would provide storage capacity for trains and accommodate light maintenance activities, including daily inspections, pre-departure cleaning, testing, and servicing between runs; monthly inspections; quarterly inspections; train washing; and wheel truing. Two LMF site options for the Brisbane LMF, east and west of the mainline Caltrain tracks, are evaluated in this Final EIR/EIS as part of the two project alternatives and are described in more detail in Section 2.6.2.4 and Section 2.6.2.5.

Roadway, Bridge, and Ramp Modifications

Roadway, bridge, and freeway ramp modifications would be necessary at certain locations along the Project Section. These modifications are described in more detail in Section 2.10.3.7, Roadway Modifications.

Acquisition of New Right-of-Way

Both project alternatives would require permanent acquisition of new right-of-way outside of the existing Caltrain right-of-way. Table 2-15 provides an overview of the common project elements that would require new right-of-way acquisition by jurisdiction. Permanent right-of-way acquisition common to both project alternatives would be required for track modifications, installation of communication radio towers, roadway and station modifications, and construction of the Brisbane LMF. The major project elements common to both project alternatives that extend outside the Caltrain right-of-way include the 4th and King Street Station, Millbrae Station, San Jose Diridon Station, Brisbane LMF, Bayshore Station modifications, and Tunnel Avenue realignment and overpass. Refer to Volume 2, Appendix 3.1-A, Parcels within the HSR Project Footprint, for detailed mapping of the project footprint and parcels intersected by each project alternative. Section 3.12, Socioeconomics and Communities, provides a detailed discussion of displacements associated with new right-of-way acquisition, and Section 3.13, Station Planning, Land Use, and Development, discusses project impacts on existing and planned land uses consistent with the requirements of NEPA and CEQA.

Table 2-15 New Right-of-Way Acquisitions Common to both Alternatives by City/Community and Project Element

City/Community	Common Project Elements
San Francisco to South San Francisco Subsection	
San Francisco	4th and King Street Station; communication radio towers; Bayshore Station modifications
Brisbane	Bayshore Station modifications; track modifications; LMF; Tunnel Avenue realignment and overpass; communication radio towers
South San Francisco	N/A
San Bruno to San Mateo Subsection	
San Bruno	N/A
Unincorporated San Mateo County	Communication radio towers
Millbrae	Millbrae Station; track modifications; roadway relocation
Burlingame	N/A
San Mateo (north of 9th Avenue)	Communication radio towers

City/Community	Common Project Elements
San Mateo to Palo Alto Subsection	
San Mateo (south of 9th Avenue)	Communication radio towers
Belmont	Communication radio towers
San Carlos	Communication radio towers
Redwood City	N/A
North Fair Oaks	N/A
Atherton	N/A
Menlo Park	Communication radio towers
Palo Alto	Communication radio towers
Mountain View to Santa Clara Subsection	
Mountain View	Communication radio towers
Sunnyvale	Communication radio towers
Santa Clara	N/A
San Jose Diridon Station Approach Subsection	
Santa Clara	Communication radio towers
San Jose	College Park Station modifications; roadway modifications; San Jose Diridon Station

Sources: Authority 2019a, 2019b
 LMF = light maintenance facility
 N/A = not applicable

2.6.2.3 High-Speed Rail Project Impact Avoidance and Minimization Features

The Authority has committed to impact avoidance and minimization features (IAMF) consistent with the Statewide Final Program EIR/EIS (Authority and FRA 2005), the Bay Area to Central Valley Program EIR/EIS (Authority and FRA 2008), and the Bay Area to Central Valley Partially Revised Final Program EIR (Authority 2012c). The Authority would include these features in project design and construction, as relevant to the HSR project section, to avoid or reduce impacts. These features are considered to be part of the project and are included as applicable in each of the alternatives for purposes of the environmental impact analysis. The full text of the IAMFs that are applicable to the project is provided in Volume 2, Appendix 2-E. Chapter 3 provides a brief description of each IAMF as well as its purpose in the context of each resource topic.

To control emissions from construction and operations

- AQ-IAMF#1: Fugitive Dust Emissions
- AQ-IAMF#2: Selection of Coatings
- AQ-IAMF#3: Renewable Diesel
- AQ-IAMF#4: Reduce Criteria Exhaust Emissions from Construction Equipment
- AQ-IAMF#5: Reduce Criteria Emissions from On-Road Construction Equipment
- AQ-IAMF#6: Reduce the Potential Impact of Concrete Batch Plants

To minimize visual incompatibility

- AVQ-IAMF#1: Aesthetic Options
- AVQ-IAMF#2: Aesthetic Review Process

To minimize impacts on biological resources

- BIO-IAMF#1: Designate Project Biologist, Designated Biologists, Species-Specific Biological Monitors and General Biological Monitors
- BIO-IAMF#2: Facilitate Agency Access
- BIO-IAMF#3: Prepare WEAP Training Materials and Conduct Construction Period WEAP Training
- BIO-IAMF#4: Conduct Operations and Maintenance Period WEAP Training
- BIO-IAMF#5: Prepare and Implement a Biological Resources Management Plan
- BIO-IAMF#6: Establish Monofilament Restrictions
- BIO-IAMF#7: Prevent Entrapment in Construction Materials and Excavations
- BIO-IAMF#8: Delineate Equipment Staging Areas and Traffic Routes
- BIO-IAMF#9: Dispose of Construction Spoils and Waste
- BIO-IAMF#10: Clean Construction Equipment
- BIO-IAMF#11: Maintain Construction Sites and BMP Training
- BIO-IAMF#12: Design the Project to be Bird Safe

To minimize impacts on cultural resources

- CUL-IAMF#1: Geospatial Data Layer and Archaeological Sensitivity Map
- CUL-IAMF#2: WEAP Training Session
- CUL-IAMF#3: Pre-Construction Cultural Resource Surveys
- CUL-IAMF#4: Relocation of Project Features when Possible
- CUL-IAMF#5: Archaeological Monitoring Plan and Implementation
- CUL-IAMF#6: Pre-Construction Conditions Assessment, Plan for Protection of Historic Built Resources, and Repair of Inadvertent Damage
- CUL-IAMF#7: Built Environment Monitoring Plan
- CUL-IAMF#8: Implement Protection and/or Stabilization Measures

To minimize electromagnetic issues

- EMF/EMI-IAMF#1: Preventing Interference with Adjacent Railroads
- EMF/EMI-IAMF#2: Controlling Electromagnetic Fields/Electromagnetic Interference

To minimize geologic issues and impacts on paleontological resources

- GEO-IAMF#1: Geologic Hazards
- GEO-IAMF#2: Slope Monitoring
- GEO-IAMF#3: Gas Monitoring
- GEO-IAMF#5: Hazardous Minerals
- GEO-IAMF#6: Ground Rupture Early Warning Systems
- GEO-IAMF#7: Evaluate and Design for Large Seismic Ground Shaking

- GEO-IAMF#8: Suspension of Operations during an Earthquake
- GEO-IAMF#9: Subsidence Monitoring
- GEO-IAMF#10: Geology and Soils
- GEO-IAMF#11: Engage a Qualified Paleontological Resources Specialist
- GEO-IAMF#12: Perform Final Design Review and Triggers Evaluation
- GEO-IAMF#13: Prepare and Implement a Paleontological Resources Monitoring and Mitigation Plan
- GEO-IAMF#14: Provide WEAP Training for Paleontological Resources
- GEO-IAMF#15: Halt Construction, Evaluate, and Treat If Paleontological Resources Are Found

To minimize impacts from hazardous materials and wastes

- HMW-IAMF#1: Property Acquisition Phase I and Phase II Environmental Site Assessments
- HMW-IAMF#2: Landfill
- HMW-IAMF#3: Work Barriers
- HMW-IAMF#4: Undocumented Contamination
- HMW-IAMF#5: Demolition Plans
- HMW-IAMF#6: Spill Prevention
- HMW-IAMF#7: Transport of Materials
- HMW-IAMF#8: Permit Conditions
- HMW-IAMF#9: Environmental Management System
- HMW-IAMF#10: Hazardous Materials Plans

To minimize impacts on water quality and supply

- HYD-IAMF#1: Stormwater Management
- HYD-IAMF#2: Flood Protection
- HYD-IAMF#3: Prepare and Implement a Construction Stormwater Pollution Prevention Plan
- HYD-IAMF#4: Prepare and Implement an Industrial Stormwater Pollution Prevention Plan

To minimize impacts from stations and changes in land use

- LU-IAMF#1: HSR Station Area Development: General Principles and Guidelines
- LU-IAMF#2: Station Area Planning and Local Agency Coordination
- LU-IAMF#3: Restoration of Land Used Temporarily during Construction

To minimize noise and vibration

- NV-IAMF#1: Noise and Vibration

To minimize impacts on parks, recreation, and open space

- PK-IAMF#1: Parks, Recreation, and Open Space

To minimize impacts on public utilities and energy

- PUE-IAMF#1: Design Measures
- PUE-IAMF#3: Public Notifications
- PUE-IAMF#4: Utilities and Energy

To maximize safety and security

- SS-IAMF#1: Construction Safety Transportation Management Plan
- SS-IAMF#2: Safety and Security Management Plan
- SS-IAMF#3: Hazard Analyses

To minimize socioeconomic impacts and impacts on communities

- SOCIO-IAMF#1: Construction Management Plan
- SOCIO-IAMF#2: Compliance with Uniform Relocation Assistance and Real Property Acquisition Policies Act
- SOCIO-IAMF#3: Relocation Implementation Plan

To minimize transportation and circulation impacts

- TR-IAMF#1: Protection of Public Roadways during Construction
- TR-IAMF#2: Construction Transportation Plan
- TR-IAMF#3: Off-Street Parking for Construction-Related Vehicles
- TR-IAMF#4: Maintenance of Pedestrian Access
- TR-IAMF#5: Maintenance of Bicycle Access
- TR-IAMF#6: Restriction on Construction Hours
- TR-IAMF#7: Construction Truck Routes
- TR-IAMF#8: Construction during Special Events
- TR-IAMF#9: Protection of Freight and Passenger Rail during Construction
- TR-IAMF#11: Maintenance of Transit Access
- TR-IAMF#12: Pedestrian and Bicycle Safety

2.6.2.4 Alternative A

Alternative A would modify approximately 17.4 miles of existing Caltrain track, be located predominantly within the existing Caltrain right-of-way, build the East Brisbane LMF, modify eight existing Caltrain stations or platforms to accommodate HSR, and install safety improvements and communication radio towers. Caltrain has several locations of four-track segments where trains can pass; no additional passing tracks would be built under Alternative A. Table 2-16 presents a summary of the alternative's design features, followed by a more detailed description by subsection.

Table 2-16 Summary of Design Features for Alternative A

Feature	Alternative A
Length of existing Caltrain track (miles) ¹	48.9
Length of modified track (miles) ¹	17.4
Length of track modification <1 foot (miles) ¹	5.7
Length of track modification >1 foot and <3 feet (miles) ¹	2.2
Length of track modification > 3 feet (miles) ¹	9.5
Length of OCS pole relocation (miles) ^{1, 2}	11.7
Includes additional passing tracks	No
LMF	East Brisbane
Modified stations	
Modifications to HSR stations	4th and King Street, Millbrae, San Jose Diridon
Modifications to Caltrain stations due to the LMF	Bayshore
Modifications to Caltrain stations due to track shifts	San Bruno, Hayward Park
Modifications to Caltrain stations to remove hold-out rule	Broadway, College Park
Number of modified or new structures ³	21
New structures	2
Modified structures	7
Replaced structures	9
Affected retaining walls	3
Number of at-grade crossings with safety modifications (e.g., four-quadrant gates, median barriers)	40
Length of new perimeter fencing (miles) ¹	8.8
Communication radio towers	21

Sources: Authority 2019a, 2019b

LMF = light maintenance facility

OCS = overhead contact system

¹ Lengths shown are guideway mileages, rather than the length of the northbound and southbound track.

² OCS pole relocations are assumed for areas with track shifts greater than 1 foot.

³ Structures include bridges, grade separations such as pedestrian underpasses and overpasses, tunnels, retaining walls, and culverts.

San Francisco to South San Francisco Subsection

The San Francisco to South San Francisco Subsection would extend approximately 10 miles from the 4th and King Street Station in downtown San Francisco to Linden Avenue in South San Francisco, through the cities of San Francisco, Brisbane, and South San Francisco. The existing Caltrain track in this subsection is predominantly two-track at grade, with four two-track tunnel segments in San Francisco and a four-track at-grade section through Brisbane. As illustrated on Figure 2-28, this alternative would modify the existing 4th and King Street and Bayshore Stations, build the East Brisbane LMF and associated track modifications, reconfigure Tunnel Avenue, relocate the Tunnel Avenue overpass, install four-quadrant gates at three existing at-grade crossings, and install six communication radio towers. Additional right-of-way would be required in San Francisco and Brisbane to accommodate track modification, the East Brisbane LMF, Tunnel Avenue and the Tunnel Avenue overpass, four-quadrant gates, and communication radio towers.



Figure 2-28 San Francisco to South San Francisco Subsection—Alternative A

4th and King Street Station

The existing 4th and King Street Station would serve as the interim terminal station for the project until the DTX provides HSR access to the SFTC. Figure 2-29 illustrates the site plan for the interim station. Station improvements would include installing a booth for HSR ticketing and support services, adding HSR fare gates, and modifying existing tracks and platforms. Until the DTX can provide service to the SFTC, passengers would be required to use alternate methods of transportation to get there (e.g., MUNI, ride-share program, walking). Figure 2-30 and Figure 2-31 present a cross-section view of the HSR tracks and platforms at 4th and King Street Station looking northeast.


To support HSR operations, two existing Caltrain platforms in the center of the station yard would be raised and lengthened to serve four northbound and southbound HSR tracks. The HSR platforms would be approximately 4.25 feet high, with lengths of 1,000 feet for the platform on the east and 1,400 feet for the platform on the west. Ramps would be installed to provide pedestrian access from the station building to the raised platforms. Four existing Caltrain platforms, 600 feet long, would remain on either side of the HSR platforms to serve eight Caltrain tracks.

East Brisbane Light Maintenance Facility

The East Brisbane LMF would be built south of the San Francisco tunnels on approximately 100 acres east of the Caltrain corridor. Direct HSR mainline track access would be provided along double-ended yard leads that would cross over the mainline track on an aerial flyover at the north end, with an at-grade track entering the LMF from the south. Transition tracks (approximately 1,400 feet long) would allow trains to reduce or increase speed when entering or exiting the East Brisbane LMF.

The East Brisbane LMF (Figure 2-32) would include a maintenance yard with 17 yard tracks adjacent and parallel to a maintenance building containing eight shop tracks with interior access and inspection pits for underside and truck inspections. The maintenance building would provide storage areas for reserve equipment, workshops, and office space. A power generator, sewage system, cistern, collection point, and electrical substation would be north of the maintenance building with a 400-space surface parking lot for automobiles and trucks east of the maintenance building. An access road would connect the facility to the realigned Tunnel Avenue. The East Brisbane LMF would require placing a portion of Visitacion Creek into an underground culvert along its current alignment, such that the maintenance yard, maintenance building, and other associated facilities would be built above the underground culvert.


The track modifications associated with the East Brisbane LMF would require relocating the Bayshore Caltrain Station, demolishing and relocating the Tunnel Avenue overpass, widening the bridge crossing of Guadalupe Valley Creek in Brisbane, and relocating control point (CP) Geneva. The reconstructed Tunnel Avenue overpass would connect to Bayshore Boulevard at its intersection with Valley Drive (north of its existing connection). The widened Guadalupe Valley Creek Bridge would support the East Brisbane LMF lead tracks where they cross the creek. Track modification near CP Geneva could require relocating the overhead signal pole.



Source: Authority 2019a

MAY 2019


Figure 2-29 4th and King Street Station Site Plan—Alternatives A and B



Source: Authority 2019a

MAY 2019


Figure 2-30 4th and King Street Station Cross Section (Northern Portion)— Alternatives A and B



Source: Authority 2019a

MAY 2019

Figure 2-31 4th and King Street Station Cross Section (Southern Portion)— Alternatives A and B



Source: Authority 2019a

SEPTEMBER 2021

Figure 2-32 East Brisbane Light Maintenance Facility Layout—Alternative A

Track and Station Modifications

Track and station modifications in the San Francisco to South San Francisco Subsection (Figure 2-28) are predominantly associated with the 4th and King Street Station modifications and the East Brisbane LMF. To accommodate the realignment of the mainline tracks for the East Brisbane LMF, the existing southbound platform at the Bayshore Caltrain Station would be extended farther south; the northern portion of the extended platform would serve as a walkway to access trains stopped on the southern portion of the platform (illustrated in the inset of Figure 2-32). The extended southbound platform at the Bayshore Caltrain Station would be closer to the planned Geneva Avenue extension, which would extend from Bayshore Boulevard to US 101.

Track modifications not associated with the 4th and King Street Station, the approach to the 4th and King Street Station, and East Brisbane LMF would be limited to minor track shifts of less than 1 foot within the existing right-of-way in San Francisco and South San Francisco, and track modifications in South San Francisco to integrate with the South San Francisco Caltrain Station Improvement Project, which was implemented by Caltrain in coordination with the City of South San Francisco and completed in 2021. The South San Francisco Caltrain Station Improvement Project replaced the existing South San Francisco Station platforms (which are subject to the hold-out rule) with a standard center boarding platform connected to a pedestrian underpass, to improve safety and eliminate the hold-out rule. The project shifted tracks up to 27 feet, installed crash barriers at the Grand Avenue overpass, and replaced columns that support the US 101 overpass with a pair of solid pier walls.

Safety and Security Modifications to the Right-of-Way

To improve safety, four-quadrant gates would be installed at three at-grade crossings in the subsection—Mission Bay Drive, 16th Street, and Linden Avenue (Figure 2-28). Table 2-14 specifies the four-quadrant gate application for each at-grade crossing, and Figures 2-12, 2-13, and 2-14 illustrate the configurations of these applications. Perimeter fencing (Figure 2-17) would be installed along the right-of-way where it does not already exist.

Train Control and Communication Facilities

There would be six communication radio towers in this subsection (Figure 2-28). Two site options are evaluated for each standalone communications radio tower, with the exception of a single site option at 4th and King Street Station and at Blanken Avenue; however, only one site would be selected for construction at each of the six locations:

- Standalone radio tower at 4th and King Street Station in San Francisco (one site option)
- Co-located radio tower at Caltrain's Paralleling Station 1 in the Potrero Hill neighborhood of San Francisco
- Standalone radio tower in the Bayview neighborhood of San Francisco (either at Jerrold Avenue or Newcomb Avenue)
- Standalone radio tower at Blanken Avenue in Brisbane (one site option)
- Standalone radio tower in Brisbane adjacent to Bayshore Boulevard (two site options)
- Co-located radio tower at Caltrain's TPS 1 in South San Francisco

San Bruno to San Mateo Subsection

The San Bruno to San Mateo Subsection would extend approximately 8 miles from Linden Avenue in South San Francisco to Ninth Avenue in San Mateo through South San Francisco, San Bruno, Millbrae, Burlingame, and San Mateo. The existing Caltrain track in this subsection is predominantly two-track at grade on retained fill with a three-track at-grade section south of the Millbrae Station. As illustrated on Figure 2-33, this subsection would modify the existing San Bruno, Millbrae, and Broadway Caltrain Stations; modify track; install four-quadrant gates at 16 existing at-grade crossings; and install three communication radio towers. Additional right-of-way would be required in Millbrae, Burlingame, and San Mateo associated with communication radio

towers, the Millbrae Station modifications to accommodate HSR service, track modifications, roadway relocations, and four-quadrant gates.

Millbrae Station

The Authority developed two designs for integrating new HSR infrastructure at the existing Millbrae BART/Caltrain Intermodal Station, which could be incorporated into Alternative A or B. The Millbrae Station Design evaluated in the Draft EIR/EIS and in Sections 3.2 to 3.18, Chapter 4, and Chapter 5 of this Final EIR/EIS (hereafter referred to as the Millbrae Station Design) was developed in accordance with the Authority's established station design guidelines, criteria, and policies. The Millbrae Station Reduced Site Plan Design Variant (RSP Design Variant), which is evaluated in the Revised/Supplemental Draft EIR/EIS and in Section 3.20 of this Final EIR/EIS, was developed in response to comments on the Draft EIR/EIS.

Millbrae Station Design

As illustrated on Figure 2-34, the Millbrae Station Design involves new HSR station facilities on the west side of the existing Caltrain corridor, including a new station entrance hall with ticketing and support services along El Camino Real. The station area design provides intermodal connectivity with Caltrain and BART via an overhead pedestrian crossing that would extend from the new station entrance over the extension of California Drive, connecting to the existing station concourse with vertical circulation elements (stairs, escalators, and elevators) providing access to HSR, Caltrain, and BART platforms.

The primary access to the Millbrae HSR Station is intended to be by transit (Caltrain, BART, SamTrans); bicycles; walking; and vehicle pick-up and drop-off. Pick-up and drop-off facilities for vehicles would accommodate shuttles, taxis, car sharing, network transportation services, and private vehicles.

The Millbrae Station Design would provide enhanced automobile access on the west side of the station through the extension of California Drive to Victoria Avenue. Curbside passenger pick-up and drop-off facilities west of the station would be located along the new extension of California Drive and El Camino Real; facilities east of the station would be on the first level of the BART parking structure. Replacement parking for 288 displaced Caltrain and BART parking spaces would be provided at four surface parking lots on the west side of the alignment, with a fifth parking area at Murchison Drive with 37 parking spots for HSR passengers. HSR passengers desiring to drive and park would be able to use available long-term commercial parking off-site or at SFO and reach the station by shuttle.

The SamTrans bus stops would be along El Camino Real at the new signalized intersection and pedestrian crossings at Chadbourne Avenue, with direct access to the station. A new dedicated bicycle path would provide west side bicycle access to the station. Figure 2-35 and Figure 2-36 illustrate cross-section views of the Millbrae Station looking south.

Track modifications extending approximately 1 mile north and south of the station would require additional right-of-way along the west side of the Caltrain corridor and modification of existing Caltrain tracks, station platforms, and structures. Constructing two new tracks would require widening the Hillcrest Boulevard underpass north of the Millbrae Station. At the station, the existing BART tracks and platforms and the easternmost Caltrain track (mainline track [MT]1) and platform would remain unchanged. The westernmost Caltrain track (MT2) would be shifted west by up to 40 feet for construction of two new tracks serving an 800-foot-long center HSR platform and a new Caltrain MT2 outboard platform. The historic Southern Pacific Depot/Millbrae Station (which has previously been relocated to accommodate station improvements) and associated surface parking along California Drive would be relocated to accommodate these track modifications.

Millbrae Station Reduced Site Plan Design Variant

In response to comments on the Draft EIR/EIS, the Authority developed the RSP Design Variant to address stakeholder concerns and minimize impacts, to the degree feasible, on existing and planned development in Millbrae.

The RSP Design Variant differs from the Millbrae Station Design by:

- Eliminating the four surface parking lots on the west side of the alignment that would have served as replacement parking for 175 Caltrain and 113 BART parking spaces that would be displaced by the project
- Relocating the new HSR station entrance hall to the northeast corner of El Camino Real and Millbrae Avenue
- Eliminating lane modifications but retaining signalization changes and pedestrian improvements on El Camino Real
- Eliminating the California Drive extension north of Linden Avenue to El Camino Real from the project

As illustrated in the site plan on Figure 2-37 and cross section on Figure 2-38, the RSP Design Variant would involve building new HSR station facilities on the west side of the existing Millbrae BART/Caltrain Intermodal Station, including a new station entrance hall with ticketing and support services at the intersection of El Camino Real and Millbrae Avenue. The station area design would provide intermodal connectivity with Caltrain and BART via an overhead pedestrian crossing that would extend from the new station entrance over California Drive, connecting to the existing station concourse with vertical circulation elements (stairs, escalators, and elevators) providing access to HSR, Caltrain, and BART platforms.

The RSP Design Variant would realign California Drive slightly west from its current location between Murchison Drive and Linden Avenue to accommodate track and platform modifications. The RSP Design Variant would not extend California Drive from Linden Avenue to El Camino Real—this extension, including bike path, sidewalk improvements, and pick-up and drop-off, is anticipated to be constructed by others (the City of Millbrae or the developer of TOD on the west side of the station) and be in place at the time the RSP Design Variant would be constructed; it would not be required for the RSP Design Variant. The RSP Design Variant would not include the four surface parking lots with replacement parking for Caltrain and BART on the west side of the alignment that are associated with the Millbrae Station Design. Accordingly, the RSP Design Variant would not require the closure of Linden Avenue or Serra Avenue, unlike the Millbrae Station Design. As with the Millbrae Station Design, the RSP Design Variant would include a surface parking lot at the corner of Murchison Drive and California Drive with 37 parking spaces for HSR passengers. As a result of the southward shift of the HSR station entrance hall compared to the Millbrae Station Design and provision of additional pick-up and drop-off areas on California Drive, the RSP Design Variant would not include a pick-up and drop-off area on El Camino Real, in contrast with the Millbrae Station Design. Without pick-up and drop-off facilities on El Camino Real, the RSP Design Variant would not require lane modifications on El Camino Real. However, both the Millbrae Station Design and the RSP Design Variant would include improvements at El Camino Real's intersection with Chadbourne Avenue. These improvements include signalization of the intersection, median breaks, crosswalks, and sidewalk enhancements. Collectively, these measures would improve pedestrian connections between bus stops at Chadbourne Avenue and the Millbrae Station entrance hall.

The primary access to the Millbrae Station is intended to be by transit (Caltrain, BART, SamTrans); bicycles; walking; and vehicle pick-up and drop-off. With both the Millbrae Station Design and the RSP Design Variant, SamTrans bus routes along El Camino Real would utilize a new southbound stop at Chadbourne Avenue associated with the new signalized intersection and pedestrian crossings. Both the Millbrae Station Design and the RSP Design Variant would also build a new dedicated bicycle path extending along California Drive between Murchison Drive and Linden Avenue as part of the project. Between Linden Avenue and El Camino Real, the RSP Design Variant assumes the bicycle path along California Drive would be constructed by others as part of construction of the California Drive extension. In the Millbrae Station Design, the bicycle path between Linden Avenue and El Camino Real would be constructed as part of the project.

Pick-up and drop-off facilities for vehicles would accommodate shuttles, taxis, car sharing, transportation network companies (Uber/Lyft), and private vehicles. With the RSP Design Variant, curbside passenger pick-up and drop-off facilities on the west side of the tracks would be located along the east and west sides of California Drive from north of Linden Avenue to Murchison Drive, on the south side of Linden Avenue, and on the north side of Irwin Place; pick-up and drop-off facilities east of the tracks would be on the first level of the BART parking structure.

The RSP Design Variant would include a 37-spot automobile parking area at Murchison Drive intended for HSR passengers. In addition to this parking area, HSR passengers desiring to drive and park would be able to use available long-term commercial parking off-site or at SFO and reach the station by shuttle.

The RSP Design Variant's track and platform modifications approaching and at the Millbrae Station would be the same as the Millbrae Station Design. As with the Millbrae Station Design, the RSP Design Variant's track and platform modifications would require additional right-of-way along the west side of the Caltrain corridor as well as modification of existing Caltrain tracks, station platforms, and structures. The RSP Design Variant would require relocation of the historic Southern Pacific Railroad Depot/Millbrae Station to accommodate the track modifications, but to a slightly different location than the relocation associated the Millbrae Station Design.

Track and Station Modifications

Track and station modifications in this subsection include curve straightening near the San Bruno Station, platform modifications at the Broadway Station to eliminate the hold-out rule, and several minor track shifts in San Bruno and San Mateo. The curve straightening at the San Bruno Station would require an extension of the existing platforms approximately 145 feet south and relocation of the existing stairs/ramps from the northern to southern side of the northbound platform. The Euclid Avenue pedestrian underpass, just north of the San Bruno Station, would be widened to support the realigned tracks, and the concrete retaining wall along the east side would be modified to accommodate the realigned tracks.

Safety-related modifications would be made to the Broadway Station, including platform upgrades that would eliminate the hold-out rule by adding a second outboard platform to serve the northbound track and extending the southbound platform (Figure 2-16). The southbound platform extension would affect the station's surface parking along California Drive, and minor track shifts south of the Broadway Station would require widening of the Sanchez Creek and Mills Creek Culverts.

Safety and Security Modifications to the Right-of-Way

To improve safety, four-quadrant gates and channelizers would be installed at 16 at-grade crossings: Scott Street, Center Street, Broadway, Oak Grove Avenue, North Lane, Howard Avenue, Bayswater Avenue, Peninsula Avenue, Villa Terrace, Bellevue Avenue, First Avenue, Second Avenue, Third Avenue, Fourth Avenue, Fifth Avenue, and Ninth Avenue. As illustrated on Figure 2-33, most of these crossings are in Burlingame and San Mateo. Table 2-14 specifies the four-quadrant gate application for each at-grade crossing, and Figures 2-12, 2-13, and 2-14 illustrate the configurations of these applications. Perimeter fencing (Figure 2-17) would be installed along the right-of-way where it does not already exist.

Train Control and Communication Facilities


Three communication radio towers would be built in the subsection. Locations of these facilities—a new standalone radio tower near SFO (either at San Marco Avenue or Santa Lucia Avenue), a co-located radio tower at Paralleling Station 3 in Burlingame, and a new standalone radio tower in San Mateo near Cypress or Second Avenue—are illustrated on Figure 2-33. Two site options are evaluated for each standalone communications radio tower; however, only one site would be selected for construction.



Source: Authority 2019a

MAY 2019


Figure 2-33 San Bruno to San Mateo Subsection—Alternatives A and B



Source: Authority 2019a

MAY 2019


Figure 2-34 Millbrae Station Design Site Plan—Alternatives A and B



Source: Authority 2019a

MAY 2019


Figure 2-35 Millbrae Station Design Cross Section (East Entrance)—Alternatives A and B



Source: Authority 2019a


MAY 2019

Figure 2-36 Millbrae Station Design Cross Section (West Entrance)—Alternatives A and B



MAY 2021

Figure 2-37 Millbrae Station RSP Design Variant Site Plan



MAY 2021

T.O.R. = top of rail
EL. = elevation

Figure 2-38 Millbrae Station RSP Design Variant Cross Section

San Mateo to Palo Alto Subsection

The San Mateo to Palo Alto Subsection would extend approximately 16 miles from Ninth Avenue in San Mateo to San Antonio Road in Palo Alto through San Mateo, Belmont, San Carlos, Redwood City, Atherton, Menlo Park, and the northern portion of Palo Alto (Figure 2-39 and Figure 2-40). The existing Caltrain track in this subsection is predominantly two-track at grade on retained fill. This alternative would modify platforms at the existing Hayward Park, modify tracks, install four-quadrant gates at 15 existing at-grade crossings, and install seven communication radio towers. Minor amounts of additional right-of-way would be required in San Mateo, Belmont, San Carlos, Redwood City, Menlo Park, and Palo Alto for the siting of four-quadrant gates and communication radio towers.

Track and Station Modifications

Track and station modifications in this subsection (Figures 2-39 and 2-40) consist of curve straightening predominantly in San Mateo, Belmont, San Carlos, and Palo Alto, and platform modifications at the Hayward Park Station to accommodate curve straightening. In several locations, these track modifications would result in modifications to existing Caltrain structures: track shifts south of Ralston Street in Belmont and north of Holly Street in San Carlos would require the modifying the existing retaining walls along the west side of the Caltrain corridor to accommodate the shifted track. The HSR project would be compatible with Caltrain and the City of San Mateo's planned 25th Avenue Grade-Separation Project. This grade-separation project, expected to be built by 2020, would elevate the existing at-grade track between SR 92 and Hillsdale Boulevard to provide a grade-separated undercrossing of 25th Avenue, build new east-west crossings under the track corridor at 28th and 31st Avenues, and relocate Hillsdale Station. No design changes to the 25th Avenue Grade-Separation Project are expected to result from the blended system.

Safety and Security Modifications to the Right-of-Way

To improve safety, four-quadrant gates and median barriers would be installed at 15 at-grade crossings: Whipple Avenue, Brewster Avenue, Broadway, Maple Street, Main Street, Chestnut Street, Watkins Avenue, Encinal Avenue, Glenwood Avenue, Oak Grove Avenue, Ravenswood Avenue, Alma Street, Churchill Avenue, Meadow Drive, and West Charleston Road. As illustrated on Figures 2-39 and 2-40, most of these crossings are in Redwood City, Menlo Park, and Palo Alto. Table 2-14 specifies the four-quadrant gate application for each at-grade crossing, and Figures 2-12, 2-13, and 2-14 illustrate the configurations of these applications. Perimeter fencing would be installed along the right-of-way where it does not already exist (Figure 2-17).

Train Control and Communication Facilities

Seven communication radio towers would be built (Figures 2-39 and 2-40). Two site options are evaluated for each standalone communications radio tower; however, only one site would be selected for construction at each location:

- Co-located radio tower at Caltrain's Paralleling Station 4 south in San Mateo
- Standalone radio tower near the Belmont Station (either Middle Road or Ralston Avenue)
- Standalone radio tower in San Carlos (either near El Camino Real/Central Avenue or Center Street)
- Co-located radio tower at Caltrain's Switching Station 1, Option 2 in Redwood City
- Standalone radio tower in Menlo Park (either at Derby Lane or Ravenswood Avenue)
- Standalone radio tower in Palo Alto north of Embarcadero Road
- Standalone radio tower in Palo Alto north of West Charleston Road



Source: Authority 2019a

MARCH 2022

Figure 2-39 San Mateo to Palo Alto Subsection (Northern Portion)—Alternative A



Source: Authority 2019a

JANUARY 2022

Figure 2-40 San Mateo to Palo Alto Subsection (Southern Portion)—Alternatives A and B

Mountain View to Santa Clara Subsection

The Mountain View to Santa Clara Subsection would extend approximately 9 miles from San Antonio Road in Palo Alto to Scott Boulevard in Santa Clara through Palo Alto (southern portion), Mountain View, Sunnyvale, and Santa Clara. The existing Caltrain track in this subsection is predominantly two-track at grade (except for the four-track section from North Fair Oaks to north of Bowers Avenue) and there are no major project features in this subsection. As illustrated on Figure 2-41, this alternative would make minor track modifications, install four-quadrant gates at four at-grade crossings, and install four communication radio towers. Minor amounts of additional right-of-way would be required in Palo Alto, Mountain View, and Sunnyvale for communication radio towers.

Track and Station Modifications

Minor track shifts of less than 1 foot would be required in several locations in Mountain View, Sunnyvale, and Santa Clara. The largest track shift in this subsection would be a shift of 2.5 feet near Bowers Avenue in Santa Clara. None of these shifts would require modifying existing Caltrain structures or stations.

Safety and Security Modifications to the Right-of-Way

To improve safety, four-quadrant gates and median barriers would be installed at four at-grade crossings in Mountain View and Sunnyvale: Rengstorff Avenue, Castro Street, Mary Avenue, and Sunnyvale Avenue (Figure 2-41). Table 2-14 specifies the four-quadrant gate application for each at-grade crossing, and Figures 2-12, 2-13, and 2-14 illustrate the configurations of these applications. Perimeter fencing would be installed along the right-of-way where it does not already exist (Figure 2-17).

Train Control and Communication Facilities

Four communication radio towers would be installed. Two site options are evaluated for each standalone communications radio tower; however, only one site would be selected for construction at each location:

- Standalone radio tower in Mountain View (near North Shoreline Boulevard)
- Standalone radio tower in Sunnyvale east of SR 237 (near East Bernardo Avenue)
- Co-located radio tower at Caltrain's Paralleling Station 6 near the Sunnyvale Station
- Standalone radio tower in Sunnyvale east of County Road G2 (near Lawrence Expressway)

San Jose Diridon Station Approach Subsection

Under Alternative A, the San Jose Diridon Station Approach Subsection extends 6 miles from Scott Boulevard in blended service with Caltrain on an at-grade profile following Caltrain MT2 and MT3 south along the east side of the existing Caltrain corridor (Figure 2-42). The existing Caltrain track in this subsection consists of predominantly two-track and three-track at-grade alignment. South of De La Cruz Boulevard, UPRR tracks of the Coast Line from the northeast converge with the Caltrain corridor and continue south adjacent to the east side of the railroad corridor to the Santa Clara Caltrain Station. Between the College Park Caltrain Station and San Jose Diridon Station, Caltrain's CEMOF comprises three mainline tracks, a maintenance building, and nine yard tracks. San Jose Diridon Station includes five passenger platforms served by nine yard tracks along the west side of the station house.



Source: Authority 2019a

MAY 2019

Figure 2-41 Mountain View to Santa Clara Subsection—Alternative A and B




Note: Although not depicted in the figure, within this subsection both project alternatives would involve track modifications; station modifications at Santa Clara Station under Alternative B (Viaduct to Scott Boulevard), College Park Station under Alternative A and Alternative B (Viaduct to I-880), and San Jose Diridon Station under both project alternatives; installation of two four-quadrant gates under Alternative A; installation of one radio tower under both project alternatives; and installation of a new traction power substation under Alternative B (both viaduct options).

Source: Authority 2019b

JUNE 2019

Figure 2-42 San Jose Diridon Station Approach Subsection—Alternatives A and B



Source: Authority 2019b

JANUARY 2019

Figure 2-43 Conceptual San Jose Diridon At-Grade Station Plan—Alternative A

Station Modifications

The existing Santa Clara Station would remain. The existing College Park Caltrain Station would be reconstructed just north of Emory Street on the west side of the Caltrain corridor on the existing siding track to eliminate the hold-out rule at the existing station.

The San Jose Diridon Station would entail a four-track at-grade alignment through the center of the existing Diridon Station, with 1,385- and 1,465-foot platforms centered between Santa Clara Street and Park Avenue (Figure 2-43). The existing historic train station would remain in place. A pedestrian concourse would be built above the yard to provide access to the platforms below. The concourse would consist of a pedestrian walkway above the existing Caltrain tracks and below the HSR platforms, with two entrances on the east side and one on the west.

Permanently displaced station parking spaces would be replaced 1:1 in a parking structure at Cahill/Crandall Streets, a second site at Stockton/Alameda Streets, and a third structure north of the SAP Center in the northern part of the existing SAP Center parking lot. If the planned Google Downtown West development is not built before the HSR project, then Alternative A would displace some existing SAP Center parking lot spaces, and Alternative A would include a new parking structure north of the SAP Center to provide replacement parking. The Google Downtown West development would displace parking spaces in the SAP Center parking lot, and its plans include a requirement to result in a net increase in parking available to the SAP Center by 350 spaces. If the Google Downtown West development is built before the HSR project, Alternative A would not displace parking for the SAP Center and would not include an additional parking area north of the SAP Center.

HSR parking demand of 1,050 spaces in 2040 would be met by commercially available parking downtown as well as at SJC (approximately 3 miles from the station). The Authority has provided a Station Area Planning grant to the City of San Jose to advance the implementation of the Diridon Station Area Plan adopted by the San Jose City Council. Through this effort, the City would address short-term parking needs during HSR and BART Phase II construction and would also address plans for transitioning the parking needed during construction to the highest and best use after construction. Another Station Area Planning grant to the VTA would fund a San Jose Diridon Station Facilities Master Plan. This grant would develop a parking program to manage parking demand and supply over time to reflect changes in ridership and park-and-ride mode share. These two studies would provide input into a multimodal access plan for the station that would be developed prior to final station design and construction. Existing underutilized parking capacity at and around the San Jose Diridon Station would be used to meet the estimated HSR parking demand until a station area parking policy and program are implemented.

The Authority would rely on commercially available parking to meet HSR parking demand, provided and priced in accordance with local conditions. HSR riders would be able to walk or take a shuttle, such as the City of San Jose's DASH, from parking downtown or adjacent to the station.

The existing on-site/off-street bus transit center would be relocated to an off-street facility between Cahill, Crandall, South Montgomery, and West San Fernando Streets. Street improvements would include reconfiguring and extending Cahill Street from Santa Clara Street to Otterson Street and extending Stover and Crandall Streets to South Montgomery Street. New bike lanes would be installed on the east side of Cahill Street. New signals and pedestrian crossings would be developed at Cahill and Stover Streets and Cahill and Crandall Streets.

Initial operations include a pedestrian overhead crossing south of the existing historic station and would provide circulation access from the pedestrian overhead crossing only to HSR platforms. Caltrain would continue to use the existing tunnel for access. At the initial stage, the existing tunnel would be used only for exiting purposes on HSR platforms. At buildout, there would be an additional pedestrian overhead crossing north of the historic station with access to all Caltrain and HSR platforms. From the HSR platforms, the existing tunnel would continue to be used only for exiting.

Track Modifications

The existing Lafayette Street pedestrian overpass would remain in place, as would the De La Cruz Boulevard and West Hedding Street roadway overpasses. New UPRR track would start just south of Emory Street to maintain freight movement capacity north of San Jose Diridon Station. The new UPRR track would be east of Caltrain MT1. A portion of both legs of the UPRR Warm Springs Subdivision Lenzen Wye would undergo minor track adjustments, and a new bridge would be built over Taylor Street for UPRR to tie into the Lenzen Wye.

The blended at-grade alignment would continue along MT2 and MT3 to enter new dedicated HSR platforms at grade at the center of San Jose Diridon Station (Figure 2-42). HSR platforms would provide 1,385-foot and 1,465-foot platforms and would be raised to provide level boarding with the HSR trains. The existing Santa Clara Street underpass would remain, but the track in the throat and yard would require modification. There would be no need for modifications to the VTA light rail.

Continuing south, the blended at-grade three-track alignment would remain in the Caltrain right-of-way through the Gardner neighborhood. The existing underpass at Park Avenue and the existing overpass at San Carlos Street would remain in place. Four-quadrant gates with channelization would be built at Auzerais Avenue and West Virginia Street. A new bridge for the blended HSR/MT3 track over I-280 would be built. The existing underpasses at Bird Avenue and Delmas Avenue would be reconstructed, as would the rail bridge overpasses. New standalone rail bridges over Prevost Street, SR 87, the Guadalupe River, and Willow Street would be built for MT3. MT1 and MT2 would remain on the existing structures. The existing Tamien Caltrain Station would remain in place.

There would be freight track changes at the following locations:

- A new rail bridge over West Taylor Street
- Four-quadrant gates at Auzerais Avenue and West Virginia Street
- Freight track shifted north and east from West Virginia Street to Delmas Avenue
- New rail bridge over Bird Avenue and Delmas Avenue

Two track modifications in this subsection could have impacts on environmental resources:

- New freight track MT0 along the east side of the alignment from Emory Street to San Jose Diridon Station
- MT1 (nonelectrified freight track) shifted east

To allow for single tracking during construction by VTA light rail, Alternative A would install a new crossover with powered switches south of Tamien Station. Power would be provided to existing switches for the four crossovers at the diamond north of the Virginia VTA Station, as well as to the existing crossover south of Tamien Station. Alternative A would include signaling for these powered switches.

Diridon Design Variant

The Authority has developed a design variant for Alternative A within the San Jose Diridon Station Approach Subsection that is intended to optimize train speed. The design variant would allow for higher speeds in the approaches to and through the San Jose Diridon Station than the preliminary engineering design for Alternative A would provide. The preliminary engineering design for Alternative A is based on the PCEP track geometry and restricts speeds in the approaches to and through the station to 15 mph. The DDV would reduce the curvature in the alignment north of the San Jose Diridon Station between Julian Street and Santa Clara Street and from the south end of the station to San Carlos Street compared to Alternative A without the DDV. The DDV would also modify the design of the San Jose Diridon Station platforms relative to Alternative A without the DDV, providing for increased speeds of 40 mph, which is comparable to the design speeds provided by Alternative B.

North of the station, the design alterations with the DDV would change the horizontal placement of the freight and electrified passenger tracks up to 37 feet to the east between Santa Clara Street and Julian Street. This design alteration would require up to 23 feet of additional property from the SAP Center parking lot on the east side of the rail corridor and one additional commercial property. In the platform area of Diridon Station, the HSR southbound track would shift 4 to 10 feet to the east in two discrete areas (one 117 feet long on the north side of the station and the other 92 feet long on the south side), and the platforms would be cut or filled to adjust to the revised alignment. The HSR northbound track would shift up to 2 feet to the west in one discrete area (466 feet long in the southern part of the station), and the platform would be filled to adjust. The two westernmost station tracks (used by Caltrain and occasionally other services) would move up to 5 feet to the west on the southern end of the station. None of the track shifts in the station area would require the acquisition of additional right-of-way. From the south end of the station to San Carlos Street, the design alterations would adjust the horizontal placement of the electrified passenger tracks by up to 1 foot and would not require any additional right-of-way. The VTA light-rail line storage track south of the station would be cut short by about 50 feet to maintain adequate spacing to the HSR mainline tracks (Authority 2020a).

The rationale for the Alternative A preliminary design without the DDV was to bring HSR service to San Jose Diridon Station with minimum changes to the PCEP infrastructure, where track geometry restricts speeds approaching and through the station to 15 mph. The Authority developed the DDV to provide design speeds of 40 mph to, from, and through the San Jose Diridon Station, comparable to the design speeds provided by Alternative B. The location of the DDV is identified on Figure 2-44.

Roadway, Bridge, and Ramp Modifications

Roadway, bridge, and freeway ramp modifications would be necessary at certain locations along the subsection. These are described in Volume 2, Appendix 2-A.

Safety and Security Modifications to the Right-of-Way

To improve safety, four-quadrant gates and median barriers would be installed at two at-grade crossings: Auzerais Avenue and West Virginia Street. Both crossings would use Application A (Table 2-14 and Figure 2-12). Fencing of the Caltrain right-of-way would be installed where fencing is not already present.

Traction Power, Train Control, and Communications Facilities

HSR would use the existing ATC sites included as part of the Caltrain PCEP. One standalone communications radio site would be built at one of two locations, both south of Scott Boulevard along the east side of the Caltrain corridor.



Source: Authority 2019
CEMOF = Centralized Equipment Maintenance and Operation Facility

MARCH 2020

Figure 2-44 Extent of Diridon Design Variant

2.6.2.5 Alternative B

Alternative B would modify approximately 19.8 to 21.6 miles of existing Caltrain track, be located predominantly within the existing Caltrain right-of-way, build the West Brisbane LMF and a four-track passing track, modify 11 existing stations or platforms to accommodate HSR, and install safety improvements and communication radio towers. Table 2-17 summarizes the alternative’s design features, followed by a more detailed description by subsection.

Table 2-17 Summary of Design Features for Alternative B

Feature	Alternative B (Viaduct to I-880)	Alternative B (Viaduct to Scott Boulevard)
Length of existing Caltrain track (miles) ¹	48.9	48.9
Length of modified Caltrain track (miles) ¹	19.8	21.6
Length of track modification <1 foot (miles) ¹	4.5	5.3
Length of track modification >1 foot and <3 feet (miles) ¹	1.9	1.9
Length of track modification > 3 feet (miles) ¹	13.4	14.4
Length of OCS pole relocation (miles) ^{1, 2}	15.3	16.3
Includes additional passing tracks	Yes	Yes
LMF	West Brisbane	West Brisbane
Modified stations	4th and King Street, Millbrae, San Jose Diridon Bayshore San Bruno; Santa Clara (Alt B [Scott]); College Park (Alt B [I-880]) Broadway Hayward Park; Hillsdale; Belmont; San Carlos (relocated)	
Modifications to HSR stations		
Modifications to Caltrain stations due to the LMF		
Modifications to Caltrain stations due to track shifts		
Modifications to Caltrain stations to remove hold-out rule		
Modifications to Caltrain stations due to the passing tracks		
Number of modified or new Caltrain structures ³	37	37
New structures	3	2
Modified structures	20	19
Replaced structures	8	10
Affected retaining walls	6	6
Profile in San Jose Diridon Station Approach Subsection		
At grade (miles)	0.9	0.4
Retained fill (miles)	0.2	0.1
Elevated (miles)	3.1	5.5
Number of at-grade crossings with safety modifications (e.g., four-quadrant gates, median barriers)	38	38
Length of new perimeter fencing	13.5	14.4
Communication radio towers	23	23

Sources: Authority 2019a, 2019b

HSR = high-speed rail

LMF = light maintenance facility

OCS = overhead contact system

¹ Lengths shown are guideway mileages.

² OCS pole relocations are assumed for areas with track shifts greater than 1 foot.

³ Structures include bridges, grade separations such as pedestrian underpasses and overpasses, tunnels, retaining walls, and culverts.

San Francisco to South San Francisco Subsection

The Alternative B characteristics in this subsection would be predominantly the same as those described for Alternative A in Section 2.6.2.4, with the exception of the Brisbane LMF. Siting the LMF on the west side of the Caltrain corridor (West Brisbane LMF) would require different track, roadway, and Bayshore Station modifications than described for Alternative A. Locations of track modifications, safety and security improvements, and communication radio towers in this subsection are illustrated on Figure 2-45.

West Brisbane Light Maintenance Facility

The West Brisbane LMF would be built south of the San Francisco Caltrain tunnels on approximately 110 acres west of the Caltrain corridor. Direct mainline track access would be along double-ended yard leads that would cross over the mainline track on aerial flyover and would enable north and south movements. The four existing mainline tracks would be shifted west by up to 16.5 feet, and new yard leads connecting to the West Brisbane LMF would be built east and west of the existing tracks. The yard leads east of the existing tracks would cross over the realigned four-track alignment on an aerial flyover to avoid train operations on the mainline track, converging with the yard leads on the west side of the track alignment. Transition tracks (approximately 1,400 feet long) would allow trains to reduce or increase speed when entering or exiting the LMF.

The West Brisbane LMF (Figure 2-46) would include a maintenance yard with 17 yard tracks parallel to a runaround track and a maintenance building with shop tracks. A power generator, sewage system, cistern, collection point, and electrical substation would be north of the maintenance building. A 400-space surface parking lot would be provided west of the maintenance building with truck and vehicle access to Industrial Way, which parallels and connects to Bayshore Boulevard.


Track modifications associated with the West Brisbane LMF would require relocating the Tunnel Avenue overpass, widening the bridge crossing Guadalupe Valley Creek in Brisbane, and relocating CP Geneva at its intersection with Valley Drive. The widened Guadalupe Valley Creek Bridge would support the West Brisbane LMF lead tracks where they cross the creek. Track modification near CP Geneva could require relocating the overhead signal pole.

Track and Station Modifications

Track and station modifications in the San Francisco to South San Francisco Subsection for Alternative B (Figure 2-45) would predominantly be associated with the West Brisbane LMF. The realignment of the mainline tracks for the West Brisbane LMF would require relocation of the Bayshore Caltrain Station and pedestrian overpass. The Bayshore Caltrain Station and associated surface parking lot, southbound platform, and a new pedestrian overpass would be reconstructed approximately 530 feet south of the existing station (inset on Figure 2-45). The new pedestrian overpass would provide access to the reconstructed station by connecting to Tunnel Avenue on the east and the planned local roadway network envisioned in the *Draft Brisbane Baylands Specific Plan* on the west (City of Brisbane 2011). The Bayshore Caltrain Station would be closer to the planned future Geneva Avenue extension, which would extend from Bayshore Boulevard to US 101.



Figure 2-45 San Francisco to South San Francisco Subsection—Alternative B



Source: Authority 2019a

JUNE 2021

Figure 2-46 West Brisbane Light Maintenance Facility Layout

San Bruno to San Mateo Subsection

The characteristics of the San Bruno to San Mateo Subsection of Alternative B would be the same as those described for Alternative A in the San Bruno to San Mateo Subsection. The track and station modifications, safety and security improvements, Millbrae Station, and communication radio towers in this subsection are illustrated on Figure 2-33.

San Mateo to Palo Alto Subsection

In the San Mateo to Palo Alto Subsection, Alternative B would build a passing track through San Mateo and San Carlos and modify the Hayward Park, Hillsdale, Belmont and San Carlos Stations to accommodate the additional passing tracks. As illustrated on Figure 2-47 (northern portion) and Figure 2-40 (southern portion), this alternative would modify existing track, install four-quadrant gates at 15 existing at-grade crossings, and install 7 communication radio towers. While the northern portion of this subsection (Figure 2-47) differs from Alternative A because of the passing track and associated track and station modifications, the characteristics of the southern portion of the San Mateo to Palo Alto Subsection would be the same as those described for Alternative A in the San Mateo to Palo Alto Subsection (Figure 2-40). Additional right-of-way would be required in San Mateo, Belmont, San Carlos, Redwood City, Menlo Park, and Palo Alto associated with four-quadrant gates, communication radio towers, passing tracks, and the reconfiguration or relocation of existing Caltrain stations.

Passing Tracks

The approximately 6-mile-long passing track would extend through San Mateo, Belmont, and San Carlos, and into the northern portion of Redwood City. South of Ninth Avenue in San Mateo, the two-track alignment would diverge to four tracks continuing at grade and on retained fill. The existing tracks would be realigned predominantly within the existing right-of-way to accommodate the new four-track configuration. Additional right-of-way would be required in some areas with particularly narrow existing rights-of-way or where curve straightening would be necessary to achieve higher speeds.

Beginning in Hayward Park north of the SR 92 crossing, the tracks on retained fill would be shifted up to 46 feet, requiring acquisition of additional right-of-way. New outboard platforms, a pedestrian underpass at the Hayward Park Caltrain Station, and a new structure south of the SR 92 overpass would be built to carry the reconfigured four tracks over the Borel Creek culvert. South of the Hayward Park Station, the passing tracks would use the infrastructure installed by the 25th Avenue Grade-Separation Project (see text box). A new retaining wall would be installed between SR 92 and Hillsdale Boulevard to match the elevation of the 25th Avenue Grade-Separation Project, along with new bridge structures for the two new tracks at 25th, 28th, and 31st Avenues. Additionally, a northbound Hillsdale Station platform would be built, eliminating some existing parking at the Hillsdale Station. At Hillsdale Boulevard, the existing underpass structure would be widened to accommodate the realigned tracks, along with widening of the existing Laurel Creek underpass to the south.

25th Avenue Grade-Separation Project

This grade-separation project, which was recently completed by Caltrain in coordination with the City of San Mateo, elevated the existing at-grade track between State Route 92 and Hillsdale Boulevard to provide a grade-separated undercrossing of 25th Avenue, built new east-west crossings under the track corridor at 28th and 31st Avenues, and relocated the Hillsdale Station.



Source: Authority 2019a

MAY 2019

Figure 2-47 San Mateo to Palo Alto Subsection (Northern Portion)—Alternative B

South of Hillsdale Boulevard, the passing tracks would ascend to a four-track retained-fill section. Between Hillsdale Boulevard and Whipple Avenue, the following structures or facilities would be replaced or rebuilt: CP Ralston tie-in points, Belmont Station platforms, and San Carlos Station and platforms. The Belmont Station and platforms would be reconstructed to accommodate the new four-track configuration. The San Carlos Station and platforms would be relocated approximately 2,260 feet south of their current location to Arroyo Avenue and a pedestrian underpass would be built. The following structures would be removed and replaced or modified: 42nd Avenue underpass, Belmont Caltrain Station pedestrian underpass, Ralston Avenue underpass, Harbor Boulevard underpass, F Street pedestrian underpass, Holly Street and San Carlos Station pedestrian underpass, Arroyo Avenue pedestrian underpass, Brittan Avenue, and Howard Avenue. South of Howard Avenue, Alternative B would descend to grade and converge back to a two-track configuration.

Track and Station Modifications

The track and station modifications under Alternative B would vary from those described for Alternative A in the northern portion of the subsection between Ninth Avenue in San Mateo and Whipple Avenue in Redwood City. In this portion of the subsection, the addition of two passing tracks would result in modifications to the existing Hayward Park, Hillsdale, Belmont, and San Carlos Caltrain Stations. Alternative B would modify and realign station platforms at the Hayward Park Caltrain Station, build new platforms at the Hillsdale and Belmont Caltrain Stations, and relocate the San Carlos Caltrain Station approximately 2,260 feet south of its existing location (Figure 2-48).

South of Whipple Avenue, the track and station modifications in the southern portion of this subsection would be the same as those described for Alternative A.


Mountain View to Santa Clara Subsection

The characteristics of the Mountain View to Santa Clara Subsection under Alternative B would be the same as those described for Alternative A. The locations for track modifications, safety and security improvements, and communication radio towers within this subsection are illustrated on Figure 2-41.

San Jose Diridon Station Approach Subsection

The San Jose Diridon Station Approach Subsection, from Scott Boulevard in Santa Clara to West Alma Avenue in San Jose, would extend approximately 6 miles through Santa Clara and San Jose (Figure 2-42). The existing Caltrain track in this subsection consists of predominantly two-track and three-track at-grade alignment. South of De La Cruz Boulevard, UPRR tracks of the Coast Line from the northeast converge with the Caltrain corridor and continue south adjacent to the east side of the railroad corridor to the Santa Clara Caltrain Station. Between the College Park Caltrain Station and San Jose Diridon Station, Caltrain’s CEMOF comprises three mainline tracks, a maintenance building, and nine yard tracks. San Jose Diridon Station includes five passenger platforms served by nine yard tracks along the west side of the station house. HSR would diverge from the Caltrain corridor at Park Avenue, just south of San Jose Diridon Station, returning to the Caltrain corridor at the north end of the Tamien Caltrain Station, which includes a passenger platform served by two tracks and a single through track.

Under Alternative B, one of two options would be selected: a viaduct from I-880 to an aerial San Jose Diridon Station (Viaduct to I-880) or a viaduct from Scott Boulevard to the station (Viaduct to Scott Boulevard).



Source: Authority 2019a

SEPTEMBER 2018

Figure 2-48 San Carlos Station Relocation—Alternative B

Station Modifications

Under Alternative B (Viaduct to I-880), the Santa Clara Caltrain Station would remain unchanged and the College Park Station would have new northbound and southbound platforms and pedestrian undercrossings. Under Alternative B (Viaduct to Scott Boulevard), the Santa Clara Station northbound platform would be rebuilt to accommodate the supports for the HSR aerial structure and the College Park Caltrain Station would remain unchanged.


The San Jose Diridon Station would have the same design with both viaduct options. The station would entail a four-track aerial alignment over the existing station at approximately 62 feet to top of rail with 1,410-foot-long platforms above the existing Caltrain rail yard centered between Santa Clara Street and Park Avenue (Figure 2-49 and Figure 2-50). The existing historic train station would remain in place. The primary HSR station building would be built north of the existing station building, but it would continue to the south, wrapping around the existing Caltrain station building. The HSR station building would be accessed from the east at three entrances: the main entrance on the east side of the tracks north of the existing historic depot next to the future BART alignment; an entrance south of the existing historic Diridon station building; and an entrance on the east side, south of the Pacific Gas and Electric Company (PG&E) power station.²⁶ There would also be three entrances to the HSR station on the west side of the tracks: a north entrance at the end of White Street and two entrances on Laurel Grove Lane, one north and one south. The aerial station would require viaduct columns along the western edge of the PG&E substation property. The HSR station building would encompass 99,289 square feet with a 4,440-square-foot substation and systems building. The concourse would consist of a mezzanine level above the existing Caltrain tracks and below the HSR platforms, with three east-west connections across the tracks at the north, south, and middle.

Existing station parking spaces permanently displaced would be replaced 1:1 with new parking areas at Cahill and Park Streets, at Stockton and Alameda Streets, and north of Julian Street at the corner of Julian Street and Montgomery Street. If the planned Google Downtown West development is not built before the HSR project, then Alternative B would displace some existing SAP Center parking lot spaces, and Alternative B would include a new parking area north of Julian Street at the corner of Julian Street and Montgomery Street to provide replacement parking. The Google Downtown West development would displace parking spaces in the SAP Center parking lot, and its plans include a requirement to result in a net increase in parking available to the SAP Center by 350 spaces. If the Google Downtown West development is built before the HSR project, Alternative B would not displace parking for the SAP Center and would not include an additional parking area north of Julian Street.

As described in Section 2.6.2.4, HSR parking demand of 1,050 spaces in 2040 would be met by commercially available parking downtown as well as at SJC. HSR riders would be able to walk or take a shuttle, such as the City of San Jose's DASH, from parking downtown or adjacent to the station.

The existing off-site bus transit center at the San Jose Diridon Station would be relocated to an on-street facility on Cahill, Stover, and Crandall Streets. Street improvements would include reconfiguring and extending Cahill Street from Santa Clara Street to Park Avenue, and converting Cahill, Stover, and Crandall Streets to a transit street with 12 to 15 bus stops. Montgomery Street would be reconfigured to provide curb space for a bus layover. A pick-up/drop-off zone of 1,900 square feet would be provided. A new two-way bicycle path would be installed on the east side of Cahill Street. A 4,000-square-foot bicycle facility would be built. New signals and pedestrian crossings would be developed at Cahill and Park, Otterson, Stover, West San Fernando, and Crandall Streets.


²⁶ The entirety of the PG&E substation is not part of the project footprint, but the locations of viaduct columns on the edge of the property are in the footprint.



Source: Authority 2019b

JANUARY 2019

Figure 2-49 Conceptual Aerial San Jose Diridon Station Plan—Alternative B



Source: Authority 2019b

JANUARY 2019

Figure 2-50 Conceptual Aerial San Jose Diridon Station Cross Section

Other rail operators in the station area are Caltrain, ACE, Amtrak, VTA light rail, and future BART. VTA has plans to build new light rail station platforms as a separate project, and BART plans to extend service from the Berryessa Station to Santa Clara, with a stop at Diridon Station by 2030.

Track Modifications

Two options are available for the alignment from the beginning of the subsection at Scott Boulevard to the San Jose Diridon Station. Beyond the station, there would be a single alignment under Alternative B.

Viaduct to I-880

Under the Viaduct to I-880 option, between Scott Boulevard and Benton Street, HSR would operate on blended service tracks, entailing several minor track modifications of less than 1 foot between Scott Boulevard and I-880. The blended service tracks are owned by the PCJPB.

Beginning at I-880 on the southbound approach to West Hedding Street, Caltrain tracks would be realigned to accommodate the HSR tracks. Dedicated HSR tracks would diverge from the Caltrain MT2 and MT3 tracks and continue south along the north side of the existing Caltrain corridor. To accommodate the new track configuration, the West Hedding Street roadway overpass would be replaced with a new overpass bridge that would also pass over Stockton Avenue. The UPRR/Caltrain MT1 tracks would be shifted east by up to 226 feet.

Southeast of West Hedding Street, the dedicated HSR tracks would transition from a two-track at-grade configuration to retained fill and finally to a two-track aerial profile. The HSR alignment would begin the viaduct to I-880 by rising on embankment to an approximately 70-foot-high aerial structure. A new bridge structure would be built to carry the realigned UPRR/Caltrain MT2 tracks over the West Taylor Street underpass. University Avenue would become a cul-de-sac. The HSR viaduct would also cross over West Taylor Street, then shift horizontally a maximum of 500 feet east of the existing UPRR/Caltrain mainline tracks to maintain high-speed track curvature.

Both legs of the UPRR Warm Springs Subdivision Lenzen Wye would be relocated, and North Montgomery Street would be extended north of the alignment of Lenzen Avenue almost to the former Lenzen Wye to maintain property access beneath the 60-foot-high HSR viaduct. The freight track would be shifted up to 64 feet at the Lenzen Wye. The HSR viaduct would cross over Cinnabar Street, both legs of the relocated Lenzen Wye and North Montgomery Street, West Julian Street, and West Santa Clara Street while curving west toward the UPRR/Caltrain mainline tracks to enter a new aerial dedicated HSR station at San Jose Diridon Station.

Continuing on an aerial structure, the alignment would diverge from the Caltrain right-of-way south of the San Jose Diridon Station HSR platforms by turning sharply east at the Park Avenue overcrossing. The HSR aerial structure would cross over Los Gatos Creek and San Carlos Street, then over Royal Avenue and the intersection of Bird Avenue and Auzerais Avenue, then over the I-280/SR 87 interchange. Continuing south along the east side of SR 87, the HSR aerial structure would cross over West Virginia Street and the Guadalupe River Trail, then over the Caltrain rail bridge, the Guadalupe River, and Willow Street. The HSR aerial structure would continue south over the Tamien Caltrain Station (on straddle bents) and then on an alignment between Tamien Station and the SR 87 freeway to West Alma Avenue.

Viaduct to Scott Boulevard

Under the Viaduct to Scott Boulevard option, the alignment would begin at Scott Boulevard at grade in blended service with Caltrain. Approximately 300 feet south of Scott Boulevard, the HSR tracks would separate from the Caltrain tracks and begin ascending to embankment and then to the 50-foot-tall dedicated viaduct at Main Street. The viaduct under this option would have a wider footprint than the viaduct to I-880, requiring more curve straightening of the Caltrain tracks north of I-880. At the Lafayette Street crossing, an underpass would replace the existing pedestrian overpass. The existing De La Cruz Boulevard overcrossing would be replaced with an undercrossing to enable the HSR aerial structure to cross 43 feet high over De La Cruz Boulevard, the relocated UPRR MT1 and two industry tracks, and the Santa Clara Caltrain Station. The UPRR tracks would be relocated south of De La Cruz Boulevard to pass around the east side of the new Santa Clara Station northbound platform, and would connect to the existing

tracks south of I-880. South of Santa Clara Station, the three relocated UPRR tracks would cross under the HSR viaduct so that all Caltrain and UPRR tracks would be west of the HSR viaduct. The HSR viaduct would then ascend to approximately 68 feet to cross over I-880.

Farther south, the existing West Hedding Street roadway overcrossing would be replaced by an undercrossing under the rail corridor. A short section of retained fill would be used to support the tracks over the future BART to San Jose tunnel. The intersection of Stockton Avenue and University Avenue would be replaced by cul-de-sacs. Emory Street would be a new cul-de-sac on the north side of the HSR viaduct. The curve from westbound West Taylor Street to northbound Chestnut Street would be realigned for the HSR crossing over West Taylor Street; the alignment would then ascend to cross over Cinnabar Street. The UPRR Warm Springs Subdivision Lenzen Wye would be relocated to the southwest. Like the Viaduct to I-880 option, the Viaduct to Scott Boulevard option would shift the freight tracks at the Lenzen Wye; however, the curves would be different.

North Montgomery Street would be extended to Cinnabar Street to maintain property access beneath the 68-foot-high HSR viaduct. The alignment would curve west toward the UPRR/Caltrain mainline tracks before crossing over the western part of the SAP Center parking lot, then over West Santa Clara Street to enter the new dedicated HSR aerial platforms at the San Jose Diridon Station. Between San Jose Diridon Station and West Alma Avenue, the Viaduct to Scott Boulevard option would be identical to the Viaduct to I-880 option.

Roadway, Bridge, and Ramp Modifications

Roadway, bridge, and freeway ramp modifications would be necessary at certain locations along the subsection. These are described in Volume 2, Appendix 2-A.

Safety and Security Modifications to the Right-of-Way

The bulk of the alignment in this subsection would be dedicated, grade-separated track. There would be no at-grade crossings.

Traction Power, Train Control, and Communications Facilities

One new TPSS would be built in this subsection on the east side of the Caltrain corridor south of I-880 in San Jose (just southeast of the I-880 overcrossing). The TPSS would be connected to two new gas-insulated substation breaker-and-a-half bays. The bays would be installed within the fence line of the PG&E FMC substation, just north of the I-880 overcrossing, by means of an aerial double-circuit 115-kilovolt tie-line.

Under Alternative B (Viaduct to I-880), there would be six ATC sites between I-880 in San Jose and the I-280 and SR 87 interchange as follows:

- Two sites near the TPSS facility
- One site just north of the San Jose Diridon Station
- Three sites between Park Avenue and the proposed HSR crossing of SR 87

Under Alternative B (Viaduct to Scott Boulevard), there would also be six ATC sites within this subsection as follows:

- One site at Scott Boulevard
- One site at Main Street
- One site just north of the San Jose Diridon Station
- Three sites between Park Avenue and the proposed HSR crossing of SR 87

With the Viaduct to I-880 option, there be one standalone communications radio tower at one of two locations, both south of Scott Boulevard along the east side of the Caltrain corridor. With the Viaduct to Scott Boulevard option, there would be no standalone communication radio sites within this subsection.

2.7 Ridership

2.7.1 Travel Demand and Ridership Forecasts

Ridership forecasts were prepared to support ongoing planning for the HSR system and the analysis in this Final EIR/EIS. The forecasts were developed for the 2016 Business Plan by Cambridge Systematics, Inc., using a refined ridership and revenue model, Business Plan Model Version 3. The ridership forecasts for the 2016 Business Plan were based on three distinct implementation scenarios: (1) a Valley-to-Valley scenario, in which the Silicon Valley to Central Valley Line opens in 2025²⁷ and (2) a Valley-to-Valley extended scenario, in which the Silicon Valley to Central Valley Line opens with an extension to San Francisco and Bakersfield in 2025, and (3) the Phase 1 HSR scenario with HSR operations from Los Angeles to San Francisco starting in 2029. For each scenario, the 2016 Business Plan presented high, medium, and low forecasts, reflecting a range of probabilities.²⁸ Forecasts for each scenario were presented for a range of years from 2025 through 2060. The forecasts in the 2016 Business Plan were developed by Cambridge Systematics, which also prepared technical reports supporting those forecasts.

The ridership forecasts presented in this Final EIR/EIS are based on the Valley-to-Valley extended scenario for 2029 and the Phase 1 HSR scenario for 2040 from the 2016 Business Plan.²⁹ Both the medium and high ridership forecasts from the 2016 Business Plan are used in this EIR/EIS. In general, the medium ridership forecast provides for a conservative analysis of project benefits, whereas the high ridership forecast provides for a conservative analysis of adverse impacts.³⁰ For the year 2040 Phase 1 HSR scenario, the 2016 Business Plan forecasts projected 42.8 million passengers under the medium ridership scenario, and 56.8 million passengers under the high ridership scenario (Authority 2016e). The 2040 forecasts correspond to the horizon year used for impacts analysis in this EIR/EIS, and therefore the Final EIR/EIS focuses on the 2040 forecasts (Table 2-18).

Table 2-18 High-Speed Rail System Ridership Forecasts from the 2016 Business Plan (in millions per year)

Forecasts	Silicon Valley to Central Valley Line (2025)	Phase 1 (2029)	Phase 1 (2040)
Medium	3.0	19.3	42.8
High	4.2	26.0	56.8

Source: Authority 2016e

The Business Plan Model Version 3 refined the previous Version 2 model by fully integrating data gathered from the more recent stated preference surveys. The model was further refined by incorporating a new variable that reduced the number of trips involving a relatively long trip to or from the HSR station combined with a relatively short trip on the HSR line itself. The variable reflected the disadvantage and low likelihood of those types of trips. In addition, several other small adjustments related to auto costs and transit networks were made to the model to produce updated forecasts. Additional details regarding the 2016 Business Plan modeling and forecasts

²⁷ In the 2016 Business Plan, the “Valley to Valley” scenario presumed service from north of Bakersfield to San Jose Diridon.

²⁸ The development of the 2016 Business Plan forecasts included a probability assessment, which was generated through an analytical technique known as Monte Carlo simulations. The Monte Carlo analysis involves running thousands of simulations to assess the likelihood that a given outcome would occur.

²⁹ Although the 2016 Business Plan presumed the Valley-to-Valley scenario would be implemented in 2025, the 2018 Business Plan has identified that the Valley-to-Valley scenario would commence operations in 2029. As a result, the 2025 ridership from the 2016 Business Plan is presumed in this EIR/EIS to occur in 2029, not 2025.

³⁰ For additional detail regarding the use of medium and high ridership forecasts in this EIR/EIS, refer to Section 3.1, Introduction.

are included in the *California High-Speed Rail 2016 Business Plan Ridership and Revenue Forecasting: Technical Supporting Document* (Authority 2016e).

This range of ridership forecasts reflects the development of certain aspects of the HSR system's design and certain portions of the environmental analysis, described in more detail in the following subsections. Because the ultimate ridership of the HSR system would depend on many uncertain factors, such as the price of gasoline and population growth, the HSR system described in this EIR/EIS has been designed to accommodate the broad range of ridership expected over the coming decades.

Since the 2016 Business Plan forecasts were developed, the Authority has adopted its 2018 Business Plan, which was accompanied by updated forecasts (Authority 2016e, 2018a). The 2016 and 2018 Business Plan ridership forecasts were developed using the same travel forecasting model; the forecasts differ due to changes in the model's inputs, including the HSR service plan, demographic forecasts, estimates of automobile operating costs and travel times, and airfares. In the 2018 Business Plan, the medium ridership forecast for 2040 decreased by 6.5 percent, from 42.8 to 40 million, and the high ridership forecast decreased by 10.1 percent, from 56.8 to 51.6 million. In addition, the 2018 Business Plan assumes Valley-to-Valley service would commence in 2029 (not 2025 as in the 2016 Business Plan) with an opening year of 2033 rather than 2029 for the full Phase 1 system.

The Authority released the *Revised Draft 2020 Business Plan: Recovery and Transformation* (Revised Draft 2020 Business Plan) in February 2021 for public review and comment. The plan was adopted at the April 2021 Board meeting for submittal to the Legislature by May 1, 2021. The 2020 Business Plan forecasts were developed using the same travel forecasting model as the 2016 and 2018 Business Plans, updated for population and employment forecasts. The 2020 Business Plan Phase 1 medium ridership forecast for 2040 is 38.6 million, and the high ridership forecast is 50.0 million (Authority 2021). The 2020 Business Plan assumes Valley-to-Valley service would commence in 2031 with an opening year of 2033 for the full Phase 1 system.

To the extent that the lower ridership levels projected in the 2018 Business Plan or the 2020 Business Plan would result in fewer trains operating in 2040, the adverse impacts associated with the train operations in 2040 would be somewhat less than the impacts presented in this Final EIR/EIS and the benefits accruing to the project (e.g., reduced vehicle miles traveled, reduced greenhouse gas [GHG] emissions, reduced energy consumption) also would be less than the benefits presented in this Final EIR/EIS. As with the adverse impacts, the benefits would continue to build and accrue over time and would eventually reach the levels discussed in this Final EIR/EIS for the Phase 1 system.

2.7.2 Ridership and High-Speed Rail System Design

The HSR system analyzed in this Final EIR/EIS reflects the fact that the system is a long-term transportation investment for the State of California. It is being designed with state-of-the-art infrastructure and facilities that would serve passengers over many decades. While most of the infrastructure components are designed and built for full utility, certain components are more flexible and can change and adapt to meet ridership as it grows over time.

While the Authority and FRA weighed ridership and revenue potential in evaluating alignment and station alternatives in the Tier 1 Program EIR/EIS documents and Tier 2 alternatives screening, the primary driver influencing design of the HSR system is not the total forecasted annual ridership but rather the performance objectives and safety requirements stipulated by the Authority, FRA, the U.S. Department of Transportation, and the regional transportation partners—including Caltrain, Amtrak, and other operators—whose systems would either use the shared segments of the HSR alignment (blended corridor) or provide connections to the high-speed service.

In keeping with these objectives and requirements, as well as the blended system parameters, the alignment in this Project Section comprises a predominantly two-track system regardless of total annual ridership. Track geometry and profile, power distribution systems, train control/signal systems, type of rolling stock, and certain station elements would be the same in both the

dedicated and blended corridors regardless of how many riders use the HSR system. The locations of the heavy and light maintenance facilities also follow the mandates stipulated by technical operating requirements rather than ridership.

While the performance objectives and safety requirements are the main factors influencing HSR system design, ridership does influence some aspects of the system's design, including the size of the heavy and light maintenance facilities. The sizes of these facilities are based on the 2040 high ridership forecast so that these facilities would be sufficient to accommodate maximum future needs. This approach is consistent with general planning and design practices for large infrastructure projects in which resilience and adaptability are incorporated by acquiring enough land for future needs up front instead of trying to purchase property at a later date when it may no longer be available or may be impractical to acquire. The use of ridership forecasts facilitates the early phases of maintenance facility construction as well as subsequent expansion of the facility as fleet size and maintenance requirements grow.

Forecasted annual ridership and peak-period ridership also play a role in determining the size of some station components, such as the size of the public accessway/egressway to the HSR system. The 2040 high ridership forecast formed the basis for the conceptual service plan, which in turn influenced station site planning by designing station facilities to be sufficient to accommodate the anticipated increase over time of HSR use.

The 2040 high ridership scenario was also used, along with local conditions, to determine the maximum amount of parking needed at each station. Parking demand and supply were analyzed by considering many factors—including ridership demand, station area development opportunities, and availability of alternative multimodal access improvements—to inform the size of the parking facilities at each station and the anticipated schedule for the phased implementation of these facilities. The use of the 2040 high ridership scenario provides flexibility to change or even reduce the amount of station parking as these factors become more defined and resolved over time (see Section 2.4.3, Stations, for additional information).

2.7.3 Ridership and Environmental Impact Analysis

The forecasts of annual HSR ridership play a role in the analysis of environmental impacts and benefits related to traffic, air quality, noise, and energy. This Final EIR/EIS uses both the medium and high ridership forecasts for analyzing potential adverse environmental impacts and environmental benefits of operating the HSR system. The use of ridership forecasts is discussed in more detail in Section 3.1, Introduction.

2.7.4 Ridership and Station Area Parking

HSR system ridership, parking demand, parking supply, and development around HSR stations are intertwined and would evolve as ridership increases from the 3 million to 4.2 million anticipated at the start of revenue service in 2029 to as many as 56.8 million passengers in 2040 when the HSR system is in full operation. To attract, support, and retain high ridership levels, the Authority is working with transportation service providers and local agencies to promote TOD around HSR stations and expand multimodal access to the HSR system.

These activities would be implemented at various times reflecting the station area and transit system development plans. Some cities and regions would be able to develop their station areas and local transit systems at a faster rate than others by the 2029 start-up of HSR revenue service and before 2040 when the HSR system would be fully operational. Parking demand and supply at each station would also be affected by technological advances, such as multimodal trip planning/payment software and autonomous vehicles, as well as changes in the bundle of services available to consumers, such as ride-hailing services and bike- and car-sharing programs.

Research suggests that the percentage of transit passengers arriving at and departing from transit stations by car and needing parking accommodations decreases as development and population around the stations increases. The Authority has adopted station-area development policies that recognize the inverse relationship between parking demand and HSR station-area

development. In keeping with these policies, the Authority is working with regional planners and planners in the station cities to maximize the success of the HSR system by locating stations in areas where there is, or would be, a high density of population, jobs, commercial development, entertainment venues, and other activities that generate trips. Encouraging development in high-density areas around HSR stations would allow the Authority to attain its dual goal of supporting system ridership while reducing parking demand.

However, development around HSR stations would not occur immediately. Although the HSR system would be a catalyst for development, the type, location, quantity, density, and timing of station-area development is dictated by local land use decisions and market conditions. The Authority would work in partnership with local governments and landowners to encourage complementary station-area development, exemplified by the station-area planning funding agreements it has provided to the City of San Jose, but its power in this regard is limited. Consequently, the factors that determine actual parking demand and supply are dependent primarily on local decisions and local conditions.

The Final EIR/EIS identifies parking facilities based on the maximum forecast for parking demand at each station, the local conditions affecting access planning, and practical means for delivering required parking. For the San Jose Diridon Station, the Authority is not proposing to construct new parking to meet new parking demand due to HSR ridership; instead, it is assumed that new parking demand would be met by existing public and commercial parking in the general vicinity of the Diridon Station.

The Authority, in consultation with local communities, would have the flexibility to make decisions regarding which parking facilities would be built initially and how additional parking can be phased in or adjusted depending on how HSR system ridership increases over time. For example, some parking facilities could be built at the 2029 project opening and subsequently augmented or replaced in whole or in part based on future system ridership, station-area development, and parking management strategies. A multimodal access plan would be developed prior to the design and construction of parking facilities at each HSR station. These plans would be prepared in coordination with local agencies and would include a strategy that addresses and informs the final location, amount, and phasing of parking at each station.

The Authority estimated rail, bus, auto, walk, and bike passenger access and egress trips for year 2040 for all stations with an additional year 2029 analysis for the 4th and King Street Station and the San Jose Diridon Station.³¹ The auto mode share included estimates for pick-up and drop-off, drive and park, rental car and taxi/shuttle/transportation network company travel modes. Parking demand was estimated based on auto drive-and-park mode share. At the San Jose Diridon Station, as analyzed in Section 3.2, the Authority concluded that new parking demand could be met through existing public and commercial parking when considering planned Caltrain and BART expansion of transit access to the Diridon Station. The proposed parking supply is based on project demand and local conditions in the surrounding station area. Existing on-site parking at each station that would be displaced by the HSR project would be replaced at a 1:1 ratio (except with the RSP Design Variant, which would not replace displaced Caltrain and BART parking at the Millbrae Station); temporarily displaced parking would be replaced at a 1:1 basis during construction and permanently displaced parking would be replaced prior to initial HSR operations.

The Authority, in consultation with local communities, would develop a multimodal access plan prior to the design and construction of station facilities at each HSR station. These plans would be prepared in coordination with local agencies and would include strategies that address and inform the location, amount, phasing, and management of parking at each station.

³¹ The Authority collected local station area data to prepare a Mode of Access Memorandum for each station. Data collection involved touring station areas, consulting with local agencies, and reviewing local plans and policies. The memoranda were shared with the local jurisdictions in the station cities.

2.8 Operations and Service Plan

2.8.1 High-Speed Rail Service

The conceptual HSR service plan for Phase 1 describes service from Anaheim/Los Angeles through the Central Valley from Bakersfield to Merced and northwest into the Bay Area (Authority and FRA 2017c). Subsequent stages of the HSR system include a southern extension from Los Angeles to San Diego via the Inland Empire and an extension from Merced north to Sacramento.

Train service would operate in diverse patterns between various terminals. Three basic service types are envisioned:

- Express trains, which would serve major stations only, providing fast travel times between Los Angeles and San Francisco during the morning and afternoon peak
- Limited-stop trains, which would skip selected stops along a route to provide faster service between stations
- All-stop trains, which would focus on regional service

The majority of trains would provide limited-stop services and offer a relatively fast run time along with connectivity among various intermediate stations. Numerous limited-stop patterns would be provided to achieve a balanced level of service at the intermediate stations. The service plan envisions at least four limited-stop trains per hour in each direction, all day long, on the main route between San Francisco and Los Angeles. Each intermediate station in the Bay Area, Central Valley between Fresno and Bakersfield, Palmdale in the High Desert, and Burbank in the San Fernando Valley would be served by at least two limited-stop trains every hour—offering at least two reasonably fast trains an hour to San Francisco and Los Angeles. Selected limited-stop trains would be extended south of Los Angeles as appropriate to serve projected demand.

Including the limited-stop trains on the routes between Sacramento and Los Angeles, and Los Angeles and San Diego, and the frequent-stop local trains between San Francisco and Los Angeles/Anaheim, and Sacramento and San Diego, every station on the HSR network would be served by at least two trains per hour per direction throughout the day and at least three trains per hour during the morning and afternoon peak periods. Stations with higher ridership demand would generally be served by more trains than those with lower estimated ridership demand.

The service plan provides direct-train service between most station pairs at least once per hour. Certain routes may not always be served directly, and some passengers would need to transfer from one train to another at an intermediate station, such as Los Angeles Union Station, to reach their destination. Generally, the Phase 1 conceptual operations and service plans offer a wide spectrum of direct-service options and minimize the need for passengers to transfer.

In 2029, the assumed first year of Phase 1 HSR operation, two trains per hour would operate during peak and one train per hour off-peak between San Francisco and Bakersfield. When Phase 1 operations occur, this EIR/EIS assumes the following service:

- Two peak trains per hour from San Francisco and Los Angeles (one in off-peak)
- Two peak trains per hour from San Francisco and Anaheim (one in off-peak)
- Two peak trains per hour from San Jose and Los Angeles
- One peak train per hour from Merced and Los Angeles
- One train per hour (peak and off-peak) from Merced and Anaheim

Total daily operations for the Project Section in 2029 and 2040 are shown in Table 2-19.

Table 2-19 Total Daily Train Operations—San Francisco to San Jose Project Section

Service Description	2029	2040
HSR Non-Revenue Trains¹		
Between Brisbane LMF and San Francisco	11	22
Between San Jose Diridon Station and Millbrae Station	0	12
HSR Revenue Trains		
Trains per peak hour (max, one-way)	2	4
Trains per off-peak hour (max, one-way)	1	3
Trains per peak period per day (max)	24	48
Trains per off-peak period per day (max)	24	74
Number of daytime operations: 7 a.m.–10 p.m. (max)	40	102
Number of nighttime operations: 10 p.m.–7 a.m. (max)	8	20
Total HSR Trains, San Francisco and Brisbane LMF		
Trains per peak period per day (max)	28	56
Trains per off-peak period per day (max)	31	88
Number of daytime operations: 7 a.m.–10 p.m. (max)	44	110
Number of nighttime operations: 10 p.m.–7 a.m. (max)	15	34
Total HSR Trains, San Francisco and San Jose Diridon Station		
Trains per peak period per day (max)	24	80
Trains per off-peak period per day (max)	24	96
Number of daytime operations: 7 a.m.–10 p.m. (max)	40	148
Number of nighttime operations: 10 p.m.–7 a.m. (max)	8	28

HSR = high-speed rail

LMF = light maintenance facility

¹ Non-revenue train trips include the operation of trains entering or leaving service at a terminal station to and from a maintenance facility, test runs, and operation of on-track maintenance equipment.

2.8.2 Maintenance Activities

2.8.2.1 Blended Portions of the Project Section

The Authority would be a tenant operating within the Caltrain right-of-way for the blended portions of the Project Section. The PCJPB would continue to perform regular maintenance along the track and railroad right-of-way as well as on the power systems, train control, signaling, communications, and other vital systems required for the safe operation of the blended system. Maintenance methods would be like those currently used for the existing Caltrain system and would involve:

- Inspection and routine maintenance of the track and ballast, including tamping; OCS; structures; and signaling, train control, and communications components
- Inspections and daily maintenance of the stations and the LMF
- Maintenance of the right-of-way including culvert and drain cleaning, vegetation control, litter removal, and other inspection that would typically occur monthly to several times a year

2.8.2.2 Dedicated Portions of the Project Section

The Authority would regularly perform maintenance along the dedicated track and railroad right-of-way as well as on the power systems, train control, signaling, communications, and other vital systems required for the safe operation of the HSR system. Maintenance methods are expected to be similar to existing European and Asian HSR systems, adapted to the specifics of the California HSR system. However, the FRA is developing safety requirements for HSR systems in the United States that would specify standards of maintenance, inspection, and other items in a set of regulations (i.e., Rule of Particular Applicability); these requirements are anticipated to be issued in the next several years, and the overseas practices may be amended in ways not currently foreseen. The brief descriptions of maintenance activities provided in the following subsections are thus based on best professional judgment about future practices in California.

Track and Right-of-Way

The track at any point would be inspected several times each week using measurement and recording equipment aboard special measuring trains. These trains are of similar design to the regular trains but would operate at a lower speed. They would run between midnight and 5 a.m. and would usually pass over any given section of track once in the night.

Most adjustments to the track and routine maintenance would be accomplished in a single night at any specific location with crews and material brought by work trains along the line. When rail resurfacing (i.e., rail grinding) is needed, several times a year, specialized equipment would pass over the track sections at 5 to 10 mph.

Approximately every 4 to 5 years, ballasted track would require tamping. This more intensive maintenance of the track uses a train with a succession of specialized cars to raise, straighten, and tamp the track, using vibrating “arms” to move and position the ballast under the ties. The train would typically cover a 1-mile-long section of track in the course of one night’s maintenance. Slab track, the track support type anticipated at elevated sections, would not require this activity. No major track components are expected to require replacement through 2040.

Other maintenance of the right-of-way, aerial structures, culverts, drains, and bridge sections of the alignment would include culvert and drain cleaning, vegetation control, litter removal, and other inspection that would typically occur monthly to several times a year. Temporary, portable lighting would be used at all locations when maintenance work is being undertaken to ensure sufficient light levels for safe working conditions.

Power

The OCS along the right-of-way would be inspected nightly, with repairs being made when needed; these would typically be accomplished during a single night maintenance period. Other inspections would be made monthly. Many of the functions and status of substations and smaller facilities outside the trackway would be remotely monitored. However, visits would be made to repair or replace minor items and would also be scheduled several times a month to check the general site. No major component replacement for the OCS or the substations is expected through 2040.

Structures

Visual inspections of the structures along the right-of-way and testing of fire/life safety systems and equipment in or on structures would occur monthly, while inspections of all structures for structural integrity would be conducted at least annually. Steel structures would require painting every several years. Repair and replacement of lighting and communication components of tunnels and buildings would be performed on a routine basis. No major component replacement or reconstruction of any structures is expected through 2040.

Signaling, Train Control, and Communications

Inspection and maintenance of signaling and train control components would be guided by FRA regulations and standards to be adopted by the Authority. Typically, physical in-field inspection and testing of the system would be conducted four times a year using hand-operated tools and equipment. Communication components would be routinely inspected and maintained, usually at night, although daytime work may be undertaken if the work area is clear of the trackway. No major component replacement of these systems is expected through 2040.

Stations

Each station would be inspected and cleaned daily. Inspections of the structures, including the platforms, would be conducted annually. Inspections of other major systems, such as escalators, the heating and ventilation system, ticket-vending machines, and closed-circuit television, would be performed according to manufacturer recommendations. Major station components are not expected to require replacement through 2040.

Perimeter Fencing and Intrusion Protection

Fencing and intrusion protection systems would be remotely monitored, as well as periodically inspected. Maintenance would take place as needed; however, fencing and intrusion protection systems are not expected to require replacement before 2040.

2.9 Additional High-Speed Rail Development Considerations

2.9.1 High-Speed Rail, Land Use Patterns, and Development around High-Speed Rail Stations

In 2008, California voters approved Prop 1A—which called for HSR stations to “be located in areas with good access to local mass transit or other modes of transportation” and further required that the HSR system “be planned and constructed in a manner that minimizes urban sprawl and impacts on the natural environment.” The Authority embraced these policies in Prop 1A by adopting the *HST Station Area Development: General Principles and Guidelines* (Authority 2011a) and the *Urban Design Guidelines for the California High Speed Train Project* (Authority 2011c). The purpose of the *HST Station Area Development: General Principles and Guidelines* is to identify principles and the Authority’s approach to support local agency actions to maximize the potential for TOD and value capture in station areas to advance the coordination of land use and transportation planning at state, regional, and local levels to address climate change and reduce GHG production. The purpose of the *Urban Design Guidelines for the California High Speed Train Project* is to draw upon international examples and provide guidance to the Authority and local agencies on how to integrate HSR stations into communities to attract ridership and investment, and advance TOD of lasting economic and community value.

Realizing the potential transportation, community, environmental, and economic benefits of HSR stations to surrounding land uses, the Authority has a strategy for long-term coordination with local jurisdictions and transit agencies to encourage TOD and higher-density urban cores around the HSR stations and to further develop transit connectivity plans for HSR station areas. Within the Project Section, these efforts are ongoing with the City of Millbrae and the City of San Jose.³² The City of Millbrae approved the Millbrae Station Area Specific Plan in February 2016, which plans for TOD around the Millbrae Station (City of Millbrae 2016). The Authority is currently

³² The Authority is also coordinating with local jurisdictions and transit agencies with regard to the SFTC at First and Mission Streets in downtown San Francisco. The Authority is a member of the Transbay Joint Powers Authority, which is a joint exercise of powers authority comprised of the City and County of San Francisco, the Alameda–Contra Costa Transit District, the PCJPB, the Authority, and Caltrans (ex officio). The Transbay Joint Powers Authority’s mission is to design, build, operate, and maintain an intermodal terminal and rail extension and to collaborate with the San Francisco Office of Community Investment and Infrastructure and City departments to create an adjacent new transit-oriented neighborhood surrounding the new SFTC. Environmental impacts associated with the DTX have undergone a separate environmental review process. Refer to the *Transbay Terminal/Caltrain Downtown Extension/Redevelopment Project Final EIS/EIR* for additional information (USDOT et al. 2004).

funding a Comprehensive Station Access Study for the Millbrae Station, which is evaluating strategies to enhance station access and connectivity to support long-term growth in transit and HSR ridership, as well as to support agency coordination between the City of Millbrae, Caltrain, BART, and the Authority. The City of San Jose has also received Station Area Planning grants to meet the purposes outlined in the 2011 guidelines, and adopted the *Diridon Station Area Plan* in June 2014 (City of San Jose 2014).

2.9.2 Right-of-Way Acquisition for Construction, Operation, and Maintenance of High-Speed Rail

The Project Section would be primarily within the existing Caltrain right-of-way. However, in certain locations along the Caltrain corridor (e.g., at the Brisbane LMF, passing tracks, communication radio towers, and viaducts south of Scott Boulevard), the Authority would need to acquire TCEs and permanent right-of-way outside the existing Caltrain right-of-way to build and operate components of the blended system. Table 2-20 shows the total TCEs and permanent right-of-way acquisitions required for the project.

Table 2-20 Right-of-Way Acquisitions (acres)

Acquisition Type	Alternative A	Alternative B (Viaduct to I-880)	Alternative B (Viaduct to Scott Boulevard)
Temporary Construction Easements			
Residential use	2.5	3.3	4.8
Mixed use	2.7	6.6	6.8
Commercial use	13.2	17.4	16.5
Industrial use	31.3	20.8	33.9
Planned development	0.2	0.1	0.1
Public facilities	3.1	11.4	10.5
Parks/open space	<0.1	4.3	5.2
Transportation use	3.8	23.4	27.5
Vacant	46.5	18.0	18.0
Total	103.4	105.6	123.6
Permanent Right-of-Way Acquisition			
Residential use	14.5	10.7	9.8
Mixed use	1.5	2.8	2.8
Commercial use	6.6	14.8	15.0
Industrial use	85.2	99.0	90.7
Public facilities	6.4	6.9	7.5
Parks/open space	6.1	4.0	4.0
Transportation use	34.6	36.5	40.1
Vacant	103.3	109.2	109.2
Total	258.3	284.0	279.1

I- = Interstate


Permanent right-of-way acquisition would result in the displacement of residences and businesses adjacent to the Caltrain right-of-way in certain locations. The Authority would comply with the Uniform Relocation Assistance and Real Property Acquisition Policies Act, which provides benefits to displaced individuals to assist them financially and with advisory services related to relocating their residence or business operation. The purpose of the Uniform Act is to provide for uniform and equitable treatment of persons displaced from their homes, businesses, farms, or nonprofit organizations by federal and federally assisted programs and to establish uniform and equitable land acquisition policies for federal and federally assisted programs.

2.9.3 High-Speed Rail Development within the San Francisco Bay Conservation and Development Commission Jurisdictional Areas

BCDC regulates activities and development within and around San Francisco Bay as defined by the McAteer-Petris Act and according to the policies adopted in the San Francisco Bay Plan (the Bay Plan). Section 66610 of the McAteer-Petris Act affords BCDC jurisdiction over five areas in and around the Bay: (a) San Francisco Bay jurisdiction (all areas subject to tidal action from the south end of the bay to the Golden Gate and to the Sacramento River line, including all sloughs, and, specifically, the marshlands lying between mean high tide and 5 feet above mean sea level, tidelands, and submerged lands), (b) shoreline jurisdiction (an area 100 feet landward of and parallel with the territory covered in section [a]), (c) saltponds jurisdiction, (d) managed wetlands jurisdiction, and (e) certain waterways jurisdiction (defined in the McAteer-Petris Act). Only two of these BCDC jurisdictional areas are relevant for the project: the Bay and shoreline jurisdictions.

BCDC's decision to grant or deny a permit for the project is guided by the Act's provisions and the standards set out in the Bay Plan. BCDC is authorized to regulate filling or dredging of the San Francisco Bay and development of the "shoreline band," which consists of the area within 100 feet of the shoreline.

The project includes areas within BCDC jurisdiction at Mission Creek and Islais Creek in San Francisco; Visitacion Creek, Guadalupe Valley Creek, and Brisbane Lagoon in Brisbane; Oyster Point Channel and Colma Creek in South San Francisco; and El Zanjon Creek in San Bruno. Figure 2-51 through Figure 2-53 illustrate the project footprints overlain with the BCDC jurisdiction, including priority use areas, and Table 2-21 describes the specific project improvements within BCDC jurisdiction. Although the project alternatives do not include new features that provide for public access to the Bay, access to existing parks and recreational facilities along the Bay—including the San Francisco Bay Trail, Mission Creek Park, Candlestick Point State Recreation Area, Brisbane Lagoon, and Bayfront Park—would be maintained.



OCTOBER 2019

Figure 2-51 BCDC Jurisdictional and Priority Use Areas—Part 1 of 3



JUNE 2020

Figure 2-52 BCDC Jurisdictional and Priority Use Areas—Part 2 of 3



OCTOBER 2019

Figure 2-53 BCDC Jurisdictional and Priority Use Areas—Part 3 of 3

Table 2-21 Project Elements within BCDC Jurisdictional Areas

Location	Alternative A	Alternative B
Mission Creek		
Bay/Tidal Waterway	None	None
Shoreline Band	Although a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the shoreline band, no project improvements are proposed within the shoreline band.	Same as Alternative A
Islais Creek		
Bay/Tidal Waterway	Although a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the bay/tidal waterway, no project improvements are proposed within the bay/tidal waterway.	Same as Alternative A
Shoreline Band	Although a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the shoreline band, no project improvements are proposed within the shoreline band.	Same as Alternative A
Visitacion Creek		
Bay/Tidal Waterway	Construction of the East Brisbane LMF would require placing the creek into an underground culvert. A new maintenance facility yard, workshop, parking lot and access road, and realigned Tunnel Avenue would be built above the underground culvert.	None
Shoreline Band	Construction of the East Brisbane LMF would require construction of a new maintenance facility yard, workshop, parking lot and access road, and realignment of Tunnel Avenue within the shoreline band.	None
Guadalupe Valley Creek		
Bay/Tidal Waterway	The existing culvert where Guadalupe Valley Creek crosses the railbed would be extended, the Guadalupe Valley Creek bridge would be widened, and a new culvert would be installed for the emergency service right-of-way associated with the Relocated Brisbane Fire Station (Alternative A).	Same as Alternative A, except new culvert would be associated with Relocated Brisbane Fire Station (Alternative B).
Shoreline Band	Permanent roadway right-of-way and a TCE would be required within the shoreline band to accommodate demolition of the existing Tunnel Avenue overpass, construction of a new realigned Tunnel Avenue overpass, and relocation of the southern terminus of Tunnel Avenue to the Bayshore Boulevard/Valley Drive intersection. Additionally, portions of the permanent blended HSR/Caltrain right-of-way overlap with the shoreline band; in these locations the project would horizontally shift existing tracks to accommodate the new lead tracks to the LMF, relocate OCS poles and wires, and widen the Guadalupe Valley Creek bridge. In addition, portions of the roadway for the Tunnel Avenue relocation, the new culvert, and an emergency service right-of-way for the Relocated Brisbane Fire Station (Alternative A), which would require paving and vegetation removal, would be located within the shoreline band of Guadalupe Valley Creek.	Same as Alternative A, except for the project elements associated with Relocated Brisbane Fire Station (Alternative B).

Location	Alternative A	Alternative B
Brisbane Lagoon		
Bay/Tidal Waterway	Although a portion of the existing Caltrain right-of-way overlaps with the bay/tidal waterway, no project improvements are proposed within the bay/tidal waterway.	Same as Alternative A
Shoreline Band	TCEs would be required within the shoreline band in an area designated as a priority use area, to realign Lagoon Road and its connection to the realigned Tunnel Avenue and Tunnel Avenue overpass. The existing Tunnel Avenue overcrossing of the Caltrain tracks, which is also within the shoreline band in an area (outside of a priority use area), would be demolished. In addition, a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the shoreline band but no project improvements are proposed within the shoreline band.	Same as Alternative A
Oyster Point Channel		
Bay/Tidal Waterway	Although a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the bay/tidal waterway, no project improvements are proposed within the bay/tidal waterway.	Same as Alternative A
Shoreline Band	Although a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the shoreline band, no project improvements are proposed within the shoreline band.	Same as Alternative A
Colma Creek		
Bay/Tidal Waterway	Although a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the bay/tidal waterway, no project improvements are proposed within the bay/tidal waterway.	Same as Alternative A
Shoreline Band	Although a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the shoreline band, no project improvements are proposed within the shoreline band.	Same as Alternative A
El Zanjon Creek		
Bay/Tidal Waterway	Although a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the bay/tidal waterway, no project improvements are proposed within the bay/tidal waterway.	Same as Alternative A
Shoreline Band	Although a portion of the permanent blended HSR/Caltrain right-of-way overlaps with the shoreline band, no project improvements are proposed within the shoreline band.	Same as Alternative A

HSR = high-speed rail

LMF = light maintenance facility

OCS = overhead contact system

TCE = temporary construction easement

2.10 Construction Plan

This section describes the Authority's phased implementation strategy for building the HSR system and summarizes the general approach to activities typically associated with pre-construction and construction of major system components. Additional detail is provided in Volume 2, Appendix 2-H. The construction plan is based on the phased implementation strategy for Phase 1 of the HSR system as described in the Authority's 2018 Business Plan,³³ which assumes that:

- HSR Valley-to-Valley service would be operational in 2029.
- Phase 1, which would connect San Francisco with Los Angeles via the Central Valley, would be operational by 2033.
- Phase 2, which would subsequently extend service to Sacramento and San Diego for full system operation, would occur after the 2040 Phase 1 system operations envisioned in the Final EIR/EIS.

The analysis in this Final EIR/EIS is based on impact assessment in 2029 (initial operation) and 2040 (operations after initial ridership build-up). Table 2-22 and Table 2-23 show the generalized approach to project construction phasing and the schedule for portions of the Project Section north and south of Scott Boulevard. Construction would likely proceed concurrently along the entire Project Section. Construction would typically take place 5 days a week with 8-hour days (250 days per year), except for track realignment within the Caltrain corridor, which would need to occur within established work windows, which include weekdays (outside of AM and PM peak hours), weeknights, and weekends.

The assumed Phase 1 opening year for purposes of the construction plan differs by 4 years from the Phase 1 opening year discussed in Section 2.7, Ridership. As explained in Section 2.7.1, the HSR ridership forecasts used in this document are derived from the 2016 Business Plan, which assumed a 2025 opening year for Phase 1, but since the 2018 Business Plan identified that the Valley-to-Valley scenario would commence operation in 2029, the 2025 ridership from the 2016 Business Plan is presumed to occur in 2029. The construction schedule described in Table 2-22 and Table 2-23 is based on the 2016 Business Plan; although the Phase 1 opening year in the 2018 and 2020 Business Plans is different, the length of each activity and phase of construction described in those tables has not changed. If the actual opening year is later (e.g., 2033), there would be an incremental reduction in operational impacts and benefits in 2040 as described in Chapter 3, but not a material change. The 2033 Phase 1 opening year, on the other hand, represents the more appropriate assumption for purposes of the construction plan and evaluating construction-related impacts. The document therefore uses both opening year assumptions.

2.10.1 General Approach

The Authority would begin implementing its construction plan after receiving the required environmental approvals and permits and securing funding. Given the size and complexity of the HSR project, the design and construction work could be divided into several procurement packages. In general, the procurement would be grouped as follows:

- Civil/structural infrastructure, including design and construction of passenger stations, maintenance facilities, wayside facilities, utility relocations, and roadway modifications
- Trackwork, including design and construction of direct fixation track and subballast, ballast, ties and rail installation, switches, and special trackwork
- Core systems, such as traction power, train controls, communications, the operations center, and the procurement of trainsets

³³ The Authority's 2020 Business Plan assumes a similar phased implementation strategy for Phase 1 of the HSR system, although the Valley-to-Valley service operational date was refined from 2029 to 2031 (Authority 2020b).

Table 2-22 Construction Schedule North of Scott Boulevard

Activity	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029
At Grade, Viaduct, and Trench												
Right-of-way acquisition		■	■									
Environmental remediation		■	■									
Design			■	■								
Mobilization				■								
Utilities relocation				■	■							
Street/highway preparation				■	■	■	■					
Demolition				■	■	■						
Clear and grub				■	■	■	■					
Earthwork				■	■	■	■					
Viaduct				■	■	■	■					
At-grade work					■	■	■	■				
Demobilize								■				
Stations and Maintenance Facilities												
Right-of-way acquisition			■	■								
Design			■	■								
Mobilization				■								
Temporary facilities and track				■								
Building demolition					■							
Building structures and rough systems					■							
Building finish						■	■					
Remove/restore temporary facilities and track							■	■				
Demobilize								■				
Rail Infrastructure and Testing												
Mobilization							■					
Track, signal, and traction power construction								■	■			
Static testing									■			
Dynamic testing										■		
Full speed testing											■	
Demobilize												■
Assumed Milestones for High-Speed Rail												
Service San Francisco to San Jose (start of 2029)												■

Table 2-23 Construction Schedule, Scott Boulevard to West Alma Avenue

Activity	2021	2022	2023	2024	2025	2026	2027	2028	2029
At Grade, Viaduct, and Trench									
Right-of-way acquisition	■	■	■						
Environmental remediation		■	■						
Design	■	■							
Mobilization		■							
Utilities relocation			■						
Street/highway preparation			■	■	■				
Demolition			■						
Clear and grub			■						
Earthwork			■	■	■				
Viaduct			■	■	■				
At-grade and below-grade cross sections (incl. stations)			■	■	■				
Demobilize					■				
Rail Infrastructure and Testing									
Mobilization				■					
Track, signal, and traction power construction				■	■				
Static testing					■				
Dynamic testing					■				
Full speed testing					■				
Demobilize					■				
Stations and Maintenance Facilities									
Right-of-way acquisition	■	■	■						
Design			■						
Mobilization			■	■					
Temporary facilities and track				■					
Building demolition				■					
Building structures and rough systems				■	■				
Building finish				■	■				
Remove/restore temporary facilities and track				■	■				
Demobilize					■				
Assumed Milestones for High-Speed Rail									
Service Central Valley to San Jose (end of 2029)									■

One or more design-build packages would be developed. The Authority would issue construction requests for proposals, begin right-of-way acquisition, and procure construction management services to oversee physical construction of the project. During peak construction periods, work would be performed concurrently in different subsections, with overlapping construction of various project elements. Working hours and the number of workers present at any time would depend on the activities being performed. Construction fencing would be restricted to areas designated for construction staging and areas where public safety or environmentally sensitive resources are a concern.

Consistent with the California High-Speed Rail Authority Sustainability Policy (Authority 2016f), the Authority would continue to implement sustainability practices that inform and affect the planning, siting, designing, construction, mitigation, operation, and maintenance of the HSR system. The Authority is committed to:

- Net-zero GHG and criteria pollutant emissions in construction
- Operating the system entirely on renewable energy
- Net-zero energy, LEED platinum facilities
- Planning for climate change adaptation and resilience
- Prioritizing life-cycle considerations
- Applicable design standards, including compliance with laws, regulations, and industry standard practices (included in Volume 2, Appendix 2-D and considered a part of the project)

2.10.2 Pre-Construction Activities

2.10.2.1 Operational Right-of-Way

During final design, the Authority and its contractor(s) would conduct several pre-construction activities to optimize construction staging and management. These activities include the following:

- Conducting geotechnical investigations to define precise geologic, groundwater, and seismic conditions along the alignment. The results of this work would guide final design and construction methods for foundations, stations, and aerial structures.
- Identifying construction laydown and staging areas used for mobilizing personnel, stockpiling materials, and storing equipment for building HSR or related improvements. In some cases, these areas would also be used to assemble or prefabricate components of guideway or wayside facilities before transport to installation locations. Field offices and temporary jobsite trailers would also be located at the staging areas. Construction laydown areas are part of the project footprint that is evaluated for potential environmental impacts; however, actual use of the area would be at the discretion of design-build contractor. After completing construction, the staging and laydown areas would be restored to pre-construction condition.
- Initiating site preparation and demolition, such as clearing, grubbing, and grading, followed by the mobilization of equipment and materials. Demolition would require strict controls so that adjacent buildings, infrastructure, and natural and community resources are not damaged or otherwise affected by the demolition efforts.
- Relocating utilities prior to construction. The contractor would work with the utility companies to relocate or protect in place high-risk utilities, such as overhead tension wires, pressurized transmission mains, oil lines, fiber optical conduits or cables, and communications lines or facilities prior to construction.
- Implementing temporary, long-term, and permanent road closures to reroute or detour traffic away from construction activities. Handrails, fences, and walkways would be provided for the safety of pedestrians and bicyclists.
- Conducting other studies and investigations, as needed, such as surveys of local business to identify usage, delivery, shipping patterns, and critical times of the day or year for business

activities, as well as necessary cultural resource investigations and historic property surveys. This information would help develop construction requirements and worksite traffic control plans and identify potential alternative routes and resource avoidance plans.

Temporary staging for Alternatives A and B would occur primarily within the existing Caltrain right-of-way, with exception of temporary staging areas outside of the existing Caltrain right-of-way for construction of the Brisbane LMF, Millbrae Station, passing track (Alternative B only), and in the San Jose Diridon Station Approach Subsection. Track modifications would mostly be performed by track-mounted equipment, and construction materials (e.g., rail, ties, ballast) would be delivered by rail. Modifications to existing Caltrain station platforms would be isolated to each Caltrain station and associated parking lots, which are within the existing Caltrain right-of-way. At-grade crossing improvements would not require separate construction staging areas.

There are four locations where construction staging areas greater than 5 acres outside the existing Caltrain right-of-way would be required:

- Brisbane LMF—Construction of both the East Brisbane LMF under Alternative A and the West Brisbane LMF under Alternative B would require TCEs (approximately 65 acres and 24 acres, respectively) to establish equipment and materials storage areas close to construction sites for the LMF and the realigned Tunnel Avenue overpass.
- Millbrae Station—Construction of the Millbrae Station Design would require approximately 8 acres of TCE east and west of the Millbrae Station to establish equipment and materials storage areas close to construction sites, build a new HSR station concourse and platforms, build overhead circulation elements between the new station and platforms, and modify roadways. Construction of the RSP Design Variant would require 7.5 acres of TCE east and west of the Millbrae Station.
- Passing track (Alternative B only)—Construction of the approximately 6-mile-long passing track under Alternative B would require the use of nearly 9 acres of land within the passing track footprint. This would typically consist of a 15-foot-wide strip of land on both sides of the Caltrain corridor, although a larger area of TCE would be required near the Hillsdale Boulevard underpass, where the existing structure would need to be modified and a new structure to carry the additional tracks over Hillsdale Boulevard would be built.
- San Jose Diridon Station Approach Subsection—There is one potential construction staging area included within the preliminary engineering design in this subsection. Alternative B includes a potential 9-acre staging area north of West Julian Street between Caltrain/UPRR and New Montgomery Street.

Land needed for temporary construction activities would be leased from landowners, taken out of its current use, used temporarily for construction, and restored to its pre-construction state after construction is completed. As shown in Table 2-20, construction of Alternative A would require the temporary use of 103.4 acres of land outside the Caltrain right-of-way, Alternative B (Viaduct to I-880) would require the temporary use of 105.6 acres, and Alternative B (Viaduct to Scott Boulevard) would require the temporary use of 123.6 acres outside the Caltrain right-of-way. TCEs would typically be on roadway rights-of-way, shoulders of the existing railroad tracks, backyards, or vacant areas adjacent to structures that are used for residential, commercial, mixed-use, industrial, public facilities, and parks/open-space purposes. These TCEs would be used for construction equipment and materials staging; no precasting yards or batch plants for concrete manufacturing would be required for project construction.

2.10.2.2 Non-Operational Right-of-Way

In certain negotiated right-of-way purchase situations, the Authority may enter into agreements to acquire properties or portions of properties that are not directly needed for the construction of the HSR project and are not intended to be part of the operational right-of-way. These are known as excess properties, and are distinct from severed remnant parcels (which are evaluated as part of the project footprint). While eventually these properties would likely be sold as excess state property, these excess properties are not part of the project footprint and in the interim the

Authority would need to conduct various management and maintenance activities on them (Authority 2018b).

The process for acquisition and disposal of excess property is detailed in Chapter 16 of the California High-Speed Rail Authority Right-of-Way Manual (January 2019). Chapter 11 of the manual identifies the following management and maintenance activities that may occur on any given excess property. The activities required on a given parcel would depend on site conditions including the presence of buildings or other structures, existing land uses, and habitat conditions.

Structure Demolition

Various structures may be present on excess property, including single-family and multifamily residences, mobile homes, mobile offices, warehouses and other light industrial structures, sheds, fences, concrete driveways, signs, other buildings, and related appurtenances and utilities (e.g., in-ground pools, septic systems, water wells, gas lines) as well as orchards and ornamental shrubs and trees.

If the Authority determines that any existing uses of a particular structure are not going to continue, it may, following additional environmental review if/as necessary (e.g., to confirm the structure is not considered historic), decide to demolish and remove the structure. Demolition of a structure may also be appropriate if the structure is in a state of disrepair or a potential safety and security concern exists from trespassers.

The properties may include utilities such as water wells, septic systems, gas, and electric lines that would require removal in accordance with local and state regulations. Local construction permits for demolition and removal would be secured from the local agency with jurisdiction (e.g., well demolition permit, septic removal).

Vegetation Management

Excess properties may have a variety of vegetation present including ornamental landscaping, various crops including orchards or vineyards, and natural habitats such as annual grassland. Vegetation management may occur as part of initial site clearing efforts or as part of ongoing management.

Initial site clearing is likely to occur in conjunction with structure demolition. Ornamental landscaping may be removed to reduce ongoing maintenance needs. Vegetation removal or disturbance may be necessary for equipment access during structure demolition. If certain agricultural crops are present on-site, particularly orchards or vineyards, they may be removed if the Authority determines that it is appropriate based on the condition of the plants.

Ongoing vegetation management activities may include mowing, discing, or similar mechanical control, the clearing of firebreaks on larger properties, and treating noxious weeds with the use of approved herbicides. Mowing or other mechanical control may be used to maintain vegetation at a certain height or density based on site-specific concerns of security, visual appearance, or fire prevention. The mechanical control of weed species may also be appropriate depending on the relevant species and site conditions. Firebreaks may be mowed or disced in an approximately 12-foot band around the exterior of a site. Internal fire breaks may be appropriate for larger sites. All herbicide application would be conducted in a manner consistent with product labeling and applicable laws including application by a licensed pest control advisor, if appropriate.

Pest Management

Pest management may include the mechanical control of insects, rodents and other animals. Mechanical removal (trapping) of rodents and other animals may be appropriate in or around structures that exist on excess properties. Mechanical removal of animals will be conducted by a licensed pest control advisor and after obtaining any appropriate local approvals. Rodenticide would not be used for the control of animals.

Chemical control of insects may occur in or around buildings on excess property or in agricultural areas to control pest species. Any pesticide application would be conducted in a manner

consistent with product labeling and applicable laws including application by a licensed pest control advisor if appropriate and after obtaining any appropriate local approvals.

Site Security

Site security would primarily consist of the installation of fencing around properties. The installation of fencing may be appropriate on properties where structures would remain or where there is a safety and security concern or particular risk of trespass. Fencing would consist of 6- to 12-foot-high chain-link fencing and may include barbed wire or similar features at the top. Fence posts may be either metal or wood and require an excavation up to 4 inches in diameter and 3 feet deep. Other security devices such as security lighting, an alarm system or cameras may be implemented if specific conditions require it. If buildings or other structures are present on the site, windows and doors may be boarded up to prevent trespass. “No Trespassing” or similar signs may be posted as appropriate. Site security would also involve the periodic inspection of excess properties for signs of trespass and the removal of any accumulated trash or dumping.

Structure Maintenance

If buildings or other structures remain on-site, they would be maintained in a clean and orderly condition so as not to detract from the general appearance of the neighborhood. If the property is rented or leased, maintenance activities would be undertaken as needed to protect the health and safety of occupants. Maintenance and repair activities may include exterior and interior painting, yard maintenance, repair or replacement of plumbing, electrical facilities, roofs, windows, heaters, and built-in appliances and other similar activities.

2.10.3 Major Construction Activities

Major types of construction activities for the project include demolition, grubbing, and earthwork; trackwork; station modifications; construction of the Brisbane LMF; construction of aerial structures; and roadway modifications. Estimated construction durations for various project features are summarized in Table 2-24 and discussed in greater detail in the following sections.

Table 2-24 Estimated Construction Durations by Project Component

Description of Activity	Alternative		Duration
	A	B	
Track Modifications			
Minor track shifts <1 foot	X	X	Several days at a given location (approximately 2,500 feet/night)
Track shifts > 1 foot and overhead contact system pole relocations	X	X	Several weeks at a given location (approximately 600 feet/weekend)
Station Modifications			
4th and King Street Station	X	X	1 year
Millbrae Station or RSP Design Variant	X	X	2 years
San Jose Diridon Station (at grade)	X		2 years
San Jose Diridon Station (aerial) and aerial viaducts		X	3–4 years
Other Caltrain station modifications	X	X	3–6 months
Light Maintenance Facility			
East or West Brisbane light maintenance facility	X	X	2–3 years

Description of Activity	Alternative		Duration
	A	B	
Passing Track			
Passing track		X	4.5 years, although the duration would be less at a given location
Safety and Security Modifications			
Installation of four-quadrant gates	X	X	2–4 weeks ¹
Caltrain station improvements to remove hold-out rule	X	X	9–12 months
Other Modifications			
Installation of communication radio towers	X	X	3–6 months
Utility relocations	X	X	1–2 weeks
Major roadway modifications	X	X	6 months to 2 years, depending on roadway and proposed modification

¹ The greatest construction activity within roadway rights-of-way would occur over 2 to 4 weeks, while less intense, intermittent activities would take 4 to 6 months to complete installation of the four-quadrant gates.

2.10.3.1 Demolition, Grubbing, and Earthwork

The first stage of construction would involve the demolition of building and roadway structures directly affected by the HSR system. Several activities would need to be conducted before demolition work can commence, including:

- Relocation of building occupants and roadways
- Completion of a demolition survey and demolition plan
- Removal and disposal of hazardous materials in a safe and controlled manner, if any hazardous materials such as asbestos are identified
- Obtaining any required permits from the Bay Area Air Quality Management District

After mobilizing and setting up the construction staging areas, the contractor would commence with clearing and grubbing areas of new right-of-way in advance of the major structures, roadway and utility relocations. This activity (clearing and grubbing) consists of the removal of top soil, trees, minor physical objects, and other vegetation from the construction site with use of specialized equipment for raking, cutting, and grubbing.

Construction would also involve earthwork, which includes both excavation and embankment. Excavation is the removal of soils by use of mechanical equipment and embankment is the placing and compacting of soils for the construction process with use of mechanical equipment. The HSR system seeks to balance the volume of soils needed for excavation and embankment and to minimize the input of materials from quarries and disposal of materials outside of the right-of-way.

Overall, earthwork activities for the Project Section would be minor because construction would occur mostly on the existing at-grade Caltrain alignment. The exceptions are earthwork required for construction of the Brisbane LMF, realignment of the Tunnel Avenue overpass, the construction of the passing tracks under Alternative B, and alignment work in the San Jose Diridon Station Approach Subsection under Alternative A. Estimated earthwork volumes by alternative and project feature are summarized in Table 2-25. Construction of both project alternatives would require the disposal of excavated materials.

Table 2-25 Estimated Earthwork Volumes by Alternative (cubic yards)

Earthwork Type	Alternative A				Alternative B ¹			
	East Brisbane LMF	Tunnel Avenue Overpass	San Jose Diridon Station Approach	Total	West Brisbane LMF	Tunnel Avenue Overpass	Passing Tracks	Total
Excavation of topsoil and overbreak ²	274,200	0	48,300	322,500	638,200	0	161,700	799,900
Excavation of cut material ³	2,183,800	350,000	72,900	2,606,700	1,893,000	350,000	177,100	2,420,100
Embankment materials required	89,300	190,100	42,300	321,700	1,063,000	190,100	619,300	1,872,400
Overbreak fill required	285,800	0	58,900	344,700	436,900	0	248,800	685,700
Subballast materials required	0	0	23,200	23,200	0	0	855,400	855,400
Total excavated materials to be disposed	2,082,800	159,900	20,000	2,262,700	637,800	0	161,700	799,900
Materials to be disposed as solid waste	1,874,500	159,900	20,000	2,054,500	205,800	0	161,700	367,600
Materials to be disposed as hazardous waste	208,300	0	0	208,300	432,400	0	0	432,400
Total excavated materials to be reused	375,100	190,100	124,400	689,600	1,460,600	350,000	177,100	2,420,100
Materials to be reused on-site	375,100	190,100	124,400	689,600	1,499,800	190,100	177,100	1,867,100
Materials to be transported for reuse	0	0	0	0	393,100	159,900	0	553,100
Imported materials from off-site	0	0	0	0	0	0	1,546,400	1,546,400
Transferred from other project site	0	0	0	0	0	0	553,000	553,000
Imported from off-site	0	0	0	0	0	0	993,400	993,400

Sources: Authority 2019a, 2019b, 2021

LMF = light maintenance facility

¹ No earthwork required for viaduct construction in the San Jose Diridon Station Approach Subsection

² Topsoil and overbreak are materials not suitable for embankment construction.

³ Cut materials are suitable for embankment construction.

2.10.3.2 Track Modifications and Overhead Contact System Adjustments

Within the blended Caltrain corridor, trackwork would follow Caltrain practices and standards for conventional ballast track for at-grade alignments. Since the Caltrain tracks would be upgraded to meet FRA Class 6 Track standards, the construction methods would follow 49 C.F.R. Part 213 Subpart G requirements. Construction would include the following:

- Lateral alignment adjustments—The primary track modifications in the Project Section would be for curve straightening to allow for increased operational speeds on the corridor. Track

realignments of less than 1 foot would be performed by track-mounted equipment that would operate along the existing Caltrain tracks as it adjusts track alignment and ballast (Figure 2-54); these track realignments would not require relocation of OCS poles and would be completed within several days at any given location. Track realignments of less than 10 feet (Figure 2-55) would be done at night or on weekends over several work windows to allow continued passenger service; relocation of OCS poles would be required, and speed restrictions would be imposed until the track realignment is completed. For realignments of more than 10 feet, a parallel track and new OCS poles would be built first and then connected to the existing track. Temporary track closure for reconnecting tracks would occur at night or on weekends and would take 1 to 2 days each. The track realignment works would be carried out according to track possession work windows and work segments as follows:

- Work windows
 - Weekday days, each day (Monday through Friday): Midday during the week between morning and afternoon rush hours. Single tracking between 9 a.m. and 5 p.m.
 - Weekday nights (Monday and Thursday only): Single tracking between 8 p.m. and 4 a.m., Monday night and Thursday nights, with both tracks out of service after completion of revenue operations, between 1 a.m. and 4 a.m.
 - Weekends (Friday night to Monday morning): Weekend, single-tracking, 56-hour continuous work window from 8 p.m. Friday night to 4 a.m. Monday morning, with both tracks out of service after completion of revenue operations between 1 a.m. and 4 a.m. Friday, Saturday, and Sunday nights
- Work segments
 - Work Segment 1: 7.8 miles (milepost [MP] 0.2 to MP 8.0)
 - Work Segment 2: 21.1 miles (MP 8.0 to MP 29.1)
 - Work Segment 3: 15.4 miles (MP 29.1 to MP 44.5)
 - Work Segment 4: 6.6 miles (MP 44.5 to MP 50.4)
- Other work requirements
 - Work may be performed concurrently in only two work segments. Work would not be allowed to occur in two adjacent work segments
 - Station platforms would be closed occasionally
 - Speed restrictions would be limited to the minimum required period
 - Crossover functionality could be temporarily limited during relocation work



Source: Volume 2, Appendix 2-H

Figure 2-54 Tamping Machine for Minor Lateral Track Shifts (<1 foot)



Source: Volume 2, Appendix 2-H

Figure 2-55 Construction of Lateral Track Shifts (<10 feet)

- Vertical alignment adjustment—The existing track profile would require modification to allow for increased operational speeds on the corridor, including raising or lowering the profile up to and greater than 6 inches. There are several types of vertical adjustments that could occur:
 - Raising or lowering the profile less than 6 inches requires changes to the ballast layer only; OCS poles can remain in place, and only the contact wire would be adjusted.
 - Raising or lowering the profile more than 6 inches requires reconstruction of the railbed (ballast and subballast layers). Reconstruction of the railbed for conventional ballast track entails the installation of the roadbed, subballast, ballast, ties, and rail with rail fasteners. OCS poles would need to be reconstructed.
- OCS adjustments—The existing OCS system would be modified based on the alignment modifications to allow for increased operational speeds on the corridor. This would include a new OCS system (Figure 2-56), OCS pole relocation due to horizontal or vertical adjustments to the track profile, or adjustments to the OCS contact wire. OCS adjustments require special considerations because the electrified Caltrain service would be in use at the time the blended system is built.



Source: Volume 2, Appendix 2-H

Figure 2-56 Overhead Contact System Contact Wire Adjustments

2.10.3.3 Station Modifications

Construction of the project would require relocation and modification of existing Caltrain stations to accommodate HSR trains passing through or stopping at the stations. Construction at these stations would primarily entail modifications to the existing platforms, minor track shifts, modifications to pedestrian crossings, new pedestrian crossings, and relocation of several existing stations. More extensive construction would be required at the Millbrae Station.

4th and King Street Station

Modifications to the 4th and King Street Station under both project alternatives would occur over a 2-year period and would involve reconstructing two existing Caltrain platforms in the center of the station yard,³⁴ installing ramps to the platforms to provide pedestrian access, and realigning tracks. Primary construction staging would be within the 4th and King Street Station terminal facilities in the existing Caltrain right-of-way. Construction activities would be completed while the existing station remains operational; no temporary closures of adjacent Caltrain platforms would be required during construction.

Millbrae Station

Under both project alternatives and with either design for the Millbrae Station, the existing Millbrae Station would be expanded to the west to include a new 800-foot-long center HSR platform between the existing Caltrain tracks, an expanded station concourse, and a new HSR station facility. The existing northbound Caltrain track and shared BART platform would remain, while the existing southbound Caltrain track would be demolished. Two new station tracks would serve a new HSR center platform. The southbound Caltrain track and platform would be reconstructed west of the new station tracks serving the HSR platform. The Authority would add 37 new parking spaces for HSR passengers. With the Millbrae Station Design, the Authority would replace 288 displaced Caltrain and BART parking spaces in four surface parking lots west of the station; this replacement parking would not be built under the RSP Design Variant. Construction would occur over a 2-year period and would require building demolition, grading, construction above existing passenger facilities, and railway facility expansion. Construction activities would be completed while the existing station remains operational, with Caltrain accessing platforms on either side of the work zone.

San Jose Diridon Station

For Alternative A, the project would primarily involve installing new turnouts and modifying the configuration of San Jose Diridon Station to build two high-level, 1,400-foot platforms for HSR, retain two platforms for commuter and conventional intercity trains, provide passenger services and train operations support in new structures north and south of the existing station building, build new overhead concourses for passenger access to train platforms, and relocate the existing bus station in stages to accommodate progressive growth in HSR services:

- Valley-to-Valley service (assumed for 2029) would require all passenger platform improvements and HSR passenger and operations support in a building south of the existing station house, and an overhead concourse from the south HSR station building with ramps to the two HSR platforms. Access to existing subway ramps would be retained for HSR passenger egress. Access would also require ramps from the south overhead concourse to the Caltrain platforms.
- Phase 1 Service (assumed for 2033) would require development of another HSR building north of the existing station house, relocation of the existing bus station at that location, a second overhead pedestrian concourse from the north HSR station building with ramps to all train platforms, and closure of all platform ramps down to the subway.

³⁴ The project includes raising two platforms, extending one platform to 1,400 feet, and extending a second platform to 1,000 feet.

For Alternative B, the project would involve modification of the existing San Jose Diridon Station—existing platforms would be rebuilt, and the vertical circulation would be modified and replaced. Modifying the station would take place in six stages, with one of the station tracks and platforms closed for each stage. The first stage would temporarily close the easternmost Caltrain tracks and platforms to build the HSR viaduct piers and rebuild the platforms. When complete, the easternmost tracks and areas would recommence operation. The second stage would temporarily close the next set of track and platform, and so on through five stages. The sixth stage would build the station house. After completing the five stages of HSR viaduct supports and during construction of the HSR concourse and platforms, all Caltrain tracks and platforms would be operational.

Other Caltrain Station Modifications

Construction of both project alternatives would also affect the following existing Caltrain stations: Bayshore, San Bruno, Broadway, and Hayward Park Caltrain Stations. Additionally, Alternative A and Alternative B (Viaduct to I-880) would affect the College Park Station, Alternative B (Viaduct to Scott Boulevard) would affect the Santa Clara Station, and Alternative B (both viaduct options) would affect the Hillsdale, Belmont, and San Carlos Caltrain Stations. Construction required at these stations would include:

- Bayshore Station (Alternatives A and B)—The existing Bayshore Station is within the extent of the East or West Brisbane LMF and under the yard lead flyover and pergola structure. Construction of the flyover and pergola structure over the existing station would require falsework over the station if a cast-in-place construction method is used or closure of the south end of the existing platforms if precast construction is used (see Section 2.10.3.6, Bridge and Aerial Structures, for a description of these methods). The southbound platform would need to be extended under Alternative A and relocated to the south under Alternative B. Alternative B would also relocate the pedestrian overpass. With either construction method, it is not anticipated that the station would be entirely closed or that a temporary station would be required but a portion of the platforms may need to be temporarily closed at times during construction of either project alternative.
- San Bruno Station (Alternatives A and B)—Track modifications at the San Bruno Station would require an extension of the existing platforms approximately 145 feet south and relocation of the existing stairs/ramps to the southern side of the northbound platform. Construction activities would be completed while the existing station remains operational.
- Broadway Station (Alternatives A and B)—The station would be reconstructed to eliminate the hold-out rule by building a new northbound platform and extending the southbound platform. Construction activities would be completed while the existing station remains operational, with Caltrain accessing the southbound platform during the construction period.
- Hayward Park Station (Alternatives A and B)
 - Alternative A—Track modifications at the Hayward Park Station would require realignment of the existing platforms. Construction activities would be completed while the existing station remains operational.
 - Alternative B—The Hayward Park Station is within the extent of the passing track under Alternative B, which would require the construction of new outboard platforms and a pedestrian underpass at the station. Construction of the passing tracks through the station would require temporary closure of one platform for single-track or double-track operations. The station would remain open throughout the duration of construction.
- Hillsdale Station (Alternative B)—The Hillsdale Station is within the extent of the passing track under Alternative B. The existing (center platform) station would remain in service with no closures as a second center platform would be built alongside the existing station.
- Belmont Station (Alternative B)—The Belmont Station is within the extent of the passing track under Alternative B. Construction of the passing tracks through the station would require

temporary closure of one platform during single-track operations. The station would remain open throughout the duration of construction.

- San Carlos Station (Alternative B)—The San Carlos Station is within the extent of the passing track under Alternative B. Construction of the passing track through the station would require relocating the station platforms approximately 2,260 feet south of their current location, and a pedestrian underpass would be built. Construction of the passing track through the station would require temporary closure of one platform during single-track operations. The existing station platforms would remain open throughout the duration of construction until the relocated station platforms are operational.
- Santa Clara Station (Alternative B [Viaduct to Scott Boulevard])—The existing northbound platform at Santa Clara Station would be reconstructed to accommodate supports for the aerial structure.
- College Park Station (Alternative A)—Under Alternative A, the existing College Park station would be reconstructed north of Emory Street on the west side of the Caltrain corridor to eliminate the existing hold-out rule at the station.
- College Park Station (Alternative B [Viaduct to I-880])—A new pedestrian underpass would be built near the alignment of Emory Street to connect passengers to the platforms from the east and west sides of the tracks.

Construction work at these stations would be coordinated with the affected transit service providers to maintain access to and operation of existing facilities or provide temporary facilities to support continued operation during construction. Construction could entail shifting the position of the platforms or access, changing platform types, providing grade-separated pedestrian access to platforms, maintaining parking capacity, and other methods to maintain operations.

2.10.3.4 Brisbane Light Maintenance Facility

The project would include construction of an LMF in Brisbane. Construction would occur over an approximately 2- to 3-year period and would involve demolition, grubbing, extensive earthwork, and utilities relocation. Because the site of the Brisbane LMF under either alternative is relatively hilly, both cut and fill would be required to create a level surface for the workshop, yard, tracks, and supporting systems and utilities. As shown in Table 2-25, construction of the East Brisbane LMF would require excavation of approximately 2,457,900 cubic yards of material, while construction of the West Brisbane LMF would require excavation of approximately 2,531,150 cubic yards of material, with excavation depths of up to 60 feet below ground surface.

Because the East Brisbane LMF is located on the former Brisbane landfill, it is anticipated that most of the excavated material would be refuse requiring disposal as solid waste. Based on available information characterizing the former landfill, it is estimated that of the total excavated material for the East Brisbane LMF, approximately 1,875,000 cubic yards (76 percent) would require disposal as solid waste, approximately 375,000 cubic yards (15 percent) would be materials suitable for reuse on-site, and approximately 208,300 cubic yards (8.5 percent) would require disposal as hazardous waste. For the West Brisbane LMF, which would be constructed partially on a former railyard and partially on Icehouse Hill, it is estimated that of the total excavated material, approximately 205,800 cubic yards (10 percent) would be disposed of as solid waste, approximately 432,000 cubic yards (20 percent) would be disposed of as hazardous waste, and approximately 1,460,600 (70 percent) would be reused on-site or off-site for construction of the passing tracks.

Accordingly, the West Brisbane LMF is anticipated to require substantially less material disposal than the East Brisbane LMF, and consequently, would generate fewer construction vehicle trips. Excavated materials would be transported via trucks either for disposal at off-site facilities or for reuse in construction of the passing tracks (Alternative B). The off-site facilities include the Ox Mountain Sanitary Landfill facility in Half Moon Bay and the Kettleman City Hazardous Waste Facility in Kern County. Construction of the West Brisbane LMF under Alternative B is anticipated to generate 450 daily truck trips to the off-site waste facilities, whereas the East Brisbane LMF under Alternative A is anticipated to generate 690 daily truck trips to the off-site waste facilities.

Foundations and footings would be required for the maintenance building, the aerial track flyover to enable access to the LMF, the pergola at the Bayshore Station, and the realigned Tunnel Avenue overpass. New ballasted railbed would be built for the realigned tracks and the yard, which would involve the installation of roadbed, subballast, ballast, ties, and rail with rail fasteners. Track would be shifted laterally by nearly 50 feet in certain locations, and new OCS would be built to accommodate the track shifts and the new yard tracks.

2.10.3.5 *Passing Track Construction*

Construction of the passing track under Alternative B would occur over a 4.5-year construction period and would involve demolition, removal of existing track, placement of embankment and construction of retaining walls where the right-of-way is too constrained for embankment slopes, and construction of new ballasted railbed including the installation of roadbed, subballast, ballast, ties, and rail with rail fasteners. Track would be shifted laterally and new OCS poles would be built to accommodate the track shifts. Along much of the length of the passing track, the profile would be embankment or retained fill, which presents staging challenges due to the constrained right-of-way, earthmoving operations, and need to maintain Caltrain service and freight operations during construction.


2.10.3.6 *Bridge and Aerial Structures*

Aerial structures for this section would be limited to (1) the Brisbane LMF lead tracks; (2) the realigned Tunnel Avenue overpass; (3) either widening existing bridges or building parallel bridges through the four-tracking areas of Millbrae Station; (4) either widening existing bridges or building parallel bridges for the passing tracks under Alternative B; and (5) dedicated viaducts south of Scott Boulevard or south of I-880 under Alternative B.

As is done for existing HSR systems around the world, the majority of the elevated guideways would be designed and built using single box segmental girder construction. Where needed, other structural types and construction methods would be considered. This section provides an overview of the construction methods required for foundations, substructures, and superstructures of bridges, aerial structures, and roadway crossings. Figure 2-57 illustrates the typical components of aerial structures.

Construction Terminology

- **Girder**—A girder is a large iron or steel beam used for building bridges. The term girder is often used interchangeably with “beam.”
 - **Precast concrete**—A technique, wherein concrete is prepared, cast, and cured off-site, usually using molds.
 - **Cast-in-place concrete**—Also known as poured in place, a technique wherein the concrete is transported to site in an unhardened state.
 - **Falsework**—Temporary structures used in construction to support a permanent structure until its construction is sufficiently advanced to support itself.
-



Source: Volume 2, Appendix 2-H

MAY 2017

Figure 2-57 Typical Aerial Structure Components

Foundations

A typical aerial structure foundation pile cap is supported by an average of four large-diameter (5 to 9 feet) bored piles. Depth of piles depends on the geotechnical conditions at each pile site. Pile construction can be achieved by using rotary drilling rigs, and either bentonite slurry or temporary casings may be used to stabilize pile shaft excavation. The estimated pile production rate is 4 days per pile installation. Additional pile installation methods available to the contractor include bored piles, rotary drilling cast-in-place piles, driven piles, and a combination of pile jetting and driving.

Following completion of the piles, pile caps can be built using conventional methods supported by structural steel: either precast and pre-stressed piles or cast-in-drilled hole piles. For pile caps built near existing structures such as railways, bridges, and underground drainage culverts, temporary sheet piling (i.e., temporary walls) can be used to minimize disturbances to adjacent structures. Sheet piling installation and extraction would likely be achieved using hydraulic sheet piling machines.

Substructure

Typical aerial structures of up to 90 feet would be built using cast-in-place bent caps and columns supported by structural steel and installed upon pile caps. A self-climbing formwork system may be used to build piers and portal beams more than 90 feet high. The self-climbing formwork system is equipped with a winched lifting device, which is raised up along the column by hydraulic means with a structural frame mounted on top of the previous pour. In general, a 3-day cycle for each 12-foot pour height can be achieved. The final size and spacing of the piers depends on the type of superstructure and spans they are supporting.

Superstructure

The selection of superstructure type would consider the loadings, stresses, and deflections encountered during the various intermediate construction stages, including changes in static scheme, sequence of tendon installation, maturity of concrete at loading, and load effects from

erection equipment. Accordingly, the final design would depend on the contractor's selected means and methods of construction, such as full-span precast, span-by-span, balanced cantilever segmental precast, and cast-in-place construction on falsework. These superstructure construction methods are described in full detail in the *San Jose to Merced Project Section Constructability Assessment Report* (Authority 2019d) and are summarized as follows:

- Full-span precast construction—Box girders would be precast and pre-stressed in advance as a full span and stored in a precasting yard. The 110-foot precast segments, weighing around 900 tons, would be transported along the previously built aerial guideway using a special gantry system (Figure 2-58).
- Span-by-span precast segmental construction—Shorter box girder segments would be precast and pre-stressed, and stored in a precasting yard. These segments, limited to 12-foot segments weighing less than 70 tons, would likely be individually transported to the construction site by ground transportation. Once the gantry system is in place, construction would involve hoisting the segments from the ground and installing and tensioning the pre-stressing tendons to create the box girder (Figure 2-59).
- Balanced cantilever segmental construction—In locations where construction would occur over existing facilities that prevent equipment and temporary supports on the ground, balanced cantilever segmental construction may be used. Under this construction method, box girder segments (12-foot segments weighing less than 70 tons) that are either precast or cast in place would be placed in a symmetrical fashion around a bent column. The segments would be anchored at the ends by cantilever tendons in the deck slab, with midspan tendons balancing the weight between two cantilevers (Figure 2-60). Precast segments would be precast off-site, transported to the construction site, and installed incrementally onto a portion of the existing cantilever using ground cranes, hoisting devices, or a self-launching gantry. Segments can also be cast in place and installed two at a time, one at each end of the balanced cantilever. Segments generated by casting in place are generally longer than those in precast construction because they do not need to be transported to the construction site.
- Cast-in-place construction on falsework—The method involves creating a suspended formwork with either a launching girder or gantry system. Once the formwork is in position and reinforcements and pre-stressing are placed, concrete is poured and the pre-stressing is stressed. The formwork is then removed and moved to the next segment (Figure 2-61).

Construction of road crossings and bridges would be similar to the approach for aerial structures. The superstructure would likely be built using precast, pre-stressed, concrete girders and cast-in-place deck. Approaches to bridges would be earthwork embankments, mechanically stabilized earth wall, or other retaining structures.



Source: Authority 2019d

MAY 2017

Figure 2-58 Full-Span Precast Construction on Taiwan HSR



Source: Authority 2019d

MAY 2017

Figure 2-59 Span-by-Span Precast Segmental Construction



Source: Authority 2019d

MAY 2017

Figure 2-60 Balanced Cantilever Segmental Construction



Source: Authority 2019d

MAY 2017

Figure 2-61 Cast-in-Place Construction on Formwork

Crossings of existing railroads, roads, and the HSR would be built on the line of the existing road or offline at some locations. When built online, the existing road would be closed or temporarily diverted. When built offline, the existing road would be maintained in use until the new crossing is completed. Single tracking of VTA service would be necessary during construction of the SR 87 bridge under Alternative A. The following project features are necessary for VTA to modify operations during construction: a new crossover with two powered switches south of Tamien Station, provision of power to six existing switches, and installation of track signals at these new and existing powered switches. Where HSR would cross over existing railroads, the Authority would coordinate with the rail operators to avoid operational impacts during construction.

2.10.3.7 Roadway Modifications

The most common type of roadway modification within the Project Section would be the installation of four-quadrant gates at at-grade crossings, required at 40 at-grade crossings under Alternative A and 38 at-grade crossings under Alternative B (see Table 2-14). The installation of four-quadrant gates at each at-grade crossing would occur within roadway rights-of-way over a period of 4 to 6 months, with the greatest level of construction activity occurring over a period of 2 to 4 weeks.

Construction of the project alternatives would also involve roadway reconstructions at several locations. Portions of Tunnel Avenue and the existing Tunnel Avenue grade separation in Brisbane would require relocation under both alternatives. Construction of the new Tunnel Avenue overpass would occur prior to removing the existing Tunnel Avenue roadway and overpass from operation, which would maintain access to Tunnel Avenue from Bayshore Boulevard throughout the construction process. Roadway work associated with the project would be done using conventional methods in the following sequence as appropriate: demolition, utility relocation, excavation, grading, placing aggregate base, building concrete curb and gutter, and placing concrete or asphalt concrete top surface base and top surfaces. It is anticipated that full and partial street closures would be needed for the reconstruction of roadways. However, it is assumed that major diversions to the existing roadways to be grade separated would be avoided or minimized if they are necessary. Detours and temporary traffic control measures will be required so traffic circulation could be maintained during construction. Volume 2, Appendix 2-A illustrates additional roadway modifications that would be necessary under the project alternatives.

2.11 Permits

The Authority has entered into agreements with environmental resource agencies to facilitate the environmental permitting required during final design and construction. These agreements are intended to identify the Authority’s responsibilities in meeting the permitting requirements of the federal, state, and regional environmental resource agencies.

An MOU was established in 2010 between the FRA, Authority, USACE, and USEPA (FRA et al. 2010) regarding integration of NEPA, CWA Section 404, and Rivers and Harbors Act Section 14 processes. In addition, the Authority and FRA entered into a Section 106 Programmatic Agreement with the California State Historic Preservation Officer and the Advisory Council on Historic Preservation in 2011 to establish the process for considering impacts on historic properties during project-level environmental reviews. The Section 106 Programmatic Agreement was amended and extended in 2021, and the Surface Transportation Board has been added as an invited signatory to the Programmatic Agreement. An MOU was established between the Authority and the State Water Resources Control Board regarding items that would require a Complete Application for CWA Section 401 Certification and/or Waste Discharge Requirements, the delineation of nonfederal wetlands and other surface waters of the state that are not waters of the U.S., and any future amendments to the existing State Water Resources Control Board requirements regarding applications and delineation methods.

Table 2-26 shows the major environmental reviews, permits, and approvals that may be required for the project. The table identifies each agency’s status as a NEPA cooperating agency or CEQA responsible agency. As a state agency, the Authority is exempt from local permit requirements; however, to better coordinate construction activities with local jurisdictions, the Authority plans to pursue local construction and access permits where practicable and consistent with the terms of the Authority’s applicable contracts. These local permits may include those related to street closures and traffic detours, and street and utility improvements and relocations. The agencies identified in the table are anticipated to rely on the EIR/EIS to support their permitting and approval processes. Other approvals may require new specific documentation.

Table 2-26 Potential Major Environmental Permits and Approvals

Agency	Permit/Approval
Federal	
U.S. Army Corps of Engineers (NEPA Cooperating Agency)	<ul style="list-style-type: none"> ▪ Section 404 Permit for Discharge of Dredge or Fill Materials into Waters of the U.S., including wetlands, under the Clean Water Act of 1972 ▪ Section 10 Permit for Construction of any Structure in or over any Navigable Water of the United States under the Rivers and Harbors Act of 1899 ▪ Section 14 of the Rivers and Harbors Act of 1899 (“Section 408”) permission to alter or modify a facility or feature of any federal project levee or federally regulated flood control system
U.S. Department of Transportation/Federal Railroad Administration	<ul style="list-style-type: none"> ▪ Concurrence with constructive use determinations under Section 4(f) of the U.S. Department of Transportation Act of 1966 ▪ General conformity determination under Clean Air Act Section 176(c)
U.S. Environmental Protection Agency	<ul style="list-style-type: none"> ▪ Review of environmental impact statement under Clean Air Act Section 309
U.S. Fish and Wildlife Service	<ul style="list-style-type: none"> ▪ Section 7 Consultation and Biological Opinion/Incidental Take Statement pursuant to the Endangered Species Act of 1973
National Oceanic and Atmospheric Administration, National Marine Fisheries Service	<ul style="list-style-type: none"> ▪ Section 7 Consultation and Biological Opinion/Incidental Take Statement pursuant to the Endangered Species Act of 1973
Surface Transportation Board (NEPA Cooperating Agency)	<ul style="list-style-type: none"> ▪ Authority to build and operate new rail line
State	
California Department of Fish and Wildlife (CEQA Responsible Agency)	<ul style="list-style-type: none"> ▪ California Department of Fish and Wildlife Section 1602 Lake and Streambed Alteration Agreement ▪ Incidental Take Permit under Section 2081 of the California Fish and Game Code
Caltrans (CEQA Responsible Agency)	<ul style="list-style-type: none"> ▪ Caltrans encroachment permits
California Public Utilities Commission (CEQA Responsible Agency)	<ul style="list-style-type: none"> ▪ Approval for construction and operation of railroad crossings of public road and ministerial Notice of Construction or discretionary Permit to Construct associated with network upgrades to PG&E facilities
California State Historic Preservation Office	<ul style="list-style-type: none"> ▪ Section 106 Consultation (National Historic Preservation Act of 1966)
San Francisco Bay Conservation and Development Commission (CEQA Responsible Agency)	<ul style="list-style-type: none"> ▪ Regionwide, Administrative, or Major Permit

Agency	Permit/Approval
State Water Resources Control Board, San Francisco Bay Regional Water Quality Control Board (CEQA Responsible Agency)	<ul style="list-style-type: none"> ▪ Section 401 Water Quality Certification under the Clean Water Act of 1972 ▪ Construction General Permit (Order No. Order 2009-0009-DWQ) ▪ Industrial General Permit (Order No. 2014-0057-DWQ) ▪ Caltrans Statewide MS4 Permit (Order No. 2012-0011-DWQ) ▪ Phase I MS4/Municipal Regional Permit (Order No. R2-2015-0049) ▪ Phase II MS4 Permit (Order No. 2013-0001-DWQ) ▪ Volatile Organic Compound and Fuel General Permit (Order No. R2-2012-0012) ▪ Groundwater General Permit (Order No. R2-2012-0060) ▪ Discharges with Low Threat to Water Quality (Order No. R3-2011-0223) ▪ Dewatering and Other Low Threat Discharges (Order No. R5-2013-0074) ▪ Spill Prevention, Control, and Countermeasure Plan (part of Section 402 process) ▪ Stormwater Construction and Operation Permit
State Lands Commission	<ul style="list-style-type: none"> ▪ Approvals and potential lease from the State Lands Commission for use of lands within the State's Public Trust easement
Regional	
Bay Area Air Quality Management District (CEQA Responsible Agency)	<ul style="list-style-type: none"> ▪ Rule 201 General Permit Requirements, Rule 403 Fugitive Dust, Rule 442 Architectural Coatings, Rule 902 Asbestos, and Rule 9510 Indirect Source Review
PCJPB (CEQA Responsible Agency)	<ul style="list-style-type: none"> ▪ Approval of modifications of facilities owned by PCJPB
BART (CEQA Responsible Agency)	<ul style="list-style-type: none"> ▪ Approval of modifications to the Millbrae Station, which is owned by BART

BART = Bay Area Rapid Transit
 Caltrans = California Department of Transportation
 CEQA = California Environmental Quality Act
 MS4 = municipal separate storm sewer system
 NEPA = National Environmental Policy Act
 PCJPB = Peninsula Corridor Joint Powers Board
 PG&E = Pacific Gas and Electric Company