Print Form

Summary Form for Electronic Document Submittal

Form F

Lead agencies may include 15 hardcopies of this document when submitting electronic copies of Environmental Impact Reports, Negative Declarations, Mitigated Negative Declarations, or Notices of Preparation to the State Clearinghouse (SCH). The SCH also accepts other summaries, such as EIR Executive Summaries prepared pursuant to CEQA Guidelines Section 15123. Please include one copy of the Notice of Completion Form (NOC) with your submission and attach the summary to each electronic copy of the document.

SCH #: 2012122018

Project Title: Addendum No. 1 to the Marysville Wastewater Treatment Compliance

Lead Agency: City of Marysville

Contact Name: Craig Platt

Email: cplatt@marysville.ca.us Phone Number: 530-749-3901

Project Location: Marysville (*City*) Yuba (*County*)

Project Decription (Proposed actions, location, and/or consequences).

This is the re-submittal of a a previously adopted IS/MND Addendum. This re-submittal includes the Addendum to the previously adopted Marysville Wastewater Treatment Compliance IS/MND. The Yuba River Crossing amendments analyzed in this Addendum include constructing a new, temporary, 18-inch HDPE pipe that will connect the WWTP to the existing 24-inch diameter pipe which crosses underneath the Yuba River. The new, temporary, 18-inch HDPE pipe will begin at the WWTP, follow the landside of the levee in a westerly direction, cross over the levee just north of the Western Pacific railroad tracks, follow the railroad abutment south to Biz Johnson Drive, turn in a southerly direction and cross under the railroad tracks, cross under Biz Johnson Drive south of the railroad tracks, then travel north back under the railroad tracks to the existing 24-inch diameter pipe crossing underneath the Yuba River. The wastewater conveyance pipeline will be installed within Biz Johnson Drive using cut and cover techniques. The total length of temporary pipeline to be installed is approximately 543 linear feet.

Identify the project's significant or potentially significant effects and briefly describe any proposed mitigation measures that would reduce or avoid that effect.

Cultural: A Secretary of the Interior-qualified archaeologist and a Native American monitor shall be present during ground-disturbing activities within 500 feet of historic natural waterways.

If applicable, describe any of the project's areas of controversy known to the Lead Agency, including issues raised by agencies and the public.

None known.

Provide a list of the responsible or trustee agencies for the project.

Federal, state, and local agencies that would serve as either responsible or trustee agencies for the Proposed Project include: Regional WQCB District 5 and SWRCB.