

Notice of Determination

To:

Office of Planning and Research

U.S. Mail:

P.O. Box 30441400

Sacramento, CA 95812-3044

Street Address:

Tenth St., Rm 113

Sacramento, CA 95814

From:

Public Agency: Department of Forestry and Fire Protection (CAL FIRE)

Address: 5366 Hwy 49 North, Mariposa, CA 95338

Contact: Brian Mattos

Phone: (209) 742-1907

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resource Code.

State Clearinghouse Number: 2019012052

Project Title: Round Tree VTP

Project Location: Mariposa County

Project Description: The California Department of Forestry and Fire Prevention (CAL FIRE) has prepared a Project-Specific Analysis (PSA) for the project as a later activity covered by the California Vegetation Treatment Project (CalVTP) Program Environmental Impact Report (EIR) for the Round Tree VTP. The Round Tree VTP entails implementation of vegetation treatments on up to 224 acres of land in Mariposa County, 0.5 miles West of Ponderosa Basin community. The proposed treatment types (fuel break and Wildland-Urban Interface Fuel Reduction) and treatment activities (manual treatments, mechanical treatments, and prescribed (pile) burning) are consistent with those evaluated in the CalVTP Program EIR. Maintenance treatments would involve the same vegetation treatment types and activities used in the initial treatments.

This is to advise that CAL FIRE (Lead Agency) has approved the above-described project on 9/11/2024 and has made the following determinations regarding the above-described project: Date

1. The project will have a significant effect on the environment.
2. A Program Environmental Impact Report (CalVTP Program EIR) was previously prepared (SCH# 2019012052) pursuant to the provisions of CEQA.
3. A Project Specific Analysis (PSA) was prepared for the Round Tree VTP. This analysis determined the project is within the scope of the CalVTP Program EIR and consistent with CEQA Guidelines Section 15168(c)(2).
4. The CalVTP Program EIR sufficiently analyzes and addresses potential environmental impacts from the project, and the project will not trigger any of the criteria requiring additional CEQA review pursuant to CEQA Guidelines Section 15162. The project will not result in new significant impacts or a substantial increase in the severity of the significant environmental impacts identified in the CalVTP Program EIR.
4. Mitigation measures and standard project requirements from the CalVTP Program EIR were made a condition of the approval of the project; no new project specific mitigation measures are required.
5. The implementation of applicable CalVTP Program EIR mitigation measures and standard project requirements will be monitored and reported pursuant to the Mitigation Monitoring and Reporting Program that was adopted for this project.
6. The previous statement of overriding considerations in the CalVTP Program EIR was reaffirmed and adopted for this project by CAL FIRE.
7. Findings were made pursuant to the provisions of State CEQA Guidelines Section 15091.

This is to certify that the Round Tree VTP PSA and record of project approval for the CalVTP Program EIR are available to the public on the Board of Forestry and Fire Protection webpage with the environmental documentation associated with individual approved CalVTP projects: <https://bof.fire.ca.gov/projects-and-programs/calvtp-homepage-and-storymap/>.

DocuSigned by:

Signature:

David Fulcher

David Fulcher, Southern Region Chief
California Department of Forestry and Fire Protection

Date: 9/11/2024